

TABLE 11. Estimated percent with activity limitations among children¹ with current² or active³ asthma status by state/territory – BRFSS Asthma Call-back Survey, United States, 2006-2010

State/Territory	Current				Active			
	Sample size [±]	%	SE [§]	95% CI [†]	Sample size	%	SE	95% CI
Arizona	126	69.0	6.6	(56.1 - 81.9)	145	61.8	6.8	(48.5 - 75.1)
California	174	66.0	4.6	(57.0 - 75.0)	211	58.8	4.4	(50.2 - 67.4)
Connecticut	357	55.8	3.5	(48.9 - 62.7)	423	50.5	3.2	(44.2 - 56.8)
District of Columbia	120	52.4	5.7	(41.2 - 63.6)	146	48.5	5.1	(38.5 - 58.5)
Georgia	353	57.2	3.6	(50.1 - 64.3)	414	49.4	3.4	(42.7 - 56.1)
Hawaii	428	47.6	3.1	(41.5 - 53.7)	454	47.1	3.0	(41.2 - 53.0)
Illinois	172	60.1	4.6	(51.1 - 69.1)	200	54.3	4.4	(45.7 - 62.9)
Indiana	354	60.5	3.5	(53.6 - 67.4)	397	54.1	3.5	(47.2 - 61.0)
Iowa	255	59.6	3.5	(52.7 - 66.5)	282	53.6	3.4	(46.9 - 60.3)
Kansas	607	56.7	2.4	(52.0 - 61.4)	674	53.6	2.3	(49.1 - 58.1)
Louisiana	107	59.6	5.6	(48.6 - 70.6)	122	56.8	5.3	(46.4 - 67.2)
Maine	294	55.4	3.3	(48.9 - 61.9)	343	50.8	3.1	(44.7 - 56.9)
Maryland	394	57.2	3.2	(50.9 - 63.5)	473	48.5	3.1	(42.4 - 54.6)
Massachusetts	272	55.2	4.5	(46.4 - 64.0)	318	50.2	4.1	(42.2 - 58.2)
Michigan	492	58.7	2.9	(53.0 - 64.4)	547	57.8	2.7	(52.5 - 63.1)
Mississippi	81	68.9	6.9	(55.4 - 82.4)	95	63.6	6.5	(50.9 - 76.3)
Missouri	234	57.7	4.9	(48.1 - 67.3)	259	51.9	4.8	(42.5 - 61.3)
Montana	214	60.5	4.3	(52.1 - 68.9)	256	57.2	3.9	(49.6 - 64.8)
Nebraska	485	58.5	3.5	(51.6 - 65.4)	546	57.2	3.5	(50.3 - 64.1)
New Hampshire	154	54.9	4.7	(45.7 - 64.1)	177	50.6	4.4	(42.0 - 59.2)
New Jersey	308	58.2	3.8	(50.8 - 65.6)	350	52.8	3.8	(45.4 - 60.2)
New Mexico	227	63.4	4.3	(55.0 - 71.8)	242	60.4	4.2	(52.2 - 68.6)
New York	286	65.4	3.8	(58.0 - 72.8)	345	57.9	3.7	(50.6 - 65.2)
North Dakota	101	58.7	6.1	(46.7 - 70.7)	123	49.7	5.4	(39.1 - 60.3)
Ohio	226	56.2	4.9	(46.6 - 65.8)	261	47.1	4.5	(38.3 - 55.9)
Oklahoma	256	60.3	3.8	(52.9 - 67.7)	262	58.6	3.8	(51.2 - 66.0)
Oregon	196	59.9	4.3	(51.5 - 68.3)	227	57.8	4.0	(50.0 - 65.6)
Pennsylvania	135	53.6	5.8	(42.2 - 65.0)	157	50.9	5.5	(40.1 - 61.7)
Rhode Island	161	45.9	4.8	(36.5 - 55.3)	187	43.9	4.1	(35.9 - 51.9)
Texas	490	66.4	3.4	(59.7 - 73.1)	563	62.4	3.4	(55.7 - 69.1)
Utah	380	67.7	3.5	(60.8 - 74.6)	426	64.0	3.4	(57.3 - 70.7)
Vermont	395	58.2	2.9	(52.5 - 63.9)	450	54.6	2.8	(49.1 - 60.1)
Virginia	88	74.2	5.6	(63.2 - 85.2)	101	67.7	5.5	(56.9 - 78.5)
Washington	349	53.1	3.5	(46.2 - 60.0)	398	48.3	3.3	(41.8 - 54.8)
West Virginia	203	54.9	4.1	(46.9 - 62.9)	223	52.6	3.9	(45.0 - 60.2)
Wisconsin	147	63.1	5.5	(52.3 - 73.9)	205	57.5	4.8	(48.1 - 66.9)
36 state total	9,621	61.4	1.1	(59.2 - 63.6)	11,002	56.0	1.0	(54.0 - 58.0)
Median		58.6				53.9		
Range		45.9-74.2				43.9-67.7		

¹ Aged < 18 years

² "Yes" response to "Do you still have asthma?"

³ Reported any of the following during the past year: asthma medication use, asthma symptoms, or MD visits for asthma

[±] Sample size is for multiple years of participation. Responses of "Don't Know" and "Refused" are excluded.

[§] Standard error

[†] Confidence interval