

TABLE 5a. Estimated percent reporting routine doctor visits in the past year among children¹ with current² asthma by state/territory - BRFSS Asthma Call-back Survey, United States, 2006-2010

State/Territory	Sample size [±]	One or more routine visits				No routine visits ³			
		Sample size	%	SE [§]	95% CI [†]	Sample size	%	SE	95% CI
Arizona	124	89	72.1	6.4	(59.6 - 84.6)	35	27.9	6.4	(15.4 - 40.4)
California	178	127	77.3	3.7	(70.0 - 84.6)	51	22.7	3.7	(15.4 - 30.0)
Connecticut	354	255	71.2	3.1	(65.1 - 77.3)	99	28.8	3.1	(22.7 - 34.9)
District of Columbia	121	91	72.0	5.6	(61.0 - 83.0)	30	28.0	5.6	(17.0 - 39.0)
Georgia	353	264	79.2	2.6	(74.1 - 84.3)	89	20.8	2.6	(15.7 - 25.9)
Hawaii	423	236	61.4	3.0	(55.5 - 67.3)	187	38.6	3.0	(32.7 - 44.5)
Illinois	172	123	69.2	4.8	(59.8 - 78.6)	49	30.8	4.8	(21.4 - 40.2)
Indiana	345	259	76.0	3.0	(70.1 - 81.9)	86	24.0	3.0	(18.1 - 29.9)
Iowa	254	167	64.3	3.5	(57.4 - 71.2)	87	35.7	3.5	(28.8 - 42.6)
Kansas	597	428	72.7	2.2	(68.4 - 77.0)	169	27.3	2.2	(23.0 - 31.6)
Louisiana	103	77	75.5	5.2	(65.3 - 85.7)	26	24.5	5.2	(14.3 - 34.7)
Maine	293	225	77.4	2.9	(71.7 - 83.1)	68	22.6	2.9	(16.9 - 28.3)
Maryland	393	306	80.6	2.5	(75.7 - 85.5)	87	19.4	2.5	(14.5 - 24.3)
Massachusetts	271	211	79.3	3.2	(73.0 - 85.6)	60	20.7	3.2	(14.4 - 27.0)
Michigan	491	372	74.3	2.7	(69.0 - 79.6)	119	25.7	2.7	(20.4 - 31.0)
Mississippi	81	62	80.2	5.0	(70.4 - 90.0)	19	19.8	5.0	(10.0 - 29.6)
Missouri	230	163	68.9	4.3	(60.5 - 77.3)	67	31.1	4.3	(22.7 - 39.5)
Montana	212	146	70.5	3.7	(63.2 - 77.8)	66	29.5	3.7	(22.2 - 36.8)
Nebraska	484	331	68.5	3.6	(61.4 - 75.6)	153	31.5	3.6	(24.4 - 38.6)
New Hampshire	155	117	73.0	4.6	(64.0 - 82.0)	38	27.0	4.6	(18.0 - 36.0)
New Jersey	305	226	73.3	3.4	(66.6 - 80.0)	79	26.7	3.4	(20.0 - 33.4)
New Mexico	240	151	61.5	4.4	(52.9 - 70.1)	89	38.5	4.4	(29.9 - 47.1)
New York	283	217	75.7	3.4	(69.0 - 82.4)	66	24.3	3.4	(17.6 - 31.0)
North Dakota	101	70	70.3	5.3	(59.9 - 80.7)	31	29.7	5.3	(19.3 - 40.1)
Ohio	222	175	84.2	3.3	(77.7 - 90.7)	47	15.8	3.3	(9.3 - 22.3)
Oklahoma	250	182	72.9	3.4	(66.2 - 79.6)	68	27.1	3.4	(20.4 - 33.8)
Oregon	196	121	64.3	4.0	(56.5 - 72.1)	75	35.7	4.0	(27.9 - 43.5)
Pennsylvania	135	112	78.1	5.4	(67.5 - 88.7)	23	21.9	5.4	(11.3 - 32.5)
Rhode Island	159	113	67.5	4.9	(57.9 - 77.1)	46	32.5	4.9	(22.9 - 42.1)
Texas	486	348	70.8	3.4	(64.1 - 77.5)	138	29.2	3.4	(22.5 - 35.9)
Utah	376	248	67.9	3.1	(61.8 - 74.0)	128	32.1	3.1	(26.0 - 38.2)
Vermont	391	282	72.7	2.6	(67.6 - 77.8)	109	27.3	2.6	(22.2 - 32.4)
Virginia	87	61	71.8	8.0	(56.1 - 87.5)	26	28.2	8.0	(12.5 - 43.9)
Washington	350	228	64.7	3.3	(58.2 - 71.2)	122	35.3	3.3	(28.8 - 41.8)
West Virginia	202	156	80.3	3.0	(74.4 - 86.2)	46	19.7	3.0	(13.8 - 25.6)
Wisconsin	147	111	76.1	4.4	(67.5 - 84.7)	36	23.9	4.4	(15.3 - 32.5)
36 state total	9,564	6,850	74.4	0.9	(72.6 - 76.2)	2,714	25.6	0.9	(23.8 - 27.4)
Median			72.7				27.3		
Range			61.4-84.2				15.8-38.6		

¹ Aged < 18 years

² "Yes" response to "Do you still have asthma?"

³ No doctor visits or no routine doctor visits

[±] Sample size is for multiple years of participation. Responses of "Don't Know" and "Refused" are excluded.

[§] Standard error

[†] Confidence interval