

**TABLE 2. Asthma Indicators by Onset (Child or Adult) among adults with current asthma in Idaho: BRFSS 2005.**

Indicator	Total			Child Onset			Adult Onset			P*
	n	%	se	n	%	se	n	%	se	
<b>Preventive Medication (30 days)</b>	<b>410</b>			<b>152</b>			<b>258</b>			<b>0.98 **</b>
No days	158	42.4	3.1	60	42.5	5.3	98	42.3	3.5	<b>0.31 ***</b>
Any days	252	57.6	3.1	92	57.5	5.3	160	57.7	3.5	
1 to 14 days	102	26.0	2.9	41	28.0	5.0	61	24.2	3.3	
15 to 24 days	15	3.5	1.1	8	5.3	2.3	7	1.9	0.8	
25 to 30 days	135	28.1	2.7	43	24.2	4.4	92	31.6	3.2	
<b>Rescue Inhaler (30 days)</b>	<b>406</b>			<b>151</b>			<b>255</b>			<b>0.05 **</b>
Never	211	51.8	3.1	65	44.9	5.1	146	57.8	3.7	<b>0.03 ***</b>
Any times	195	48.2	3.1	86	55.1	5.1	109	42.8	3.7	
1 to 4 times	101	26.3	2.9	48	34.0	5.2	53	19.6	2.9	
5 to 14 times	40	10.1	1.9	16	8.7	2.6	24	11.3	2.8	
15 to 59 times	44	10.1	1.8	20	12.0	3.2	24	8.5	1.9	
60 or more times	10	1.7	0.7	2	0.4	0.3	8	2.8	1.2	
<b>Attack</b>	<b>411</b>			<b>155</b>			<b>256</b>			<b>0.76 **</b>
Did not have attack	168	40.6	3.1	56	39.6	5.4	112	41.6	3.6	
Had attack	243	59.4	3.1	99	60.4	5.4	144	58.4	3.6	
<b>Emergency Department Visits</b>	<b>416</b>			<b>155</b>			<b>261</b>			<b>0.51 **</b>
No visit	354	86.0	2.2	130	87.6	3.1	224	84.6	3.0	<b>0.44 ***</b>
Any visit	62	14.0	2.2	25	12.4	3.1	37	15.4	3.0	
One visit	31	7.2	1.5	11	5.2	1.9	20	9.0	2.3	
Two or more visits	31	6.8	1.7	14	7.2	2.8	17	6.4	2.2	
<b>Urgent Doctor Visits</b>	<b>412</b>			<b>154</b>			<b>258</b>			<b>0.73 **</b>
No visit	308	75.7	2.8	113	74.7	4.7	195	76.6	3.2	<b>0.74 ***</b>
Any visit	104	24.3	2.8	41	25.3	4.7	63	23.4	3.2	
One visit	55	13.0	2.0	23	14.7	3.7	32	11.5	2.1	
Two or more visits	49	11.3	2.2	18	10.6	3.6	31	11.9	2.6	
<b>Routine Doctor Visits</b>	<b>413</b>			<b>155</b>			<b>258</b>			<b>0.56 **</b>
No visits	206	48.7	3.2	82	50.6	5.3	124	46.9	3.7	<b>0.82 ***</b>
Any visit	207	51.3	3.2	73	49.4	5.3	134	53.1	3.7	
One visit	126	33.2	3.1	44	31.8	5.1	82	34.4	3.6	
Two visits	41	9.5	1.9	13	8.1	2.9	28	10.7	2.5	
Three or more visits	40	8.6	1.8	16	9.5	3.1	24	8.0	1.8	
<b>Activity Limitation</b>	<b>400</b>			<b>152</b>			<b>248</b>			<b>0.58 **</b>
No days	310	78.4	2.6	116	76.8	4.5	194	79.8	3.0	<b>0.64 ***</b>
Any days	90	21.6	2.6	36	23.2	4.5	54	20.2	3.0	
1-10 days	64	16.6	2.5	25	19.0	4.3	39	14.6	2.6	
> 10 days	26	5.0	1.2	11	4.2	1.8	15	5.6	1.7	
<b>Days with Symptoms</b>	<b>413</b>			<b>155</b>			<b>258</b>			<b>0.27 **</b>
No days	85	21.9	2.7	34	25.1	4.8	51	19.0	2.8	<b>&lt;0.01 ***</b>
Any days	328	78.1	2.7	121	74.9	4.8	207	81.0	2.8	
< once a week	99	27.7	2.9	42	30.1	5.0	57	25.5	3.4	
once, or more, a week	130	32.5	3.0	53	34.7	5.2	77	30.5	3.5	
every day	99	17.9	2.1	26	10.1	2.7	73	25.0	3.1	
<b>Days with Sleep Disturbance</b>	<b>412</b>			<b>153</b>			<b>259</b>			<b>0.88 **</b>
No days	242	60.9	3.1	92	61.4	5.3	150	60.5	3.4	<b>0.03 ***</b>
Any days	170	39.1	3.1	61	38.6	5.3	109	39.5	3.4	
1-2 days	72	20.7	2.8	29	26.0	4.9	43	15.9	2.7	
3-10 days	62	11.7	1.6	19	7.3	2.0	43	15.7	2.5	
> 10 days	36	6.7	1.4	13	5.3	1.9	23	7.9	2.0	

\* P: Wald chi-square test for the general association between each Indicator and Child or Adult Onset.

\*\* chi-square for 2 category Indicator.

\*\*\* chi-square for 3 to 5 category Indicator.