

**TABLE 2. Asthma Indicators by Onset (Child or Adult) among adults with current asthma in Texas: BRFSS 2005.**

Indicator	Total			Child Onset			Adult Onset			P*
	n	%	se	n	%	se	n	%	se	
<b>Preventive Medication (30 days)</b>	<b>425</b>			<b>163</b>			<b>262</b>			<b>0.43 **</b>
No days	162	40.1	3.1	66	42.8	5.1	96	37.8	3.7	<b>0.18 ***</b>
Any days	263	59.9	3.1	97	57.2	5.1	166	62.2	3.7	
1 to 14 days	94	22.2	2.5	41	23.9	4.1	53	20.7	3.0	
15 to 24 days	13	3.1	1.1	2	0.9	0.7	11	5.2	2.0	
25 to 30 days	156	34.6	2.8	54	32.4	4.4	102	36.3	3.5	
<b>Rescue Inhaler (30 days)</b>	<b>431</b>			<b>161</b>			<b>270</b>			<b>0.11 **</b>
Never	205	49.2	3.1	69	43.9	5.1	136	54.0	3.6	<b>0.30 ***</b>
Any times	226	50.8	3.1	92	56.1	5.1	134	46.0	3.6	
1 to 4 times	120	25.2	2.5	54	30.0	4.3	66	21.1	2.8	
5 to 14 times	36	9.3	1.8	15	10.3	3.0	21	8.4	2.1	
15 to 59 times	49	10.4	1.8	15	8.8	2.7	34	11.9	2.5	
60 or more times	21	5.9	1.7	8	7.0	3.2	13	4.6	1.6	
<b>Attack</b>	<b>443</b>			<b>166</b>			<b>277</b>			<b>0.14 **</b>
Did not have attack	208	46.4	3.1	73	41.6	4.9	135	50.6	3.6	
Had attack	235	53.6	3.1	93	58.4	4.9	142	49.4	3.6	
<b>Emergency Department Visits</b>	<b>442</b>			<b>166</b>			<b>276</b>			<b>0.03 **</b>
No visit	372	84.9	2.1	148	89.7	2.9	224	80.8	2.9	<b>0.09 ***</b>
Any visit	70	15.1	2.1	18	10.3	2.9	52	19.2	2.9	
One visit	40	8.3	1.6	10	5.4	2.0	30	10.8	2.3	
Two or more visits	30	6.8	1.4	8	4.9	2.1	22	8.4	2.0	
<b>Urgent Doctor Visits</b>	<b>437</b>			<b>164</b>			<b>273</b>			<b>0.33 **</b>
No visit	302	69.8	2.7	118	72.6	4.2	184	67.3	3.4	<b>0.47 ***</b>
Any visit	135	30.2	2.7	46	27.4	4.2	89	32.7	3.4	
One visit	60	14.6	2.1	23	14.5	3.3	37	14.8	2.6	
Two or more visits	75	15.6	2.1	23	12.9	3.1	52	17.9	2.8	
<b>Routine Doctor Visits</b>	<b>439</b>			<b>165</b>			<b>274</b>			<b>0.07 **</b>
No visits	209	51.9	3.0	91	57.8	4.8	118	46.6	3.7	<b>0.24 ***</b>
Any visit	230	48.1	3.0	74	42.2	4.8	156	53.4	3.7	
One visit	113	24.8	2.5	40	23.6	4.0	73	25.9	3.1	
Two visits	47	9.5	1.6	15	8.2	2.4	32	10.7	2.1	
Three or more visits	70	13.8	2.0	19	10.4	2.9	51	16.8	2.7	
<b>Activity Limitation</b>	<b>368</b>			<b>138</b>			<b>230</b>			<b>0.56 **</b>
No days	241	66.4	3.1	86	64.4	5.2	155	68.1	3.7	<b>0.49 ***</b>
Any days	127	33.6	3.1	52	35.6	5.2	75	31.9	3.7	
1-10 days	89	23.8	2.8	40	27.2	4.9	49	20.9	3.2	
> 10 days	38	9.8	1.9	12	8.4	2.7	26	11.0	2.7	
<b>Days with Symptoms</b>	<b>426</b>			<b>161</b>			<b>265</b>			<b>0.51 **</b>
No days	118	29.3	2.9	46	27.2	4.6	72	31.1	3.6	<b>0.43 ***</b>
Any days	308	70.7	2.9	115	72.8	4.6	193	68.9	3.6	
< once a week	96	21.7	2.4	38	22.7	3.9	58	20.8	3.0	
once, or more, a week	137	32.9	2.9	48	30.2	4.6	89	35.4	3.6	
every day	75	16.1	2.3	29	19.9	4.1	46	12.7	2.1	
<b>Days with Sleep Disturbance</b>	<b>432</b>			<b>165</b>			<b>267</b>			<b>0.76 **</b>
No days	272	60.3	3.1	105	61.3	5.1	167	59.4	3.6	<b>0.83 ***</b>
Any days	160	39.7	3.1	60	38.7	5.1	100	40.6	3.6	
1-2 days	78	19.5	2.5	30	17.7	3.9	48	21.2	3.2	
3-10 days	48	13.0	2.3	20	14.4	3.9	28	11.6	2.5	
> 10 days	34	7.2	1.5	10	6.6	2.6	24	7.8	1.8	

\* P: Wald chi-square test for the general association between each Indicator and Child or Adult Onset.

\*\* chi-square for 2 category Indicator.

\*\*\* chi-square for 3 to 5 category Indicator.