

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Race and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	White	148,625	7.1	0.11	6.9	7.4	11,901,853	11,522,131	12,281,575
	Black	14,609	8.5	0.40	7.8	9.3	1,768,594	1,600,544	1,936,645
	Other	13,185	5.8	0.39	5.1	6.6	891,259	770,795	1,011,724
AL	White	1,655	5.7	0.60	4.5	6.9	139,492	110,577	168,407
	Black	511	6.8	1.32	4.2	9.4	48,457	29,582	67,331
	Other	61	12.7	5.54	1.6	23.8	11,279	569	21,988
AK	White	1,515	6.7	0.86	5.0	8.4	22,403	16,752	28,054
	Black	43	9.4				1,094		
	Other	447	7.1	2.42	2.4	11.9	5,077	1,499	8,656
AZ	White	2,086	10.5	1.53	7.5	13.5	275,094	190,851	359,336
	Black	48	1.1				791		
	Other	506	3.3	1.01	1.4	5.3	27,180	11,229	43,132
AR	White	2,520	6.8	0.58	5.7	8.0	109,951	91,273	128,629
	Black	380	5.6	1.18	3.3	7.9	12,922	7,529	18,314
	Other	87	4.0				2,270		
CA	White	3,262	7.1	0.50	6.1	8.1	1,417,825	1,219,889	1,615,761
	Black	257	11.0	2.30	6.5	15.6	197,301	112,015	282,588
	Other	378	6.1	1.44	3.3	8.9	175,437	91,859	259,015
CO	White	2,789	6.7	0.61	5.4	7.9	179,493	147,086	211,901
	Black	65	6.4				5,582		
	Other	181	5.8	2.30	1.3	10.4	14,525	2,805	26,246
CT	White	3,346	7.6	0.51	6.6	8.6	163,400	141,419	185,380
	Black	258	12.6	2.50	7.7	17.5	19,807	11,523	28,090
	Other	242	5.4	1.34	2.8	8.1	8,796	4,483	13,109
DE	White	2,232	6.6	0.72	5.2	8.0	30,716	24,103	37,330
	Black	382	9.9	1.86	6.3	13.6	7,766	4,807	10,725
	Other	105	7.7	3.66	0.4	14.9	1,778	30	3,525
DC	White	583	7.2	1.25	4.7	9.6	9,936	6,443	13,429
	Black	934	8.9	1.07	6.8	11.0	19,830	15,037	24,622
	Other	173	5.8	1.84	2.2	9.5	2,441	896	3,986
FL	White	4,361	5.8	0.40	5.0	6.5	572,911	495,348	650,475
	Black	615	5.6	1.27	3.1	8.2	78,135	42,176	114,093
	Other	167	5.1	1.78	1.6	8.6	19,405	5,725	33,085
GA	White	2,838	6.4	0.54	5.3	7.4	253,137	210,338	295,935
	Black	1,114	6.0	1.06	4.0	8.1	93,449	60,169	126,730
	Other	111	4.9	1.91	1.1	8.7	11,068	2,665	19,471

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Race and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	White	148,625	7.1	0.11	6.9	7.4	11,901,853	11,522,131	12,281,575
	Black	14,609	8.5	0.40	7.8	9.3	1,768,594	1,600,544	1,936,645
	Other	13,185	5.8	0.39	5.1	6.6	891,259	770,795	1,011,724
HI	White	2,259	6.7	0.74	5.3	8.2	18,372	14,268	22,477
	Black	74	4.8				716		
	Other	3,645	7.7	0.61	6.5	8.9	46,510	39,143	53,877
ID	White	4,681	7.7	0.46	6.8	8.6	64,616	57,054	72,178
	Black	13	3.7				85		
	Other	234	7.3	1.91	3.5	11.0	3,113	1,439	4,788
IL	White	1,566	7.7	0.81	6.1	9.3	577,725	455,499	699,952
	Black	214	9.8	2.34	5.2	14.5	114,628	58,525	170,731
	Other	63	3.6				12,687		
IN	White	2,663	7.7	0.60	6.6	8.9	308,660	260,783	356,538
	Black	170	13.9	2.94	8.1	19.7	38,715	21,490	55,940
	Other	66	6.3				8,167		
IA	White	3,483	6.4	0.48	5.4	7.3	131,152	111,720	150,583
	Black	41	8.2				2,034		
	Other	58	4.4				1,754		
KS	White	3,814	7.9	0.49	6.9	8.8	138,329	121,241	155,418
	Black	172	9.4	2.56	4.3	14.4	6,815	2,972	10,659
	Other	220	5.4	1.69	2.1	8.8	6,653	2,474	10,832
KY	White	6,064	7.6	0.45	6.7	8.5	208,194	183,654	232,734
	Black	270	9.8	2.56	4.8	14.9	17,835	8,238	27,432
	Other	45	6.2				1,726		
LA	White	3,457	4.2	0.36	3.5	4.9	90,088	74,946	105,231
	Black	1,356	6.9	0.86	5.2	8.6	58,667	43,811	73,523
	Other	148	7.7	2.42	2.9	12.5	8,313	2,952	13,673
ME	White	4,490	8.9	0.71	7.5	10.3	82,131	69,241	95,022
	Black	10	7.9				178		
	Other	63	7.8				1,322		
MD	White	3,387	7.1	0.55	6.0	8.1	184,690	156,186	213,194
	Black	953	8.6	1.09	6.5	10.7	87,217	65,033	109,402
	Other	193	4.3	1.92	0.6	8.1	10,087	1,111	19,062

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Race and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	White	148,625	7.1	0.11	6.9	7.4	11,901,853	11,522,131	12,281,575
	Black	14,609	8.5	0.40	7.8	9.3	1,768,594	1,600,544	1,936,645
	Other	13,185	5.8	0.39	5.1	6.6	891,259	770,795	1,011,724
MA	White	7,052	8.5	0.39	7.8	9.3	361,200	328,252	394,148
	Black	465	8.1	1.61	4.9	11.2	14,274	8,464	20,084
	Other	524	7.8	1.49	4.8	10.7	22,205	13,546	30,864
MI	White	2,135	7.8	0.69	6.4	9.1	471,999	388,345	555,654
	Black	307	3.5	1.02	1.5	5.5	26,803	11,114	42,491
	Other	133	8.1	2.83	2.5	13.7	32,827	9,154	56,500
MN	White	2,671	7.2	0.59	6.0	8.3	235,831	197,641	274,021
	Black	71	5.4				4,180		
	Other	97	8.8	3.00	2.9	14.8	11,258	3,491	19,025
MS	White	1,485	6.7	0.86	5.0	8.4	88,667	65,463	111,871
	Black	638	7.3	1.19	5.0	9.6	44,033	29,516	58,550
	Other	37	3.2				1,381		
MO	White	3,976	7.1	0.55	6.0	8.2	254,416	215,355	293,477
	Black	265	8.6	2.23	4.2	12.9	31,029	14,477	47,582
	Other	119	7.1	3.74	0.0	14.5	8,125	0	17,077
MT	White	2,631	7.8	0.69	6.4	9.1	46,537	38,388	54,686
	Black	6	38.7				523		
	Other	360	14.2	3.36	7.5	20.8	5,635	2,718	8,553
NE	White	2,892	6.5	0.57	5.4	7.6	74,509	61,547	87,470
	Black	76	10.9	3.47	4.0	17.9	2,704	933	4,474
	Other	114	6.1	2.09	2.0	10.3	3,274	1,055	5,493
NV	White	1,743	7.7	0.92	5.9	9.5	86,785	66,239	107,331
	Black	98	16.3	4.16	8.0	24.5	16,916	8,003	25,828
	Other	241	7.3	2.18	3.0	11.6	13,731	5,394	22,069
NH	White	1,900	8.5	0.72	7.1	9.9	74,532	62,036	87,028
	Black	9	4.7				376		
	Other	28	5.7				807		
NJ	White	3,028	6.2	0.49	5.2	7.2	314,126	264,882	363,370
	Black	378	7.8	1.51	4.8	10.7	43,363	26,313	60,414
	Other	310	4.7	1.27	2.2	7.2	24,684	11,188	38,181

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Race and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	White	148,625	7.1	0.11	6.9	7.4	11,901,853	11,522,131	12,281,575
	Black	14,609	8.5	0.40	7.8	9.3	1,768,594	1,600,544	1,936,645
	Other	13,185	5.8	0.39	5.1	6.6	891,259	770,795	1,011,724
NM	White	2,408	7.0	0.56	5.9	8.1	61,906	52,090	71,723
	Black	35	26.5	8.83	8.5	44.4	3,748	763	6,732
	Other	749	6.0	0.94	4.1	7.8	19,121	13,120	25,122
NY	White	2,514	7.5	0.60	6.3	8.7	735,586	618,720	852,452
	Black	403	9.9	1.83	6.3	13.5	184,888	114,266	255,509
	Other	363	6.5	1.42	3.7	9.3	124,756	69,599	179,912
NC	White	2,310	7.0	0.59	5.8	8.1	314,795	261,503	368,086
	Black	593	7.2	1.26	4.7	9.7	81,280	52,650	109,910
	Other	94	7.8	3.01	1.8	13.8	16,244	3,374	29,114
ND	White	1,811	7.3	0.69	5.9	8.6	31,676	25,699	37,653
	Black	12	14.0				384		
	Other	76	11.0	3.64	3.8	18.3	2,255	711	3,799
OH	White	2,821	8.2	0.72	6.8	9.7	617,033	510,921	723,146
	Black	326	10.3	2.76	4.9	15.8	68,367	30,224	106,510
	Other	73	15.9	5.90	4.1	27.6	27,943	5,721	50,166
OK	White	3,093	5.9	0.45	5.1	6.8	123,079	104,976	141,181
	Black	237	10.4	2.31	5.8	14.9	16,245	8,749	23,740
	Other	345	6.7	1.48	3.8	9.6	17,390	9,610	25,170
OR	White	3,389	8.8	0.52	7.8	9.9	197,396	174,452	220,341
	Black	47	7.7				2,560		
	Other	259	4.7	1.23	2.3	7.1	9,096	4,391	13,800
PA	White	3,126	6.3	0.47	5.4	7.3	513,638	438,666	588,610
	Black	279	11.1	2.04	7.1	15.1	77,145	47,987	106,303
	Other	95	3.0				8,640		
RI	White	3,191	8.3	0.55	7.2	9.4	56,362	48,963	63,762
	Black	137	7.2	2.35	2.5	11.8	2,181	731	3,632
	Other	157	12.1	2.97	6.2	17.9	4,903	2,419	7,386
SC	White	2,491	6.1	0.51	5.1	7.1	127,212	106,148	148,276
	Black	718	8.2	1.09	6.0	10.3	58,459	42,865	74,053
	Other	74	9.9	3.59	2.7	17.1	7,561	1,884	13,238

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Race and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	White	148,625	7.1	0.11	6.9	7.4	11,901,853	11,522,131	12,281,575
	Black	14,609	8.5	0.40	7.8	9.3	1,768,594	1,600,544	1,936,645
	Other	13,185	5.8	0.39	5.1	6.6	891,259	770,795	1,011,724
SD	White	4,678	5.4	0.37	4.7	6.2	26,657	23,030	30,283
	Other	255	8.4	1.86	4.7	12.1	2,434	1,341	3,527
TN	White	2,528	6.9	0.55	5.8	7.9	238,722	200,855	276,589
	Black	445	10.3	1.72	7.0	13.7	61,640	40,369	82,911
	Other	43	0.8				595		
TX	White	3,869	6.9	0.45	6.0	7.7	762,018	664,008	860,028
	Black	430	9.1	1.50	6.2	12.1	101,589	67,903	135,276
	Other	648	3.1	0.67	1.8	4.4	67,685	38,795	96,575
UT	White	2,758	7.7	0.70	6.3	9.0	101,522	83,101	119,944
	Other	100	9.1	3.39	2.4	15.9	5,192	1,252	9,131
VT	White	3,507	7.1	0.48	6.2	8.1	30,751	26,662	34,839
	Black	19	7.3				185		
	Other	57	7.5				610		
VA	White	1,512	6.5	0.67	5.2	7.8	255,063	203,106	307,021
	Black	325	10.5	2.94	4.7	16.2	86,293	34,275	138,310
	Other	126	6.8	2.14	2.6	11.0	26,743	10,033	43,454
WA	White	3,209	8.3	0.53	7.3	9.3	318,412	278,312	358,512
	Black	78	8.7	3.54	1.7	15.8	7,628	1,302	13,954
	Other	250	7.7	1.70	4.3	11.0	24,786	13,692	35,880
WV	White	2,258	8.5	0.64	7.2	9.7	112,183	95,581	128,785
	Black	51	8.8				2,305		
	Other	29	8.5				1,934		
WI	White	2,330	7.5	0.63	6.2	8.7	262,329	218,873	305,784
	Black	219	11.9	2.47	7.0	16.7	17,405	10,168	24,643
	Other	145	9.7	2.80	4.2	15.2	19,414	7,792	31,037
WY	White	2,258	8.9	0.65	7.6	10.2	28,593	24,440	32,746
	Black	17	2.8				68		
	Other	91	3.0				442		
PR	White	2,933	7.9	0.63	6.6	9.1	145,942	122,685	169,199
	Black	807	6.5	1.02	4.5	8.5	38,946	26,825	51,066
	Other	329	10.5	1.96	6.6	14.3	21,387	13,300	29,474

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.