

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total*	18-24	17,777	14.7	0.42	(13.8 - 15.5)		3,875,082	(3,642,462 - 4,107,701)
U.S. Total*	25-34	35,840	11.6	0.27	(11.0 - 12.1)		4,447,663	(4,232,424 - 4,662,901)
U.S. Total*	35-44	43,776	10.3	0.24	(9.8 - 10.8)		4,483,772	(4,267,575 - 4,699,970)
U.S. Total*	45-54	40,144	10.9	0.30	(10.3 - 11.4)		4,166,643	(3,928,382 - 4,404,903)
U.S. Total*	55-64	26,607	10.5	0.31	(9.9 - 11.1)		2,711,372	(2,549,786 - 2,872,958)
U.S. Total*	65+	38,548	9.2	0.26	(8.7 - 9.7)		3,377,336	(3,182,811 - 3,571,861)
AL	18-24	253	10.4	2.01	(6.5 - 14.4)		47,048	(28,470 - 65,626)
AL	25-34	485	10.5	1.63	(7.3 - 13.7)		63,527	(43,358 - 83,695)
AL	35-44	564	8.6	1.27	(6.1 - 11.1)		55,974	(39,131 - 72,817)
AL	45-54	565	9.6	1.28	(7.1 - 12.1)		57,485	(41,944 - 73,026)
AL	55-64	359	10.9	1.69	(7.6 - 14.2)		45,888	(31,541 - 60,234)
AL	65+	542	8.8	1.32	(6.2 - 11.4)		52,536	(36,566 - 68,507)
AK	18-24	300	12.4	2.67	(7.1 - 17.7)		7,158	(3,908 - 10,408)
AK	25-34	511	9.2	1.75	(5.8 - 12.6)		8,817	(5,462 - 12,172)
AK	35-44	751	12.9	1.74	(9.5 - 16.3)		14,121	(10,219 - 18,022)
AK	45-54	689	13.8	2.43	(9.1 - 18.6)		11,988	(7,443 - 16,533)
AK	55-64	351	8.0	2.05	(3.9 - 12.0)		3,954	(1,911 - 5,998)
AK	65+	234	11.3	2.96	(5.5 - 17.1)		4,560	(2,072 - 7,048)
AZ	18-24	325	15.7	2.57	(10.6 - 20.7)		76,498	(50,129 - 102,867)
AZ	25-34	533	10.4	1.68	(7.1 - 13.7)		73,986	(49,503 - 98,469)
AZ	35-44	587	14.1	2.59	(9.1 - 19.2)		110,098	(66,230 - 153,966)
AZ	45-54	566	10.2	1.79	(6.7 - 13.7)		65,021	(41,718 - 88,325)
AZ	55-64	491	11.7	2.09	(7.6 - 15.8)		53,573	(33,621 - 73,525)
AZ	65+	701	13.3	1.90	(9.6 - 17.1)		91,647	(64,054 - 119,240)
AR	18-24	258	15.8	2.88	(10.2 - 21.5)		40,401	(24,427 - 56,376)
AR	25-34	477	7.5	1.29	(5.0 - 10.1)		26,313	(17,232 - 35,394)
AR	35-44	577	11.4	1.48	(8.5 - 14.3)		42,701	(31,257 - 54,145)
AR	45-54	577	10.3	1.57	(7.2 - 13.4)		36,128	(24,695 - 47,562)
AR	55-64	420	9.5	1.51	(6.5 - 12.5)		24,572	(16,583 - 32,562)
AR	65+	593	10.4	1.37	(7.8 - 13.1)		42,570	(31,116 - 54,024)
CA	18-24	405	10.9	1.63	(7.7 - 14.1)		333,010	(233,134 - 432,886)
CA	25-34	819	12.3	1.24	(9.9 - 14.8)		591,591	(469,252 - 713,931)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	35-44	924	11.3	1.14	(9.1 - 13.6)		630,599	(501,373 - 759,826)
CA	45-54	769	15.2	1.68	(11.9 - 18.5)		707,814	(539,823 - 875,806)
CA	55-64	509	11.2	1.55	(8.2 - 14.3)		312,552	(225,212 - 399,893)
CA	65+	744	12.8	1.45	(10.0 - 15.7)		469,287	(359,321 - 579,253)
CO	18-24	213	18.7	3.07	(12.6 - 24.7)		72,943	(46,879 - 99,007)
CO	25-34	419	12.4	1.68	(9.1 - 15.7)		76,632	(55,354 - 97,909)
CO	35-44	480	10.0	1.42	(7.2 - 12.8)		71,395	(50,895 - 91,895)
CO	45-54	374	13.8	1.93	(10.0 - 17.6)		84,863	(60,126 - 109,601)
CO	55-64	241	9.6	2.01	(5.7 - 13.6)		37,281	(21,323 - 53,239)
CO	65+	279	10.5	2.17	(6.2 - 14.8)		50,410	(28,624 - 72,196)
CT	18-24	537	18.4	2.02	(14.4 - 22.4)		53,843	(41,178 - 66,507)
CT	25-34	1,342	14.0	1.07	(11.9 - 16.1)		62,644	(52,664 - 72,625)
CT	35-44	1,732	13.0	0.98	(11.0 - 14.9)		71,613	(60,262 - 82,964)
CT	45-54	1,507	12.3	1.04	(10.2 - 14.3)		58,825	(48,404 - 69,246)
CT	55-64	1,050	10.3	1.15	(8.0 - 12.5)		34,099	(26,215 - 41,983)
CT	65+	1,443	8.5	0.85	(6.8 - 10.1)		39,832	(31,647 - 48,016)
DE	18-24	303	24.8	3.28	(18.3 - 31.2)		19,652	(13,723 - 25,581)
DE	25-34	563	10.9	1.75	(7.5 - 14.3)		11,614	(7,730 - 15,497)
DE	35-44	743	10.8	1.53	(7.8 - 13.8)		13,200	(9,333 - 17,068)
DE	45-54	671	10.0	1.53	(7.0 - 13.0)		10,516	(7,209 - 13,824)
DE	55-64	464	10.3	1.77	(6.8 - 13.7)		7,630	(4,926 - 10,335)
DE	65+	736	7.9	1.25	(5.5 - 10.4)		8,285	(5,631 - 10,940)
DC	18-24	175	13.8	3.04	(7.8 - 19.8)		7,767	(4,279 - 11,254)
DC	25-34	427	14.7	2.21	(10.4 - 19.1)		12,633	(8,624 - 16,643)
DC	35-44	357	11.9	1.90	(8.1 - 15.6)		11,539	(7,728 - 15,350)
DC	45-54	384	12.8	1.78	(9.3 - 16.3)		9,919	(7,103 - 12,736)
DC	55-64	223	9.8	2.50	(4.9 - 14.8)		5,438	(2,544 - 8,331)
DC	65+	278	8.3	1.99	(4.4 - 12.2)		6,029	(3,048 - 9,010)
FL	18-24	392	13.8	1.88	(10.1 - 17.5)		170,315	(122,005 - 218,625)
FL	25-34	764	11.4	1.30	(8.8 - 13.9)		239,579	(182,961 - 296,198)
FL	35-44	891	9.6	1.14	(7.4 - 11.8)		221,920	(168,307 - 275,533)
FL	45-54	847	9.3	1.08	(7.2 - 11.4)		189,961	(145,259 - 234,663)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	55-64	575	10.3	1.38	(7.6 - 13.1)		168,604	(122,454 - 214,753)
FL	65+	1,121	7.3	0.82	(5.7 - 8.9)		219,920	(169,860 - 269,980)
GA	18-24	413	14.3	2.35	(9.7 - 18.9)		117,698	(76,789 - 158,606)
GA	25-34	881	10.6	1.33	(7.9 - 13.2)		127,127	(94,099 - 160,155)
GA	35-44	1,030	10.5	1.13	(8.3 - 12.8)		138,670	(108,356 - 168,984)
GA	45-54	911	10.0	1.36	(7.3 - 12.6)		113,924	(81,404 - 146,444)
GA	55-64	569	11.3	1.74	(7.9 - 14.7)		82,625	(56,137 - 109,112)
GA	65+	683	10.1	1.44	(7.3 - 12.9)		89,547	(63,100 - 115,993)
HI	18-24	331	19.4	2.78	(14.0 - 24.9)		21,192	(14,652 - 27,732)
HI	25-34	769	9.0	1.17	(6.7 - 11.2)		15,432	(11,378 - 19,486)
HI	35-44	967	13.8	1.87	(10.1 - 17.5)		26,149	(18,505 - 33,792)
HI	45-54	1,000	15.8	1.63	(12.6 - 19.0)		25,394	(19,883 - 30,904)
HI	55-64	563	10.4	1.68	(7.1 - 13.7)		12,912	(8,644 - 17,181)
HI	65+	819	6.8	1.16	(4.5 - 9.1)		10,593	(6,934 - 14,253)
ID	18-24	486	12.9	1.94	(9.1 - 16.7)		15,627	(10,745 - 20,508)
ID	25-34	859	13.3	1.31	(10.7 - 15.9)		22,006	(17,503 - 26,509)
ID	35-44	1,004	12.1	1.19	(9.7 - 14.4)		22,355	(17,797 - 26,913)
ID	45-54	866	8.9	1.04	(6.8 - 10.9)		15,209	(11,612 - 18,806)
ID	55-64	620	12.7	1.63	(9.6 - 15.9)		14,703	(10,832 - 18,574)
ID	65+	952	11.1	1.20	(8.7 - 13.4)		17,735	(13,774 - 21,696)
IL	18-24	369	19.1	2.29	(14.6 - 23.6)		225,644	(167,256 - 284,032)
IL	25-34	762	13.6	1.41	(10.9 - 16.4)		231,107	(181,093 - 281,121)
IL	35-44	827	9.8	1.13	(7.6 - 12.0)		187,541	(143,691 - 231,391)
IL	45-54	781	8.7	1.19	(6.4 - 11.1)		150,861	(108,894 - 192,828)
IL	55-64	513	11.0	1.49	(8.1 - 13.9)		124,980	(90,558 - 159,403)
IL	65+	738	7.9	1.05	(5.9 - 10.0)		127,340	(93,424 - 161,256)
IN	18-24	374	15.0	1.95	(11.2 - 18.9)		92,371	(67,294 - 117,448)
IN	25-34	731	13.2	1.41	(10.4 - 16.0)		105,299	(81,930 - 128,668)
IN	35-44	829	11.5	1.20	(9.1 - 13.8)		103,693	(81,373 - 126,013)
IN	45-54	780	10.8	1.19	(8.4 - 13.1)		90,448	(69,941 - 110,954)
IN	55-64	502	8.5	1.28	(6.0 - 11.0)		47,517	(32,988 - 62,046)
IN	65+	739	9.3	1.13	(7.1 - 11.5)		74,788	(56,175 - 93,400)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IA	18-24	311	16.0	2.38	(11.3 - 20.7)		46,418	(31,506 - 61,329)
IA	25-34	527	11.5	1.43	(8.7 - 14.3)		42,290	(31,488 - 53,091)
IA	35-44	717	9.5	1.27	(7.0 - 12.0)		39,142	(28,453 - 49,832)
IA	45-54	650	9.0	1.26	(6.5 - 11.4)		34,304	(24,538 - 44,069)
IA	55-64	501	5.5	1.04	(3.4 - 7.5)		14,786	(9,167 - 20,406)
IA	65+	883	7.6	0.98	(5.7 - 9.6)		34,381	(25,462 - 43,300)
KS	18-24	435	19.1	2.57	(14.0 - 24.2)		49,904	(34,932 - 64,875)
KS	25-34	837	11.3	1.17	(9.0 - 13.6)		40,002	(31,510 - 48,494)
KS	35-44	985	10.3	1.00	(8.3 - 12.3)		41,341	(33,198 - 49,485)
KS	45-54	886	10.6	1.14	(8.4 - 12.8)		37,171	(28,915 - 45,426)
KS	55-64	536	11.0	1.43	(8.2 - 13.8)		25,744	(18,848 - 32,640)
KS	65+	868	10.2	1.12	(8.0 - 12.4)		37,897	(29,304 - 46,490)
KY	18-24	568	14.5	2.12	(10.3 - 18.7)		58,201	(40,134 - 76,268)
KY	25-34	1,244	9.3	1.00	(7.3 - 11.3)		49,689	(39,037 - 60,341)
KY	35-44	1,487	9.4	0.92	(7.6 - 11.2)		57,342	(46,157 - 68,527)
KY	45-54	1,441	10.0	1.03	(8.0 - 12.0)		56,346	(44,609 - 68,083)
KY	55-64	1,145	12.4	1.48	(9.5 - 15.3)		47,101	(35,320 - 58,881)
KY	65+	1,601	11.7	1.08	(9.6 - 13.8)		62,969	(51,120 - 74,819)
LA	18-24	585	10.3	1.41	(7.5 - 13.1)		46,274	(33,286 - 59,261)
LA	25-34	921	10.0	1.18	(7.6 - 12.3)		60,958	(46,030 - 75,885)
LA	35-44	1,026	9.2	1.00	(7.2 - 11.1)		58,902	(45,754 - 72,050)
LA	45-54	909	9.1	1.04	(7.1 - 11.2)		51,955	(39,884 - 64,027)
LA	55-64	635	7.2	1.04	(5.2 - 9.2)		27,291	(19,382 - 35,199)
LA	65+	856	8.9	1.05	(6.8 - 10.9)		46,534	(35,266 - 57,802)
ME	18-24	159	20.4	3.50	(13.5 - 27.3)		24,635	(15,289 - 33,982)
ME	25-34	358	13.9	1.91	(10.2 - 17.7)		22,445	(16,038 - 28,852)
ME	35-44	532	10.5	1.41	(7.8 - 13.3)		20,828	(15,120 - 26,536)
ME	45-54	515	10.3	1.51	(7.3 - 13.3)		18,601	(12,995 - 24,208)
ME	55-64	349	12.9	1.87	(9.2 - 16.6)		15,295	(10,697 - 19,894)
ME	65+	477	10.9	1.45	(8.0 - 13.7)		19,026	(13,836 - 24,216)
MD	18-24	328	15.9	2.38	(11.2 - 20.5)		73,209	(50,144 - 96,273)
MD	25-34	754	12.6	2.28	(8.2 - 17.1)		95,129	(57,807 - 132,451)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	35-44	1,050	9.6	1.07	(7.5 - 11.7)		82,813	(64,041 - 101,585)
MD	45-54	916	10.5	1.25	(8.0 - 12.9)		79,458	(60,013 - 98,903)
MD	55-64	590	13.1	1.99	(9.2 - 17.0)		67,883	(45,918 - 89,848)
MD	65+	744	7.5	1.11	(5.3 - 9.7)		44,817	(31,418 - 58,216)
MA	18-24	660	17.5	1.77	(14.0 - 21.0)		109,920	(86,091 - 133,749)
MA	25-34	1,719	15.3	1.04	(13.2 - 17.3)		132,626	(113,602 - 151,651)
MA	35-44	1,979	13.7	0.97	(11.8 - 15.6)		138,146	(117,304 - 158,988)
MA	45-54	1,647	11.5	0.99	(9.6 - 13.5)		99,360	(81,528 - 117,191)
MA	55-64	1,005	11.7	1.15	(9.4 - 13.9)		67,706	(53,956 - 81,457)
MA	65+	1,464	9.6	0.94	(7.7 - 11.4)		84,602	(67,507 - 101,697)
MI	18-24	321	21.2	2.86	(15.6 - 26.8)		205,396	(143,674 - 267,118)
MI	25-34	617	13.6	1.69	(10.3 - 16.9)		180,652	(133,572 - 227,733)
MI	35-44	830	10.7	1.17	(8.4 - 13.0)		161,162	(125,030 - 197,293)
MI	45-54	822	10.5	1.19	(8.2 - 12.8)		142,834	(109,619 - 176,048)
MI	55-64	516	12.5	1.56	(9.4 - 15.5)		112,778	(83,408 - 142,149)
MI	65+	677	8.6	1.18	(6.2 - 10.9)		107,645	(77,324 - 137,965)
MN	18-24	314	14.6	2.34	(10.0 - 19.2)		65,722	(43,353 - 88,090)
MN	25-34	702	11.3	1.27	(8.8 - 13.8)		77,672	(59,697 - 95,647)
MN	35-44	893	8.3	0.95	(6.4 - 10.2)		62,656	(48,205 - 77,107)
MN	45-54	758	9.2	1.11	(7.0 - 11.4)		63,482	(47,878 - 79,087)
MN	55-64	500	12.3	1.59	(9.2 - 15.4)		54,375	(39,759 - 68,990)
MN	65+	791	7.2	0.94	(5.3 - 9.0)		44,598	(32,811 - 56,384)
MS	18-24	269	11.4	2.23	(7.0 - 15.8)		34,727	(20,580 - 48,875)
MS	25-34	581	8.1	1.32	(5.5 - 10.6)		31,072	(20,644 - 41,501)
MS	35-44	601	9.1	1.35	(6.5 - 11.8)		36,335	(25,278 - 47,393)
MS	45-54	570	8.5	1.36	(5.9 - 11.2)		30,164	(20,324 - 40,005)
MS	55-64	405	10.3	1.65	(7.0 - 13.5)		25,045	(16,794 - 33,297)
MS	65+	589	7.9	1.18	(5.6 - 10.3)		28,551	(19,974 - 37,129)
MO	18-24	462	18.8	2.46	(14.0 - 23.7)		99,562	(71,209 - 127,915)
MO	25-34	625	11.3	1.49	(8.3 - 14.2)		82,725	(60,407 - 105,043)
MO	35-44	786	14.4	1.78	(10.9 - 17.9)		119,396	(88,396 - 150,395)
MO	45-54	784	13.6	1.82	(10.0 - 17.2)		101,670	(72,892 - 130,448)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MO	55-64	588	7.5	1.36	(4.9 - 10.2)		40,047	(25,527 - 54,567)
MO	65+	898	7.4	1.19	(5.0 - 9.7)		58,876	(39,583 - 78,170)
MT	18-24	244	13.3	2.78	(7.9 - 18.8)		10,665	(6,026 - 15,304)
MT	25-34	459	14.0	1.95	(10.2 - 17.9)		15,823	(11,272 - 20,373)
MT	35-44	657	12.1	1.74	(8.7 - 15.5)		16,034	(11,271 - 20,796)
MT	45-54	752	10.4	1.53	(7.4 - 13.4)		13,525	(9,446 - 17,604)
MT	55-64	481	8.0	1.44	(5.1 - 10.8)		6,747	(4,299 - 9,195)
MT	65+	737	12.3	1.70	(9.0 - 15.6)		15,262	(10,852 - 19,672)
NE	18-24	350	16.0	2.96	(10.2 - 21.8)		26,263	(15,667 - 36,859)
NE	25-34	588	7.3	1.23	(4.9 - 9.7)		16,236	(10,734 - 21,737)
NE	35-44	737	7.5	1.11	(5.3 - 9.7)		18,527	(12,967 - 24,088)
NE	45-54	687	6.9	1.00	(4.9 - 8.9)		15,463	(10,970 - 19,957)
NE	55-64	440	7.4	1.27	(4.9 - 9.9)		11,213	(7,358 - 15,067)
NE	65+	859	7.5	1.00	(5.5 - 9.5)		18,184	(13,278 - 23,090)
NV	18-24	225	15.7	3.08	(9.7 - 21.8)		26,818	(15,856 - 37,780)
NV	25-34	424	17.3	2.58	(12.2 - 22.3)		48,023	(32,517 - 63,530)
NV	35-44	572	9.6	1.51	(6.6 - 12.5)		32,046	(21,954 - 42,138)
NV	45-54	531	14.0	2.31	(9.4 - 18.5)		42,712	(28,315 - 57,109)
NV	55-64	364	15.7	2.82	(10.1 - 21.2)		30,952	(18,871 - 43,033)
NV	65+	451	9.6	1.71	(6.2 - 12.9)		23,752	(15,159 - 32,345)
NH	18-24	282	17.7	2.55	(12.6 - 22.7)		21,371	(14,674 - 28,068)
NH	25-34	664	17.2	1.71	(13.9 - 20.6)		29,501	(23,158 - 35,844)
NH	35-44	1,002	10.4	1.07	(8.3 - 12.5)		21,034	(16,605 - 25,462)
NH	45-54	821	9.5	1.13	(7.3 - 11.7)		16,338	(12,352 - 20,323)
NH	55-64	562	14.0	1.61	(10.9 - 17.2)		15,978	(12,130 - 19,826)
NH	65+	675	8.0	1.11	(5.8 - 10.2)		11,947	(8,578 - 15,317)
NJ	18-24	451	18.0	2.35	(13.4 - 22.6)		127,844	(92,462 - 163,225)
NJ	25-34	1,168	11.0	1.18	(8.7 - 13.3)		125,454	(97,739 - 153,169)
NJ	35-44	1,381	8.1	0.85	(6.4 - 9.8)		109,015	(86,060 - 131,971)
NJ	45-54	1,129	8.2	0.93	(6.4 - 10.1)		96,797	(74,802 - 118,793)
NJ	55-64	678	9.2	1.24	(6.7 - 11.6)		76,421	(55,546 - 97,297)
NJ	65+	1,110	5.8	0.83	(4.1 - 7.4)		68,119	(48,337 - 87,900)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	18-24	312	13.9	2.26	(9.4 - 18.3)		23,401	(15,304 - 31,499)
NM	25-34	554	10.0	1.39	(7.2 - 12.7)		25,242	(18,057 - 32,427)
NM	35-44	750	10.2	1.27	(7.7 - 12.7)		28,869	(21,543 - 36,194)
NM	45-54	749	11.4	1.52	(8.4 - 14.4)		26,869	(19,391 - 34,348)
NM	55-64	510	9.5	1.38	(6.8 - 12.2)		14,696	(10,350 - 19,041)
NM	65+	719	10.0	1.27	(7.6 - 12.5)		21,146	(15,655 - 26,637)
NY	18-24	318	13.5	1.96	(9.7 - 17.4)		231,990	(163,406 - 300,574)
NY	25-34	800	11.8	1.21	(9.4 - 14.2)		306,902	(243,190 - 370,614)
NY	35-44	877	9.6	1.15	(7.3 - 11.9)		284,914	(214,740 - 355,089)
NY	45-54	750	12.8	1.60	(9.7 - 16.0)		332,810	(244,763 - 420,858)
NY	55-64	481	9.9	1.58	(6.8 - 13.0)		180,469	(120,875 - 240,063)
NY	65+	596	9.7	1.68	(6.4 - 13.0)		251,181	(160,209 - 342,154)
NC	18-24	548	14.8	2.75	(9.4 - 20.2)		121,320	(72,377 - 170,263)
NC	25-34	1,156	10.1	1.40	(7.4 - 12.9)		114,192	(81,482 - 146,902)
NC	35-44	1,289	8.8	1.21	(6.4 - 11.1)		109,450	(78,542 - 140,359)
NC	45-54	1,133	8.7	1.25	(6.2 - 11.1)		98,432	(70,060 - 126,803)
NC	55-64	823	11.8	1.64	(8.6 - 15.1)		91,532	(65,279 - 117,784)
NC	65+	1,189	8.1	1.11	(5.9 - 10.3)		85,677	(61,873 - 109,480)
ND	18-24	285	13.1	2.29	(8.6 - 17.6)		8,873	(5,593 - 12,154)
ND	25-34	405	11.7	1.74	(8.3 - 15.1)		9,648	(6,648 - 12,648)
ND	35-44	543	7.7	1.19	(5.4 - 10.0)		7,013	(4,822 - 9,203)
ND	45-54	498	7.6	1.26	(5.1 - 10.0)		6,185	(4,105 - 8,266)
ND	55-64	283	8.0	1.62	(4.8 - 11.2)		4,274	(2,511 - 6,037)
ND	65+	468	7.4	1.22	(5.0 - 9.8)		6,712	(4,489 - 8,936)
OH	18-24	331	10.2	1.76	(6.7 - 13.6)		109,098	(70,963 - 147,234)
OH	25-34	584	10.1	1.45	(7.2 - 12.9)		151,368	(107,166 - 195,569)
OH	35-44	752	11.6	1.38	(8.9 - 14.3)		195,018	(147,005 - 243,031)
OH	45-54	659	8.1	1.13	(5.9 - 10.3)		125,210	(90,160 - 160,261)
OH	55-64	404	9.7	1.64	(6.5 - 12.9)		102,119	(66,856 - 137,381)
OH	65+	645	9.0	1.24	(6.6 - 11.4)		135,938	(98,037 - 173,839)
OK	18-24	399	11.6	1.96	(7.8 - 15.5)		39,012	(25,509 - 52,516)
OK	25-34	720	12.3	1.45	(9.5 - 15.2)		56,246	(42,737 - 69,755)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	35-44	889	7.9	1.06	(5.8 - 10.0)		39,668	(29,090 - 50,246)
OK	45-54	835	10.7	1.25	(8.2 - 13.1)		48,739	(37,132 - 60,346)
OK	55-64	635	10.6	1.76	(7.2 - 14.1)		34,492	(22,531 - 46,453)
OK	65+	1,037	8.4	1.03	(6.3 - 10.4)		40,378	(30,295 - 50,460)
OR	18-24	242	14.5	2.38	(9.8 - 19.2)		44,165	(29,026 - 59,304)
OR	25-34	475	13.3	1.65	(10.1 - 16.6)		59,286	(44,167 - 74,405)
OR	35-44	482	11.7	1.55	(8.6 - 14.7)		62,032	(45,070 - 78,993)
OR	45-54	508	12.7	1.56	(9.7 - 15.8)		63,394	(47,385 - 79,403)
OR	55-64	336	16.2	2.14	(12.0 - 20.4)		53,012	(38,232 - 67,792)
OR	65+	467	10.9	1.60	(7.7 - 14.0)		50,347	(34,991 - 65,704)
PA	18-24	290	18.9	3.19	(12.6 - 25.2)		217,862	(137,811 - 297,913)
PA	25-34	591	11.6	1.46	(8.7 - 14.4)		179,835	(133,106 - 226,564)
PA	35-44	728	10.1	1.20	(7.7 - 12.5)		185,203	(139,953 - 230,454)
PA	45-54	717	11.4	1.24	(9.0 - 13.8)		191,280	(148,965 - 233,595)
PA	55-64	514	7.8	1.21	(5.4 - 10.1)		94,481	(64,783 - 124,178)
PA	65+	789	6.9	0.96	(5.0 - 8.8)		133,273	(95,760 - 170,786)
RI	18-24	271	16.4	2.61	(11.3 - 21.6)		17,354	(11,579 - 23,130)
RI	25-34	684	15.9	1.65	(12.6 - 19.1)		21,379	(16,672 - 26,086)
RI	35-44	982	12.4	1.23	(10.0 - 14.8)		20,613	(16,399 - 24,827)
RI	45-54	801	11.3	1.31	(8.7 - 13.9)		15,597	(11,844 - 19,349)
RI	55-64	508	12.0	1.55	(8.9 - 15.0)		11,393	(8,338 - 14,447)
RI	65+	794	7.1	0.96	(5.2 - 9.0)		11,149	(8,090 - 14,208)
SC	18-24	276	13.0	2.22	(8.6 - 17.4)		53,761	(34,687 - 72,835)
SC	25-34	599	10.1	1.68	(6.8 - 13.4)		55,968	(36,622 - 75,314)
SC	35-44	676	10.0	1.26	(7.5 - 12.4)		60,447	(44,874 - 76,021)
SC	45-54	641	10.4	1.33	(7.8 - 13.1)		56,268	(41,636 - 70,899)
SC	55-64	421	10.4	1.58	(7.3 - 13.5)		37,563	(25,882 - 49,244)
SC	65+	527	11.4	1.58	(8.3 - 14.6)		56,352	(40,074 - 72,631)
SD	18-24	405	9.5	1.78	(6.0 - 13.0)		6,840	(4,187 - 9,492)
SD	25-34	723	7.6	1.12	(5.4 - 9.8)		7,301	(5,100 - 9,502)
SD	35-44	1,049	6.2	0.75	(4.7 - 7.7)		6,574	(4,978 - 8,170)
SD	45-54	977	7.2	0.89	(5.5 - 9.0)		6,883	(5,180 - 8,585)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	55-64	647	10.2	1.36	(7.6 - 12.9)		6,507	(4,716 - 8,298)
SD	65+	1,260	7.2	0.78	(5.7 - 8.7)		7,841	(6,130 - 9,552)
TN	18-24	257	9.3	1.91	(5.6 - 13.1)		51,706	(30,210 - 73,203)
TN	25-34	529	9.7	1.50	(6.7 - 12.6)		74,319	(50,638 - 97,999)
TN	35-44	614	8.8	1.25	(6.3 - 11.3)		76,746	(54,415 - 99,078)
TN	45-54	552	7.7	1.26	(5.2 - 10.2)		63,765	(42,746 - 84,785)
TN	55-64	438	11.0	1.70	(7.6 - 14.3)		60,331	(41,024 - 79,638)
TN	65+	520	10.1	1.51	(7.2 - 13.1)		77,402	(53,618 - 101,185)
TX	18-24	565	12.7	1.63	(9.5 - 15.9)		263,871	(193,516 - 334,225)
TX	25-34	1,175	9.2	0.87	(7.5 - 10.9)		284,045	(229,686 - 338,405)
TX	35-44	1,334	8.8	0.83	(7.2 - 10.5)		284,697	(230,262 - 339,131)
TX	45-54	1,057	9.5	1.02	(7.5 - 11.5)		259,197	(202,415 - 315,979)
TX	55-64	745	9.8	1.20	(7.5 - 12.2)		173,294	(129,860 - 216,727)
TX	65+	1,000	8.6	0.96	(6.8 - 10.5)		197,936	(153,193 - 242,679)
UT	18-24	470	10.6	1.79	(7.1 - 14.1)		24,774	(16,124 - 33,424)
UT	25-34	765	11.7	1.63	(8.5 - 14.9)		33,825	(24,194 - 43,457)
UT	35-44	765	9.4	1.32	(6.9 - 12.0)		29,336	(20,962 - 37,709)
UT	45-54	657	11.0	1.58	(7.9 - 14.2)		29,216	(20,632 - 37,799)
UT	55-64	417	12.4	2.14	(8.2 - 16.6)		20,741	(13,304 - 28,178)
UT	65+	549	10.0	1.62	(6.8 - 13.2)		19,806	(13,259 - 26,352)
VT	18-24	301	17.1	2.37	(12.5 - 21.8)		10,878	(7,651 - 14,104)
VT	25-34	710	12.5	1.37	(9.8 - 15.2)		9,753	(7,527 - 11,979)
VT	35-44	926	12.8	1.16	(10.5 - 15.0)		12,254	(9,942 - 14,567)
VT	45-54	1,000	10.1	1.03	(8.1 - 12.1)		8,735	(6,925 - 10,544)
VT	55-64	622	11.0	1.30	(8.5 - 13.6)		6,218	(4,720 - 7,716)
VT	65+	687	9.7	1.20	(7.3 - 12.1)		7,283	(5,434 - 9,132)
VA	18-24	245	17.4	3.27	(10.9 - 23.8)		121,034	(72,166 - 169,903)
VA	25-34	514	9.7	1.36	(7.0 - 12.4)		98,971	(70,804 - 127,137)
VA	35-44	663	11.5	1.35	(8.8 - 14.1)		132,682	(100,346 - 165,018)
VA	45-54	611	10.2	1.33	(7.6 - 12.8)		102,327	(75,023 - 129,632)
VA	55-64	385	9.2	1.56	(6.1 - 12.2)		59,825	(38,961 - 80,690)
VA	65+	471	11.4	1.60	(8.3 - 14.6)		94,919	(67,481 - 122,358)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	18-24	378	14.8	1.95	(10.9 - 18.6)		79,211	(57,620 - 100,803)
WA	25-34	789	12.6	1.28	(10.1 - 15.1)		100,755	(79,648 - 121,861)
WA	35-44	931	10.9	1.10	(8.7 - 13.0)		103,382	(81,785 - 124,979)
WA	45-54	883	10.2	1.11	(8.0 - 12.3)		85,247	(66,224 - 104,271)
WA	55-64	472	14.8	1.87	(11.2 - 18.5)		80,338	(58,670 - 102,006)
WA	65+	704	10.0	1.29	(7.5 - 12.6)		72,432	(53,249 - 91,615)
WV	18-24	202	18.9	2.96	(13.1 - 24.7)		33,081	(21,887 - 44,275)
WV	25-34	467	11.6	1.52	(8.6 - 14.6)		26,584	(19,445 - 33,724)
WV	35-44	605	11.7	1.35	(9.0 - 14.3)		29,574	(22,568 - 36,580)
WV	45-54	630	12.9	1.42	(10.1 - 15.7)		33,820	(26,124 - 41,517)
WV	55-64	429	10.3	1.48	(7.4 - 13.2)		19,192	(13,561 - 24,824)
WV	65+	741	11.2	1.23	(8.7 - 13.6)		31,249	(24,153 - 38,344)
WI	18-24	313	15.8	2.75	(10.4 - 21.2)		81,560	(52,137 - 110,982)
WI	25-34	583	15.0	1.91	(11.3 - 18.8)		104,543	(75,785 - 133,301)
WI	35-44	808	8.6	1.04	(6.6 - 10.7)		70,205	(53,151 - 87,258)
WI	45-54	660	10.4	1.32	(7.8 - 13.0)		78,109	(57,964 - 98,253)
WI	55-64	395	8.3	1.57	(5.2 - 11.3)		39,772	(24,341 - 55,202)
WI	65+	579	8.1	1.28	(5.6 - 10.6)		59,316	(40,154 - 78,479)
WY	18-24	271	16.6	2.38	(11.9 - 21.3)		7,196	(5,033 - 9,358)
WY	25-34	487	13.8	1.96	(10.0 - 17.7)		8,896	(6,214 - 11,579)
WY	35-44	615	11.8	1.36	(9.1 - 14.5)		8,808	(6,725 - 10,891)
WY	45-54	721	8.7	1.16	(6.4 - 10.9)		6,023	(4,376 - 7,670)
WY	55-64	397	12.3	1.81	(8.8 - 15.9)		5,434	(3,765 - 7,103)
WY	65+	524	8.4	1.31	(5.8 - 10.9)		4,758	(3,245 - 6,271)
Territories								
GU	18-24	116	10.3	2.89	(4.6 - 16.0)		1,538	(649 - 2,427)
GU	25-34	229	9.2	2.37	(4.6 - 13.9)		1,847	(867 - 2,827)
GU	35-44	223	7.8	1.77	(4.3 - 11.2)		1,682	(917 - 2,447)
GU	45-54	154	5.1	1.95	(1.2 - 8.9)		903	(199 - 1,606)
GU	55-64	80	6.5	2.71	(1.1 - 11.9)		632	(99 - 1,165)
GU	65+	60	5.2				501	
PR	18-24	372	28.4	3.36	(21.8 - 35.0)		136,424	(97,863 - 174,985)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2001

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	25-34	658	18.8	2.05	(14.8 - 22.9)		100,695	(76,898 - 124,492)
PR	35-44	812	18.0	1.65	(14.7 - 21.2)		93,028	(75,162 - 110,893)
PR	45-54	775	16.8	1.72	(13.4 - 20.2)		78,221	(61,349 - 95,093)
PR	55-64	674	19.3	2.30	(14.7 - 23.8)		67,758	(49,707 - 85,809)
PR	65+	941	15.9	1.63	(12.7 - 19.1)		67,755	(52,966 - 82,544)
VI	18-24	207	12.5	2.62	(7.3 - 17.7)		1,355	(763 - 1,946)
VI	25-34	424	10.3	2.13	(6.1 - 14.5)		1,442	(818 - 2,065)
VI	35-44	493	7.0	1.40	(4.3 - 9.8)		960	(574 - 1,345)
VI	45-54	490	10.5	1.81	(6.9 - 14.0)		1,469	(943 - 1,995)
VI	55-64	323	7.2	1.58	(4.1 - 10.3)		627	(350 - 904)
VI	65+	268	8.0	2.55	(2.9 - 13.0)		864	(287 - 1,442)

Notes:

*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.