

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	White	212,720	7.6	0.11	(7.4 - 7.9)		12,946,216	(12,590,587 - 13,301,844)
U.S. Total**	Black	20,000	9.1	0.38	(8.4 - 9.9)		2,015,563	(1,840,799 - 2,190,327)
U.S. Total**	Other	17,355	6.0	0.37	(5.2 - 6.7)		1,148,901	(1,006,696 - 1,291,106)
U.S. Total**	Multi	4,610	10.6	0.88	(8.9 - 12.3)		417,121	(346,074 - 488,168)
AL	White	2,432	7.5	0.62	(6.3 - 8.7)		184,019	(154,005 - 214,034)
AL	Black	747	8.2	1.33	(5.6 - 10.8)		62,096	(41,395 - 82,798)
AL	Other	83	6.3	2.47	(1.4 - 11.2)		6,325	(1,368 - 11,283)
AL	Multi	66	1.6				1,149	
AK	White	1,818	9.0	0.92	(7.2 - 10.8)		28,731	(22,859 - 34,604)
AK	Black	42	22.3	11.04	(0.0 - 44.6)		2,851	(0 - 6,272)
AK	Other	649	8.6	1.62	(5.4 - 11.8)		8,396	(5,146 - 11,645)
AK	Multi	131	6.2	2.95	(0.4 - 12.1)		1,699	(69 - 3,329)
AZ	White	2,580	9.0	0.86	(7.4 - 10.7)		277,658	(224,415 - 330,901)
AZ	Black	54	16.9	8.28	(0.3 - 33.5)		13,479	(0 - 28,469)
AZ	Other	509	5.1	1.25	(2.7 - 7.6)		43,076	(22,419 - 63,732)
AZ	Multi	32	13.2				4,657	
AR	White	3,527	7.3	0.49	(6.3 - 8.2)		123,855	(107,244 - 140,466)
AR	Black	435	5.9	1.16	(3.6 - 8.1)		12,436	(7,567 - 17,306)
AR	Other	106	7.4	2.84	(1.8 - 13.1)		4,355	(968 - 7,742)
AR	Multi	105	14.7	3.77	(7.3 - 22.2)		7,982	(3,684 - 12,279)
CA	White	3,719	8.2	0.53	(7.2 - 9.3)		1,639,806	(1,427,045 - 1,852,566)
CA	Black	240	13.1	2.63	(7.9 - 18.3)		227,729	(130,941 - 324,517)
CA	Other	387	6.2	1.47	(3.3 - 9.1)		208,253	(108,570 - 307,936)
CA	Multi	106	11.0	3.19	(4.6 - 17.3)		80,109	(32,154 - 128,064)
CO	White	3,537	8.5	0.56	(7.5 - 9.6)		248,244	(215,909 - 280,580)
CO	Black	80	4.5				2,963	
CO	Other	318	7.4	1.58	(4.2 - 10.5)		23,547	(13,290 - 33,805)
CO	Multi	89	7.1	2.75	(1.6 - 12.5)		6,046	(1,312 - 10,780)
CT	White	4,600	8.1	0.46	(7.2 - 9.0)		180,343	(159,936 - 200,751)
CT	Black	258	9.2	1.69	(5.8 - 12.5)		11,843	(7,517 - 16,169)
CT	Other	353	9.1	1.63	(5.9 - 12.3)		20,442	(13,092 - 27,792)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CT	Multi	29	5.9				1,075	
DE	White	3,243	7.6	0.60	(6.5 - 8.8)		36,864	(31,122 - 42,606)
DE	Black	564	6.5	1.23	(4.1 - 8.9)		5,941	(3,716 - 8,165)
DE	Other	142	8.5	2.96	(2.7 - 14.4)		2,376	(683 - 4,068)
DE	Multi	54	3.4				269	
DC	White	1,027	7.3	1.00	(5.3 - 9.2)		11,482	(8,289 - 14,675)
DC	Black	832	8.6	1.12	(6.4 - 10.9)		20,814	(15,371 - 26,258)
DC	Other	120	6.6	2.06	(2.5 - 10.7)		2,807	(1,112 - 4,501)
DC	Multi	21	3.3				168	
FL	White	4,246	6.3	0.55	(5.2 - 7.4)		644,678	(532,672 - 756,684)
FL	Black	430	6.4	1.87	(2.8 - 10.1)		98,868	(40,518 - 157,218)
FL	Other	227	5.2	1.73	(1.8 - 8.6)		48,495	(16,035 - 80,954)
FL	Multi	28	0.4				230	
GA	White	5,338	6.5	0.45	(5.7 - 7.4)		267,869	(231,775 - 303,964)
GA	Black	1,837	7.8	1.18	(5.5 - 10.2)		142,520	(98,497 - 186,544)
GA	Other	301	7.8	2.60	(2.7 - 12.9)		28,638	(8,711 - 48,564)
GA	Multi	93	11.2	4.19	(2.9 - 19.5)		7,920	(1,665 - 14,175)
HI	White	1,719	5.4	0.67	(4.1 - 6.7)		17,102	(12,876 - 21,328)
HI	Black	53	8.9				1,111	
HI	Other	2,016	4.5	0.56	(3.4 - 5.6)		23,143	(17,484 - 28,801)
HI	Multi	475	12.0	1.99	(8.1 - 15.9)		12,684	(8,270 - 17,098)
ID	White	4,621	7.6	0.46	(6.7 - 8.5)		68,201	(59,979 - 76,423)
ID	Black	15	8.5				299	
ID	Other	219	8.6	2.58	(3.5 - 13.6)		4,007	(1,491 - 6,523)
ID	Multi	93	20.7	6.36	(8.1 - 33.3)		3,913	(1,092 - 6,735)
IL	White	4,363	7.4	0.44	(6.5 - 8.2)		546,852	(482,787 - 610,918)
IL	Black	608	8.0	1.18	(5.6 - 10.3)		104,608	(73,353 - 135,862)
IL	Other	237	4.4	1.37	(1.7 - 7.1)		25,570	(9,791 - 41,349)
IL	Multi	44	17.7	5.66	(6.3 - 29.1)		14,986	(4,888 - 25,084)
IN	White	4,854	7.7	0.41	(6.9 - 8.5)		309,342	(276,389 - 342,296)
IN	Black	313	11.5	1.98	(7.6 - 15.4)		32,073	(20,693 - 43,453)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	Other	180	8.4	2.22	(4.0 - 12.8)		15,537	(7,131 - 23,943)
IN	Multi	83	17.8	4.68	(8.5 - 27.1)		12,870	(5,443 - 20,296)
IA	White	4,805	6.2	0.43	(5.3 - 7.0)		130,625	(112,712 - 148,538)
IA	Black	53	10.9	4.25	(2.4 - 19.5)		2,668	(514 - 4,823)
IA	Other	94	7.0	2.85	(1.3 - 12.6)		3,810	(650 - 6,970)
IA	Multi	30	7.1				924	
KS	White	4,145	7.3	0.47	(6.3 - 8.2)		130,487	(113,781 - 147,194)
KS	Black	183	9.8	2.74	(4.4 - 15.2)		7,319	(3,071 - 11,567)
KS	Other	207	8.1	2.37	(3.4 - 12.7)		8,295	(3,271 - 13,319)
KS	Multi	52	13.2	4.84	(3.5 - 22.9)		3,019	(672 - 5,366)
KY	White	7,192	9.5	0.51	(8.5 - 10.5)		271,957	(243,303 - 300,611)
KY	Black	252	14.1	2.93	(8.3 - 19.9)		23,170	(13,207 - 33,132)
KY	Other	67	10.2	4.17	(1.9 - 18.6)		3,579	(571 - 6,587)
KY	Multi	63	13.0	8.81	(0.0 - 30.6)		4,866	(0 - 12,159)
LA	White	3,513	6.0	0.46	(5.1 - 6.9)		127,106	(107,725 - 146,487)
LA	Black	1,254	6.7	0.86	(5.0 - 8.4)		61,725	(45,795 - 77,655)
LA	Other	199	5.2	1.57	(2.1 - 8.3)		8,526	(3,340 - 13,711)
LA	Multi	65	9.4	3.81	(1.8 - 17.1)		4,666	(810 - 8,523)
ME	White	2,275	10.0	0.72	(8.6 - 11.4)		95,857	(82,141 - 109,572)
ME	Black	7	22.7				700	
ME	Other	53	5.6				1,293	
ME	Multi	21	7.6				626	
MD	White	3,403	7.7	0.56	(6.6 - 8.8)		204,812	(175,222 - 234,402)
MD	Black	700	9.5	1.51	(6.5 - 12.4)		92,858	(62,297 - 123,419)
MD	Other	231	5.5	1.76	(2.0 - 9.0)		20,682	(7,362 - 34,001)
MD	Multi	38	2.2				980	
MA	White	6,386	10.0	0.48	(9.0 - 10.9)		426,360	(385,656 - 467,064)
MA	Black	491	10.9	2.28	(6.4 - 15.4)		26,909	(15,010 - 38,809)
MA	Other	519	8.7	1.34	(6.1 - 11.3)		27,087	(18,838 - 35,337)
MA	Multi	59	6.0				2,369	
MI	White	3,019	9.5	0.62	(8.3 - 10.7)		570,511	(496,436 - 644,585)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MI	Black	304	8.7	1.81	(5.2 - 12.3)		77,932	(45,093 - 110,772)
MI	Other	105	7.6	2.83	(2.0 - 13.2)		23,939	(5,828 - 42,050)
MI	Multi	84	10.0	4.18	(1.6 - 18.3)		20,427	(2,301 - 38,553)
MN	White	3,603	7.0	0.50	(6.0 - 7.9)		239,694	(205,234 - 274,153)
MN	Black	82	7.5	3.17	(1.2 - 13.8)		6,239	(778 - 11,700)
MN	Other	131	2.9				4,966	
MN	Multi	26	8.0				2,116	
MS	White	2,887	6.3	0.52	(5.3 - 7.4)		85,376	(71,524 - 99,229)
MS	Black	1,361	7.8	0.92	(6.0 - 9.6)		52,506	(40,021 - 64,991)
MS	Other	97	10.1	5.34	(0.0 - 20.7)		5,808	(0 - 12,447)
MS	Multi	41	7.0				1,652	
MO	White	3,773	8.1	0.63	(6.9 - 9.3)		292,207	(247,014 - 337,399)
MO	Black	229	7.0	2.05	(3.0 - 11.0)		28,079	(11,591 - 44,566)
MO	Other	140	8.0	3.02	(2.0 - 14.0)		13,436	(2,979 - 23,892)
MO	Multi	86	7.8	3.53	(0.8 - 14.9)		6,121	(443 - 11,800)
MT	White	3,486	8.0	0.60	(6.8 - 9.2)		50,249	(42,879 - 57,619)
MT	Black	7	0.0				0	
MT	Other	433	9.1	2.00	(5.2 - 13.1)		4,283	(2,392 - 6,174)
MT	Multi	60	0.9				65	
NE	White	4,566	7.2	0.44	(6.4 - 8.1)		84,144	(74,089 - 94,200)
NE	Black	128	8.4	2.93	(2.6 - 14.2)		2,783	(808 - 4,757)
NE	Other	215	5.0	1.32	(2.4 - 7.6)		3,720	(1,763 - 5,677)
NE	Multi	37	8.2				787	
NV	White	2,373	7.3	0.78	(5.8 - 8.8)		87,913	(69,296 - 106,530)
NV	Black	80	2.1				1,622	
NV	Other	209	3.8	1.54	(0.8 - 6.8)		6,247	(1,246 - 11,248)
NV	Multi	233	7.9	2.40	(3.2 - 12.7)		12,642	(4,877 - 20,406)
NH	White	4,756	8.4	0.47	(7.5 - 9.4)		77,030	(68,514 - 85,547)
NH	Black	29	21.4	8.69	(3.6 - 39.2)		1,208	(76 - 2,340)
NH	Other	146	6.0	1.87	(2.3 - 9.7)		2,027	(754 - 3,300)
NH	Multi	35	17.3	8.50	(0.0 - 34.5)		1,182	(0 - 2,505)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	White	8,877	6.7	0.31	(6.0 - 7.3)		306,380	(277,892 - 334,867)
NJ	Black	1,067	10.0	1.06	(7.9 - 12.1)		76,243	(59,694 - 92,791)
NJ	Other	1,077	6.8	0.91	(5.0 - 8.6)		66,769	(48,652 - 84,887)
NJ	Multi	70	12.8	4.62	(3.5 - 22.0)		5,649	(1,289 - 10,008)
NM	White	4,137	7.3	0.50	(6.3 - 8.3)		70,569	(60,912 - 80,226)
NM	Black	67	2.3				435	
NM	Other	1,130	4.9	0.69	(3.5 - 6.2)		16,369	(11,747 - 20,992)
NM	Multi	100	12.3	4.32	(3.7 - 20.9)		3,385	(863 - 5,907)
NY	White	4,277	7.8	0.47	(6.9 - 8.7)		778,367	(685,493 - 871,242)
NY	Black	556	10.2	1.58	(7.1 - 13.3)		192,532	(130,787 - 254,277)
NY	Other	529	5.0	0.89	(3.3 - 6.7)		102,626	(66,614 - 138,637)
NY	Multi	74	5.5				13,060	
NC	White	6,875	7.0	0.47	(6.1 - 7.9)		322,309	(280,123 - 364,494)
NC	Black	1,842	8.1	0.92	(6.3 - 9.9)		92,682	(71,671 - 113,694)
NC	Other	578	5.9	1.64	(2.6 - 9.1)		32,188	(13,945 - 50,431)
NC	Multi	101	3.2				2,191	
ND	White	2,835	7.0	0.53	(6.0 - 8.1)		31,345	(26,713 - 35,976)
ND	Black	13	0.0				0	
ND	Other	136	6.5	2.19	(2.1 - 10.8)		1,642	(517 - 2,766)
ND	Multi	22	15.2				524	
OH	White	3,217	7.0	0.55	(5.9 - 8.0)		511,223	(432,025 - 590,420)
OH	Black	358	7.2	1.46	(4.3 - 10.1)		48,385	(28,953 - 67,817)
OH	Other	170	7.4	2.67	(2.1 - 12.6)		29,859	(7,550 - 52,168)
OH	Multi	42	17.4	7.71	(1.9 - 33.0)		18,893	(970 - 36,816)
OK	White	6,109	7.3	0.39	(6.5 - 8.1)		145,930	(130,177 - 161,682)
OK	Black	467	7.7	1.45	(4.9 - 10.6)		13,594	(8,407 - 18,782)
OK	Other	825	9.1	1.25	(6.6 - 11.5)		33,323	(23,854 - 42,791)
OK	Multi	176	8.8	2.56	(3.8 - 13.9)		5,137	(2,045 - 8,229)
OR	White	3,544	9.3	0.57	(8.2 - 10.5)		214,796	(188,775 - 240,817)
OR	Black	28	12.2				1,916	
OR	Other	298	7.5	1.55	(4.4 - 10.5)		20,511	(11,884 - 29,139)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	Multi	85	13.0	3.76	(5.5 - 20.4)		7,098	(2,797 - 11,399)
PA	White	3,253	7.9	0.55	(6.8 - 8.9)		640,606	(551,612 - 729,599)
PA	Black	234	12.1	2.58	(7.0 - 17.1)		91,037	(50,288 - 131,785)
PA	Other	112	8.8	2.68	(3.5 - 14.1)		35,321	(13,504 - 57,139)
PA	Multi	42	9.8				11,666	
RI	White	3,519	9.7	0.59	(8.6 - 10.9)		69,173	(60,856 - 77,490)
RI	Black	136	6.0	1.85	(2.3 - 9.6)		1,498	(579 - 2,417)
RI	Other	301	6.2	1.92	(2.4 - 10.0)		4,066	(1,495 - 6,637)
RI	Multi	28	30.1	9.68	(10.3 - 50.0)		2,251	(512 - 3,990)
SC	White	4,551	5.9	0.39	(5.1 - 6.6)		126,161	(109,613 - 142,709)
SC	Black	1,085	6.7	0.88	(5.0 - 8.4)		49,889	(36,637 - 63,141)
SC	Other	138	7.4	2.34	(2.8 - 12.0)		9,688	(3,527 - 15,848)
SC	Multi	99	7.6	2.45	(2.7 - 12.5)		5,127	(1,863 - 8,391)
SD	White	4,824	7.3	0.52	(6.3 - 8.3)		37,935	(32,536 - 43,335)
SD	Black	12	14.0				215	
SD	Other	343	7.5	1.51	(4.6 - 10.5)		2,503	(1,510 - 3,497)
SD	Multi	58	4.9				287	
TN	White	2,223	7.8	0.69	(6.5 - 9.2)		284,427	(234,174 - 334,680)
TN	Black	274	7.4	1.86	(3.7 - 11.0)		42,234	(20,567 - 63,902)
TN	Other	55	10.8	4.43	(1.9 - 19.7)		16,075	(2,380 - 29,771)
TN	Multi	25	14.3				7,822	
TX	White	4,489	6.8	0.42	(5.9 - 7.6)		762,526	(668,281 - 856,770)
TX	Black	512	12.6	2.10	(8.5 - 16.7)		162,836	(104,737 - 220,936)
TX	Other	790	4.5	1.12	(2.3 - 6.7)		117,619	(58,363 - 176,875)
TX	Multi	124	10.5	3.11	(4.4 - 16.7)		39,054	(15,128 - 62,980)
UT	White	3,697	7.9	0.64	(6.6 - 9.1)		110,534	(92,612 - 128,456)
UT	Black	22	2.7				412	
UT	Other	252	4.0	1.37	(1.3 - 6.7)		5,611	(1,759 - 9,464)
UT	Multi	35	6.6				871	
VT	White	4,045	8.4	0.54	(7.3 - 9.4)		37,780	(32,931 - 42,629)
VT	Black	14	2.6				48	

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	Other	96	8.0	3.08	(1.9 - 14.1)		1,056	(221 - 1,890)
VT	Multi	52	9.4				553	
VA	White	4,001	7.0	0.53	(6.0 - 8.1)		284,920	(241,913 - 327,927)
VA	Black	937	10.0	1.27	(7.5 - 12.5)		84,458	(62,601 - 106,315)
VA	Other	196	4.5	1.68	(1.1 - 7.8)		15,372	(3,907 - 26,838)
VA	Multi	227	14.7	4.43	(5.9 - 23.4)		37,493	(12,701 - 62,286)
WA	White	16,123	9.2	0.29	(8.6 - 9.8)		352,623	(330,791 - 374,455)
WA	Black	243	8.4	1.84	(4.8 - 12.1)		6,737	(3,776 - 9,697)
WA	Other	1,308	5.3	0.79	(3.7 - 6.8)		22,405	(15,654 - 29,157)
WA	Multi	663	16.0	1.88	(12.4 - 19.7)		27,777	(20,807 - 34,747)
WV	White	3,120	7.8	0.52	(6.8 - 8.9)		103,073	(89,647 - 116,500)
WV	Black	60	9.4	4.54	(0.3 - 18.5)		2,642	(0 - 5,321)
WV	Other	57	12.8	4.22	(4.3 - 21.2)		3,398	(1,105 - 5,690)
WV	Multi	100	13.2	3.43	(6.4 - 20.0)		4,940	(2,252 - 7,628)
WI	White	3,483	7.1	0.52	(6.1 - 8.2)		269,760	(230,793 - 308,726)
WI	Black	388	15.3	2.79	(9.9 - 20.8)		22,298	(13,647 - 30,950)
WI	Other	113	7.2	2.98	(1.3 - 13.2)		8,910	(1,385 - 16,436)
WI	Multi	39	11.2				4,844	
WY	White	3,715	7.6	0.49	(6.6 - 8.6)		26,405	(23,038 - 29,772)
WY	Black	17	6.3				121	
WY	Other	158	5.6	2.16	(1.4 - 9.9)		924	(205 - 1,643)
WY	Multi	69	4.6				300	
Territories								
GU	White	103	7.4	2.68	(2.1 - 12.8)		883	(235 - 1,531)
GU	Black	20	2.1				38	
GU	Other	648	6.3	1.05	(4.2 - 8.4)		5,519	(3,695 - 7,342)
GU	Multi	18	14.9				316	
PR	White	2,571	10.7	0.79	(9.1 - 12.2)		177,680	(150,947 - 204,412)
PR	Black	425	9.3	1.76	(5.8 - 12.8)		31,739	(19,439 - 44,039)
PR	Other	1,136	11.8	1.21	(9.4 - 14.2)		93,278	(73,556 - 113,000)
PR	Multi	19	9.5				779	

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VI	White	408	3.8	1.27	(1.3 - 6.3)		465	(152 - 778)
VI	Black	1,360	3.9	0.86	(2.2 - 5.6)		1,903	(1,050 - 2,757)
VI	Other	184	7.5	3.34	(0.9 - 14.1)		602	(46 - 1,157)
VI	Multi	56	12.8	7.33	(0.0 - 27.5)		288	(0 - 651)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.