

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	17,755	15.6	0.48	(14.7 - 16.6)		4,423,864	(4,138,112 - 4,709,615)
U.S. Total**	25-34	39,140	12.5	0.29	(11.9 - 13.1)		4,847,168	(4,612,748 - 5,081,587)
U.S. Total**	35-44	50,458	10.8	0.25	(10.3 - 11.2)		4,757,371	(4,532,072 - 4,982,670)
U.S. Total**	45-54	52,632	12.0	0.27	(11.4 - 12.5)		4,755,013	(4,535,332 - 4,974,694)
U.S. Total**	55-64	40,672	11.4	0.29	(10.8 - 12.0)		3,225,741	(3,053,074 - 3,398,408)
U.S. Total**	65+	54,666	10.0	0.24	(9.6 - 10.5)		3,650,185	(3,473,148 - 3,827,222)
AL	18-24	231	16.7	3.14	(10.5 - 22.9)		76,699	(45,342 - 108,057)
AL	25-34	509	11.0	1.52	(8.0 - 14.0)		64,173	(45,788 - 82,559)
AL	35-44	584	8.8	1.30	(6.3 - 11.4)		57,811	(40,488 - 75,133)
AL	45-54	646	13.2	1.48	(10.3 - 16.1)		80,667	(62,062 - 99,272)
AL	55-64	598	10.7	1.30	(8.1 - 13.2)		48,575	(36,563 - 60,588)
AL	65+	742	10.3	1.27	(7.8 - 12.8)		62,625	(46,662 - 78,587)
AK	18-24	225	14.2	2.70	(8.9 - 19.5)		8,962	(5,453 - 12,471)
AK	25-34	490	13.8	2.28	(9.3 - 18.3)		11,699	(7,655 - 15,744)
AK	35-44	617	11.9	2.01	(7.9 - 15.8)		12,584	(8,101 - 17,068)
AK	45-54	654	12.6	1.93	(8.8 - 16.4)		13,339	(9,102 - 17,576)
AK	55-64	371	12.8	2.27	(8.4 - 17.3)		6,906	(4,354 - 9,458)
AK	65+	278	15.6	3.06	(9.6 - 21.6)		6,622	(3,845 - 9,400)
AZ	18-24	196	14.3	3.47	(7.4 - 21.1)		74,143	(36,854 - 111,432)
AZ	25-34	452	12.7	1.97	(8.8 - 16.6)		99,955	(68,094 - 131,815)
AZ	35-44	556	12.0	1.93	(8.3 - 15.8)		96,444	(64,596 - 128,292)
AZ	45-54	614	12.1	1.84	(8.5 - 15.7)		81,895	(56,297 - 107,494)
AZ	55-64	551	11.3	1.85	(7.6 - 14.9)		58,804	(38,833 - 78,774)
AZ	65+	833	13.0	1.62	(9.8 - 16.2)		97,870	(72,568 - 123,172)
AR	18-24	280	11.5	2.15	(7.3 - 15.8)		31,606	(19,352 - 43,860)
AR	25-34	594	12.4	1.46	(9.5 - 15.2)		42,970	(32,486 - 53,454)
AR	35-44	736	11.4	1.29	(8.9 - 13.9)		43,688	(33,568 - 53,807)
AR	45-54	866	13.4	1.29	(10.9 - 15.9)		47,463	(37,969 - 56,957)
AR	55-64	734	12.6	1.42	(9.8 - 15.4)		35,324	(26,939 - 43,709)
AR	65+	961	7.7	0.94	(5.8 - 9.5)		30,086	(22,666 - 37,506)
CA	18-24	377	17.1	2.32	(12.5 - 21.7)		590,981	(417,783 - 764,180)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	793	12.6	1.29	(10.1 - 15.2)		651,010	(514,107 - 787,913)
CA	35-44	930	11.7	1.17	(9.4 - 14.0)		649,347	(516,343 - 782,352)
CA	45-54	837	13.9	1.40	(11.1 - 16.6)		661,840	(523,535 - 800,146)
CA	55-64	643	14.1	1.67	(10.8 - 17.3)		434,106	(325,844 - 542,369)
CA	65+	880	12.4	1.27	(9.9 - 14.9)		477,829	(377,656 - 578,001)
CO	18-24	293	16.7	2.70	(11.4 - 22.0)		74,867	(48,355 - 101,380)
CO	25-34	671	11.9	1.34	(9.3 - 14.5)		78,637	(60,451 - 96,822)
CO	35-44	858	9.9	1.05	(7.8 - 11.9)		72,737	(57,129 - 88,344)
CO	45-54	922	12.5	1.22	(10.1 - 14.9)		85,453	(68,143 - 102,763)
CO	55-64	616	12.8	1.42	(10.0 - 15.6)		53,553	(41,189 - 65,917)
CO	65+	681	12.6	1.61	(9.4 - 15.8)		57,234	(41,688 - 72,780)
CT	18-24	293	19.0	2.49	(14.1 - 23.9)		50,017	(36,037 - 63,997)
CT	25-34	789	13.7	1.29	(11.2 - 16.2)		60,171	(48,508 - 71,835)
CT	35-44	1,170	11.8	1.03	(9.8 - 13.8)		65,760	(53,909 - 77,611)
CT	45-54	1,110	11.4	1.05	(9.4 - 13.5)		55,435	(45,052 - 65,817)
CT	55-64	781	13.4	1.40	(10.6 - 16.1)		47,619	(37,200 - 58,038)
CT	65+	1,068	7.7	0.92	(5.9 - 9.5)		37,498	(28,421 - 46,576)
DE	18-24	298	11.5	2.26	(7.0 - 15.9)		9,240	(5,511 - 12,969)
DE	25-34	600	16.7	2.03	(12.7 - 20.7)		17,250	(12,773 - 21,726)
DE	35-44	841	10.9	1.34	(8.3 - 13.6)		13,843	(10,379 - 17,307)
DE	45-54	775	10.9	1.44	(8.1 - 13.7)		11,916	(8,694 - 15,138)
DE	55-64	698	10.7	1.47	(7.9 - 13.6)		8,843	(6,376 - 11,310)
DE	65+	797	9.3	1.31	(6.7 - 11.8)		10,084	(7,172 - 12,997)
DC	18-24	150	19.6	3.62	(12.5 - 26.8)		13,038	(8,081 - 17,995)
DC	25-34	450	14.3	1.90	(10.5 - 18.0)		14,168	(10,249 - 18,087)
DC	35-44	402	9.8	1.84	(6.2 - 13.4)		8,586	(5,284 - 11,887)
DC	45-54	371	12.1	2.09	(8.0 - 16.2)		8,120	(5,192 - 11,049)
DC	55-64	288	12.0	2.38	(7.4 - 16.7)		6,586	(3,869 - 9,303)
DC	65+	333	9.6	2.07	(5.5 - 13.6)		6,832	(3,766 - 9,899)
FL	18-24	291	10.3	2.27	(5.8 - 14.8)		149,684	(82,855 - 216,513)
FL	25-34	604	9.9	1.69	(6.5 - 13.2)		202,938	(131,880 - 273,997)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	815	9.8	1.51	(6.8 - 12.7)		244,819	(166,949 - 322,689)
FL	45-54	928	12.2	1.67	(9.0 - 15.5)		273,420	(195,812 - 351,029)
FL	55-64	914	9.8	1.51	(6.9 - 12.8)		170,185	(116,750 - 223,620)
FL	65+	1,431	9.2	1.19	(6.9 - 11.5)		280,253	(206,034 - 354,472)
GA	18-24	582	16.3	2.52	(11.3 - 21.2)		144,366	(95,716 - 193,017)
GA	25-34	1,235	14.3	1.51	(11.3 - 17.2)		182,579	(141,380 - 223,779)
GA	35-44	1,468	9.4	0.95	(7.6 - 11.3)		131,206	(104,405 - 158,006)
GA	45-54	1,620	10.8	1.04	(8.8 - 12.9)		125,638	(100,761 - 150,516)
GA	55-64	1,233	10.1	1.07	(8.1 - 12.2)		79,539	(62,504 - 96,573)
GA	65+	1,429	10.4	1.03	(8.3 - 12.4)		88,512	(70,505 - 106,520)
HI	18-24	318	16.1	2.24	(11.6 - 20.5)		19,196	(13,609 - 24,782)
HI	25-34	694	12.8	1.58	(9.7 - 15.9)		21,257	(15,776 - 26,739)
HI	35-44	827	12.1	1.41	(9.3 - 14.9)		22,699	(17,210 - 28,188)
HI	45-54	938	10.7	1.27	(8.2 - 13.1)		19,102	(14,424 - 23,781)
HI	55-64	646	12.0	1.65	(8.7 - 15.2)		15,174	(10,838 - 19,509)
HI	65+	882	7.7	1.04	(5.6 - 9.7)		13,459	(9,773 - 17,145)
ID	18-24	426	11.6	1.75	(8.2 - 15.1)		17,482	(12,049 - 22,916)
ID	25-34	798	9.4	1.16	(7.1 - 11.6)		16,218	(12,177 - 20,259)
ID	35-44	954	11.9	1.24	(9.4 - 14.3)		22,316	(17,492 - 27,140)
ID	45-54	1,009	14.0	1.42	(11.3 - 16.8)		25,610	(20,132 - 31,087)
ID	55-64	757	13.6	1.46	(10.7 - 16.4)		16,904	(13,129 - 20,679)
ID	65+	1,020	10.1	1.02	(8.1 - 12.1)		15,651	(12,433 - 18,868)
IL	18-24	431	11.6	1.57	(8.5 - 14.7)		143,720	(103,963 - 183,478)
IL	25-34	870	13.7	1.38	(11.0 - 16.5)		240,162	(189,512 - 290,813)
IL	35-44	1,137	10.1	0.95	(8.2 - 11.9)		194,526	(157,378 - 231,674)
IL	45-54	1,039	10.3	1.06	(8.2 - 12.4)		180,116	(142,047 - 218,184)
IL	55-64	784	12.4	1.30	(9.8 - 14.9)		164,708	(129,079 - 200,336)
IL	65+	999	8.8	0.99	(6.9 - 10.8)		123,222	(95,034 - 151,411)
IN	18-24	425	16.8	1.95	(13.0 - 20.7)		107,608	(81,271 - 133,946)
IN	25-34	897	13.2	1.24	(10.8 - 15.7)		105,575	(85,044 - 126,105)
IN	35-44	1,071	10.9	1.00	(8.9 - 12.8)		99,854	(81,000 - 118,708)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	45-54	1,124	11.4	1.01	(9.4 - 13.3)		97,614	(79,894 - 115,334)
IN	55-64	827	10.8	1.15	(8.6 - 13.1)		63,967	(49,968 - 77,966)
IN	65+	1,104	9.8	0.98	(7.9 - 11.7)		77,392	(61,663 - 93,121)
IA	18-24	320	14.1	2.44	(9.3 - 18.9)		44,383	(27,977 - 60,789)
IA	25-34	667	13.2	1.49	(10.3 - 16.2)		45,996	(35,153 - 56,840)
IA	35-44	961	9.1	1.04	(7.1 - 11.2)		37,599	(28,819 - 46,378)
IA	45-54	990	10.4	1.16	(8.1 - 12.6)		42,111	(32,389 - 51,833)
IA	55-64	769	7.9	1.12	(5.7 - 10.1)		22,120	(15,738 - 28,502)
IA	65+	1,269	7.8	0.86	(6.1 - 9.5)		35,446	(27,601 - 43,291)
KS	18-24	284	18.3	2.63	(13.1 - 23.5)		53,080	(36,591 - 69,569)
KS	25-34	729	11.8	1.34	(9.2 - 14.4)		39,761	(30,434 - 49,087)
KS	35-44	903	11.8	1.16	(9.5 - 14.1)		46,158	(36,766 - 55,549)
KS	45-54	999	10.1	0.99	(8.1 - 12.0)		37,314	(29,823 - 44,806)
KS	55-64	620	10.9	1.42	(8.1 - 13.7)		26,921	(19,621 - 34,221)
KS	65+	1,038	7.9	0.91	(6.1 - 9.7)		29,037	(22,289 - 35,784)
KY	18-24	414	15.4	2.47	(10.6 - 20.3)		63,484	(42,045 - 84,924)
KY	25-34	1,068	10.4	1.26	(7.9 - 12.8)		56,790	(42,809 - 70,772)
KY	35-44	1,365	13.7	1.41	(11.0 - 16.5)		85,212	(66,890 - 103,533)
KY	45-54	1,503	11.7	1.16	(9.5 - 14.0)		67,408	(53,646 - 81,169)
KY	55-64	1,340	12.5	1.24	(10.1 - 14.9)		52,267	(41,541 - 62,993)
KY	65+	1,900	12.5	1.02	(10.5 - 14.5)		66,455	(55,451 - 77,459)
LA	18-24	429	14.6	1.91	(10.8 - 18.3)		72,251	(52,339 - 92,164)
LA	25-34	790	9.6	1.19	(7.3 - 12.0)		55,974	(41,772 - 70,176)
LA	35-44	980	8.6	1.01	(6.6 - 10.6)		55,961	(42,544 - 69,379)
LA	45-54	1,009	10.4	1.15	(8.1 - 12.6)		62,463	(48,236 - 76,690)
LA	55-64	856	9.5	1.08	(7.4 - 11.6)		39,411	(30,313 - 48,509)
LA	65+	984	9.2	1.02	(7.2 - 11.2)		49,182	(38,046 - 60,317)
ME	18-24	140	19.2	3.67	(11.9 - 26.4)		22,268	(13,033 - 31,503)
ME	25-34	328	13.5	2.11	(9.4 - 17.7)		19,697	(13,286 - 26,109)
ME	35-44	498	13.7	1.74	(10.3 - 17.1)		27,705	(20,289 - 35,121)
ME	45-54	503	11.6	1.63	(8.4 - 14.8)		22,711	(16,075 - 29,346)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
ME	55-64	412	14.8	2.05	(10.8 - 18.8)		20,950	(14,758 - 27,141)
ME	65+	477	10.5	1.44	(7.7 - 13.4)		20,345	(14,712 - 25,977)
MD	18-24	258	22.3	3.33	(15.7 - 28.8)		98,170	(65,464 - 130,875)
MD	25-34	696	12.6	1.52	(9.6 - 15.6)		91,220	(68,534 - 113,907)
MD	35-44	995	11.3	1.29	(8.8 - 13.8)		103,564	(79,158 - 127,970)
MD	45-54	903	10.9	1.31	(8.3 - 13.5)		85,966	(64,589 - 107,342)
MD	55-64	735	10.6	1.47	(7.7 - 13.5)		66,070	(47,026 - 85,114)
MD	65+	775	10.4	1.32	(7.9 - 13.0)		59,454	(44,046 - 74,862)
MA	18-24	496	20.5	2.27	(16.0 - 24.9)		122,442	(92,810 - 152,073)
MA	25-34	1,417	16.9	1.28	(14.4 - 19.5)		143,476	(120,420 - 166,532)
MA	35-44	1,635	13.7	1.09	(11.6 - 15.8)		141,330	(117,794 - 164,866)
MA	45-54	1,460	14.3	1.14	(12.1 - 16.6)		125,550	(104,631 - 146,470)
MA	55-64	1,051	12.1	1.22	(9.7 - 14.5)		76,210	(60,253 - 92,167)
MA	65+	1,372	10.7	1.09	(8.5 - 12.8)		94,422	(74,316 - 114,527)
MI	18-24	237	20.0	2.79	(14.5 - 25.5)		196,998	(137,476 - 256,519)
MI	25-34	483	13.9	1.72	(10.5 - 17.3)		178,348	(132,793 - 223,902)
MI	35-44	654	11.4	1.38	(8.7 - 14.1)		173,746	(130,378 - 217,114)
MI	45-54	734	14.3	1.48	(11.4 - 17.2)		204,557	(160,111 - 249,002)
MI	55-64	595	12.9	1.49	(9.9 - 15.8)		133,460	(101,384 - 165,536)
MI	65+	824	10.6	1.17	(8.3 - 12.9)		127,555	(98,600 - 156,510)
MN	18-24	257	20.6	2.87	(14.9 - 26.2)		103,181	(71,398 - 134,964)
MN	25-34	597	9.8	1.30	(7.3 - 12.4)		62,519	(45,556 - 79,482)
MN	35-44	830	9.7	1.07	(7.6 - 11.8)		77,238	(59,973 - 94,504)
MN	45-54	802	10.8	1.22	(8.4 - 13.2)		78,907	(60,461 - 97,352)
MN	55-64	556	6.4	1.08	(4.3 - 8.6)		29,963	(19,796 - 40,130)
MN	65+	832	7.0	0.90	(5.2 - 8.7)		43,408	(32,196 - 54,621)
MS	18-24	322	13.5	2.21	(9.2 - 17.9)		44,194	(28,966 - 59,422)
MS	25-34	705	9.0	1.16	(6.7 - 11.2)		33,706	(24,855 - 42,557)
MS	35-44	832	12.1	1.30	(9.5 - 14.7)		48,979	(38,026 - 59,933)
MS	45-54	883	10.7	1.16	(8.4 - 13.0)		39,583	(30,814 - 48,351)
MS	55-64	692	10.6	1.26	(8.2 - 13.1)		28,499	(21,571 - 35,426)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MS	65+	951	9.4	1.06	(7.3 - 11.5)		33,935	(26,107 - 41,763)
MO	18-24	326	16.8	2.79	(11.3 - 22.3)		95,105	(61,812 - 128,399)
MO	25-34	611	12.8	1.65	(9.5 - 16.0)		91,282	(67,014 - 115,549)
MO	35-44	772	9.7	1.52	(6.8 - 12.7)		82,646	(56,221 - 109,071)
MO	45-54	792	14.7	1.81	(11.2 - 18.2)		111,586	(82,367 - 140,805)
MO	55-64	629	11.5	1.81	(7.9 - 15.0)		64,514	(43,240 - 85,788)
MO	65+	1,083	7.9	1.07	(5.8 - 10.0)		62,590	(45,373 - 79,808)
MT	18-24	245	13.3	2.54	(8.3 - 18.3)		12,366	(7,467 - 17,266)
MT	25-34	505	13.6	2.01	(9.7 - 17.6)		13,894	(9,639 - 18,149)
MT	35-44	754	9.7	1.38	(7.0 - 12.4)		12,389	(8,801 - 15,978)
MT	45-54	928	10.5	1.29	(8.0 - 13.0)		14,731	(11,042 - 18,419)
MT	55-64	672	9.7	1.47	(6.9 - 12.6)		9,331	(6,460 - 12,201)
MT	65+	882	10.5	1.40	(7.7 - 13.3)		13,348	(9,669 - 17,028)
NE	18-24	354	12.7	2.00	(8.8 - 16.7)		23,385	(15,708 - 31,062)
NE	25-34	734	8.8	1.06	(6.7 - 10.9)		19,057	(14,423 - 23,691)
NE	35-44	969	10.5	1.13	(8.3 - 12.7)		25,882	(20,132 - 31,632)
NE	45-54	965	10.2	1.08	(8.1 - 12.3)		24,197	(18,947 - 29,447)
NE	55-64	698	11.2	1.34	(8.6 - 13.9)		17,609	(13,231 - 21,987)
NE	65+	1,225	9.4	0.93	(7.6 - 11.2)		22,584	(18,005 - 27,164)
NV	18-24	228	16.6	3.23	(10.3 - 23.0)		31,630	(18,654 - 44,606)
NV	25-34	479	10.7	1.96	(6.9 - 14.6)		34,371	(21,486 - 47,256)
NV	35-44	589	9.8	1.76	(6.4 - 13.3)		34,584	(21,885 - 47,283)
NV	45-54	600	13.0	1.88	(9.3 - 16.7)		39,994	(28,135 - 51,853)
NV	55-64	469	12.0	2.14	(7.8 - 16.2)		27,906	(17,574 - 38,237)
NV	65+	599	8.2	1.37	(5.5 - 10.9)		20,905	(13,971 - 27,840)
NH	18-24	246	18.2	2.74	(12.8 - 23.6)		21,492	(14,444 - 28,541)
NH	25-34	703	14.9	1.45	(12.0 - 17.7)		21,822	(17,368 - 26,276)
NH	35-44	1,101	13.9	1.15	(11.7 - 16.2)		29,855	(24,707 - 35,003)
NH	45-54	1,168	11.9	1.03	(9.9 - 14.0)		22,961	(18,886 - 27,037)
NH	55-64	823	10.5	1.19	(8.2 - 12.9)		13,903	(10,650 - 17,156)
NH	65+	921	8.9	1.00	(6.9 - 10.9)		14,127	(10,889 - 17,364)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	18-24	560	19.1	1.92	(15.3 - 22.9)		136,360	(106,347 - 166,372)
NJ	25-34	1,562	11.8	0.92	(10.0 - 13.6)		130,175	(109,267 - 151,084)
NJ	35-44	2,446	8.1	0.59	(6.9 - 9.3)		113,199	(96,491 - 129,906)
NJ	45-54	2,355	11.3	0.75	(9.8 - 12.8)		134,561	(116,332 - 152,790)
NJ	55-64	1,698	10.5	0.84	(8.8 - 12.1)		90,762	(75,783 - 105,741)
NJ	65+	2,479	8.6	0.65	(7.3 - 9.9)		100,005	(84,493 - 115,516)
NM	18-24	375	12.2	1.90	(8.4 - 15.9)		23,088	(15,599 - 30,577)
NM	25-34	794	8.9	1.08	(6.8 - 11.0)		20,587	(15,528 - 25,647)
NM	35-44	990	10.7	1.15	(8.5 - 13.0)		28,709	(22,387 - 35,030)
NM	45-54	1,185	12.1	1.09	(10.0 - 14.3)		31,663	(25,802 - 37,524)
NM	55-64	901	9.0	1.01	(7.1 - 11.0)		16,239	(12,594 - 19,885)
NM	65+	1,224	9.8	1.00	(7.9 - 11.8)		22,283	(17,596 - 26,971)
NY	18-24	389	15.6	2.01	(11.6 - 19.5)		279,706	(203,542 - 355,871)
NY	25-34	881	14.0	1.33	(11.4 - 16.6)		364,122	(292,228 - 436,017)
NY	35-44	1,093	10.6	1.02	(8.6 - 12.6)		315,917	(253,913 - 377,922)
NY	45-54	1,129	11.2	1.06	(9.2 - 13.3)		292,011	(236,076 - 347,946)
NY	55-64	858	11.9	1.36	(9.2 - 14.6)		224,231	(170,936 - 277,527)
NY	65+	1,113	8.4	0.92	(6.6 - 10.2)		211,999	(164,987 - 259,011)
NC	18-24	583	15.4	2.32	(10.9 - 20.0)		128,234	(87,402 - 169,066)
NC	25-34	1,414	10.5	1.17	(8.2 - 12.8)		124,058	(95,787 - 152,330)
NC	35-44	1,786	10.8	1.07	(8.7 - 12.9)		139,993	(111,498 - 168,487)
NC	45-54	1,847	10.3	1.08	(8.1 - 12.4)		116,096	(91,053 - 141,138)
NC	55-64	1,536	10.5	1.15	(8.2 - 12.7)		87,430	(67,749 - 107,110)
NC	65+	2,210	11.3	0.98	(9.3 - 13.2)		117,581	(96,520 - 138,642)
ND	18-24	236	13.8	2.26	(9.3 - 18.2)		10,435	(6,911 - 13,959)
ND	25-34	395	12.2	1.78	(8.7 - 15.7)		8,962	(6,235 - 11,688)
ND	35-44	550	7.9	1.21	(5.5 - 10.3)		6,799	(4,671 - 8,926)
ND	45-54	641	7.8	1.11	(5.6 - 9.9)		6,762	(4,803 - 8,722)
ND	55-64	442	10.0	1.48	(7.1 - 12.9)		5,733	(3,988 - 7,478)
ND	65+	730	9.7	1.21	(7.3 - 12.0)		9,259	(6,888 - 11,629)
OH	18-24	304	13.3	2.59	(8.2 - 18.4)		144,041	(84,634 - 203,447)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	25-34	601	12.7	1.71	(9.4 - 16.1)		185,145	(133,039 - 237,251)
OH	35-44	724	9.0	1.26	(6.6 - 11.5)		153,188	(109,740 - 196,636)
OH	45-54	815	11.7	1.31	(9.1 - 14.2)		186,843	(144,145 - 229,541)
OH	55-64	605	10.9	1.51	(7.9 - 13.8)		126,193	(90,062 - 162,323)
OH	65+	733	8.2	1.31	(5.7 - 10.8)		126,078	(85,065 - 167,091)
OK	18-24	528	13.9	1.71	(10.6 - 17.3)		52,420	(38,849 - 65,992)
OK	25-34	1,064	15.2	1.33	(12.6 - 17.8)		67,657	(55,058 - 80,255)
OK	35-44	1,384	10.7	0.94	(8.8 - 12.5)		52,740	(43,205 - 62,274)
OK	45-54	1,446	12.2	1.01	(10.2 - 14.2)		57,329	(47,416 - 67,241)
OK	55-64	1,248	10.6	0.94	(8.7 - 12.4)		36,806	(30,100 - 43,513)
OK	65+	1,918	8.5	0.72	(7.1 - 10.0)		40,972	(33,921 - 48,023)
OR	18-24	288	19.0	2.55	(13.9 - 24.0)		65,311	(46,429 - 84,193)
OR	25-34	627	16.5	1.58	(13.4 - 19.6)		77,947	(62,196 - 93,699)
OR	35-44	724	14.7	1.42	(11.9 - 17.5)		74,708	(59,683 - 89,732)
OR	45-54	821	14.1	1.33	(11.5 - 16.7)		74,841	(60,217 - 89,465)
OR	55-64	652	12.2	1.37	(9.5 - 14.9)		44,108	(33,930 - 54,286)
OR	65+	873	12.1	1.18	(9.8 - 14.5)		55,864	(44,658 - 67,070)
PA	18-24	249	13.7	2.41	(9.0 - 18.5)		159,718	(100,552 - 218,884)
PA	25-34	499	13.6	1.67	(10.3 - 16.9)		197,966	(147,583 - 248,348)
PA	35-44	766	11.5	1.21	(9.1 - 13.9)		211,343	(165,618 - 257,068)
PA	45-54	750	12.6	1.39	(9.9 - 15.4)		221,242	(170,403 - 272,081)
PA	55-64	543	10.2	1.52	(7.2 - 13.2)		144,615	(99,637 - 189,592)
PA	65+	827	10.9	1.22	(8.4 - 13.3)		194,138	(148,869 - 239,407)
RI	18-24	244	24.3	3.27	(17.8 - 30.7)		26,969	(18,802 - 35,135)
RI	25-34	666	15.8	1.61	(12.6 - 18.9)		20,910	(16,401 - 25,418)
RI	35-44	859	13.7	1.27	(11.2 - 16.2)		22,753	(18,404 - 27,103)
RI	45-54	763	12.9	1.32	(10.4 - 15.5)		18,953	(15,000 - 22,906)
RI	55-64	629	14.5	1.61	(11.4 - 17.7)		15,052	(11,563 - 18,542)
RI	65+	830	8.2	1.02	(6.2 - 10.2)		12,677	(9,510 - 15,845)
SC	18-24	384	10.4	1.82	(6.9 - 14.0)		44,851	(28,646 - 61,056)
SC	25-34	947	10.3	1.16	(8.0 - 12.6)		56,170	(43,218 - 69,121)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SC	35-44	1,127	9.0	0.93	(7.2 - 10.8)		55,293	(43,771 - 66,815)
SC	45-54	1,194	10.8	1.02	(8.8 - 12.8)		60,549	(48,798 - 72,300)
SC	55-64	999	10.1	1.04	(8.1 - 12.2)		43,185	(34,131 - 52,239)
SC	65+	1,213	10.4	1.08	(8.3 - 12.5)		54,406	(42,727 - 66,085)
SD	18-24	359	18.0	2.64	(12.8 - 23.2)		15,100	(10,212 - 19,988)
SD	25-34	658	8.9	1.23	(6.4 - 11.3)		7,843	(5,619 - 10,067)
SD	35-44	984	9.1	1.04	(7.1 - 11.1)		9,656	(7,396 - 11,917)
SD	45-54	1,026	8.3	0.94	(6.5 - 10.2)		8,527	(6,566 - 10,488)
SD	55-64	799	10.2	1.19	(7.8 - 12.5)		6,940	(5,272 - 8,608)
SD	65+	1,397	10.6	0.96	(8.7 - 12.4)		11,842	(9,622 - 14,062)
TN	18-24	164	16.1	3.54	(9.1 - 23.1)		91,118	(47,624 - 134,612)
TN	25-34	390	12.8	2.14	(8.6 - 17.0)		101,310	(65,250 - 137,369)
TN	35-44	512	11.8	1.68	(8.5 - 15.1)		104,682	(73,783 - 135,581)
TN	45-54	530	11.0	1.47	(8.1 - 13.8)		89,589	(64,928 - 114,250)
TN	55-64	468	10.4	1.52	(7.4 - 13.4)		73,145	(51,182 - 95,109)
TN	65+	511	9.6	1.41	(6.8 - 12.4)		61,672	(43,147 - 80,196)
TX	18-24	514	13.9	1.90	(10.1 - 17.6)		321,072	(227,539 - 414,605)
TX	25-34	1,147	12.8	1.08	(10.7 - 14.9)		407,307	(337,001 - 477,613)
TX	35-44	1,216	9.5	1.03	(7.5 - 11.5)		315,599	(244,835 - 386,363)
TX	45-54	1,140	10.7	1.01	(8.7 - 12.7)		306,249	(247,094 - 365,404)
TX	55-64	874	10.5	1.08	(8.4 - 12.7)		198,374	(157,073 - 239,674)
TX	65+	1,083	10.2	1.02	(8.2 - 12.2)		228,219	(181,173 - 275,265)
UT	18-24	422	16.3	2.42	(11.6 - 21.1)		49,726	(33,944 - 65,508)
UT	25-34	824	10.4	1.28	(7.9 - 13.0)		38,512	(28,893 - 48,131)
UT	35-44	766	10.6	1.50	(7.6 - 13.5)		31,133	(22,031 - 40,234)
UT	45-54	783	9.3	1.25	(6.8 - 11.7)		24,340	(17,749 - 30,931)
UT	55-64	531	9.5	1.51	(6.5 - 12.5)		15,731	(10,657 - 20,804)
UT	65+	703	10.2	1.37	(7.6 - 12.9)		20,129	(14,670 - 25,587)
VT	18-24	217	16.9	2.74	(11.5 - 22.3)		10,801	(7,049 - 14,553)
VT	25-34	527	17.3	1.82	(13.7 - 20.8)		11,913	(9,223 - 14,604)
VT	35-44	915	12.6	1.19	(10.3 - 15.0)		12,020	(9,678 - 14,361)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	45-54	954	11.2	1.07	(9.1 - 13.3)		10,984	(8,841 - 13,128)
VT	55-64	695	9.3	1.18	(7.0 - 11.6)		6,175	(4,581 - 7,769)
VT	65+	910	7.1	0.89	(5.4 - 8.9)		5,815	(4,357 - 7,273)
VA	18-24	366	15.7	2.27	(11.3 - 20.2)		112,317	(78,471 - 146,163)
VA	25-34	800	9.8	1.14	(7.5 - 12.0)		96,979	(74,481 - 119,477)
VA	35-44	1,130	13.2	1.56	(10.2 - 16.3)		157,672	(118,242 - 197,102)
VA	45-54	1,174	11.9	1.18	(9.5 - 14.2)		124,994	(99,494 - 150,495)
VA	55-64	909	9.9	1.14	(7.7 - 12.1)		73,821	(56,794 - 90,847)
VA	65+	1,018	12.9	1.47	(10.0 - 15.8)		109,869	(83,565 - 136,173)
WA	18-24	1,409	18.0	1.32	(15.4 - 20.6)		106,988	(90,012 - 123,965)
WA	25-34	2,720	12.9	0.77	(11.4 - 14.4)		105,375	(92,411 - 118,339)
WA	35-44	3,550	12.3	0.65	(11.1 - 13.6)		117,326	(104,684 - 129,968)
WA	45-54	3,933	14.1	0.68	(12.8 - 15.4)		129,423	(116,489 - 142,357)
WA	55-64	3,049	15.6	0.81	(14.0 - 17.2)		92,883	(82,705 - 103,062)
WA	65+	3,920	11.6	0.62	(10.4 - 12.8)		81,139	(72,139 - 90,139)
WV	18-24	203	12.6	2.45	(7.8 - 17.4)		22,095	(13,190 - 31,000)
WV	25-34	455	13.7	1.78	(10.2 - 17.2)		30,158	(21,924 - 38,392)
WV	35-44	556	11.6	1.42	(8.9 - 14.4)		29,142	(21,832 - 36,451)
WV	45-54	672	11.8	1.32	(9.2 - 14.3)		32,029	(24,614 - 39,445)
WV	55-64	647	10.9	1.31	(8.3 - 13.5)		21,978	(16,569 - 27,387)
WV	65+	801	10.7	1.15	(8.4 - 12.9)		30,844	(24,073 - 37,615)
WI	18-24	303	17.9	2.85	(12.3 - 23.5)		99,730	(65,455 - 134,005)
WI	25-34	653	10.6	1.29	(8.0 - 13.1)		70,404	(53,013 - 87,796)
WI	35-44	864	9.5	1.19	(7.1 - 11.8)		79,437	(59,009 - 99,864)
WI	45-54	840	9.5	1.12	(7.3 - 11.7)		73,349	(55,807 - 90,890)
WI	55-64	557	10.8	1.47	(7.9 - 13.7)		56,744	(40,991 - 72,498)
WI	65+	802	9.6	1.26	(7.2 - 12.1)		69,964	(51,113 - 88,815)
WY	18-24	286	14.1	2.15	(9.9 - 18.3)		7,744	(5,277 - 10,210)
WY	25-34	558	12.0	1.52	(9.0 - 15.0)		6,993	(5,148 - 8,838)
WY	35-44	712	9.9	1.22	(7.5 - 12.3)		6,998	(5,239 - 8,756)
WY	45-54	942	9.0	1.01	(7.0 - 11.0)		7,013	(5,403 - 8,624)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	55-64	674	11.2	1.30	(8.6 - 13.7)		5,672	(4,310 - 7,033)
WY	65+	801	12.2	1.26	(9.8 - 14.7)		7,467	(5,866 - 9,067)
Territories								
GU	18-24	96	12.2	3.67	(4.9 - 19.5)		2,097	(771 - 3,423)
GU	25-34	190	9.3	2.25	(4.8 - 13.7)		2,330	(1,180 - 3,479)
GU	35-44	214	9.5	2.07	(5.4 - 13.6)		2,278	(1,268 - 3,287)
GU	45-54	156	10.9	2.54	(5.9 - 16.0)		1,983	(1,045 - 2,920)
GU	55-64	77	9.6	3.53	(2.6 - 16.6)		1,144	(272 - 2,016)
GU	65+	65	12.2	4.06	(4.1 - 20.3)		1,091	(338 - 1,844)
PR	18-24	362	30.0	3.05	(24.0 - 36.0)		125,448	(94,887 - 156,009)
PR	25-34	537	23.7	2.40	(19.0 - 28.4)		128,916	(99,587 - 158,245)
PR	35-44	813	17.6	1.56	(14.5 - 20.7)		92,426	(75,279 - 109,573)
PR	45-54	731	18.2	1.68	(15.0 - 21.5)		86,708	(70,041 - 103,376)
PR	55-64	740	21.7	1.87	(18.1 - 25.4)		84,745	(69,199 - 100,291)
PR	65+	978	13.7	1.30	(11.2 - 16.3)		63,315	(51,075 - 75,556)
VI	18-24	133	17.3	4.53	(8.3 - 26.2)		1,875	(785 - 2,964)
VI	25-34	337	11.4	2.14	(7.1 - 15.6)		1,582	(961 - 2,203)
VI	35-44	488	8.3	1.48	(5.4 - 11.2)		1,225	(786 - 1,663)
VI	45-54	427	8.1	1.78	(4.6 - 11.6)		1,083	(597 - 1,568)
VI	55-64	350	5.0	1.49	(2.1 - 8.0)		498	(200 - 796)
VI	65+	276	4.9	1.52	(1.9 - 7.9)		477	(184 - 770)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.