

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	White	213,243	11.7	0.13	(11.5 - 12.0)		19,867,797	(19,427,687 - 20,307,906)
U.S. Total**	Black	20,062	14.2	0.46	(13.3 - 15.1)		3,136,127	(2,921,261 - 3,350,994)
U.S. Total**	Other	17,403	9.8	0.46	(8.9 - 10.7)		1,895,289	(1,713,673 - 2,076,905)
U.S. Total**	Multi	4,626	17.4	1.19	(15.1 - 19.7)		689,319	(587,548 - 791,090)
AL	White	2,434	11.2	0.74	(9.7 - 12.6)		273,320	(237,180 - 309,460)
AL	Black	747	12.5	1.81	(8.9 - 16.1)		94,868	(65,582 - 124,155)
AL	Other	83	13.6	3.98	(5.7 - 21.5)		13,663	(5,397 - 21,929)
AL	Multi	66	12.3	5.01	(2.3 - 22.3)		9,053	(1,232 - 16,874)
AK	White	1,820	12.8	1.06	(10.7 - 14.9)		40,697	(33,940 - 47,454)
AK	Black	43	29.1	11.35	(6.2 - 52.0)		3,752	(0 - 7,529)
AK	Other	651	12.9	1.86	(9.2 - 16.6)		12,657	(8,871 - 16,443)
AK	Multi	131	13.7	3.97	(5.8 - 21.5)		3,738	(1,519 - 5,957)
AZ	White	2,588	13.6	1.00	(11.6 - 15.6)		417,743	(355,123 - 480,364)
AZ	Black	54	18.6	8.31	(2.0 - 35.3)		14,895	(0 - 30,047)
AZ	Other	511	7.3	1.50	(4.3 - 10.2)		61,402	(36,345 - 86,460)
AZ	Multi	32	24.9	10.60	(3.3 - 46.5)		8,766	(535 - 16,998)
AR	White	3,534	10.8	0.60	(9.7 - 12.0)		184,997	(164,368 - 205,627)
AR	Black	436	10.0	1.70	(6.7 - 13.4)		21,416	(13,960 - 28,872)
AR	Other	107	20.0	4.96	(10.2 - 29.9)		11,799	(5,258 - 18,341)
AR	Multi	106	24.3	4.59	(15.2 - 33.4)		13,268	(7,764 - 18,772)
CA	White	3,724	13.0	0.65	(11.8 - 14.3)		2,609,872	(2,348,922 - 2,870,823)
CA	Black	241	19.2	3.00	(13.3 - 25.1)		334,526	(220,725 - 448,326)
CA	Other	387	10.5	1.77	(7.0 - 13.9)		350,488	(228,140 - 472,835)
CA	Multi	106	19.6	4.63	(10.4 - 28.8)		143,296	(68,238 - 218,353)
CO	White	3,544	12.5	0.66	(11.2 - 13.8)		362,890	(324,317 - 401,463)
CO	Black	81	7.9	2.78	(2.4 - 13.4)		5,246	(1,559 - 8,932)
CO	Other	319	11.2	1.90	(7.5 - 15.0)		35,938	(23,409 - 48,467)
CO	Multi	89	18.9	6.29	(6.4 - 31.4)		16,135	(3,763 - 28,507)
CT	White	4,619	12.1	0.55	(11.0 - 13.1)		268,834	(244,373 - 293,295)
CT	Black	259	11.0	1.88	(7.3 - 14.7)		14,309	(9,436 - 19,183)
CT	Other	353	13.1	2.04	(9.1 - 17.1)		29,484	(20,065 - 38,904)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CT	Multi	29	11.6				2,125	
DE	White	3,247	11.5	0.74	(10.1 - 12.9)		55,484	(48,390 - 62,577)
DE	Black	565	11.9	1.83	(8.3 - 15.5)		10,911	(7,452 - 14,370)
DE	Other	142	12.3	3.35	(5.7 - 18.9)		3,427	(1,495 - 5,358)
DE	Multi	54	12.8	5.76	(1.2 - 24.3)		1,024	(53 - 1,994)
DC	White	1,029	13.7	1.44	(10.9 - 16.6)		21,753	(16,921 - 26,585)
DC	Black	833	12.1	1.30	(9.5 - 14.6)		29,083	(22,702 - 35,465)
DC	Other	120	13.9	3.57	(6.8 - 20.9)		5,874	(2,821 - 8,927)
DC	Multi	21	22.4				1,130	
FL	White	4,257	10.3	0.71	(8.9 - 11.6)		1,054,813	(910,287 - 1,199,338)
FL	Black	433	10.1	2.14	(5.9 - 14.3)		156,211	(88,433 - 223,988)
FL	Other	227	11.0	2.90	(5.3 - 16.7)		103,481	(46,558 - 160,404)
FL	Multi	28	6.8				4,047	
GA	White	5,355	10.2	0.54	(9.2 - 11.3)		420,311	(376,328 - 464,293)
GA	Black	1,842	14.8	1.47	(11.9 - 17.7)		269,541	(212,044 - 327,038)
GA	Other	302	12.3	2.84	(6.7 - 17.9)		45,475	(23,139 - 67,810)
GA	Multi	93	21.7	6.33	(9.1 - 34.3)		15,348	(4,790 - 25,905)
HI	White	1,721	11.2	0.94	(9.3 - 13.0)		35,498	(29,370 - 41,625)
HI	Black	53	13.7	5.81	(2.1 - 25.4)		1,715	(131 - 3,300)
HI	Other	2,017	10.6	0.85	(9.0 - 12.3)		54,355	(45,567 - 63,144)
HI	Multi	475	17.5	2.19	(13.2 - 21.8)		18,486	(13,517 - 23,456)
ID	White	4,638	11.4	0.56	(10.3 - 12.5)		102,736	(92,802 - 112,669)
ID	Black	15	13.3				467	
ID	Other	219	11.4	2.75	(6.0 - 16.8)		5,344	(2,628 - 8,060)
ID	Multi	94	26.6	6.40	(13.9 - 39.3)		5,037	(2,069 - 8,005)
IL	White	4,370	10.8	0.53	(9.7 - 11.8)		799,558	(721,574 - 877,542)
IL	Black	610	12.8	1.56	(9.8 - 15.9)		169,150	(126,643 - 211,657)
IL	Other	238	9.7	2.07	(5.6 - 13.8)		56,020	(31,421 - 80,618)
IL	Multi	44	25.7	7.23	(11.1 - 40.3)		21,726	(7,793 - 35,660)
IN	White	4,865	11.5	0.51	(10.5 - 12.5)		464,547	(423,179 - 505,916)
IN	Black	314	17.3	2.53	(12.3 - 22.2)		48,206	(33,004 - 63,408)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	Other	181	11.4	2.47	(6.5 - 16.3)		21,157	(11,674 - 30,641)
IN	Multi	83	22.4	5.11	(12.2 - 32.5)		16,171	(7,833 - 24,510)
IA	White	4,808	9.9	0.56	(8.8 - 11.0)		211,215	(187,145 - 235,284)
IA	Black	53	24.2	6.34	(11.5 - 36.9)		5,910	(2,450 - 9,370)
IA	Other	94	16.4	4.57	(7.4 - 25.5)		9,004	(3,707 - 14,301)
IA	Multi	30	10.9				1,425	
KS	White	4,151	11.0	0.58	(9.9 - 12.2)		199,060	(177,975 - 220,145)
KS	Black	183	17.5	4.03	(9.5 - 25.4)		13,096	(6,350 - 19,842)
KS	Other	208	13.5	3.65	(6.3 - 20.7)		14,341	(5,896 - 22,786)
KS	Multi	52	18.2	5.69	(6.7 - 29.6)		4,151	(1,307 - 6,995)
KY	White	7,213	12.3	0.59	(11.1 - 13.4)		352,597	(318,875 - 386,320)
KY	Black	253	16.9	3.26	(10.5 - 23.3)		27,819	(16,500 - 39,138)
KY	Other	67	13.5	4.85	(3.8 - 23.2)		4,715	(1,159 - 8,272)
KY	Multi	63	15.2	8.84	(0.0 - 32.9)		5,697	(0 - 13,106)
LA	White	3,516	10.0	0.59	(8.8 - 11.1)		212,333	(187,147 - 237,518)
LA	Black	1,256	10.9	1.10	(8.7 - 13.1)		100,978	(79,995 - 121,961)
LA	Other	200	7.0	1.78	(3.5 - 10.5)		11,540	(5,640 - 17,440)
LA	Multi	65	15.6	5.53	(4.6 - 26.7)		7,714	(1,783 - 13,644)
ME	White	2,281	13.5	0.84	(11.9 - 15.1)		129,696	(113,531 - 145,861)
ME	Black	7	22.7				700	
ME	Other	55	13.3	4.79	(3.7 - 22.9)		3,131	(748 - 5,514)
ME	Multi	21	9.7				803	
MD	White	3,412	11.9	0.69	(10.6 - 13.3)		317,537	(280,640 - 354,434)
MD	Black	703	15.6	1.84	(11.9 - 19.2)		153,142	(114,177 - 192,106)
MD	Other	232	7.8	2.04	(3.8 - 11.9)		29,553	(13,833 - 45,273)
MD	Multi	38	13.5	5.56	(2.2 - 24.8)		6,109	(1,002 - 11,216)
MA	White	6,402	14.4	0.57	(13.3 - 15.5)		617,172	(567,443 - 666,900)
MA	Black	494	14.7	2.47	(9.8 - 19.5)		36,415	(23,257 - 49,573)
MA	Other	521	13.5	1.90	(9.8 - 17.3)		42,327	(30,082 - 54,573)
MA	Multi	59	14.9	5.55	(3.8 - 26.0)		5,887	(1,256 - 10,519)
MI	White	3,027	13.8	0.73	(12.3 - 15.2)		830,230	(741,846 - 918,614)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MI	Black	304	14.0	2.43	(9.2 - 18.8)		124,998	(79,146 - 170,851)
MI	Other	105	10.5	3.24	(4.1 - 16.9)		32,938	(11,982 - 53,895)
MI	Multi	84	12.8	4.43	(4.0 - 21.6)		26,259	(6,830 - 45,687)
MN	White	3,622	10.6	0.62	(9.4 - 11.8)		367,903	(324,419 - 411,386)
MN	Black	83	10.3	3.77	(2.8 - 17.8)		8,698	(2,043 - 15,354)
MN	Other	132	7.6	2.60	(2.4 - 12.7)		12,901	(3,799 - 22,002)
MN	Multi	26	8.0				2,116	
MS	White	2,890	10.4	0.65	(9.1 - 11.7)		139,898	(122,411 - 157,385)
MS	Black	1,368	11.5	1.11	(9.4 - 13.7)		78,338	(62,815 - 93,861)
MS	Other	98	17.4	5.55	(6.4 - 28.4)		10,142	(2,838 - 17,446)
MS	Multi	41	9.1				2,148	
MO	White	3,779	12.2	0.78	(10.7 - 13.7)		440,641	(383,820 - 497,461)
MO	Black	231	8.8	2.19	(4.5 - 13.1)		35,580	(17,862 - 53,297)
MO	Other	140	13.6	3.81	(6.1 - 21.1)		22,809	(9,197 - 36,422)
MO	Multi	86	11.9	4.72	(2.5 - 21.3)		9,300	(1,428 - 17,172)
MT	White	3,493	11.2	0.72	(9.8 - 12.6)		70,337	(61,411 - 79,263)
MT	Black	7	0.0				0	
MT	Other	434	11.7	2.13	(7.5 - 15.9)		5,497	(3,486 - 7,508)
MT	Multi	61	5.0				381	
NE	White	4,577	10.2	0.52	(9.2 - 11.2)		119,365	(107,327 - 131,403)
NE	Black	129	20.2	5.49	(9.4 - 31.1)		6,684	(2,477 - 10,891)
NE	Other	215	7.1	1.87	(3.4 - 10.7)		5,302	(2,474 - 8,131)
NE	Multi	37	15.8	6.19	(3.3 - 28.4)		1,521	(250 - 2,793)
NV	White	2,384	12.2	0.98	(10.2 - 14.1)		147,465	(123,534 - 171,395)
NV	Black	80	4.9				3,727	
NV	Other	212	7.9	2.21	(3.5 - 12.3)		13,013	(5,672 - 20,354)
NV	Multi	234	15.6	3.20	(9.3 - 21.9)		24,915	(14,221 - 35,608)
NH	White	4,776	12.8	0.58	(11.7 - 13.9)		117,445	(106,661 - 128,230)
NH	Black	29	24.5	8.99	(6.0 - 42.9)		1,383	(195 - 2,570)
NH	Other	147	7.6	2.05	(3.6 - 11.7)		2,597	(1,201 - 3,992)
NH	Multi	35	31.6	11.17	(8.9 - 54.3)		2,164	(100 - 4,229)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	White	8,905	10.5	0.40	(9.7 - 11.3)		485,772	(448,859 - 522,686)
NJ	Black	1,067	13.9	1.30	(11.3 - 16.4)		105,877	(84,981 - 126,774)
NJ	Other	1,082	9.9	1.08	(7.8 - 12.1)		97,848	(75,854 - 119,841)
NJ	Multi	70	21.1	5.67	(9.8 - 32.4)		9,347	(3,731 - 14,964)
NM	White	4,141	11.5	0.61	(10.3 - 12.7)		110,828	(98,938 - 122,718)
NM	Black	67	8.4	4.13	(0.2 - 16.7)		1,565	(0 - 3,162)
NM	Other	1,130	7.0	0.81	(5.4 - 8.5)		23,419	(18,020 - 28,817)
NM	Multi	100	18.6	5.02	(8.7 - 28.6)		5,135	(2,111 - 8,159)
NY	White	4,287	11.8	0.56	(10.7 - 12.9)		1,181,813	(1,068,280 - 1,295,346)
NY	Black	561	16.5	1.90	(12.8 - 20.3)		315,832	(238,138 - 393,526)
NY	Other	530	7.7	1.27	(5.2 - 10.1)		157,232	(104,460 - 210,004)
NY	Multi	75	7.8	3.18	(1.4 - 14.1)		18,462	(3,098 - 33,827)
NC	White	6,886	11.0	0.60	(9.9 - 12.2)		505,609	(450,267 - 560,951)
NC	Black	1,844	13.9	1.33	(11.3 - 16.5)		159,070	(127,185 - 190,954)
NC	Other	578	8.4	1.94	(4.6 - 12.2)		46,079	(24,315 - 67,843)
NC	Multi	101	8.8	3.97	(0.9 - 16.7)		5,991	(424 - 11,559)
ND	White	2,840	10.3	0.65	(9.0 - 11.5)		45,835	(40,133 - 51,537)
ND	Black	13	0.0				0	
ND	Other	136	7.4	2.34	(2.7 - 12.0)		1,865	(657 - 3,072)
ND	Multi	22	15.2				524	
OH	White	3,223	10.4	0.68	(9.1 - 11.7)		764,239	(664,271 - 864,206)
OH	Black	359	13.1	2.25	(8.7 - 17.6)		88,200	(56,884 - 119,516)
OH	Other	170	10.7	3.09	(4.6 - 16.8)		43,445	(17,199 - 69,692)
OH	Multi	43	28.8	9.89	(8.9 - 48.8)		33,973	(6,588 - 61,358)
OK	White	6,123	11.4	0.49	(10.4 - 12.3)		228,290	(208,436 - 248,144)
OK	Black	469	12.0	1.84	(8.4 - 15.6)		21,189	(14,391 - 27,987)
OK	Other	826	13.6	1.54	(10.5 - 16.6)		49,839	(37,792 - 61,885)
OK	Multi	176	15.6	3.47	(8.7 - 22.4)		9,078	(4,654 - 13,501)
OR	White	3,554	14.6	0.68	(13.3 - 16.0)		337,732	(306,123 - 369,341)
OR	Black	28	23.5	8.35	(6.4 - 40.6)		3,692	(697 - 6,687)
OR	Other	299	13.6	2.05	(9.5 - 17.6)		37,402	(25,728 - 49,076)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	Multi	85	19.8	4.53	(10.8 - 28.8)		10,829	(5,495 - 16,164)
PA	White	3,262	11.4	0.64	(10.2 - 12.7)		933,081	(828,330 - 1,037,832)
PA	Black	236	15.9	2.85	(10.3 - 21.5)		120,776	(74,732 - 166,820)
PA	Other	114	11.1	2.89	(5.4 - 16.8)		44,895	(21,014 - 68,775)
PA	Multi	42	20.5	6.62	(7.1 - 33.8)		24,263	(7,233 - 41,292)
RI	White	3,526	14.6	0.74	(13.1 - 16.0)		104,149	(93,352 - 114,947)
RI	Black	137	7.8	2.11	(3.6 - 11.9)		1,967	(912 - 3,022)
RI	Other	304	11.9	2.57	(6.8 - 16.9)		7,893	(4,297 - 11,488)
RI	Multi	28	30.1	9.68	(10.3 - 50.0)		2,251	(512 - 3,990)
SC	White	4,557	9.9	0.50	(8.9 - 10.9)		212,969	(191,577 - 234,360)
SC	Black	1,087	10.5	1.15	(8.3 - 12.8)		78,365	(60,740 - 95,990)
SC	Other	138	12.6	3.64	(5.4 - 19.8)		16,485	(6,371 - 26,600)
SC	Multi	99	12.8	3.92	(5.0 - 20.6)		8,643	(3,108 - 14,179)
SD	White	4,834	10.5	0.59	(9.4 - 11.7)		55,055	(48,774 - 61,336)
SD	Black	12	14.0				215	
SD	Other	344	11.7	2.37	(7.0 - 16.4)		3,898	(2,247 - 5,549)
SD	Multi	58	12.3	5.37	(1.5 - 23.0)		722	(44 - 1,400)
TN	White	2,228	11.6	0.84	(10.0 - 13.2)		421,734	(360,098 - 483,369)
TN	Black	275	12.9	2.91	(7.1 - 18.6)		74,109	(38,198 - 110,021)
TN	Other	55	12.0	4.58	(2.8 - 21.1)		17,850	(3,702 - 31,999)
TN	Multi	25	14.3				7,822	
TX	White	4,498	11.2	0.54	(10.2 - 12.3)		1,269,911	(1,147,722 - 1,392,099)
TX	Black	514	17.1	2.23	(12.7 - 21.4)		221,258	(157,527 - 284,989)
TX	Other	791	8.6	1.35	(6.0 - 11.3)		226,579	(153,488 - 299,669)
TX	Multi	125	16.0	4.10	(7.9 - 24.1)		59,457	(26,141 - 92,773)
UT	White	3,705	11.9	0.74	(10.4 - 13.3)		166,880	(145,794 - 187,966)
UT	Black	22	11.2				1,717	
UT	Other	252	7.5	2.31	(2.9 - 12.0)		10,554	(3,839 - 17,269)
UT	Multi	35	9.4				1,249	
VT	White	4,055	12.1	0.62	(10.9 - 13.4)		54,874	(49,226 - 60,523)
VT	Black	14	2.6				48	

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	Other	96	13.8	3.96	(5.9 - 21.6)		1,822	(721 - 2,923)
VT	Multi	52	16.6	5.34	(5.9 - 27.3)		977	(302 - 1,653)
VA	White	4,017	11.4	0.66	(10.1 - 12.7)		466,664	(412,695 - 520,633)
VA	Black	941	15.2	1.62	(12.0 - 18.4)		128,967	(99,784 - 158,151)
VA	Other	198	6.1	1.84	(2.5 - 9.8)		21,244	(8,736 - 33,751)
VA	Multi	228	22.9	4.76	(13.5 - 32.2)		58,656	(30,471 - 86,841)
WA	White	16,183	14.1	0.35	(13.4 - 14.8)		544,054	(516,637 - 571,470)
WA	Black	244	12.3	2.19	(8.0 - 16.6)		9,860	(6,255 - 13,465)
WA	Other	1,314	8.5	0.97	(6.6 - 10.4)		36,166	(27,779 - 44,554)
WA	Multi	670	22.4	2.10	(18.3 - 26.5)		39,112	(30,981 - 47,244)
WV	White	3,124	11.5	0.63	(10.2 - 12.7)		151,200	(134,720 - 167,679)
WV	Black	60	18.4	6.98	(4.4 - 32.3)		5,169	(679 - 9,658)
WV	Other	57	13.3	4.26	(4.8 - 21.8)		3,538	(1,229 - 5,847)
WV	Multi	101	18.2	4.01	(10.3 - 26.2)		6,889	(3,635 - 10,142)
WI	White	3,492	10.6	0.65	(9.3 - 11.9)		401,607	(352,096 - 451,118)
WI	Black	389	18.0	2.85	(12.4 - 23.6)		26,173	(17,296 - 35,050)
WI	Other	113	12.5	3.70	(5.1 - 19.8)		15,335	(5,797 - 24,873)
WI	Multi	39	12.7				5,509	
WY	White	3,727	11.4	0.59	(10.2 - 12.5)		39,557	(35,440 - 43,675)
WY	Black	17	16.4				315	
WY	Other	159	9.3	2.83	(3.7 - 14.8)		1,528	(551 - 2,505)
WY	Multi	69	7.5	2.92	(1.7 - 13.3)		487	(106 - 868)
Territories								
GU	White	103	10.2	3.08	(4.1 - 16.3)		1,213	(461 - 1,965)
GU	Black	20	9.7				174	
GU	Other	650	10.2	1.29	(7.7 - 12.7)		8,956	(6,716 - 11,197)
GU	Multi	18	14.9				316	
PR	White	2,571	20.1	1.09	(17.9 - 22.2)		334,032	(295,531 - 372,534)
PR	Black	425	23.0	2.76	(17.5 - 28.4)		78,458	(57,207 - 99,709)
PR	Other	1,136	20.7	1.56	(17.6 - 23.7)		163,757	(137,238 - 190,275)
PR	Multi	19	20.3				1,659	

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2003

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VI	White	409	9.3	2.06	(5.2 - 13.3)		1,140	(614 - 1,667)
VI	Black	1,367	8.7	1.14	(6.4 - 10.9)		4,292	(3,136 - 5,447)
VI	Other	185	10.3	3.57	(3.3 - 17.3)		823	(221 - 1,426)
VI	Multi	56	21.0	7.90	(5.2 - 36.8)		474	(72 - 877)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.