

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	18,264	9.0	0.39	(8.3 - 9.8)		2,567,695	(2,340,726 - 2,794,665)
U.S. Total**	25-34	43,163	7.7	0.23	(7.2 - 8.1)		3,034,730	(2,846,525 - 3,222,935)
U.S. Total**	35-44	55,415	7.7	0.20	(7.3 - 8.1)		3,389,681	(3,213,429 - 3,565,934)
U.S. Total**	45-54	60,423	8.4	0.23	(8.0 - 8.9)		3,363,284	(3,176,856 - 3,549,711)
U.S. Total**	55-64	49,373	9.1	0.24	(8.6 - 9.5)		2,531,843	(2,393,034 - 2,670,652)
U.S. Total**	65+	66,776	7.4	0.19	(7.1 - 7.8)		2,684,513	(2,545,840 - 2,823,186)
AL	18-24	229	6.0	1.77	(2.5 - 9.5)		27,434	(11,023 - 43,846)
AL	25-34	526	6.3	1.12	(4.1 - 8.5)		37,517	(24,176 - 50,858)
AL	35-44	623	8.7	1.23	(6.3 - 11.1)		57,193	(40,795 - 73,591)
AL	45-54	720	10.5	1.31	(7.9 - 13.1)		65,846	(48,933 - 82,759)
AL	55-64	627	9.8	1.24	(7.4 - 12.2)		44,841	(33,355 - 56,326)
AL	65+	841	10.1	1.17	(7.8 - 12.4)		60,043	(45,731 - 74,355)
AK	18-24	231	12.1	3.32	(5.6 - 18.7)		6,912	(2,915 - 10,909)
AK	25-34	493	8.5	1.71	(5.2 - 11.9)		6,716	(4,011 - 9,420)
AK	35-44	559	8.9	1.84	(5.3 - 12.6)		9,339	(5,411 - 13,266)
AK	45-54	641	7.0	1.44	(4.2 - 9.9)		7,670	(4,518 - 10,823)
AK	55-64	418	11.6	2.49	(6.7 - 16.5)		7,188	(3,934 - 10,441)
AK	65+	270	7.6	1.93	(3.8 - 11.4)		2,946	(1,441 - 4,451)
AZ	18-24	274	8.6	3.16	(2.4 - 14.9)		48,931	(12,073 - 85,790)
AZ	25-34	689	4.2	0.87	(2.5 - 5.9)		33,167	(19,946 - 46,388)
AZ	35-44	800	6.9	1.32	(4.3 - 9.5)		55,033	(34,044 - 76,021)
AZ	45-54	863	7.3	1.24	(4.9 - 9.8)		51,914	(34,456 - 69,372)
AZ	55-64	780	5.8	1.09	(3.7 - 7.9)		30,328	(19,106 - 41,551)
AZ	65+	1,245	10.5	1.53	(7.5 - 13.5)		76,677	(53,502 - 99,852)
AR	18-24	237	6.3	1.61	(3.1 - 9.5)		17,281	(8,329 - 26,233)
AR	25-34	544	6.3	1.24	(3.9 - 8.8)		22,141	(13,369 - 30,914)
AR	35-44	664	6.6	1.10	(4.5 - 8.8)		25,504	(16,928 - 34,081)
AR	45-54	790	8.8	1.12	(6.6 - 11.0)		31,845	(23,588 - 40,102)
AR	55-64	790	7.2	1.00	(5.2 - 9.2)		20,530	(14,784 - 26,275)
AR	65+	1,008	8.7	0.98	(6.8 - 10.7)		33,387	(25,739 - 41,034)
CA	18-24	318	8.0	1.88	(4.3 - 11.7)		289,649	(149,789 - 429,509)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	816	7.4	1.07	(5.3 - 9.5)		397,017	(280,597 - 513,438)
CA	35-44	977	6.6	0.81	(5.0 - 8.2)		361,691	(272,591 - 450,791)
CA	45-54	864	9.4	1.30	(6.9 - 12.0)		448,964	(321,301 - 576,626)
CA	55-64	683	8.3	1.13	(6.1 - 10.5)		254,663	(185,558 - 323,769)
CA	65+	821	6.7	1.06	(4.6 - 8.8)		256,243	(173,750 - 338,736)
CO	18-24	383	10.5	1.92	(6.7 - 14.3)		47,488	(29,583 - 65,393)
CO	25-34	959	7.1	0.98	(5.2 - 9.0)		48,195	(34,792 - 61,598)
CO	35-44	1,185	8.6	1.06	(6.5 - 10.7)		62,450	(46,810 - 78,089)
CO	45-54	1,308	9.0	1.08	(6.9 - 11.1)		60,395	(45,579 - 75,210)
CO	55-64	1,006	8.3	1.09	(6.1 - 10.4)		34,440	(25,265 - 43,614)
CO	65+	1,073	9.8	1.12	(7.6 - 12.0)		43,828	(33,544 - 54,112)
CT	18-24	277	14.4	2.45	(9.6 - 19.3)		40,293	(25,811 - 54,774)
CT	25-34	779	10.2	1.26	(7.7 - 12.7)		43,455	(32,348 - 54,562)
CT	35-44	1,237	10.0	0.94	(8.2 - 11.9)		56,195	(45,452 - 66,937)
CT	45-54	1,248	9.6	0.89	(7.8 - 11.3)		46,387	(37,604 - 55,169)
CT	55-64	966	9.4	1.01	(7.4 - 11.3)		32,914	(25,674 - 40,153)
CT	65+	1,399	6.6	0.71	(5.2 - 8.0)		31,719	(24,821 - 38,618)
DE	18-24	293	15.3	3.56	(8.3 - 22.3)		12,701	(6,189 - 19,212)
DE	25-34	571	14.2	1.91	(10.5 - 18.0)		15,597	(11,214 - 19,980)
DE	35-44	811	7.8	1.28	(5.3 - 10.3)		10,128	(6,739 - 13,517)
DE	45-54	821	8.3	1.17	(6.0 - 10.6)		9,350	(6,676 - 12,024)
DE	55-64	618	8.0	1.34	(5.4 - 10.7)		6,698	(4,442 - 8,954)
DE	65+	915	7.4	1.10	(5.2 - 9.5)		8,021	(5,609 - 10,432)
DC	18-24	206	10.7	2.57	(5.7 - 15.8)		7,164	(3,650 - 10,677)
DC	25-34	630	12.9	1.72	(9.5 - 16.2)		13,111	(9,432 - 16,789)
DC	35-44	552	9.4	1.65	(6.2 - 12.7)		7,865	(5,016 - 10,714)
DC	45-54	548	8.4	1.36	(5.7 - 11.0)		5,813	(3,908 - 7,718)
DC	55-64	468	4.3	1.19	(2.0 - 6.7)		2,379	(1,070 - 3,689)
DC	65+	505	6.4	1.46	(3.6 - 9.3)		4,360	(2,342 - 6,378)
FL	18-24	391	7.9	1.58	(4.8 - 11.0)		115,284	(69,313 - 161,256)
FL	25-34	902	4.9	0.85	(3.2 - 6.6)		102,105	(67,051 - 137,159)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	1,161	8.2	1.17	(5.9 - 10.5)		207,270	(146,394 - 268,145)
FL	45-54	1,236	8.6	1.13	(6.4 - 10.8)		195,413	(143,009 - 247,817)
FL	55-64	1,249	8.5	1.16	(6.2 - 10.8)		153,142	(110,390 - 195,895)
FL	65+	2,125	6.3	0.67	(5.0 - 7.6)		184,519	(145,174 - 223,864)
GA	18-24	370	12.2	2.90	(6.5 - 17.9)		109,286	(53,385 - 165,187)
GA	25-34	777	5.3	1.06	(3.2 - 7.3)		70,521	(41,996 - 99,046)
GA	35-44	964	6.9	0.98	(4.9 - 8.8)		96,072	(68,390 - 123,754)
GA	45-54	989	6.4	0.97	(4.5 - 8.3)		74,600	(52,141 - 97,059)
GA	55-64	858	8.6	1.14	(6.4 - 10.9)		67,805	(49,825 - 85,786)
GA	65+	1,030	7.0	1.07	(4.9 - 9.1)		59,297	(40,892 - 77,703)
ID	18-24	403	7.2	1.68	(3.8 - 10.5)		10,779	(5,615 - 15,943)
ID	25-34	845	6.4	0.93	(4.6 - 8.3)		11,431	(8,122 - 14,740)
ID	35-44	930	7.0	0.92	(5.2 - 8.8)		13,498	(9,948 - 17,048)
ID	45-54	1,036	8.2	1.05	(6.2 - 10.3)		15,332	(11,341 - 19,322)
ID	55-64	888	9.6	1.07	(7.5 - 11.7)		12,460	(9,658 - 15,262)
ID	65+	1,108	10.0	1.09	(7.9 - 12.2)		15,624	(12,133 - 19,114)
IL	18-24	307	11.3	2.14	(7.1 - 15.5)		139,848	(84,547 - 195,149)
IL	25-34	592	8.7	1.38	(6.0 - 11.4)		154,530	(104,273 - 204,787)
IL	35-44	814	6.8	1.00	(4.8 - 8.8)		131,924	(92,635 - 171,213)
IL	45-54	828	7.1	0.95	(5.2 - 8.9)		123,968	(90,702 - 157,235)
IL	55-64	620	9.4	1.28	(6.8 - 11.9)		110,651	(79,793 - 141,509)
IL	65+	882	8.9	1.16	(6.6 - 11.2)		135,473	(99,091 - 171,855)
IN	18-24	449	7.0	1.33	(4.3 - 9.6)		44,300	(27,069 - 61,531)
IN	25-34	1,084	9.6	0.96	(7.7 - 11.5)		78,050	(62,149 - 93,952)
IN	35-44	1,206	7.3	0.80	(5.8 - 8.9)		67,377	(52,518 - 82,237)
IN	45-54	1,296	9.4	0.88	(7.7 - 11.2)		80,254	(65,006 - 95,502)
IN	55-64	1,026	9.1	1.05	(7.1 - 11.2)		54,276	(41,463 - 67,090)
IN	65+	1,348	8.0	0.80	(6.5 - 9.6)		61,763	(49,290 - 74,236)
IA	18-24	314	6.5	1.46	(3.7 - 9.4)		19,604	(10,791 - 28,418)
IA	25-34	710	7.4	1.02	(5.4 - 9.4)		27,634	(19,984 - 35,285)
IA	35-44	934	6.5	0.91	(4.7 - 8.3)		27,578	(19,772 - 35,384)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IA	45-54	993	6.7	0.86	(5.0 - 8.4)		27,952	(20,752 - 35,152)
IA	55-64	815	5.3	0.85	(3.6 - 7.0)		15,303	(10,366 - 20,241)
IA	65+	1,248	7.1	0.80	(5.6 - 8.7)		31,039	(24,034 - 38,045)
KS	18-24	520	9.5	1.33	(6.9 - 12.1)		27,614	(19,768 - 35,461)
KS	25-34	1,226	7.1	0.78	(5.6 - 8.7)		24,642	(19,227 - 30,057)
KS	35-44	1,605	7.2	0.68	(5.9 - 8.6)		28,778	(23,317 - 34,240)
KS	45-54	1,805	6.9	0.65	(5.6 - 8.1)		25,825	(20,935 - 30,715)
KS	55-64	1,239	8.7	0.84	(7.1 - 10.4)		21,727	(17,495 - 25,958)
KS	65+	2,177	6.0	0.57	(4.9 - 7.1)		21,557	(17,455 - 25,658)
KY	18-24	337	9.4	2.59	(4.3 - 14.5)		35,559	(15,145 - 55,974)
KY	25-34	863	8.4	1.47	(5.5 - 11.2)		51,030	(32,766 - 69,294)
KY	35-44	1,154	6.7	0.91	(4.9 - 8.5)		42,604	(31,065 - 54,144)
KY	45-54	1,351	8.6	1.12	(6.5 - 10.8)		52,052	(38,361 - 65,744)
KY	55-64	1,201	10.3	1.46	(7.5 - 13.2)		44,261	(31,157 - 57,365)
KY	65+	1,683	7.2	0.73	(5.7 - 8.6)		37,423	(29,932 - 44,914)
LA	18-24	742	6.3	1.05	(4.3 - 8.4)		29,680	(19,796 - 39,564)
LA	25-34	1,416	5.6	0.82	(4.0 - 7.2)		34,358	(24,264 - 44,452)
LA	35-44	1,754	6.2	0.73	(4.7 - 7.6)		39,916	(30,394 - 49,437)
LA	45-54	1,825	5.3	0.62	(4.0 - 6.5)		32,286	(24,724 - 39,848)
LA	55-64	1,428	7.1	0.78	(5.6 - 8.7)		33,276	(25,981 - 40,572)
LA	65+	1,797	6.8	0.82	(5.2 - 8.4)		32,876	(24,721 - 41,032)
ME	18-24	162	11.3	2.74	(5.9 - 16.7)		13,094	(6,540 - 19,648)
ME	25-34	439	9.0	1.48	(6.1 - 11.9)		13,684	(9,078 - 18,291)
ME	35-44	664	10.3	1.35	(7.6 - 12.9)		21,772	(15,882 - 27,662)
ME	45-54	786	9.8	1.23	(7.4 - 12.2)		20,230	(15,050 - 25,410)
ME	55-64	626	9.9	1.36	(7.3 - 12.6)		14,241	(10,252 - 18,229)
ME	65+	809	8.0	1.07	(5.9 - 10.1)		15,191	(11,070 - 19,312)
MD	18-24	223	7.7	2.30	(3.2 - 12.2)		33,391	(12,964 - 53,818)
MD	25-34	643	9.3	1.36	(6.6 - 12.0)		73,674	(51,617 - 95,731)
MD	35-44	907	6.5	0.93	(4.7 - 8.4)		58,781	(42,076 - 75,486)
MD	45-54	992	8.4	1.07	(6.3 - 10.5)		66,153	(48,987 - 83,319)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	55-64	737	7.6	1.20	(5.2 - 9.9)		44,318	(30,033 - 58,603)
MD	65+	858	7.5	1.18	(5.2 - 9.8)		43,654	(29,642 - 57,667)
MA	18-24	441	12.5	1.91	(8.7 - 16.2)		75,489	(51,762 - 99,216)
MA	25-34	1,245	9.3	1.01	(7.3 - 11.3)		82,635	(64,439 - 100,831)
MA	35-44	1,658	9.4	0.89	(7.6 - 11.1)		96,775	(78,107 - 115,444)
MA	45-54	1,730	9.1	0.81	(7.6 - 10.7)		81,178	(66,780 - 95,576)
MA	55-64	1,338	10.0	1.01	(8.1 - 12.0)		63,276	(50,303 - 76,249)
MA	65+	1,621	8.5	0.89	(6.8 - 10.3)		74,117	(58,361 - 89,874)
MI	18-24	298	8.9	1.78	(5.4 - 12.4)		87,344	(51,716 - 122,971)
MI	25-34	576	9.1	1.33	(6.5 - 11.7)		119,223	(83,740 - 154,706)
MI	35-44	950	6.4	0.82	(4.8 - 8.0)		98,662	(73,360 - 123,964)
MI	45-54	1,059	8.8	1.00	(6.8 - 10.8)		126,534	(97,224 - 155,844)
MI	55-64	829	9.2	1.13	(6.9 - 11.4)		89,208	(66,617 - 111,800)
MI	65+	1,181	7.9	0.83	(6.3 - 9.6)		99,114	(78,207 - 120,021)
MN	18-24	245	11.4	2.20	(7.0 - 15.7)		57,119	(34,265 - 79,973)
MN	25-34	610	7.2	1.14	(5.0 - 9.4)		47,617	(32,359 - 62,875)
MN	35-44	912	6.7	0.88	(5.0 - 8.4)		54,315	(39,979 - 68,652)
MN	45-54	970	6.1	0.82	(4.5 - 7.7)		44,766	(32,747 - 56,785)
MN	55-64	715	7.6	1.03	(5.6 - 9.6)		35,675	(25,811 - 45,540)
MN	65+	955	7.3	0.97	(5.4 - 9.2)		44,404	(32,312 - 56,495)
MS	18-24	338	7.7	1.45	(4.8 - 10.5)		25,181	(15,573 - 34,790)
MS	25-34	825	6.9	0.96	(5.0 - 8.8)		25,936	(18,644 - 33,227)
MS	35-44	893	6.9	0.94	(5.1 - 8.8)		28,434	(20,702 - 36,166)
MS	45-54	998	6.5	0.86	(4.8 - 8.2)		24,591	(18,036 - 31,146)
MS	55-64	856	8.1	0.97	(6.2 - 10.0)		22,277	(16,894 - 27,659)
MS	65+	1,293	6.8	0.81	(5.2 - 8.4)		23,924	(18,170 - 29,678)
MO	18-24	319	10.3	2.04	(6.2 - 14.3)		58,409	(34,546 - 82,271)
MO	25-34	678	8.6	1.71	(5.2 - 11.9)		63,016	(36,926 - 89,106)
MO	35-44	854	9.5	1.35	(6.9 - 12.2)		82,124	(58,263 - 105,986)
MO	45-54	916	9.0	1.14	(6.8 - 11.2)		71,226	(53,201 - 89,252)
MO	55-64	821	9.8	1.28	(7.3 - 12.3)		55,901	(41,022 - 70,780)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
MO	65+	1,292	8.0	0.98	(6.1 - 9.9)		61,599	(46,400 - 76,799)
MT	18-24	279	7.0	1.84	(3.4 - 10.6)		6,399	(2,989 - 9,808)
MT	25-34	604	9.7	1.55	(6.7 - 12.8)		9,917	(6,662 - 13,172)
MT	35-44	941	8.5	1.07	(6.4 - 10.6)		11,159	(8,292 - 14,025)
MT	45-54	1,094	7.9	1.04	(5.9 - 9.9)		11,431	(8,389 - 14,474)
MT	55-64	930	8.3	1.02	(6.3 - 10.3)		8,248	(6,201 - 10,296)
MT	65+	1,096	10.3	1.15	(8.0 - 12.6)		12,857	(9,900 - 15,813)
NE	18-24	409	7.7	1.59	(4.6 - 10.8)		14,272	(8,270 - 20,274)
NE	25-34	1,197	6.4	0.84	(4.7 - 8.0)		14,164	(10,402 - 17,926)
NE	35-44	1,587	6.7	0.78	(5.2 - 8.3)		16,839	(12,924 - 20,754)
NE	45-54	1,877	7.1	0.76	(5.6 - 8.6)		16,975	(13,274 - 20,675)
NE	55-64	1,414	7.6	0.85	(5.9 - 9.3)		12,255	(9,476 - 15,033)
NE	65+	2,261	6.4	0.64	(5.1 - 7.6)		14,994	(11,971 - 18,016)
NV	18-24	206	7.5	2.48	(2.7 - 12.4)		15,036	(4,981 - 25,091)
NV	25-34	401	6.5	1.65	(3.3 - 9.8)		22,179	(10,872 - 33,486)
NV	35-44	532	5.8	1.34	(3.1 - 8.4)		20,084	(10,725 - 29,442)
NV	45-54	574	8.8	1.82	(5.2 - 12.4)		27,246	(15,679 - 38,813)
NV	55-64	542	8.1	1.58	(5.0 - 11.2)		19,073	(11,552 - 26,594)
NV	65+	624	6.6	1.31	(4.0 - 9.1)		16,858	(10,142 - 23,574)
NH	18-24	240	13.5	2.56	(8.4 - 18.5)		15,763	(9,366 - 22,160)
NH	25-34	628	9.9	1.23	(7.4 - 12.3)		15,312	(11,418 - 19,205)
NH	35-44	1,055	10.6	1.00	(8.6 - 12.6)		23,599	(19,058 - 28,141)
NH	45-54	1,188	10.8	1.00	(8.8 - 12.7)		21,045	(17,052 - 25,038)
NH	55-64	869	9.7	1.06	(7.6 - 11.8)		12,624	(9,820 - 15,428)
NH	65+	1,014	7.6	0.90	(5.8 - 9.4)		11,900	(9,044 - 14,755)
NJ	18-24	513	11.1	1.57	(8.0 - 14.2)		76,810	(54,288 - 99,331)
NJ	25-34	1,518	8.3	0.76	(6.8 - 9.8)		93,295	(76,120 - 110,470)
NJ	35-44	2,427	8.9	0.63	(7.6 - 10.1)		126,145	(107,853 - 144,437)
NJ	45-54	2,482	8.7	0.68	(7.4 - 10.0)		103,666	(87,255 - 120,077)
NJ	55-64	2,020	8.0	0.67	(6.7 - 9.3)		69,579	(57,802 - 81,357)
NJ	65+	2,775	7.6	0.58	(6.5 - 8.8)		87,111	(73,613 - 100,609)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	18-24	419	9.7	1.72	(6.3 - 13.1)		18,471	(11,731 - 25,211)
NM	25-34	831	6.9	1.00	(4.9 - 8.9)		16,045	(11,357 - 20,732)
NM	35-44	1,126	9.8	1.05	(7.7 - 11.8)		26,796	(20,899 - 32,694)
NM	45-54	1,319	10.3	1.01	(8.3 - 12.2)		27,074	(21,625 - 32,524)
NM	55-64	1,110	9.2	1.01	(7.2 - 11.1)		16,823	(13,028 - 20,618)
NM	65+	1,540	9.7	0.93	(7.9 - 11.6)		22,114	(17,785 - 26,443)
NY	18-24	334	9.1	1.65	(5.8 - 12.3)		163,647	(103,215 - 224,078)
NY	25-34	871	8.7	1.06	(6.7 - 10.8)		232,650	(175,204 - 290,096)
NY	35-44	1,214	8.5	0.87	(6.8 - 10.2)		252,960	(200,719 - 305,200)
NY	45-54	1,195	9.3	1.01	(7.3 - 11.2)		242,254	(188,303 - 296,205)
NY	55-64	924	11.4	1.39	(8.7 - 14.1)		216,176	(161,068 - 271,283)
NY	65+	1,293	7.3	0.81	(5.7 - 8.8)		181,049	(140,251 - 221,847)
NC	18-24	840	8.5	1.28	(6.0 - 11.0)		71,765	(49,695 - 93,836)
NC	25-34	2,389	6.1	0.64	(4.9 - 7.4)		74,074	(58,487 - 89,661)
NC	35-44	2,823	7.1	0.57	(5.9 - 8.2)		91,297	(76,542 - 106,053)
NC	45-54	2,790	7.8	0.63	(6.6 - 9.0)		88,767	(74,299 - 103,236)
NC	55-64	2,538	9.5	0.73	(8.1 - 10.9)		78,804	(66,422 - 91,186)
NC	65+	3,511	7.3	0.54	(6.3 - 8.4)		75,223	(64,104 - 86,341)
ND	18-24	200	8.7	2.12	(4.5 - 12.8)		6,567	(3,290 - 9,844)
ND	25-34	419	7.6	1.46	(4.7 - 10.4)		5,723	(3,469 - 7,976)
ND	35-44	574	6.6	1.09	(4.4 - 8.7)		5,798	(3,850 - 7,746)
ND	45-54	659	6.9	1.04	(4.9 - 8.9)		6,185	(4,307 - 8,063)
ND	55-64	460	8.6	1.41	(5.8 - 11.3)		5,112	(3,392 - 6,832)
ND	65+	703	8.5	1.15	(6.3 - 10.8)		7,993	(5,798 - 10,188)
OH	18-24	517	9.4	2.35	(4.8 - 14.0)		103,263	(50,981 - 155,545)
OH	25-34	1,107	7.9	1.58	(4.8 - 11.0)		114,715	(68,571 - 160,859)
OH	35-44	1,278	9.3	1.60	(6.1 - 12.4)		157,441	(101,829 - 213,052)
OH	45-54	1,525	7.7	1.27	(5.2 - 10.2)		125,736	(84,034 - 167,438)
OH	55-64	1,144	10.6	1.70	(7.3 - 14.0)		118,966	(80,328 - 157,604)
OH	65+	1,647	6.9	1.28	(4.4 - 9.4)		105,861	(66,373 - 145,350)
OK	18-24	419	7.4	1.39	(4.7 - 10.1)		27,859	(17,239 - 38,478)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	25-34	917	8.5	0.99	(6.6 - 10.5)		38,619	(29,487 - 47,751)
OK	35-44	1,162	7.5	0.85	(5.8 - 9.2)		37,159	(28,644 - 45,674)
OK	45-54	1,288	8.4	0.87	(6.7 - 10.1)		40,247	(31,787 - 48,708)
OK	55-64	1,177	9.6	0.95	(7.7 - 11.5)		34,147	(27,200 - 41,095)
OK	65+	1,850	8.5	0.72	(7.1 - 9.9)		39,597	(32,751 - 46,444)
OR	18-24	315	13.7	2.35	(9.1 - 18.4)		46,914	(29,810 - 64,018)
OR	25-34	757	9.2	1.17	(6.9 - 11.5)		44,553	(32,988 - 56,118)
OR	35-44	874	8.7	1.03	(6.7 - 10.8)		44,832	(34,149 - 55,515)
OR	45-54	1,064	9.8	1.00	(7.8 - 11.7)		52,861	(41,760 - 63,961)
OR	55-64	920	10.9	1.14	(8.7 - 13.2)		39,710	(31,161 - 48,259)
OR	65+	1,105	7.0	0.79	(5.4 - 8.5)		31,630	(24,399 - 38,860)
PA	18-24	362	13.4	2.19	(9.1 - 17.7)		156,334	(101,794 - 210,874)
PA	25-34	801	9.2	1.16	(6.9 - 11.5)		135,335	(100,698 - 169,971)
PA	35-44	1,092	8.1	0.92	(6.3 - 9.9)		151,692	(116,865 - 186,519)
PA	45-54	1,217	9.7	1.02	(7.7 - 11.7)		169,493	(132,693 - 206,293)
PA	55-64	1,043	9.3	1.03	(7.3 - 11.4)		117,833	(91,021 - 144,645)
PA	65+	1,492	5.6	0.66	(4.3 - 6.8)		106,218	(80,861 - 131,575)
RI	18-24	193	10.6	2.44	(5.8 - 15.4)		12,407	(6,516 - 18,299)
RI	25-34	548	10.7	1.44	(7.8 - 13.5)		14,684	(10,631 - 18,737)
RI	35-44	776	9.4	1.13	(7.1 - 11.6)		15,969	(12,058 - 19,879)
RI	45-54	878	9.8	1.13	(7.6 - 12.1)		14,668	(11,238 - 18,097)
RI	55-64	702	8.5	1.14	(6.3 - 10.7)		8,947	(6,532 - 11,362)
RI	65+	833	8.9	1.11	(6.7 - 11.1)		13,728	(10,227 - 17,229)
SC	18-24	416	8.3	1.68	(5.0 - 11.6)		36,353	(21,167 - 51,539)
SC	25-34	1,047	6.9	0.90	(5.1 - 8.6)		38,852	(28,587 - 49,117)
SC	35-44	1,251	6.8	0.84	(5.2 - 8.4)		42,450	(31,850 - 53,050)
SC	45-54	1,434	8.5	0.89	(6.7 - 10.2)		48,758	(38,270 - 59,247)
SC	55-64	1,311	8.8	0.86	(7.1 - 10.5)		38,390	(30,727 - 46,053)
SC	65+	1,554	7.1	0.87	(5.4 - 8.8)		36,422	(27,280 - 45,565)
SD	18-24	336	8.3	1.94	(4.4 - 12.1)		6,792	(3,490 - 10,094)
SD	25-34	785	5.0	0.87	(3.2 - 6.7)		4,423	(2,864 - 5,982)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	35-44	1,030	4.4	0.70	(3.0 - 5.8)		4,780	(3,266 - 6,294)
SD	45-54	1,273	7.5	0.85	(5.8 - 9.1)		7,927	(6,091 - 9,763)
SD	55-64	959	7.5	0.93	(5.7 - 9.4)		5,296	(3,969 - 6,623)
SD	65+	1,713	7.8	0.73	(6.4 - 9.2)		8,540	(6,914 - 10,165)
TN	18-24	198	8.3	2.29	(3.8 - 12.8)		46,988	(20,646 - 73,329)
TN	25-34	574	7.9	1.46	(5.0 - 10.8)		63,428	(39,465 - 87,390)
TN	35-44	714	9.1	1.57	(6.0 - 12.2)		81,024	(52,052 - 109,996)
TN	45-54	747	8.4	1.26	(5.9 - 10.9)		69,028	(48,001 - 90,055)
TN	55-64	627	11.4	1.54	(8.4 - 14.5)		69,271	(49,977 - 88,564)
TN	65+	883	9.3	1.10	(7.2 - 11.5)		68,834	(52,422 - 85,246)
TX	18-24	530	7.1	1.33	(4.5 - 9.7)		164,977	(102,017 - 227,936)
TX	25-34	1,169	6.9	0.90	(5.1 - 8.7)		224,467	(165,173 - 283,760)
TX	35-44	1,215	6.5	0.86	(4.8 - 8.2)		214,851	(157,732 - 271,970)
TX	45-54	1,178	7.3	0.86	(5.6 - 9.0)		212,170	(162,035 - 262,306)
TX	55-64	985	9.6	1.27	(7.2 - 12.1)		185,253	(134,453 - 236,052)
TX	65+	1,149	6.5	0.79	(4.9 - 8.0)		144,333	(109,003 - 179,662)
UT	18-24	478	8.1	1.46	(5.2 - 11.0)		26,106	(16,522 - 35,690)
UT	25-34	1,095	8.1	0.95	(6.2 - 9.9)		30,631	(23,311 - 37,950)
UT	35-44	931	8.8	1.09	(6.7 - 10.9)		25,749	(19,250 - 32,247)
UT	45-54	926	8.9	1.15	(6.7 - 11.2)		23,266	(17,145 - 29,387)
UT	55-64	785	6.6	1.00	(4.7 - 8.6)		11,578	(8,073 - 15,083)
UT	65+	909	6.7	0.95	(4.8 - 8.5)		13,651	(9,758 - 17,545)
VT	18-24	332	8.7	1.66	(5.5 - 12.0)		5,366	(3,280 - 7,452)
VT	25-34	828	10.2	1.10	(8.0 - 12.3)		7,238	(5,631 - 8,846)
VT	35-44	1,299	8.3	0.83	(6.7 - 10.0)		8,191	(6,525 - 9,858)
VT	45-54	1,544	7.9	0.79	(6.4 - 9.5)		7,875	(6,275 - 9,474)
VT	55-64	1,180	8.4	0.86	(6.7 - 10.0)		5,555	(4,394 - 6,716)
VT	65+	1,533	7.9	0.75	(6.5 - 9.4)		6,324	(5,117 - 7,531)
VA	18-24	336	5.1	1.24	(2.7 - 7.6)		37,028	(19,211 - 54,846)
VA	25-34	811	7.0	1.02	(5.0 - 9.0)		72,889	(51,811 - 93,967)
VA	35-44	1,168	8.2	0.98	(6.3 - 10.1)		98,247	(74,621 - 121,873)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VA	45-54	1,152	7.2	0.89	(5.5 - 9.0)		76,493	(57,913 - 95,074)
VA	55-64	960	7.9	1.08	(5.8 - 10.0)		58,268	(42,237 - 74,299)
VA	65+	1,080	8.1	1.04	(6.0 - 10.1)		67,347	(49,973 - 84,721)
WA	18-24	1,347	8.9	1.05	(6.8 - 10.9)		52,682	(39,808 - 65,555)
WA	25-34	2,640	9.0	0.68	(7.7 - 10.3)		76,592	(64,809 - 88,376)
WA	35-44	3,386	8.8	0.59	(7.6 - 9.9)		83,911	(72,480 - 95,341)
WA	45-54	3,768	9.9	0.60	(8.7 - 11.1)		90,579	(79,315 - 101,844)
WA	55-64	3,181	9.4	0.64	(8.2 - 10.7)		55,930	(48,191 - 63,669)
WA	65+	4,094	9.1	0.54	(8.0 - 10.1)		62,829	(55,205 - 70,453)
WV	18-24	189	6.9	1.92	(3.2 - 10.7)		12,201	(5,358 - 19,044)
WV	25-34	462	9.7	1.55	(6.7 - 12.8)		21,411	(14,371 - 28,451)
WV	35-44	596	10.7	1.37	(8.0 - 13.4)		27,229	(20,088 - 34,371)
WV	45-54	695	10.0	1.24	(7.6 - 12.5)		28,198	(21,014 - 35,382)
WV	55-64	634	12.5	1.48	(9.6 - 15.4)		25,812	(19,444 - 32,180)
WV	65+	844	10.3	1.15	(8.0 - 12.6)		28,556	(21,987 - 35,124)
WI	18-24	292	10.5	2.25	(6.1 - 15.0)		58,749	(32,576 - 84,921)
WI	25-34	718	9.2	1.25	(6.7 - 11.6)		62,161	(45,001 - 79,321)
WI	35-44	877	8.8	1.09	(6.7 - 10.9)		75,126	(56,290 - 93,961)
WI	45-54	957	7.1	0.93	(5.3 - 8.9)		55,109	(40,674 - 69,543)
WI	55-64	678	8.1	1.20	(5.7 - 10.4)		42,300	(29,468 - 55,132)
WI	65+	917	8.0	1.03	(6.0 - 10.0)		57,241	(42,305 - 72,176)
WY	18-24	257	9.5	2.02	(5.5 - 13.5)		5,113	(2,873 - 7,354)
WY	25-34	608	7.5	1.10	(5.3 - 9.6)		4,372	(3,074 - 5,670)
WY	35-44	719	7.1	1.01	(5.1 - 9.1)		5,076	(3,619 - 6,533)
WY	45-54	986	7.1	0.91	(5.3 - 8.9)		5,689	(4,225 - 7,154)
WY	55-64	678	7.9	1.07	(5.7 - 10.0)		4,112	(2,978 - 5,246)
WY	65+	872	7.5	0.96	(5.6 - 9.4)		4,505	(3,333 - 5,676)
Territories								
PR	18-24	330	5.6	1.40	(2.8 - 8.3)		23,247	(11,527 - 34,968)
PR	25-34	514	6.8	1.31	(4.3 - 9.4)		37,201	(22,758 - 51,644)
PR	35-44	725	6.5	1.07	(4.4 - 8.6)		34,286	(23,009 - 45,562)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2004

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	45-54	785	6.5	0.95	(4.6 - 8.3)		30,511	(21,550 - 39,473)
PR	55-64	732	5.6	0.92	(3.8 - 7.4)		21,773	(14,676 - 28,871)
PR	65+	1,018	5.8	0.98	(3.9 - 7.7)		26,679	(17,595 - 35,763)
VI	18-24	195	7.6	2.34	(3.0 - 12.2)		646	(237 - 1,055)
VI	25-34	424	6.4	1.50	(3.5 - 9.4)		887	(469 - 1,305)
VI	35-44	597	4.1	0.95	(2.3 - 6.0)		647	(349 - 945)
VI	45-54	640	3.7	0.87	(2.0 - 5.4)		525	(278 - 773)
VI	55-64	488	3.6	0.90	(1.8 - 5.4)		417	(209 - 624)
VI	65+	317	3.3	1.01	(1.3 - 5.3)		294	(115 - 474)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.