

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	31,633	11.1	0.34	(10.4 - 11.8)		2,426,559	(2,279,946 - 2,573,172)
U.S. Total**	\$15-\$24,999	47,743	9.2	0.26	(8.7 - 9.7)		3,058,054	(2,883,231 - 3,232,878)
U.S. Total**	\$25-\$49,999	80,769	7.7	0.18	(7.4 - 8.1)		4,330,932	(4,123,863 - 4,538,001)
U.S. Total**	\$50-\$74,999	43,071	7.5	0.26	(7.0 - 8.0)		2,458,193	(2,282,919 - 2,633,467)
U.S. Total**	>=\$75,000	52,333	6.9	0.20	(6.5 - 7.3)		3,078,805	(2,897,112 - 3,260,499)
AL	< \$15,000	556	16.8	1.82	(13.2 - 20.3)		70,689	(54,757 - 86,621)
AL	\$15-\$24,999	688	9.3	1.23	(6.8 - 11.7)		59,829	(43,802 - 75,857)
AL	\$25-\$49,999	1,013	7.4	0.89	(5.7 - 9.2)		74,212	(56,278 - 92,147)
AL	\$50-\$74,999	434	5.1	1.24	(2.6 - 7.5)		22,380	(11,374 - 33,385)
AL	>=\$75,000	466	5.1	1.02	(3.1 - 7.2)		24,871	(15,038 - 34,704)
AK	< \$15,000	249	15.2	4.00	(7.3 - 23.1)		4,787	(2,014 - 7,561)
AK	\$15-\$24,999	364	11.0	2.50	(6.1 - 16.0)		6,181	(3,299 - 9,064)
AK	\$25-\$49,999	707	7.7	1.37	(5.1 - 10.4)		9,106	(5,872 - 12,340)
AK	\$50-\$74,999	464	8.4	1.83	(4.8 - 12.0)		6,938	(3,865 - 10,011)
AK	>=\$75,000	586	9.0	1.82	(5.4 - 12.5)		10,755	(6,278 - 15,232)
AZ	< \$15,000	555	9.9	2.37	(5.3 - 14.6)		32,412	(16,697 - 48,126)
AZ	\$15-\$24,999	879	6.6	1.25	(4.2 - 9.0)		47,055	(29,817 - 64,292)
AZ	\$25-\$49,999	1,354	8.3	1.58	(5.2 - 11.4)		96,353	(58,679 - 134,027)
AZ	\$50-\$74,999	635	5.8	1.20	(3.5 - 8.2)		36,184	(21,525 - 50,842)
AZ	>=\$75,000	630	5.5	1.16	(3.2 - 7.7)		39,668	(22,971 - 56,364)
AR	< \$15,000	556	11.8	1.63	(8.6 - 15.0)		28,700	(20,542 - 36,857)
AR	\$15-\$24,999	703	9.2	1.30	(6.7 - 11.8)		32,850	(23,372 - 42,328)
AR	\$25-\$49,999	1,213	5.6	0.70	(4.2 - 7.0)		35,797	(26,912 - 44,682)
AR	\$50-\$74,999	551	6.8	1.34	(4.2 - 9.4)		20,227	(12,062 - 28,392)
AR	>=\$75,000	555	5.7	1.16	(3.4 - 8.0)		16,601	(9,813 - 23,388)
CA	< \$15,000	682	4.9	0.75	(3.4 - 6.3)		221,204	(154,960 - 287,449)
CA	\$15-\$24,999	631	6.9	1.20	(4.5 - 9.2)		262,100	(169,639 - 354,561)
CA	\$25-\$49,999	981	8.1	1.00	(6.1 - 10.1)		453,547	(341,034 - 566,061)
CA	\$50-\$74,999	686	8.7	1.47	(5.8 - 11.5)		337,277	(219,173 - 455,381)
CA	>=\$75,000	1,147	8.4	0.94	(6.6 - 10.3)		509,397	(393,659 - 625,135)
CO	< \$15,000	509	15.5	2.25	(11.1 - 19.9)		38,073	(26,523 - 49,624)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CO	\$15-\$24,999	800	10.1	1.60	(7.0 - 13.2)		46,854	(31,685 - 62,022)
CO	\$25-\$49,999	1,596	7.5	0.90	(5.7 - 9.3)		65,706	(49,784 - 81,628)
CO	\$50-\$74,999	949	7.7	1.09	(5.5 - 9.8)		43,151	(30,822 - 55,481)
CO	>=\$75,000	1,441	8.7	0.98	(6.8 - 10.6)		76,051	(58,607 - 93,494)
CT	< \$15,000	342	13.0	2.13	(8.8 - 17.2)		16,756	(11,119 - 22,392)
CT	\$15-\$24,999	641	12.8	1.77	(9.4 - 16.3)		33,273	(23,599 - 42,946)
CT	\$25-\$49,999	1,299	11.1	1.14	(8.9 - 13.4)		60,040	(47,344 - 72,736)
CT	\$50-\$74,999	958	10.5	1.20	(8.1 - 12.9)		44,229	(33,735 - 54,722)
CT	>=\$75,000	1,844	8.0	0.73	(6.6 - 9.5)		68,833	(56,147 - 81,518)
DE	< \$15,000	393	12.0	2.06	(7.9 - 16.0)		6,083	(3,915 - 8,251)
DE	\$15-\$24,999	332	22.2	3.61	(15.1 - 29.3)		8,883	(5,597 - 12,168)
DE	\$25-\$49,999	961	9.6	1.59	(6.4 - 12.7)		13,767	(8,995 - 18,539)
DE	\$50-\$74,999	663	9.6	1.64	(6.4 - 12.8)		9,908	(6,417 - 13,399)
DE	>=\$75,000	797	5.8	1.05	(3.8 - 7.9)		8,319	(5,304 - 11,335)
DC	< \$15,000	269	11.5	2.48	(6.6 - 16.4)		5,761	(3,195 - 8,327)
DC	\$15-\$24,999	325	11.1	2.04	(7.1 - 15.1)		6,752	(4,190 - 9,315)
DC	\$25-\$49,999	688	10.2	1.64	(7.0 - 13.4)		11,656	(7,781 - 15,531)
DC	\$50-\$74,999	400	9.6	1.83	(6.0 - 13.2)		5,165	(3,134 - 7,196)
DC	>=\$75,000	958	7.0	1.14	(4.8 - 9.3)		8,410	(5,654 - 11,166)
FL	< \$15,000	829	9.2	1.52	(6.2 - 12.2)		110,486	(73,717 - 147,255)
FL	\$15-\$24,999	1,233	8.9	1.19	(6.5 - 11.2)		192,251	(139,995 - 244,507)
FL	\$25-\$49,999	1,934	6.8	0.84	(5.1 - 8.4)		236,114	(177,179 - 295,048)
FL	\$50-\$74,999	938	8.4	1.27	(5.9 - 10.9)		167,202	(115,362 - 219,042)
FL	>=\$75,000	1,114	6.5	0.93	(4.7 - 8.3)		152,039	(108,405 - 195,672)
GA	< \$15,000	620	16.2	3.45	(9.4 - 23.0)		98,228	(51,608 - 144,849)
GA	\$15-\$24,999	801	7.6	1.29	(5.1 - 10.1)		71,506	(46,873 - 96,139)
GA	\$25-\$49,999	1,303	7.5	1.00	(5.5 - 9.5)		127,800	(93,448 - 162,152)
GA	\$50-\$74,999	700	5.7	1.21	(3.3 - 8.0)		54,649	(31,088 - 78,210)
GA	>=\$75,000	873	4.5	0.93	(2.7 - 6.3)		60,937	(35,547 - 86,326)
ID	< \$15,000	584	14.2	1.79	(10.7 - 17.7)		12,672	(9,354 - 15,990)
ID	\$15-\$24,999	958	7.5	0.92	(5.7 - 9.3)		12,949	(9,790 - 16,108)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
ID	\$25-\$49,999	1,688	8.3	0.92	(6.4 - 10.1)		26,924	(20,763 - 33,086)
ID	\$50-\$74,999	770	7.2	1.09	(5.0 - 9.3)		11,135	(7,699 - 14,572)
ID	>=\$75,000	661	5.8	0.97	(3.9 - 7.7)		8,289	(5,523 - 11,056)
IL	< \$15,000	316	12.4	2.50	(7.5 - 17.4)		89,825	(52,005 - 127,646)
IL	\$15-\$24,999	578	9.0	1.35	(6.3 - 11.6)		117,639	(81,801 - 153,477)
IL	\$25-\$49,999	1,107	8.3	0.98	(6.3 - 10.2)		207,724	(157,431 - 258,017)
IL	\$50-\$74,999	610	10.0	1.54	(7.0 - 13.0)		145,110	(98,782 - 191,438)
IL	>=\$75,000	919	6.1	0.92	(4.3 - 7.9)		134,441	(93,492 - 175,390)
IN	< \$15,000	624	15.1	1.85	(11.5 - 18.8)		60,007	(44,413 - 75,601)
IN	\$15-\$24,999	976	11.2	1.15	(8.9 - 13.4)		76,291	(60,220 - 92,362)
IN	\$25-\$49,999	1,847	7.2	0.66	(5.9 - 8.5)		93,124	(75,927 - 110,320)
IN	\$50-\$74,999	1,085	6.1	0.74	(4.6 - 7.5)		48,413	(36,614 - 60,213)
IN	>=\$75,000	1,093	8.1	0.89	(6.4 - 9.9)		67,081	(52,210 - 81,953)
IA	< \$15,000	460	13.2	2.01	(9.2 - 17.1)		22,582	(15,315 - 29,848)
IA	\$15-\$24,999	817	6.1	0.95	(4.2 - 8.0)		20,857	(14,373 - 27,341)
IA	\$25-\$49,999	1,585	6.4	0.70	(5.0 - 7.7)		45,241	(35,350 - 55,132)
IA	\$50-\$74,999	770	6.3	1.00	(4.4 - 8.3)		23,933	(16,302 - 31,563)
IA	>=\$75,000	849	4.4	0.77	(2.9 - 6.0)		18,020	(11,803 - 24,236)
KS	< \$15,000	627	11.1	1.53	(8.1 - 14.1)		13,503	(9,668 - 17,338)
KS	\$15-\$24,999	1,415	8.9	0.85	(7.2 - 10.6)		28,430	(22,991 - 33,870)
KS	\$25-\$49,999	2,611	6.5	0.55	(5.4 - 7.6)		39,552	(32,860 - 46,244)
KS	\$50-\$74,999	1,253	6.7	0.76	(5.2 - 8.2)		20,863	(16,119 - 25,607)
KS	>=\$75,000	1,375	7.7	0.86	(6.0 - 9.4)		26,997	(20,846 - 33,148)
KY	< \$15,000	1,012	15.5	1.81	(12.0 - 19.1)		51,197	(38,465 - 63,929)
KY	\$15-\$24,999	1,248	9.5	1.26	(7.0 - 12.0)		51,757	(37,788 - 65,727)
KY	\$25-\$49,999	1,662	7.3	1.08	(5.2 - 9.4)		62,816	(43,933 - 81,698)
KY	\$50-\$74,999	662	7.4	2.03	(3.5 - 11.4)		30,985	(13,513 - 48,458)
KY	>=\$75,000	632	5.1	1.22	(2.7 - 7.5)		20,319	(10,638 - 30,000)
LA	< \$15,000	1,271	9.6	0.98	(7.7 - 11.6)		39,224	(31,216 - 47,231)
LA	\$15-\$24,999	1,715	8.1	0.82	(6.5 - 9.7)		49,860	(39,756 - 59,963)
LA	\$25-\$49,999	2,395	5.1	0.59	(3.9 - 6.3)		45,330	(34,710 - 55,950)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
LA	\$50-\$74,999	1,041	4.4	0.92	(2.6 - 6.2)		18,061	(10,470 - 25,653)
LA	>=\$75,000	1,230	4.0	0.72	(2.6 - 5.4)		20,348	(12,961 - 27,734)
ME	< \$15,000	445	13.5	1.92	(9.7 - 17.3)		13,863	(9,781 - 17,944)
ME	\$15-\$24,999	622	11.4	1.42	(8.6 - 14.2)		19,392	(14,464 - 24,321)
ME	\$25-\$49,999	990	8.2	0.99	(6.3 - 10.2)		24,131	(18,280 - 29,981)
ME	\$50-\$74,999	599	9.1	1.48	(6.2 - 12.0)		17,376	(11,543 - 23,209)
ME	>=\$75,000	504	7.6	1.27	(5.1 - 10.1)		12,371	(8,211 - 16,531)
MD	< \$15,000	257	13.0	2.53	(8.0 - 18.0)		26,638	(16,098 - 37,178)
MD	\$15-\$24,999	460	10.4	1.98	(6.5 - 14.3)		47,050	(28,833 - 65,268)
MD	\$25-\$49,999	984	8.7	1.25	(6.2 - 11.1)		78,285	(55,105 - 101,465)
MD	\$50-\$74,999	728	6.6	1.12	(4.4 - 8.8)		42,852	(28,120 - 57,584)
MD	>=\$75,000	1,441	6.7	0.81	(5.1 - 8.3)		93,990	(71,032 - 116,948)
MA	< \$15,000	829	14.1	1.61	(10.9 - 17.3)		50,241	(38,643 - 61,838)
MA	\$15-\$24,999	1,038	12.7	1.39	(9.9 - 15.4)		69,826	(54,028 - 85,624)
MA	\$25-\$49,999	1,806	8.8	0.96	(6.9 - 10.7)		91,583	(71,221 - 111,945)
MA	\$50-\$74,999	1,264	7.6	0.92	(5.8 - 9.4)		60,694	(45,981 - 75,406)
MA	>=\$75,000	2,124	8.8	0.74	(7.3 - 10.3)		139,607	(115,768 - 163,447)
MI	< \$15,000	429	13.3	2.01	(9.4 - 17.3)		70,542	(48,383 - 92,700)
MI	\$15-\$24,999	730	11.1	1.46	(8.2 - 13.9)		111,654	(81,276 - 142,032)
MI	\$25-\$49,999	1,337	7.1	0.80	(5.6 - 8.7)		144,992	(112,402 - 177,583)
MI	\$50-\$74,999	792	6.8	1.02	(4.8 - 8.8)		88,248	(61,671 - 114,826)
MI	>=\$75,000	985	6.7	0.87	(5.0 - 8.4)		108,501	(80,007 - 136,994)
MN	< \$15,000	299	11.7	1.95	(7.9 - 15.6)		26,520	(17,820 - 35,220)
MN	\$15-\$24,999	551	11.0	1.80	(7.5 - 14.5)		45,649	(30,049 - 61,249)
MN	\$25-\$49,999	1,232	7.0	0.91	(5.2 - 8.8)		70,477	(51,886 - 89,067)
MN	\$50-\$74,999	732	7.3	1.13	(5.1 - 9.5)		48,248	(33,145 - 63,351)
MN	>=\$75,000	1,069	5.5	0.80	(3.9 - 7.0)		55,533	(39,136 - 71,931)
MS	< \$15,000	966	12.7	1.30	(10.1 - 15.2)		40,243	(31,728 - 48,757)
MS	\$15-\$24,999	1,001	9.0	1.06	(6.9 - 11.0)		37,156	(28,304 - 46,007)
MS	\$25-\$49,999	1,315	5.5	0.74	(4.1 - 7.0)		30,888	(22,572 - 39,203)
MS	\$50-\$74,999	556	4.3	1.01	(2.3 - 6.2)		10,243	(5,347 - 15,139)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MS	>=\$75,000	612	3.3	0.70	(1.9 - 4.7)		8,994	(5,202 - 12,786)
MO	< \$15,000	636	12.7	1.81	(9.1 - 16.2)		52,851	(37,152 - 68,550)
MO	\$15-\$24,999	914	12.2	1.51	(9.2 - 15.1)		87,177	(64,653 - 109,700)
MO	\$25-\$49,999	1,475	9.3	1.09	(7.2 - 11.4)		116,523	(88,639 - 144,407)
MO	\$50-\$74,999	692	6.0	1.19	(3.7 - 8.4)		41,470	(24,913 - 58,028)
MO	>=\$75,000	616	7.0	1.25	(4.5 - 9.4)		51,726	(33,011 - 70,442)
MT	< \$15,000	607	13.3	1.81	(9.8 - 16.9)		8,806	(6,387 - 11,225)
MT	\$15-\$24,999	969	9.6	1.18	(7.3 - 11.9)		12,230	(9,210 - 15,249)
MT	\$25-\$49,999	1,619	8.5	0.86	(6.8 - 10.1)		19,174	(15,247 - 23,102)
MT	\$50-\$74,999	716	7.2	1.21	(4.8 - 9.6)		8,050	(5,295 - 10,806)
MT	>=\$75,000	524	5.9	1.43	(3.1 - 8.7)		5,154	(2,625 - 7,682)
NE	< \$15,000	858	10.1	1.30	(7.5 - 12.6)		10,475	(7,807 - 13,144)
NE	\$15-\$24,999	1,552	8.0	1.14	(5.8 - 10.3)		16,113	(11,395 - 20,831)
NE	\$25-\$49,999	2,788	6.3	0.61	(5.1 - 7.5)		25,089	(20,238 - 29,939)
NE	\$50-\$74,999	1,295	7.7	1.08	(5.5 - 9.8)		15,502	(11,027 - 19,978)
NE	>=\$75,000	1,212	4.7	0.68	(3.4 - 6.1)		11,060	(7,898 - 14,221)
NV	< \$15,000	262	5.5	1.44	(2.7 - 8.3)		7,676	(3,832 - 11,520)
NV	\$15-\$24,999	391	7.3	2.13	(3.1 - 11.5)		16,842	(6,798 - 26,886)
NV	\$25-\$49,999	803	7.7	1.34	(5.0 - 10.3)		35,885	(23,182 - 48,587)
NV	\$50-\$74,999	503	7.7	1.63	(4.5 - 10.9)		23,218	(13,236 - 33,200)
NV	>=\$75,000	574	6.8	1.49	(3.8 - 9.7)		23,224	(12,846 - 33,601)
NH	< \$15,000	391	19.9	2.67	(14.6 - 25.1)		11,225	(7,883 - 14,566)
NH	\$15-\$24,999	610	11.1	1.57	(8.0 - 14.2)		12,364	(8,715 - 16,013)
NH	\$25-\$49,999	1,260	9.3	0.94	(7.5 - 11.2)		23,013	(18,323 - 27,703)
NH	\$50-\$74,999	901	9.7	1.20	(7.4 - 12.1)		17,797	(13,269 - 22,326)
NH	>=\$75,000	1,253	9.5	0.97	(7.6 - 11.4)		25,153	(19,905 - 30,400)
NJ	< \$15,000	793	13.9	1.70	(10.6 - 17.3)		62,484	(46,345 - 78,623)
NJ	\$15-\$24,999	1,423	9.4	0.98	(7.5 - 11.3)		78,617	(61,888 - 95,346)
NJ	\$25-\$49,999	2,473	9.0	0.69	(7.6 - 10.3)		118,199	(99,605 - 136,792)
NJ	\$50-\$74,999	1,777	7.3	0.66	(6.0 - 8.6)		69,415	(56,861 - 81,970)
NJ	>=\$75,000	3,715	8.1	0.55	(7.0 - 9.1)		162,935	(140,393 - 185,477)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
NM	< \$15,000	816	9.4	1.09	(7.2 - 11.5)		13,759	(10,559 - 16,959)
NM	\$15-\$24,999	1,265	9.9	1.11	(7.7 - 12.1)		27,192	(20,946 - 33,439)
NM	\$25-\$49,999	1,806	8.9	0.82	(7.3 - 10.5)		34,952	(28,425 - 41,480)
NM	\$50-\$74,999	833	9.9	1.41	(7.1 - 12.7)		18,324	(12,869 - 23,779)
NM	>=\$75,000	934	9.6	1.16	(7.3 - 11.8)		21,346	(16,053 - 26,638)
NY	< \$15,000	604	11.9	1.53	(8.9 - 14.9)		182,385	(135,067 - 229,704)
NY	\$15-\$24,999	898	7.8	1.04	(5.8 - 9.9)		179,647	(131,461 - 227,834)
NY	\$25-\$49,999	1,456	8.1	0.86	(6.4 - 9.8)		287,215	(225,992 - 348,439)
NY	\$50-\$74,999	851	10.7	1.31	(8.1 - 13.3)		218,531	(162,788 - 274,274)
NY	>=\$75,000	1,346	8.1	0.92	(6.3 - 9.9)		256,939	(196,779 - 317,098)
NC	< \$15,000	1,723	11.8	1.11	(9.7 - 14.0)		74,376	(60,210 - 88,543)
NC	\$15-\$24,999	2,532	8.1	0.75	(6.6 - 9.6)		86,598	(70,357 - 102,840)
NC	\$25-\$49,999	3,686	7.1	0.57	(6.0 - 8.2)		111,839	(93,549 - 130,129)
NC	\$50-\$74,999	1,796	5.1	0.67	(3.8 - 6.4)		40,968	(30,141 - 51,795)
NC	>=\$75,000	2,014	5.6	0.63	(4.4 - 6.8)		52,932	(41,045 - 64,820)
ND	< \$15,000	264	13.0	2.64	(7.8 - 18.2)		5,243	(3,015 - 7,470)
ND	\$15-\$24,999	491	9.0	1.49	(6.1 - 11.9)		6,748	(4,470 - 9,025)
ND	\$25-\$49,999	1,017	7.7	0.97	(5.8 - 9.6)		12,469	(9,319 - 15,619)
ND	\$50-\$74,999	499	6.4	1.12	(4.2 - 8.6)		5,303	(3,421 - 7,184)
ND	>=\$75,000	391	5.2	1.18	(2.9 - 7.5)		3,373	(1,846 - 4,900)
OH	< \$15,000	1,137	16.3	2.58	(11.2 - 21.4)		122,300	(82,232 - 162,369)
OH	\$15-\$24,999	1,410	13.2	2.14	(9.0 - 17.3)		176,399	(116,945 - 235,853)
OH	\$25-\$49,999	1,960	6.8	1.04	(4.8 - 8.8)		171,863	(119,726 - 224,001)
OH	\$50-\$74,999	896	5.4	1.30	(2.9 - 8.0)		70,653	(36,930 - 104,375)
OH	>=\$75,000	922	5.7	1.29	(3.2 - 8.2)		84,551	(46,166 - 122,936)
OK	< \$15,000	924	13.0	1.36	(10.3 - 15.6)		38,196	(29,909 - 46,482)
OK	\$15-\$24,999	1,361	9.5	0.93	(7.7 - 11.4)		50,940	(40,819 - 61,061)
OK	\$25-\$49,999	1,965	7.6	0.67	(6.3 - 8.9)		58,058	(47,714 - 68,402)
OK	\$50-\$74,999	887	7.2	1.00	(5.3 - 9.2)		27,034	(19,436 - 34,632)
OK	>=\$75,000	808	6.3	0.99	(4.3 - 8.2)		21,227	(14,471 - 27,982)
OR	< \$15,000	565	12.6	1.62	(9.4 - 15.8)		34,382	(25,341 - 43,424)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	\$15-\$24,999	872	11.8	1.25	(9.3 - 14.2)		54,080	(42,352 - 65,809)
OR	\$25-\$49,999	1,542	9.0	0.84	(7.3 - 10.6)		72,803	(58,878 - 86,727)
OR	\$50-\$74,999	792	8.7	1.50	(5.8 - 11.7)		38,007	(24,416 - 51,598)
OR	>=\$75,000	692	8.1	1.19	(5.8 - 10.5)		32,353	(22,692 - 42,014)
PA	< \$15,000	625	12.7	1.57	(9.6 - 15.8)		112,287	(83,819 - 140,754)
PA	\$15-\$24,999	1,020	10.4	1.18	(8.1 - 12.7)		165,350	(126,873 - 203,826)
PA	\$25-\$49,999	1,653	8.6	0.97	(6.7 - 10.5)		220,695	(169,413 - 271,978)
PA	\$50-\$74,999	892	8.4	1.10	(6.2 - 10.6)		123,586	(90,271 - 156,901)
PA	>=\$75,000	1,009	6.8	0.99	(4.9 - 8.8)		115,954	(81,633 - 150,276)
RI	< \$15,000	400	9.7	1.71	(6.4 - 13.1)		6,413	(4,149 - 8,677)
RI	\$15-\$24,999	559	11.9	1.52	(8.9 - 14.8)		13,625	(10,092 - 17,157)
RI	\$25-\$49,999	981	8.9	1.02	(6.9 - 10.9)		18,307	(14,140 - 22,473)
RI	\$50-\$74,999	644	10.2	1.48	(7.3 - 13.2)		14,425	(10,129 - 18,721)
RI	>=\$75,000	866	9.0	1.22	(6.6 - 11.4)		17,797	(12,837 - 22,756)
SC	< \$15,000	837	15.6	1.69	(12.3 - 19.0)		54,954	(42,389 - 67,518)
SC	\$15-\$24,999	1,163	10.3	1.30	(7.8 - 12.9)		55,453	(40,893 - 70,014)
SC	\$25-\$49,999	1,946	6.3	0.68	(4.9 - 7.6)		56,137	(43,784 - 68,489)
SC	\$50-\$74,999	996	5.2	0.79	(3.6 - 6.7)		23,091	(16,028 - 30,155)
SC	>=\$75,000	1,206	4.7	0.75	(3.2 - 6.2)		25,581	(17,420 - 33,742)
SD	< \$15,000	671	9.7	1.35	(7.0 - 12.3)		4,620	(3,324 - 5,915)
SD	\$15-\$24,999	1,178	7.8	1.28	(5.3 - 10.3)		7,437	(4,932 - 9,941)
SD	\$25-\$49,999	2,022	6.0	0.61	(4.8 - 7.2)		11,349	(9,052 - 13,647)
SD	\$50-\$74,999	908	4.2	0.78	(2.7 - 5.7)		4,066	(2,548 - 5,583)
SD	>=\$75,000	717	6.1	1.03	(4.1 - 8.1)		4,877	(3,225 - 6,530)
TN	< \$15,000	387	15.3	2.32	(10.7 - 19.8)		58,212	(40,044 - 76,380)
TN	\$15-\$24,999	644	7.6	1.19	(5.2 - 9.9)		56,253	(38,756 - 73,751)
TN	\$25-\$49,999	1,058	9.4	1.29	(6.8 - 11.9)		123,767	(88,761 - 158,772)
TN	\$50-\$74,999	494	6.7	1.39	(4.0 - 9.4)		37,912	(21,954 - 53,871)
TN	>=\$75,000	471	5.7	1.17	(3.4 - 8.0)		36,362	(21,456 - 51,268)
TX	< \$15,000	878	10.5	1.36	(7.8 - 13.1)		215,876	(158,282 - 273,470)
TX	\$15-\$24,999	1,104	8.3	1.08	(6.2 - 10.4)		235,661	(173,213 - 298,109)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TX	\$25-\$49,999	1,551	6.4	0.76	(5.0 - 7.9)		246,157	(187,671 - 304,643)
TX	\$50-\$74,999	823	6.1	0.89	(4.4 - 7.9)		126,299	(89,847 - 162,751)
TX	>=\$75,000	1,102	6.4	0.88	(4.7 - 8.1)		196,288	(141,891 - 250,685)
UT	< \$15,000	404	9.2	1.87	(5.5 - 12.8)		11,811	(6,978 - 16,644)
UT	\$15-\$24,999	774	8.3	1.11	(6.1 - 10.5)		20,315	(14,908 - 25,722)
UT	\$25-\$49,999	1,484	7.9	0.89	(6.2 - 9.7)		35,544	(27,401 - 43,688)
UT	\$50-\$74,999	989	7.9	1.11	(5.7 - 10.1)		25,262	(18,008 - 32,517)
UT	>=\$75,000	997	7.7	0.98	(5.8 - 9.6)		24,785	(18,421 - 31,149)
VT	< \$15,000	661	11.4	1.36	(8.7 - 14.1)		4,389	(3,339 - 5,439)
VT	\$15-\$24,999	1,093	11.0	1.21	(8.7 - 13.4)		8,408	(6,503 - 10,312)
VT	\$25-\$49,999	1,998	8.0	0.69	(6.7 - 9.4)		11,208	(9,276 - 13,140)
VT	\$50-\$74,999	1,081	6.6	0.90	(4.8 - 8.4)		5,390	(3,896 - 6,885)
VT	>=\$75,000	1,179	6.2	0.82	(4.6 - 7.8)		5,530	(4,050 - 7,010)
VA	< \$15,000	496	14.5	2.07	(10.4 - 18.5)		56,609	(40,709 - 72,509)
VA	\$15-\$24,999	784	9.6	1.17	(7.3 - 11.9)		66,028	(50,347 - 81,708)
VA	\$25-\$49,999	1,468	7.1	0.81	(5.6 - 8.7)		99,507	(76,960 - 122,053)
VA	\$50-\$74,999	828	5.7	0.97	(3.8 - 7.6)		51,997	(34,278 - 69,716)
VA	>=\$75,000	1,205	6.0	0.85	(4.4 - 7.7)		87,849	(63,038 - 112,660)
WA	< \$15,000	1,719	14.5	1.32	(11.9 - 17.1)		49,530	(39,911 - 59,149)
WA	\$15-\$24,999	3,156	9.6	0.72	(8.2 - 11.1)		66,023	(55,963 - 76,083)
WA	\$25-\$49,999	5,356	10.3	0.56	(9.2 - 11.4)		126,876	(112,791 - 140,962)
WA	\$50-\$74,999	2,900	8.4	0.62	(7.2 - 9.6)		65,468	(55,732 - 75,205)
WA	>=\$75,000	2,979	6.6	0.53	(5.6 - 7.7)		64,278	(53,963 - 74,593)
WV	< \$15,000	628	21.2	1.97	(17.3 - 25.0)		44,808	(35,816 - 53,801)
WV	\$15-\$24,999	664	13.0	1.53	(10.0 - 16.0)		34,345	(25,872 - 42,818)
WV	\$25-\$49,999	935	7.2	0.91	(5.5 - 9.0)		29,027	(21,710 - 36,344)
WV	\$50-\$74,999	442	4.7	1.00	(2.7 - 6.6)		9,545	(5,447 - 13,643)
WV	>=\$75,000	375	5.2	1.15	(2.9 - 7.5)		9,040	(5,021 - 13,059)
WI	< \$15,000	290	13.4	3.10	(7.3 - 19.5)		28,932	(14,767 - 43,098)
WI	\$15-\$24,999	771	10.1	1.33	(7.5 - 12.7)		63,767	(46,728 - 80,807)
WI	\$25-\$49,999	1,547	8.2	0.91	(6.4 - 10.0)		112,143	(86,892 - 137,394)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory, BRFSS 2004

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WI	\$50-\$74,999	677	8.3	1.22	(5.9 - 10.7)		58,815	(41,262 - 76,369)
WI	>=\$75,000	647	6.2	1.07	(4.1 - 8.3)		43,694	(28,540 - 58,849)
WY	< \$15,000	378	12.6	2.08	(8.5 - 16.7)		3,724	(2,457 - 4,992)
WY	\$15-\$24,999	639	8.0	1.22	(5.6 - 10.4)		4,398	(3,045 - 5,752)
WY	\$25-\$49,999	1,312	6.6	0.81	(5.0 - 8.2)		7,969	(5,989 - 9,949)
WY	\$50-\$74,999	719	6.7	1.01	(4.7 - 8.7)		4,592	(3,200 - 5,984)
WY	>=\$75,000	674	6.8	1.02	(4.8 - 8.8)		4,428	(3,094 - 5,762)
Territories								
PR	< \$15,000	1,853	7.5	0.81	(5.9 - 9.1)		76,762	(59,921 - 93,604)
PR	\$15-\$24,999	855	6.1	0.96	(4.2 - 8.0)		37,051	(25,402 - 48,700)
PR	\$25-\$49,999	603	5.0	0.95	(3.2 - 6.9)		25,561	(15,982 - 35,140)
PR	\$50-\$74,999	112	0.7				711	
PR	>=\$75,000	120	11.7	3.82	(4.2 - 19.3)		12,900	(3,997 - 21,804)
VI	< \$15,000	325	5.8	1.44	(3.0 - 8.7)		498	(251 - 745)
VI	\$15-\$24,999	537	5.2	1.31	(2.7 - 7.8)		790	(390 - 1,190)
VI	\$25-\$49,999	866	4.6	0.78	(3.1 - 6.2)		1,039	(689 - 1,389)
VI	\$50-\$74,999	328	4.0	1.10	(1.8 - 6.2)		354	(160 - 549)
VI	>=\$75,000	310	3.7	1.27	(1.2 - 6.2)		293	(92 - 493)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.