

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	11,257	5.9	0.38	(5.2 - 6.7)		354,884	(308,470 - 401,297)
Total **	5-9	10,201	9.4	0.44	(8.6 - 10.3)		610,746	(553,742 - 667,750)
Total **	10-14	11,563	10.8	0.49	(9.9 - 11.8)		677,779	(615,067 - 740,492)
Total **	15-17	8,494	10.1	0.54	(9.1 - 11.2)		429,105	(382,126 - 476,084)
AZ	0-4	374	3.6	1.14	(1.9 - 6.6)		13,563	(5,124 - 22,002)
AZ	5-9	346	6.7	2.10	(3.6 - 12.2)		29,243	(11,103 - 47,383)
AZ	10-14	379	9.7	2.70	(5.5 - 16.4)		38,670	(16,993 - 60,348)
AZ	15-17	279	9.2	2.64	(5.1 - 15.8)		21,324	(9,169 - 33,480)
CT	0-4	385	8.0	1.78	(5.1 - 12.2)		15,367	(8,393 - 22,340)
CT	5-9	367	12.9	2.14	(9.2 - 17.7)		25,181	(16,503 - 33,859)
CT	10-14	399	11.6	2.00	(8.2 - 16.1)		27,491	(17,696 - 37,286)
CT	15-17	288	8.9	1.98	(5.7 - 13.6)		12,730	(7,018 - 18,441)
HI	0-4	248	7.3	2.16	(4.0 - 12.8)		6,093	(2,425 - 9,760)
HI	5-9	273	15.0	2.87	(10.2 - 21.5)		11,911	(7,158 - 16,664)
HI	10-14	309	8.2	2.05	(4.9 - 13.2)		5,598	(2,733 - 8,463)
HI	15-17	196	13.2	3.91	(7.2 - 22.9)		6,822	(2,490 - 11,155)
ID	0-4	539	5.6	1.32	(3.5 - 8.8)		4,976	(2,594 - 7,357)
ID	5-9	417	6.7	1.29	(4.5 - 9.7)		6,617	(4,064 - 9,170)
ID	10-14	471	6.9	1.26	(4.8 - 9.8)		6,946	(4,447 - 9,445)
ID	15-17	354	8.3	1.73	(5.4 - 12.3)		5,551	(3,214 - 7,887)
IN	0-4	492	7.8	1.43	(5.4 - 11.1)		32,106	(20,151 - 44,061)
IN	5-9	395	11.9	1.87	(8.7 - 16.1)		49,808	(33,568 - 66,048)
IN	10-14	459	10.8	1.78	(7.8 - 14.8)		41,875	(27,751 - 55,998)
IN	15-17	320	7.6	1.82	(4.7 - 12.0)		20,235	(10,411 - 30,058)
IA	0-4	384	4.4	1.25	(2.5 - 7.6)		7,995	(3,502 - 12,488)
IA	5-9	382	7.5	1.72	(4.7 - 11.6)		13,762	(7,317 - 20,206)
IA	10-14	438	7.4	1.39	(5.1 - 10.6)		12,790	(7,942 - 17,638)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
IA	15-17	296	7.7	1.77	(4.9 - 12.0)		9,753	(5,234 - 14,273)
KS	0-4	317	4.9	1.42	(2.7 - 8.5)		9,027	(3,738 - 14,316)
KS	5-9	341	7.3	1.51	(4.8 - 10.9)		13,809	(8,055 - 19,563)
KS	10-14	364	9.8	1.64	(7.0 - 13.5)		16,208	(10,749 - 21,667)
KS	15-17	263	8.3	1.85	(5.3 - 12.7)		10,245	(5,639 - 14,851)
MD	0-4	313	4.6	1.41	(2.5 - 8.3)		11,362	(4,356 - 18,368)
MD	5-9	325	11.5	2.27	(7.7 - 16.8)		35,176	(20,777 - 49,574)
MD	10-14	323	11.4	2.07	(7.9 - 16.1)		32,168	(20,277 - 44,058)
MD	15-17	294	9.5	2.23	(5.9 - 14.8)		19,406	(9,996 - 28,815)
MI	0-4	1,282	6.7	0.87	(5.2 - 8.7)		38,880	(28,777 - 48,982)
MI	5-9	847	11.6	1.27	(9.4 - 14.4)		77,972	(60,384 - 95,561)
MI	10-14	852	12.1	1.42	(9.6 - 15.2)		89,271	(67,426 - 111,117)
MI	15-17	583	10.6	1.51	(8.0 - 13.9)		47,178	(33,388 - 60,969)
MN	0-4	242	3.1	1.27	(1.4 - 6.8)		8,502	(1,693 - 15,312)
MN	5-9	179	5.3	1.69	(2.8 - 9.8)		17,032	(6,208 - 27,857)
MN	10-14	211	9.0	2.19	(5.5 - 14.3)		32,237	(16,318 - 48,156)
MN	15-17	159	6.7	2.16	(3.5 - 12.3)		15,272	(5,374 - 25,170)
MT	0-4	322	3.6	1.86	(1.3 - 9.7)		1,775	(0 - 3,619)
MT	5-9	329	4.2	1.17	(2.4 - 7.2)		2,254	(1,015 - 3,494)
MT	10-14	420	7.4	1.73	(4.6 - 11.6)		4,171	(2,175 - 6,167)
MT	15-17	312	5.0	1.50	(2.7 - 8.9)		2,145	(846 - 3,444)
NH	0-4	465	7.3	1.43	(4.9 - 10.6)		4,571	(2,752 - 6,390)
NH	5-9	457	13.1	1.97	(9.7 - 17.4)		10,369	(7,111 - 13,627)
NH	10-14	498	10.9	1.63	(8.1 - 14.5)		9,355	(6,492 - 12,218)
NH	15-17	361	11.2	1.80	(8.1 - 15.2)		6,314	(4,249 - 8,379)
NJ	0-4	928	6.7	1.12	(4.8 - 9.3)		32,420	(21,380 - 43,460)
NJ	5-9	882	8.6	1.19	(6.6 - 11.3)		49,887	(35,916 - 63,858)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NJ	10-14	1,042	12.8	1.47	(10.2 - 16.0)		65,738	(50,010 - 81,466)
NJ	15-17	740	9.6	1.33	(7.3 - 12.6)		35,267	(25,431 - 45,102)
NM	0-4	417	4.6	1.14	(2.9 - 7.5)		5,793	(2,958 - 8,629)
NM	5-9	415	11.4	1.76	(8.4 - 15.4)		14,136	(9,752 - 18,520)
NM	10-14	443	12.1	1.90	(8.8 - 16.3)		15,851	(10,805 - 20,898)
NM	15-17	303	13.7	2.90	(8.9 - 20.4)		12,241	(6,711 - 17,772)
OH	0-4	554	6.5	1.70	(3.8 - 10.7)		46,658	(22,051 - 71,264)
OH	5-9	497	9.7	1.83	(6.7 - 13.9)		69,751	(43,074 - 96,428)
OH	10-14	569	11.0	2.32	(7.2 - 16.5)		79,014	(44,362 - 113,665)
OH	15-17	384	11.4	2.55	(7.3 - 17.5)		51,679	(28,104 - 75,254)
OR	0-4	853	3.7	0.71	(2.5 - 5.4)		8,362	(5,189 - 11,535)
OR	5-9	801	8.1	1.08	(6.2 - 10.4)		18,364	(13,376 - 23,351)
OR	10-14	925	10.9	1.21	(8.8 - 13.5)		22,480	(17,347 - 27,614)
OR	15-17	712	13.4	1.62	(10.5 - 16.9)		19,873	(14,805 - 24,940)
PA	0-4	889	6.2	1.24	(4.2 - 9.1)		43,415	(26,053 - 60,776)
PA	5-9	849	11.1	1.50	(8.4 - 14.4)		79,985	(57,865 - 102,105)
PA	10-14	986	11.4	1.39	(8.9 - 14.4)		73,042	(54,932 - 91,152)
PA	15-17	729	13.2	2.20	(9.4 - 18.1)		66,127	(42,607 - 89,648)
RI	0-4	265	8.2	1.81	(5.3 - 12.5)		5,057	(2,809 - 7,305)
RI	5-9	253	10.8	2.21	(7.2 - 15.9)		7,056	(4,088 - 10,025)
RI	10-14	301	12.6	2.20	(8.9 - 17.6)		6,633	(4,228 - 9,038)
RI	15-17	210	14.5	2.69	(9.9 - 20.6)		5,744	(3,513 - 7,974)
SD	0-4	527	3.0	0.85	(1.7 - 5.2)		1,566	(684 - 2,448)
SD	5-9	457	5.9	1.16	(4.0 - 8.7)		3,007	(1,840 - 4,174)
SD	10-14	539	4.9	1.06	(3.2 - 7.5)		2,329	(1,338 - 3,321)
SD	15-17	424	8.9	2.00	(5.7 - 13.7)		3,274	(1,758 - 4,791)
VT	0-4	432	3.6	1.09	(1.9 - 6.4)		1,111	(430 - 1,793)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
VT	5-9	441	7.9	1.46	(5.5 - 11.3)		2,717	(1,701 - 3,733)
VT	10-14	491	10.2	1.58	(7.5 - 13.8)		3,441	(2,354 - 4,527)
VT	15-17	430	10.1	1.70	(7.3 - 14.0)		2,787	(1,828 - 3,745)
VA	0-4	390	4.8	1.24	(2.9 - 7.9)		23,704	(11,718 - 35,690)
VA	5-9	377	8.7	1.64	(6.0 - 12.5)		41,354	(26,006 - 56,702)
VA	10-14	437	10.7	1.76	(7.7 - 14.6)		43,770	(29,370 - 58,171)
VA	15-17	369	9.3	1.84	(6.3 - 13.6)		28,852	(17,403 - 40,300)
WV	0-4	251	5.3	1.80	(2.7 - 10.2)		5,462	(1,752 - 9,172)
WV	5-9	219	6.4	1.81	(3.6 - 11.0)		6,489	(2,800 - 10,179)
WV	10-14	302	14.0	2.27	(10.1 - 19.0)		13,634	(9,050 - 18,218)
WV	15-17	189	8.7	2.15	(5.3 - 14.0)		5,934	(2,985 - 8,883)
WI	0-4	388	8.6	3.04	(4.2 - 16.7)		27,121	(6,889 - 47,352)
WI	5-9	352	7.0	1.60	(4.4 - 10.9)		24,865	(13,419 - 36,310)
WI	10-14	405	10.0	1.74	(7.0 - 13.9)		35,068	(22,761 - 47,375)
WI	15-17	299	8.5	1.77	(5.7 - 12.7)		20,351	(11,885 - 28,818)
Territories								
PR	0-4	245	19.5	3.19	(14.0 - 26.5)		51,357	(33,119 - 69,595)
PR	5-9	290	18.3	2.64	(13.7 - 24.0)		52,979	(36,843 - 69,115)
PR	10-14	381	19.2	2.65	(14.6 - 25.0)		46,863	(32,833 - 60,893)
PR	15-17	272	8.9	1.82	(5.9 - 13.1)		15,531	(9,177 - 21,886)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.