

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
Total **	White NH ***	32,378	12.1	0.30	(11.5 - 12.7)		2,094,100	(1,991,084 - 2,197,115)
Total **	Black NH	3,211	17.5	0.97	(15.6 - 19.5)		421,289	(373,099 - 469,479)
Total **	Other NH	2,245	11.3	1.12	(9.3 - 13.7)		123,191	(98,263 - 148,119)
Total **	Multirace NH	1,430	16.5	1.68	(13.5 - 20.1)		118,911	(92,944 - 144,878)
Total **	Hispanic	4,736	13.7	0.85	(12.1 - 15.4)		354,740	(309,460 - 400,019)
AZ	White NH	674	12.3	1.96	(9.0 - 16.7)		99,767	(68,319 - 131,216)
AZ	Black NH	22	7.2				3,526	
AZ	Other NH	110	9.3	3.63	(4.3 - 19.3)		9,175	(2,390 - 15,960)
AZ	Multirace NH	30	12.1				3,076	
AZ	Hispanic	649	11.4	2.39	(7.4 - 16.9)		64,200	(37,079 - 91,320)
CT	White NH	1,104	13.9	1.31	(11.5 - 16.7)		86,848	(70,073 - 103,624)
CT	Black NH	147	14.1	3.33	(8.8 - 22.0)		7,879	(4,360 - 11,398)
CT	Other NH	65	14.3	5.16	(6.8 - 27.6)		4,128	(1,006 - 7,251)
CT	Multirace NH	26	21.2	10.62	(7.2 - 48.3)		3,682	(0 - 7,776)
CT	Hispanic	205	21.8	3.82	(15.2 - 30.2)		19,098	(11,764 - 26,432)
HI	White NH	201	14.0	3.85	(8.0 - 23.3)		6,031	(2,448 - 9,613)
HI	Black NH	11	19.6				749	
HI	Other NH	299	13.7	2.68	(9.3 - 19.9)		13,151	(7,794 - 18,508)
HI	Multirace NH	401	18.7	2.52	(14.3 - 24.1)		20,106	(14,425 - 25,787)
HI	Hispanic	162	16.5	3.79	(10.3 - 25.3)		6,854	(3,496 - 10,211)
ID	White NH	1,564	9.0	0.86	(7.5 - 10.9)		27,134	(21,981 - 32,287)
ID	Black NH	9	41.5				905	
ID	Other NH	55	10.5	4.08	(4.7 - 21.5)		1,203	(277 - 2,130)
ID	Multirace NH	34	10.9				677	
ID	Hispanic	239	11.0	2.31	(7.3 - 16.5)		5,676	(3,270 - 8,082)
IN	White NH	1,443	13.9	1.09	(11.9 - 16.2)		173,777	(146,050 - 201,503)
IN	Black NH	134	15.9	3.42	(10.3 - 23.8)		21,476	(12,186 - 30,766)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
IN	Other NH	29	2.1			514	
IN	Multirace NH	42	16.3	6.42	(7.2 - 32.9)	5,646	(915 - 10,376)
IN	Hispanic	129	9.7	3.34	(4.9 - 18.5)	12,360	(3,606 - 21,115)
IA	White NH	1,378	9.6	0.96	(7.8 - 11.6)	57,650	(46,048 - 69,253)
IA	Black NH	29	26.5	9.42	(12.2 - 48.2)	3,212	(645 - 5,778)
IA	Other NH	30	8.7			920	
IA	Multirace NH	26	17.9			2,349	
IA	Hispanic	96	5.8	2.20	(2.7 - 11.9)	2,630	(647 - 4,614)
KS	White NH	1,075	11.3	1.07	(9.3 - 13.5)	61,165	(49,639 - 72,690)
KS	Black NH	46	24.1	7.14	(12.9 - 40.6)	6,443	(2,180 - 10,705)
KS	Other NH	49	8.4			1,827	
KS	Multirace NH	24	17.2			1,973	
KS	Hispanic	142	6.7	2.24	(3.5 - 12.7)	5,474	(1,813 - 9,136)
MD	White NH	939	11.2	1.18	(9.1 - 13.7)	66,652	(52,462 - 80,843)
MD	Black NH	275	17.3	2.67	(12.7 - 23.2)	63,453	(42,815 - 84,091)
MD	Other NH	57	10.3	4.13	(4.6 - 21.6)	5,947	(1,096 - 10,799)
MD	Multirace NH	30	18.2	8.90	(6.5 - 41.8)	6,709	(0 - 13,959)
MD	Hispanic	57	13.9	5.55	(6.1 - 28.6)	8,758	(1,364 - 16,153)
MI	White NH	2,964	12.3	0.71	(11.0 - 13.7)	215,962	(190,649 - 241,276)
MI	Black NH	407	18.5	2.29	(14.4 - 23.4)	77,284	(57,056 - 97,513)
MI	Other NH	109	9.4	3.39	(4.5 - 18.4)	8,899	(2,287 - 15,510)
MI	Multirace NH	106	12.1	3.35	(6.9 - 20.3)	10,914	(4,705 - 17,123)
MI	Hispanic	139	18.8	4.80	(11.1 - 30.0)	23,962	(10,141 - 37,783)
MN	White NH	716	9.3	1.21	(7.1 - 11.9)	95,545	(70,674 - 120,416)
MN	Black NH	28	9.5			5,790	
MN	Other NH	36	2.2			1,386	
MN	Multirace NH	23	12.8			4,382	

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
MN	Hispanic	31	10.1				4,459	
MT	White NH	1,163	6.8	1.00	(5.1 - 9.1)		12,136	(8,580 - 15,692)
MT	Black NH	6	0.0				0	
MT	Other NH	222	8.9	2.50	(5.0 - 15.2)		1,826	(785 - 2,866)
MT	Multirace NH	39	9.8				662	
MT	Hispanic	39	15.6	7.05	(6.1 - 34.5)		1,010	(42 - 1,979)
NH	White NH	1,735	14.6	1.03	(12.7 - 16.8)		39,905	(34,243 - 45,566)
NH	Black NH	23	18.2				699	
NH	Other NH	61	17.4	6.20	(8.3 - 32.9)		1,412	(301 - 2,523)
NH	Multirace NH	31	14.6				665	
NH	Hispanic	48	22.1	6.60	(11.8 - 37.6)		2,075	(762 - 3,388)
NJ	White NH	2,495	12.2	0.86	(10.6 - 14.0)		143,545	(122,872 - 164,218)
NJ	Black NH	469	16.6	2.06	(13.0 - 21.1)		47,847	(35,612 - 60,082)
NJ	Other NH	216	14.5	3.05	(9.5 - 21.6)		18,468	(10,200 - 26,736)
NJ	Multirace NH	59	17.2	5.84	(8.5 - 31.7)		7,626	(2,330 - 12,922)
NJ	Hispanic	693	16.9	1.95	(13.4 - 21.1)		73,974	(55,665 - 92,283)
NM	White NH	615	14.6	1.72	(11.6 - 18.3)		23,955	(18,150 - 29,761)
NM	Black NH	21	20.5				2,035	
NM	Other NH	112	15.3	4.52	(8.3 - 26.4)		6,138	(2,294 - 9,981)
NM	Multirace NH	28	23.5	10.44	(9.0 - 49.0)		1,778	(0 - 3,592)
NM	Hispanic	913	13.8	1.45	(11.2 - 16.9)		37,371	(29,313 - 45,430)
OH	White NH	1,409	12.0	1.26	(9.8 - 14.7)		266,555	(210,473 - 322,638)
OH	Black NH	472	19.6	3.66	(13.4 - 27.7)		56,267	(34,571 - 77,963)
OH	Other NH	112	12.6	5.10	(5.5 - 26.3)		15,097	(2,343 - 27,851)
OH	Multirace NH	44	15.6	8.43	(5.0 - 39.3)		5,394	(0 - 11,482)
OH	Hispanic	75	11.7	4.68	(5.2 - 24.4)		9,270	(1,919 - 16,620)
OR	White NH	2,580	13.0	0.77	(11.6 - 14.6)		78,596	(69,197 - 87,995)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
OR	Black NH	40	10.6				1,179	
OR	Other NH	115	18.5	4.28	(11.5 - 28.4)		4,983	(2,485 - 7,481)
OR	Multirace NH	172	23.4	3.82	(16.7 - 31.6)		9,334	(5,969 - 12,700)
OR	Hispanic	527	10.4	1.50	(7.8 - 13.8)		16,310	(11,478 - 21,141)
PA	White NH	2,923	12.6	0.87	(11.0 - 14.5)		259,964	(224,185 - 295,743)
PA	Black NH	474	17.4	3.04	(12.3 - 24.2)		50,009	(32,029 - 67,989)
PA	Other NH	87	15.7	5.87	(7.3 - 30.8)		13,899	(2,615 - 25,182)
PA	Multirace NH	79	25.1	8.45	(12.2 - 44.7)		20,772	(4,182 - 37,361)
PA	Hispanic	153	18.1	3.93	(11.6 - 27.1)		35,847	(19,741 - 51,952)
RI	White NH	823	16.1	1.44	(13.5 - 19.2)		28,427	(23,313 - 33,541)
RI	Black NH	53	15.7	6.26	(6.9 - 32.0)		1,744	(287 - 3,202)
RI	Other NH	51	8.8				876	
RI	Multirace NH	30	10.4				725	
RI	Hispanic	169	15.5	2.93	(10.6 - 22.2)		4,801	(2,924 - 6,679)
SD	White NH	1,591	8.1	0.86	(6.6 - 10.0)		13,112	(10,333 - 15,891)
SD	Black NH	6	13.5				88	
SD	Other NH	280	14.8	2.78	(10.1 - 21.1)		2,610	(1,587 - 3,634)
SD	Multirace NH	56	10.5	4.84	(4.1 - 24.3)		558	(31 - 1,085)
SD	Hispanic	76	5.4				411	
VT	White NH	1,739	12.4	0.92	(10.7 - 14.3)		15,148	(12,888 - 17,407)
VT	Black NH	10	0.0				0	
VT	Other NH	38	11.3				263	
VT	Multirace NH	39	10.9				274	
VT	Hispanic	55	18.9	7.18	(8.6 - 36.9)		703	(108 - 1,299)
VA	White NH	1,147	11.2	1.14	(9.1 - 13.6)		135,304	(107,924 - 162,684)
VA	Black NH	314	20.2	3.04	(14.9 - 26.8)		58,023	(40,215 - 75,830)
VA	Other NH	61	9.9	4.46	(4.0 - 22.7)		8,599	(785 - 16,412)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
VA	Multirace NH	56	7.1				4,708	
VA	Hispanic	58	13.6	5.74	(5.7 - 29.1)		12,881	(1,895 - 23,867)
WV	White NH	910	13.6	1.29	(11.3 - 16.4)		46,738	(37,878 - 55,598)
WV	Black NH	27	4.1				488	
WV	Other NH	14	0.0				0	
WV	Multirace NH	21	6.8				553	
WV	Hispanic	27	4.3				474	
WI	White NH	1,190	12.8	1.34	(10.4 - 15.7)		140,182	(109,869 - 170,496)
WI	Black NH	188	14.7	3.50	(9.1 - 23.0)		12,192	(6,183 - 18,201)
WI	Other NH	37	6.3				1,871	
WI	Multirace NH	34	19.1	11.56	(5.2 - 50.6)		6,349	(0 - 15,165)
WI	Hispanic	54	12.1	4.47	(5.7 - 23.9)		6,140	(1,632 - 10,648)
Territories								
PR	White NH	17	35.7	14.43	(13.9 - 65.5)		5,850	(0 - 11,902)
PR	Black NH	2	0.0				0	
PR	Other NH	7	21.6				1,071	
PR	Multirace NH	0					0	
PR	Hispanic	1,277	31.1	1.66	(28.0 - 34.5)		314,485	(279,499 - 349,472)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.