

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2006

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
Total **	0-4	15,123	6.3	0.47	(5.4 - 7.3)	815,106	(692,524 - 937,689)
Total **	5-9	14,452	9.4	0.48	(8.5 - 10.4)	1,249,243	(1,118,652 - 1,379,833)
Total **	10-14	16,184	10.4	0.55	(9.4 - 11.6)	1,358,516	(1,211,207 - 1,505,824)
Total **	15-17	12,624	10.4	0.60	(9.3 - 11.6)	907,858	(799,950 - 1,015,767)
AK	0-4	200	3.7	1.53	(1.6 - 8.2)	1,617	(297 - 2,937)
AK	5-9	194	7.7	2.48	(4.1 - 14.2)	3,683	(1,322 - 6,044)
AK	10-14	191	5.7	2.19	(2.6 - 11.8)	2,777	(670 - 4,883)
AK	15-17	152	8.8	2.88	(4.6 - 16.3)	3,350	(1,147 - 5,552)
AZ	0-4	330	6.2	1.75	(3.6 - 10.6)	22,832	(10,085 - 35,579)
AZ	5-9	320	8.3	3.21	(3.8 - 17.1)	35,082	(7,267 - 62,897)
AZ	10-14	362	13.5	4.39	(6.9 - 24.6)	55,104	(16,774 - 93,435)
AZ	15-17	258	10.1	3.09	(5.5 - 18.0)	25,642	(9,599 - 41,686)
CA	0-4	430	5.5	1.59	(3.1 - 9.5)	144,489	(59,883 - 229,096)
CA	5-9	425	8.3	1.55	(5.7 - 11.9)	183,512	(113,556 - 253,468)
CA	10-14	445	9.7	1.56	(7.1 - 13.2)	255,909	(173,409 - 338,408)
CA	15-17	360	9.1	1.73	(6.3 - 13.1)	141,262	(87,512 - 195,011)
DC	0-4	272	9.0	2.79	(4.9 - 16.2)	2,970	(1,085 - 4,855)
DC	5-9	193	18.0	3.53	(12.1 - 26.0)	5,173	(2,977 - 7,369)
DC	10-14	190	16.4	3.32	(10.9 - 23.9)	3,214	(1,836 - 4,591)
DC	15-17	155	9.6	2.93	(5.2 - 17.1)	1,243	(473 - 2,014)
GA	0-4	581	8.3	1.89	(5.3 - 12.8)	47,138	(24,948 - 69,328)
GA	5-9	555	12.0	1.94	(8.7 - 16.4)	76,647	(50,813 - 102,481)
GA	10-14	589	11.2	1.49	(8.6 - 14.5)	63,803	(46,616 - 80,989)
GA	15-17	452	8.8	1.63	(6.1 - 12.5)	33,769	(21,044 - 46,493)
HI	0-4	544	10.0	1.71	(7.1 - 13.8)	6,945	(4,482 - 9,407)
HI	5-9	496	15.6	2.13	(11.9 - 20.2)	12,032	(8,608 - 15,456)
HI	10-14	584	13.6	1.75	(10.5 - 17.4)	10,656	(7,848 - 13,464)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2006

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
HI	15-17	409	11.1	1.96	(7.8 - 15.6)		5,702	(3,631 - 7,773)
ID	0-4	507	4.9	1.08	(3.2 - 7.5)		4,725	(2,655 - 6,795)
ID	5-9	451	6.1	1.21	(4.1 - 8.9)		5,741	(3,477 - 8,005)
ID	10-14	431	6.9	1.22	(4.8 - 9.7)		7,131	(4,638 - 9,624)
ID	15-17	371	7.4	1.78	(4.6 - 11.7)		4,901	(2,520 - 7,283)
IN	0-4	465	5.6	1.37	(3.5 - 9.0)		22,129	(11,245 - 33,013)
IN	5-9	489	9.1	1.46	(6.6 - 12.4)		39,633	(26,788 - 52,478)
IN	10-14	534	10.1	1.60	(7.3 - 13.7)		37,785	(25,463 - 50,108)
IN	15-17	426	10.1	1.85	(7.0 - 14.4)		26,723	(16,648 - 36,797)
IA	0-4	432	3.4	1.10	(1.8 - 6.4)		5,838	(2,110 - 9,566)
IA	5-9	369	8.1	1.57	(5.5 - 11.7)		14,342	(8,672 - 20,013)
IA	10-14	444	7.4	1.46	(5.0 - 10.8)		13,010	(7,794 - 18,226)
IA	15-17	329	8.1	1.81	(5.2 - 12.4)		10,160	(5,573 - 14,746)
KS	0-4	633	4.3	0.84	(2.9 - 6.3)		7,903	(4,824 - 10,982)
KS	5-9	608	8.0	1.24	(5.8 - 10.8)		14,725	(10,053 - 19,397)
KS	10-14	685	12.8	1.52	(10.1 - 16.1)		20,703	(15,579 - 25,828)
KS	15-17	495	14.0	1.94	(10.6 - 18.2)		16,861	(11,893 - 21,828)
KY	0-4	316	10.8	2.77	(6.4 - 17.5)		26,211	(12,109 - 40,313)
KY	5-9	398	9.9	1.67	(7.1 - 13.7)		26,486	(17,759 - 35,214)
KY	10-14	438	7.5	1.51	(5.0 - 11.0)		19,111	(11,393 - 26,828)
KY	15-17	315	8.7	1.81	(5.7 - 13.0)		14,716	(8,707 - 20,724)
ME	0-4	251	6.0	1.99	(3.1 - 11.3)		4,100	(1,350 - 6,851)
ME	5-9	268	8.3	1.82	(5.4 - 12.6)		5,805	(3,238 - 8,372)
ME	10-14	284	9.8	1.87	(6.7 - 14.1)		6,159	(3,787 - 8,532)
ME	15-17	248	11.1	2.20	(7.5 - 16.2)		6,367	(3,792 - 8,942)
MD	0-4	643	6.7	1.46	(4.4 - 10.2)		24,298	(13,596 - 34,999)
MD	5-9	610	11.2	1.64	(8.4 - 14.8)		36,826	(25,647 - 48,005)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2006

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
MD	10-14	670	8.8	1.38	(6.5 - 11.9)		31,018	(21,313 - 40,723)
MD	15-17	529	10.4	1.69	(7.5 - 14.2)		24,769	(16,743 - 32,795)
MI	0-4	563	6.0	1.23	(4.0 - 8.9)		35,431	(20,789 - 50,072)
MI	5-9	410	8.6	1.41	(6.2 - 11.8)		57,061	(38,535 - 75,586)
MI	10-14	412	7.9	2.07	(4.7 - 13.1)		57,872	(26,635 - 89,109)
MI	15-17	315	12.9	2.04	(9.4 - 17.4)		57,846	(39,290 - 76,402)
MN	0-4	337	2.4	0.91	(1.1 - 5.0)		7,564	(1,794 - 13,333)
MN	5-9	329	7.2	1.44	(4.8 - 10.6)		23,742	(14,211 - 33,272)
MN	10-14	355	9.0	1.60	(6.3 - 12.6)		27,748	(17,841 - 37,655)
MN	15-17	264	10.3	2.20	(6.7 - 15.5)		23,335	(13,074 - 33,596)
MS	0-4	422	9.7	1.62	(7.0 - 13.4)		20,172	(13,358 - 26,986)
MS	5-9	436	10.9	1.80	(7.9 - 15.0)		21,706	(14,290 - 29,121)
MS	10-14	542	11.4	1.61	(8.6 - 15.0)		19,014	(13,489 - 24,540)
MS	15-17	418	8.5	1.62	(5.8 - 12.3)		10,581	(6,462 - 14,701)
MO	0-4	353	8.4	2.29	(4.8 - 14.1)		29,850	(13,087 - 46,613)
MO	5-9	358	11.4	2.47	(7.4 - 17.2)		41,212	(23,611 - 58,813)
MO	10-14	446	9.4	2.18	(6.0 - 14.7)		33,375	(18,396 - 48,354)
MO	15-17	337	11.0	2.63	(6.8 - 17.3)		26,412	(13,362 - 39,462)
MT	0-4	408	2.1	0.84	(0.9 - 4.5)		1,011	(205 - 1,816)
MT	5-9	357	4.3	1.32	(2.4 - 7.8)		2,298	(909 - 3,686)
MT	10-14	445	7.7	1.49	(5.2 - 11.2)		3,938	(2,395 - 5,480)
MT	15-17	332	13.5	2.54	(9.2 - 19.3)		5,648	(3,375 - 7,921)
NE	0-4	571	2.9	0.89	(1.6 - 5.3)		3,585	(1,427 - 5,742)
NE	5-9	555	7.5	1.47	(5.1 - 10.9)		8,422	(5,067 - 11,777)
NE	10-14	664	8.7	1.40	(6.4 - 11.9)		8,927	(6,050 - 11,803)
NE	15-17	493	9.6	1.73	(6.7 - 13.5)		7,354	(4,639 - 10,070)
NV	0-4	257	5.9	2.61	(2.4 - 13.6)		10,435	(973 - 19,898)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2006

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NV	5-9	254	6.3	2.22	(3.1 - 12.3)		10,662	(3,055 - 18,268)
NV	10-14	284	6.9	1.60	(4.3 - 10.8)		9,429	(5,115 - 13,743)
NV	15-17	249	12.5	3.55	(7.0 - 21.2)		11,837	(4,801 - 18,873)
NH	0-4	392	5.5	1.35	(3.4 - 8.8)		4,011	(2,042 - 5,980)
NH	5-9	429	7.6	1.55	(5.0 - 11.2)		5,856	(3,416 - 8,296)
NH	10-14	475	10.0	1.61	(7.2 - 13.6)		7,965	(5,360 - 10,571)
NH	15-17	399	15.3	2.52	(11.0 - 20.9)		7,895	(5,088 - 10,702)
NJ	0-4	898	6.4	0.97	(4.7 - 8.5)		31,734	(22,024 - 41,445)
NJ	5-9	841	11.2	1.30	(8.9 - 14.1)		64,292	(49,048 - 79,536)
NJ	10-14	935	10.9	1.44	(8.4 - 14.1)		54,879	(39,895 - 69,862)
NJ	15-17	715	15.2	2.10	(11.5 - 19.8)		57,030	(39,834 - 74,225)
NY	0-4	382	6.4	1.56	(3.9 - 10.2)		79,064	(40,229 - 117,899)
NY	5-9	357	13.8	2.47	(9.7 - 19.4)		165,935	(102,911 - 228,960)
NY	10-14	433	11.9	1.88	(8.7 - 16.1)		109,777	(74,046 - 145,509)
NY	15-17	330	12.0	2.12	(8.4 - 16.8)		90,077	(57,391 - 122,762)
OH	0-4	385	6.1	2.20	(3.0 - 12.2)		39,136	(10,894 - 67,379)
OH	5-9	360	6.2	2.16	(3.1 - 12.0)		45,739	(13,787 - 77,690)
OH	10-14	433	10.5	2.75	(6.2 - 17.3)		81,304	(38,095 - 124,513)
OH	15-17	355	11.6	3.07	(6.8 - 19.1)		50,607	(23,305 - 77,910)
OK	0-4	506	5.0	1.05	(3.3 - 7.5)		11,103	(6,518 - 15,688)
OK	5-9	489	8.2	1.40	(5.9 - 11.4)		18,816	(12,356 - 25,277)
OK	10-14	544	11.8	1.51	(9.1 - 15.1)		23,705	(17,517 - 29,894)
OK	15-17	442	9.1	1.58	(6.4 - 12.7)		13,521	(8,750 - 18,291)
PA	0-4	776	8.3	2.05	(5.1 - 13.3)		59,985	(29,444 - 90,527)
PA	5-9	865	7.7	1.60	(5.1 - 11.5)		55,721	(32,500 - 78,942)
PA	10-14	960	10.8	1.79	(7.7 - 14.8)		66,969	(44,404 - 89,533)
PA	15-17	734	7.1	1.46	(4.8 - 10.6)		36,959	(21,941 - 51,977)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2006

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
RI	0-4	299	7.3	1.91	(4.3 - 12.0)	4,441	(2,064 - 6,818)
RI	5-9	342	10.3	1.77	(7.4 - 14.4)	6,665	(4,342 - 8,987)
RI	10-14	341	11.8	2.03	(8.3 - 16.4)	6,278	(4,031 - 8,526)
RI	15-17	243	13.5	2.39	(9.5 - 18.9)	5,479	(3,506 - 7,453)
TX	0-4	564	7.3	1.92	(4.3 - 12.0)	92,204	(43,376 - 141,033)
TX	5-9	492	8.5	1.58	(5.9 - 12.1)	141,262	(89,855 - 192,670)
TX	10-14	547	12.3	2.36	(8.4 - 17.7)	211,475	(127,425 - 295,524)
TX	15-17	392	10.6	3.07	(5.9 - 18.3)	110,304	(42,919 - 177,688)
UT	0-4	651	4.0	0.91	(2.6 - 6.2)	7,734	(4,252 - 11,215)
UT	5-9	544	6.7	1.19	(4.7 - 9.4)	13,720	(8,892 - 18,549)
UT	10-14	536	9.2	1.56	(6.6 - 12.8)	18,327	(12,011 - 24,644)
UT	15-17	425	5.9	1.42	(3.6 - 9.4)	6,863	(3,537 - 10,189)
VT	0-4	422	3.2	0.96	(1.8 - 5.7)	1,022	(412 - 1,632)
VT	5-9	415	10.2	1.85	(7.1 - 14.4)	3,325	(2,070 - 4,581)
VT	10-14	516	11.4	1.50	(8.8 - 14.7)	3,770	(2,759 - 4,782)
VT	15-17	455	11.9	1.76	(8.8 - 15.8)	3,315	(2,299 - 4,331)
VA	0-4	407	4.8	1.13	(3.0 - 7.6)	22,908	(12,288 - 33,528)
VA	5-9	357	14.1	2.74	(9.5 - 20.4)	67,767	(39,806 - 95,728)
VA	10-14	435	13.9	2.07	(10.3 - 18.5)	53,021	(37,421 - 68,620)
VA	15-17	326	11.3	2.84	(6.8 - 18.2)	36,185	(17,186 - 55,183)
WV	0-4	241	5.4	1.58	(3.0 - 9.5)	5,300	(2,203 - 8,396)
WV	5-9	238	10.2	2.33	(6.4 - 15.7)	10,346	(5,459 - 15,233)
WV	10-14	265	8.8	1.76	(5.9 - 12.9)	7,954	(4,755 - 11,153)
WV	15-17	239	10.7	2.39	(6.9 - 16.4)	7,215	(3,906 - 10,524)
WI	0-4	335	7.5	1.93	(4.5 - 12.3)	25,559	(12,082 - 39,037)
WI	5-9	307	6.6	1.52	(4.2 - 10.3)	22,160	(12,018 - 32,302)
WI	10-14	407	7.8	1.60	(5.2 - 11.6)	24,240	(14,312 - 34,167)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2006

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WI	15-17	318	8.7	1.76	(5.8 - 12.8)		20,901	(12,421 - 29,381)
WY	0-4	350	5.5	1.42	(3.3 - 9.0)		1,663	(796 - 2,530)
WY	5-9	341	9.5	1.86	(6.4 - 13.8)		2,848	(1,701 - 3,996)
WY	10-14	362	8.4	1.67	(5.7 - 12.4)		2,169	(1,295 - 3,043)
WY	15-17	344	13.1	2.14	(9.4 - 17.9)		3,031	(1,998 - 4,063)
Territories								
PR	0-4	284	11.4	2.05	(7.9 - 16.0)		30,456	(19,139 - 41,773)
PR	5-9	351	23.2	2.56	(18.6 - 28.6)		68,380	(51,785 - 84,976)
PR	10-14	430	16.5	2.01	(13.0 - 20.9)		41,859	(31,184 - 52,535)
PR	15-17	336	14.0	2.09	(10.4 - 18.6)		24,887	(17,164 - 32,610)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.