

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2007**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
Total **	White	44,890	12.5	0.29	(12.0 - 13.1)	4,830,556	(4,609,348 - 5,051,763)
Total **	Black	5,326	19.2	1.03	(17.3 - 21.3)	1,266,634	(1,119,466 - 1,413,802)
Total **	Other	5,955	12.9	0.92	(11.2 - 14.8)	990,007	(842,246 - 1,137,767)
Total **	Multiracial	3,000	17.1	1.56	(14.3 - 20.4)	360,301	(290,598 - 430,004)
AK	White	552	12.5	2.00	(9.1 - 17.0)	14,358	(9,701 - 19,016)
AK	Black	20	15.7			919	
AK	Other	282	8.7	2.59	(4.8 - 15.3)	4,147	(1,606 - 6,688)
AK	Multiracial	81	7.2	4.07	(2.3 - 20.4)	1,406	(0 - 3,010)
AZ	White	729	11.6	1.77	(8.5 - 15.5)	117,974	(81,911 - 154,037)
AZ	Black	26	40.5	14.29	(17.6 - 68.5)	27,569	(2,662 - 52,476)
AZ	Other	428	14.7	3.90	(8.6 - 24.1)	60,801	(25,806 - 95,796)
AZ	Multiracial	28	10.8			6,304	
CA	White	1,221	11.9	1.01	(10.0 - 14.0)	801,388	(667,329 - 935,448)
CA	Black	79	22.0	5.71	(12.9 - 35.2)	127,649	(54,291 - 201,008)
CA	Other	306	15.0	2.60	(10.6 - 20.9)	290,078	(183,568 - 396,588)
CA	Multiracial	74	15.8	4.99	(8.3 - 28.2)	70,024	(23,410 - 116,638)
CT	White	1,472	13.5	1.06	(11.5 - 15.7)	88,029	(74,035 - 102,022)
CT	Black	148	16.4	4.41	(9.4 - 26.9)	7,805	(3,319 - 12,291)
CT	Other	214	18.0	3.33	(12.4 - 25.4)	15,142	(9,226 - 21,058)
CT	Multiracial	40	14.1	5.77	(6.1 - 29.5)	1,811	(322 - 3,300)
DC	White	346	12.2	2.67	(7.8 - 18.5)	3,124	(1,683 - 4,565)
DC	Black	322	24.4	2.98	(19.1 - 30.7)	16,153	(11,841 - 20,466)
DC	Other	75	13.2	4.55	(6.5 - 24.9)	1,711	(474 - 2,949)
DC	Multiracial	21	0.8			28	
GA	White	1,444	15.2	1.13	(13.1 - 17.6)	191,313	(162,661 - 219,966)
GA	Black	459	16.6	2.26	(12.6 - 21.5)	134,632	(96,444 - 172,819)
GA	Other	129	10.5	2.99	(5.9 - 17.9)	23,143	(9,784 - 36,501)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2007**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
GA	Multiracial	31	18.9	7.90	(7.9 - 39.0)	11,036	(1,470 - 20,602)
HI	White	334	12.1	1.98	(8.8 - 16.6)	5,115	(3,434 - 6,796)
HI	Black	11	25.6			491	
HI	Other	491	14.4	1.84	(11.2 - 18.4)	10,904	(8,055 - 13,752)
HI	Multiracial	1,304	21.1	1.43	(18.4 - 24.0)	38,821	(33,365 - 44,278)
IL	White	1,183	10.8	1.17	(8.7 - 13.3)	246,837	(192,489 - 301,186)
IL	Black	157	14.3	3.25	(9.0 - 21.9)	70,644	(36,968 - 104,319)
IL	Other	105	11.9	3.82	(6.2 - 21.6)	39,015	(12,602 - 65,428)
IL	Multiracial	41	6.0			6,972	
IN	White	1,271	10.5	0.99	(8.7 - 12.6)	138,713	(113,159 - 164,268)
IN	Black	211	21.4	4.85	(13.4 - 32.4)	28,002	(14,169 - 41,834)
IN	Other	59	5.6			4,678	
IN	Multiracial	46	15.8	7.33	(6.0 - 35.6)	7,947	(93 - 15,801)
IA	White	1,356	8.5	0.83	(7.0 - 10.2)	50,038	(40,340 - 59,735)
IA	Black	37	10.9			1,982	
IA	Other	81	6.5	2.53	(3.0 - 13.6)	2,596	(607 - 4,584)
IA	Multiracial	32	23.2	7.93	(11.2 - 42.0)	3,147	(898 - 5,395)
KS	White	1,973	11.2	0.80	(9.7 - 12.9)	61,478	(52,659 - 70,298)
KS	Black	83	14.6	4.32	(7.9 - 25.2)	3,822	(1,456 - 6,188)
KS	Other	227	10.8	2.36	(6.9 - 16.3)	7,463	(4,087 - 10,838)
KS	Multiracial	85	7.2	2.89	(3.2 - 15.4)	1,734	(333 - 3,134)
ME	White	1,490	13.1	0.99	(11.3 - 15.2)	33,621	(28,581 - 38,661)
ME	Black	17	11.0			460	
ME	Other	36	18.9	8.41	(7.3 - 40.6)	1,215	(0 - 2,431)
ME	Multiracial	42	17.1	6.38	(7.9 - 33.3)	1,211	(240 - 2,183)
MD	White	1,701	12.0	1.02	(10.1 - 14.1)	91,761	(76,005 - 107,516)
MD	Black	414	17.3	2.20	(13.4 - 22.1)	72,015	(52,877 - 91,153)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2007**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
MD	Other	160	14.0	3.58	(8.3 - 22.6)	18,944	(8,578 - 29,310)
MD	Multiracial	53	11.2	4.12	(5.3 - 22.1)	6,246	(1,788 - 10,705)
MA	White	914	14.2	1.42	(11.6 - 17.2)	155,961	(125,231 - 186,691)
MA	Black	84	13.6	4.15	(7.3 - 24.0)	16,516	(6,726 - 26,307)
MA	Other	132	18.5	5.28	(10.3 - 31.1)	24,819	(9,304 - 40,333)
MA	Multiracial	22	14.7			7,358	
MI	White	1,484	11.9	0.98	(10.1 - 14.0)	216,767	(181,093 - 252,441)
MI	Black	349	16.3	2.58	(11.9 - 22.1)	53,944	(36,883 - 71,006)
MI	Other	58	22.6	6.31	(12.6 - 37.2)	25,905	(9,980 - 41,830)
MI	Multiracial	100	27.1	6.16	(16.8 - 40.7)	52,455	(23,966 - 80,944)
MS	White	1,222	12.6	1.11	(10.6 - 14.9)	47,092	(38,631 - 55,552)
MS	Black	875	17.2	1.66	(14.2 - 20.7)	57,876	(46,240 - 69,511)
MS	Other	53	15.8	6.80	(6.5 - 33.8)	3,618	(311 - 6,924)
MS	Multiracial	15	11.8			672	
MO	White	1,130	12.2	1.21	(10.1 - 14.8)	136,931	(110,358 - 163,503)
MO	Black	127	18.0	4.16	(11.2 - 27.6)	25,874	(14,307 - 37,441)
MO	Other	67	12.3	3.91	(6.4 - 22.2)	9,329	(3,554 - 15,104)
MO	Multiracial	36	20.5	9.35	(7.7 - 44.2)	8,442	(1,878 - 15,006)
MT	White	1,216	9.5	1.01	(7.7 - 11.6)	16,722	(13,184 - 20,259)
MT	Black	9	42.0			574	
MT	Other	240	10.0	2.10	(6.6 - 15.0)	2,271	(1,334 - 3,208)
MT	Multiracial	30	3.0			98	
NE	White	2,711	10.9	1.06	(9.0 - 13.2)	39,832	(32,077 - 47,586)
NE	Black	42	22.1	7.74	(10.6 - 40.7)	5,073	(1,317 - 8,829)
NE	Other	223	6.9	2.27	(3.6 - 12.9)	2,068	(740 - 3,397)
NE	Multiracial	81	8.7	3.86	(3.6 - 19.8)	1,261	(158 - 2,364)
NV	White	837	10.9	1.30	(8.6 - 13.7)	45,574	(34,770 - 56,378)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2007**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
NV	Black	37	14.0	6.11	(5.7 - 30.6)	4,057	(447 - 7,667)
NV	Other	136	7.3	2.45	(3.8 - 13.8)	6,755	(2,222 - 11,287)
NV	Multiracial	132	9.5	3.81	(4.2 - 20.0)	7,253	(1,206 - 13,299)
NH	White	1,395	11.5	0.98	(9.7 - 13.6)	31,540	(26,149 - 36,930)
NH	Black	9	32.6			600	
NH	Other	63	5.3			688	
NH	Multiracial	24	15.7			737	
NJ	White	656	16.1	1.96	(12.6 - 20.3)	222,589	(167,415 - 277,763)
NJ	Black	97	16.3	4.31	(9.5 - 26.6)	49,014	(22,531 - 75,496)
NJ	Other	116	8.2	3.01	(3.9 - 16.4)	29,690	(7,845 - 51,535)
NJ	Multiracial	22	9.3			4,870	
NM	White	1,403	13.0	1.10	(11.0 - 15.3)	52,782	(43,890 - 61,675)
NM	Black	34	25.3	8.71	(12.0 - 45.5)	3,160	(810 - 5,510)
NM	Other	322	12.6	2.60	(8.3 - 18.6)	7,023	(3,978 - 10,068)
NM	Multiracial	44	2.2			212	
NY	White	1,207	12.5	1.19	(10.3 - 15.0)	351,034	(282,832 - 419,236)
NY	Black	163	25.2	4.06	(18.1 - 34.0)	201,341	(128,281 - 274,402)
NY	Other	120	17.2	4.05	(10.6 - 26.6)	104,905	(52,130 - 157,679)
NY	Multiracial	43	30.3	7.80	(17.4 - 47.3)	50,762	(20,825 - 80,698)
OH	White	2,419	12.7	0.82	(11.2 - 14.4)	290,430	(253,467 - 327,393)
OH	Black	259	19.9	3.18	(14.3 - 26.8)	52,005	(34,112 - 69,898)
OH	Other	116	18.0	4.92	(10.3 - 29.7)	19,485	(7,764 - 31,207)
OH	Multiracial	58	9.5	3.67	(4.4 - 19.5)	5,288	(1,280 - 9,295)
OK	White	1,375	15.2	1.14	(13.1 - 17.5)	85,681	(72,555 - 98,807)
OK	Black	153	18.0	3.63	(12.0 - 26.3)	11,993	(6,842 - 17,144)
OK	Other	350	12.7	2.03	(9.2 - 17.2)	19,238	(12,898 - 25,578)
OK	Multiracial	162	23.0	3.84	(16.3 - 31.3)	15,434	(9,836 - 21,032)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2007**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
OR	White	1,076	11.7	1.14	(9.7 - 14.2)	85,169	(68,467 - 101,871)
OR	Black	7	49.8			1,997	
OR	Other	71	6.8			3,617	
OR	Multiracial	76	13.2	3.78	(7.4 - 22.5)	6,813	(2,881 - 10,744)
PA	White	2,524	12.6	1.00	(10.7 - 14.7)	269,299	(226,458 - 312,141)
PA	Black	411	28.0	4.40	(20.2 - 37.4)	95,715	(60,519 - 130,911)
PA	Other	92	21.3	6.06	(11.8 - 35.5)	34,043	(15,201 - 52,884)
PA	Multiracial	87	6.8	2.86	(3.0 - 15.0)	7,236	(1,380 - 13,091)
TX	White	1,503	14.7	1.23	(12.5 - 17.3)	503,913	(417,361 - 590,466)
TX	Black	203	17.6	3.48	(11.8 - 25.5)	146,677	(84,268 - 209,085)
TX	Other	790	9.9	1.53	(7.3 - 13.4)	192,961	(131,922 - 254,001)
TX	Multiracial	31	19.6	8.55	(7.8 - 41.4)	13,461	(921 - 26,002)
UT	White	1,774	11.3	0.96	(9.5 - 13.3)	75,135	(62,175 - 88,094)
UT	Black	19	31.3	12.82	(12.4 - 59.4)	2,546	(112 - 4,981)
UT	Other	156	14.5	3.13	(9.4 - 21.8)	9,026	(5,033 - 13,020)
UT	Multiracial	43	6.2			991	
VT	White	1,651	12.2	0.92	(10.5 - 14.2)	15,035	(12,771 - 17,300)
VT	Black	15	14.7			116	
VT	Other	46	7.9			267	
VT	Multiracial	39	23.8	7.65	(12.0 - 41.6)	700	(207 - 1,192)
VA	White	1,248	13.7	1.39	(11.2 - 16.7)	188,535	(149,407 - 227,664)
VA	Black	205	13.8	2.83	(9.1 - 20.3)	29,859	(17,415 - 42,303)
VA	Other	132	6.1	2.04	(3.1 - 11.5)	9,755	(3,341 - 16,169)
VA	Multiracial	23	44.1	13.44	(21.3 - 69.6)	9,901	(1,990 - 17,811)
WV	White	999	14.0	1.24	(11.8 - 16.7)	49,416	(40,697 - 58,136)
WV	Black	25	9.2			1,053	
WV	Other	21	4.2			278	

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2007**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
WV	Multiracial	16	10.4				583	
WI	White	1,074	9.9	1.18	(7.8 - 12.4)		107,369	(81,830 - 132,907)
WI	Black	219	19.1	5.50	(10.5 - 32.2)		14,503	(5,626 - 23,379)
WI	Other	58	7.0				4,429	
WI	Multiracial	38	19.1	8.74	(7.2 - 41.7)		9,088	(215 - 17,960)
Territories								
PR	White	700	27.7	1.94	(24.1 - 31.6)		190,868	(162,468 - 219,267)
PR	Black	49	31.7	7.58	(18.9 - 47.9)		16,412	(7,081 - 25,743)
PR	Other	314	29.6	3.02	(24.0 - 35.8)		86,488	(66,302 - 106,674)
PR	Multiracial	4	68.5				2,032	

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.