

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	39,156	12.4	0.38	(11.7 - 13.1)		2,319,942	(2,180,435 - 2,459,448)
U.S. Total**	\$15-\$24,999	62,588	9.1	0.25	(8.6 - 9.6)		2,698,991	(2,553,306 - 2,844,676)
U.S. Total**	\$25-\$49,999	105,736	7.9	0.19	(7.5 - 8.3)		4,188,312	(3,984,266 - 4,392,358)
U.S. Total**	\$50-\$74,999	61,995	7.2	0.21	(6.8 - 7.6)		2,460,586	(2,314,234 - 2,606,938)
U.S. Total**	>=\$75,000	94,310	7.1	0.17	(6.8 - 7.5)		4,409,442	(4,193,324 - 4,625,559)
AL	< \$15,000	981	16.2	2.09	(12.1 - 20.3)		57,616	(41,775 - 73,456)
AL	\$15-\$24,999	1,194	10.5	1.36	(7.8 - 13.2)		53,224	(39,062 - 67,387)
AL	\$25-\$49,999	1,730	9.4	1.39	(6.6 - 12.1)		79,962	(54,941 - 104,983)
AL	\$50-\$74,999	901	5.5	1.20	(3.1 - 7.8)		28,545	(15,827 - 41,263)
AL	>=\$75,000	1,074	4.6	0.91	(2.8 - 6.3)		30,827	(18,611 - 43,044)
AK	< \$15,000	220	10.8	3.05	(4.8 - 16.8)		3,648	(1,670 - 5,626)
AK	\$15-\$24,999	249	12.3	3.74	(4.9 - 19.7)		5,262	(1,875 - 8,648)
AK	\$25-\$49,999	580	6.7	1.30	(4.1 - 9.2)		6,674	(4,130 - 9,218)
AK	\$50-\$74,999	451	5.3	1.58	(2.2 - 8.4)		4,314	(1,731 - 6,897)
AK	>=\$75,000	732	8.3	1.36	(5.7 - 11.0)		13,287	(8,978 - 17,595)
AZ	< \$15,000	476	13.2	2.92	(7.5 - 19.0)		39,847	(22,412 - 57,283)
AZ	\$15-\$24,999	757	8.1	1.52	(5.1 - 11.0)		47,795	(30,908 - 64,681)
AZ	\$25-\$49,999	1,252	9.0	1.51	(6.1 - 12.0)		99,402	(65,823 - 132,981)
AZ	\$50-\$74,999	642	8.5	1.97	(4.6 - 12.3)		61,743	(32,318 - 91,169)
AZ	>=\$75,000	870	6.9	1.31	(4.4 - 9.5)		86,022	(53,800 - 118,243)
AR	< \$15,000	688	11.8	1.68	(8.5 - 15.1)		24,177	(17,183 - 31,171)
AR	\$15-\$24,999	911	8.9	1.11	(6.7 - 11.1)		28,400	(21,299 - 35,501)
AR	\$25-\$49,999	1,447	6.6	0.87	(4.9 - 8.3)		36,236	(26,642 - 45,829)
AR	\$50-\$74,999	844	5.9	0.98	(3.9 - 7.8)		19,915	(13,182 - 26,649)
AR	>=\$75,000	1,005	5.2	0.96	(3.3 - 7.1)		22,030	(13,704 - 30,356)
CA	< \$15,000	800	6.1	0.94	(4.2 - 7.9)		261,653	(181,320 - 341,986)
CA	\$15-\$24,999	674	5.2	0.97	(3.3 - 7.1)		191,988	(121,558 - 262,418)
CA	\$25-\$49,999	1,176	7.5	1.16	(5.2 - 9.8)		421,372	(288,794 - 553,951)
CA	\$50-\$74,999	837	7.0	1.07	(4.9 - 9.1)		248,848	(172,429 - 325,267)
CA	>=\$75,000	1,814	9.5	0.89	(7.7 - 11.2)		776,192	(626,176 - 926,208)
CO	< \$15,000	784	13.1	1.84	(9.4 - 16.7)		28,441	(20,008 - 36,874)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
CO	\$15-\$24,999	1,308	6.9	0.84	(5.2 - 8.5)		28,472	(21,563 - 35,382)
CO	\$25-\$49,999	2,749	8.4	0.72	(7.0 - 9.8)		67,716	(56,010 - 79,422)
CO	\$50-\$74,999	1,926	7.2	0.66	(5.9 - 8.5)		40,706	(33,096 - 48,317)
CO	>=\$75,000	3,686	6.9	0.51	(5.9 - 7.9)		77,302	(65,848 - 88,755)
CT	< \$15,000	490	15.8	3.12	(9.7 - 22.0)		17,070	(9,756 - 24,384)
CT	\$15-\$24,999	783	13.9	2.10	(9.8 - 18.1)		28,843	(19,515 - 38,171)
CT	\$25-\$49,999	1,455	11.3	1.74	(7.9 - 14.7)		54,213	(36,404 - 72,023)
CT	\$50-\$74,999	1,048	7.7	1.04	(5.7 - 9.8)		30,853	(22,453 - 39,253)
CT	>=\$75,000	2,577	7.3	0.68	(5.9 - 8.6)		83,081	(67,480 - 98,681)
DE	< \$15,000	424	8.0	1.55	(5.0 - 11.1)		4,644	(2,853 - 6,434)
DE	\$15-\$24,999	391	12.8	2.07	(8.7 - 16.8)		5,853	(3,951 - 7,754)
DE	\$25-\$49,999	902	9.0	1.62	(5.8 - 12.2)		12,629	(7,897 - 17,361)
DE	\$50-\$74,999	605	8.5	1.53	(5.5 - 11.5)		8,714	(5,530 - 11,898)
DE	>=\$75,000	1,162	5.3	0.77	(3.8 - 6.9)		12,392	(8,884 - 15,901)
DC	< \$15,000	328	16.0	2.72	(10.6 - 21.3)		6,029	(3,828 - 8,230)
DC	\$15-\$24,999	408	12.4	2.01	(8.4 - 16.3)		6,481	(4,309 - 8,653)
DC	\$25-\$49,999	668	7.4	1.10	(5.3 - 9.6)		5,993	(4,231 - 7,756)
DC	\$50-\$74,999	493	14.6	2.30	(10.1 - 19.1)		7,796	(5,144 - 10,447)
DC	>=\$75,000	1,615	7.4	0.84	(5.7 - 9.0)		13,602	(10,461 - 16,743)
FL	< \$15,000	3,656	11.1	1.16	(8.8 - 13.3)		98,807	(78,789 - 118,825)
FL	\$15-\$24,999	7,055	6.3	0.61	(5.1 - 7.5)		128,811	(104,370 - 153,251)
FL	\$25-\$49,999	10,487	5.8	0.45	(5.0 - 6.7)		209,030	(177,251 - 240,808)
FL	\$50-\$74,999	5,241	5.5	0.77	(4.0 - 7.0)		114,142	(82,115 - 146,169)
FL	>=\$75,000	7,110	5.0	0.52	(4.0 - 6.1)		183,228	(145,199 - 221,257)
GA	< \$15,000	768	15.6	1.92	(11.8 - 19.4)		77,462	(57,497 - 97,428)
GA	\$15-\$24,999	1,051	10.6	1.26	(8.2 - 13.1)		92,064	(70,068 - 114,060)
GA	\$25-\$49,999	1,790	5.9	0.70	(4.5 - 7.3)		94,311	(72,121 - 116,501)
GA	\$50-\$74,999	1,098	5.9	0.82	(4.3 - 7.5)		61,433	(44,487 - 78,379)
GA	>=\$75,000	1,866	6.7	0.71	(5.3 - 8.1)		138,195	(108,777 - 167,613)
HI	< \$15,000	489	11.7	2.47	(6.8 - 16.5)		6,812	(3,775 - 9,849)
HI	\$15-\$24,999	829	10.2	1.82	(6.7 - 13.8)		10,651	(6,663 - 14,640)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
HI	\$25-\$49,999	1,887	7.1	0.83	(5.5 - 8.7)		19,688	(15,045 - 24,330)
HI	\$50-\$74,999	1,101	7.4	1.22	(5.0 - 9.8)		12,543	(8,292 - 16,794)
HI	>=\$75,000	1,812	7.3	0.81	(5.7 - 8.9)		20,864	(16,223 - 25,505)
ID	< \$15,000	485	12.8	2.00	(8.9 - 16.8)		10,393	(7,098 - 13,688)
ID	\$15-\$24,999	844	8.6	1.12	(6.4 - 10.8)		13,810	(10,275 - 17,345)
ID	\$25-\$49,999	1,586	8.9	1.10	(6.8 - 11.1)		28,111	(20,947 - 35,275)
ID	\$50-\$74,999	832	7.2	1.22	(4.8 - 9.6)		13,177	(8,669 - 17,686)
ID	>=\$75,000	913	7.8	1.20	(5.4 - 10.1)		16,588	(11,380 - 21,796)
IL	< \$15,000	424	10.4	2.05	(6.4 - 14.4)		82,795	(49,480 - 116,109)
IL	\$15-\$24,999	665	9.7	1.69	(6.4 - 13.0)		110,488	(70,966 - 150,010)
IL	\$25-\$49,999	1,220	8.9	1.11	(6.7 - 11.1)		192,626	(143,743 - 241,509)
IL	\$50-\$74,999	838	7.7	1.08	(5.6 - 9.9)		115,358	(82,579 - 148,136)
IL	>=\$75,000	1,542	7.7	0.87	(6.0 - 9.4)		234,442	(180,435 - 288,449)
IN	< \$15,000	558	13.0	1.93	(9.2 - 16.8)		38,893	(27,731 - 50,055)
IN	\$15-\$24,999	991	11.3	1.40	(8.5 - 14.0)		75,220	(56,229 - 94,211)
IN	\$25-\$49,999	1,533	7.9	0.88	(6.2 - 9.7)		95,899	(74,404 - 117,394)
IN	\$50-\$74,999	933	7.0	1.13	(4.7 - 9.2)		55,126	(36,952 - 73,299)
IN	>=\$75,000	1,117	7.4	0.93	(5.5 - 9.2)		79,748	(59,544 - 99,952)
IA	< \$15,000	422	12.5	2.09	(8.4 - 16.6)		18,034	(11,810 - 24,257)
IA	\$15-\$24,999	734	8.9	1.43	(6.1 - 11.7)		24,882	(16,699 - 33,064)
IA	\$25-\$49,999	1,444	6.9	0.83	(5.3 - 8.6)		42,651	(32,374 - 52,927)
IA	\$50-\$74,999	939	4.1	0.68	(2.8 - 5.5)		17,776	(11,991 - 23,561)
IA	>=\$75,000	1,139	6.1	0.95	(4.2 - 7.9)		32,253	(21,978 - 42,528)
KS	< \$15,000	540	14.4	2.11	(10.3 - 18.6)		15,397	(10,710 - 20,083)
KS	\$15-\$24,999	1,217	9.2	1.28	(6.7 - 11.7)		24,628	(17,529 - 31,727)
KS	\$25-\$49,999	2,344	8.4	0.90	(6.6 - 10.1)		46,128	(35,901 - 56,356)
KS	\$50-\$74,999	1,342	8.9	0.99	(6.9 - 10.8)		31,902	(24,594 - 39,210)
KS	>=\$75,000	1,991	7.0	0.81	(5.4 - 8.6)		38,985	(29,735 - 48,235)
KY	< \$15,000	839	21.6	2.33	(17.0 - 26.1)		57,821	(43,991 - 71,650)
KY	\$15-\$24,999	1,071	9.5	1.14	(7.3 - 11.8)		37,811	(28,808 - 46,815)
KY	\$25-\$49,999	1,545	9.2	1.44	(6.4 - 12.1)		70,794	(47,943 - 93,645)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
KY	\$50-\$74,999	710	4.0	0.84	(2.4 - 5.7)		17,781	(10,523 - 25,039)
KY	>=\$75,000	687	5.1	1.17	(2.8 - 7.3)		24,844	(13,372 - 36,317)
LA	< \$15,000	685	11.8	1.57	(8.7 - 14.9)		32,768	(24,026 - 41,511)
LA	\$15-\$24,999	952	6.7	1.03	(4.7 - 8.7)		28,688	(19,876 - 37,500)
LA	\$25-\$49,999	1,490	8.2	1.20	(5.8 - 10.5)		61,022	(42,522 - 79,523)
LA	\$50-\$74,999	822	3.4	0.71	(2.0 - 4.8)		14,542	(8,578 - 20,505)
LA	>=\$75,000	1,308	3.9	0.67	(2.6 - 5.3)		27,979	(18,460 - 37,497)
ME	< \$15,000	723	13.7	1.51	(10.7 - 16.6)		12,042	(9,366 - 14,719)
ME	\$15-\$24,999	1,032	18.5	2.02	(14.6 - 22.5)		26,632	(20,154 - 33,111)
ME	\$25-\$49,999	1,846	8.1	0.72	(6.7 - 9.5)		22,795	(18,710 - 26,880)
ME	\$50-\$74,999	1,051	8.1	1.12	(5.9 - 10.3)		14,217	(10,202 - 18,232)
ME	>=\$75,000	1,300	7.2	0.99	(5.3 - 9.2)		16,969	(12,252 - 21,687)
MD	< \$15,000	578	11.9	1.83	(8.3 - 15.5)		25,767	(18,030 - 33,503)
MD	\$15-\$24,999	873	12.1	1.72	(8.8 - 15.5)		44,707	(31,914 - 57,499)
MD	\$25-\$49,999	1,705	8.5	0.92	(6.7 - 10.3)		68,172	(53,333 - 83,010)
MD	\$50-\$74,999	1,333	6.7	0.86	(5.0 - 8.4)		44,214	(32,908 - 55,520)
MD	>=\$75,000	3,089	7.3	0.59	(6.2 - 8.5)		121,224	(101,581 - 140,867)
MA	< \$15,000	2,050	16.8	1.40	(14.1 - 19.6)		46,210	(38,121 - 54,299)
MA	\$15-\$24,999	2,792	11.4	1.10	(9.2 - 13.6)		55,482	(44,316 - 66,647)
MA	\$25-\$49,999	4,253	11.0	0.86	(9.4 - 12.7)		92,920	(77,800 - 108,040)
MA	\$50-\$74,999	2,903	8.3	0.75	(6.8 - 9.7)		58,716	(47,890 - 69,542)
MA	>=\$75,000	5,967	8.3	0.49	(7.3 - 9.2)		157,844	(139,087 - 176,600)
MI	< \$15,000	642	13.8	1.77	(10.3 - 17.2)		64,918	(47,929 - 81,907)
MI	\$15-\$24,999	1,008	8.9	1.19	(6.5 - 11.2)		78,859	(57,444 - 100,274)
MI	\$25-\$49,999	1,950	8.9	0.95	(7.1 - 10.8)		166,909	(130,510 - 203,308)
MI	\$50-\$74,999	1,103	9.6	1.19	(7.2 - 11.9)		116,938	(87,063 - 146,813)
MI	>=\$75,000	1,640	7.1	0.78	(5.6 - 8.6)		146,131	(113,728 - 178,534)
MN	< \$15,000	258	14.6	3.06	(8.5 - 20.6)		21,120	(11,736 - 30,504)
MN	\$15-\$24,999	678	8.3	1.78	(4.8 - 11.8)		34,254	(19,008 - 49,499)
MN	\$25-\$49,999	1,313	7.8	0.97	(5.9 - 9.7)		78,447	(58,553 - 98,341)
MN	\$50-\$74,999	806	7.3	1.24	(4.8 - 9.7)		52,135	(33,886 - 70,384)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
MN	>=\$75,000	1,392	7.3	0.97	(5.4 - 9.2)		98,269	(71,455 - 125,083)
MS	< \$15,000	1,267	15.1	1.76	(11.6 - 18.5)		42,028	(31,378 - 52,678)
MS	\$15-\$24,999	1,417	6.2	0.74	(4.7 - 7.6)		23,162	(17,729 - 28,596)
MS	\$25-\$49,999	1,889	4.8	0.55	(3.8 - 5.9)		26,746	(20,702 - 32,791)
MS	\$50-\$74,999	956	3.8	0.80	(2.2 - 5.4)		11,029	(6,371 - 15,688)
MS	>=\$75,000	1,210	4.2	0.65	(2.9 - 5.5)		16,936	(11,748 - 22,123)
MO	< \$15,000	590	20.9	3.19	(14.6 - 27.2)		71,410	(46,997 - 95,823)
MO	\$15-\$24,999	903	10.9	1.73	(7.5 - 14.3)		71,651	(48,026 - 95,276)
MO	\$25-\$49,999	1,477	7.8	1.02	(5.8 - 9.8)		94,395	(69,635 - 119,155)
MO	\$50-\$74,999	761	6.7	1.11	(4.5 - 8.8)		45,572	(30,395 - 60,749)
MO	>=\$75,000	867	5.2	0.92	(3.4 - 7.0)		53,959	(34,965 - 72,953)
MT	< \$15,000	588	13.4	2.27	(8.9 - 17.8)		7,725	(4,917 - 10,533)
MT	\$15-\$24,999	996	11.3	1.32	(8.7 - 13.9)		12,219	(9,307 - 15,132)
MT	\$25-\$49,999	1,762	9.9	1.04	(7.8 - 11.9)		21,584	(16,868 - 26,300)
MT	\$50-\$74,999	936	7.1	0.96	(5.2 - 9.0)		8,906	(6,503 - 11,310)
MT	>=\$75,000	947	7.8	1.39	(5.1 - 10.5)		11,101	(7,028 - 15,174)
NE	< \$15,000	1,002	15.4	2.07	(11.4 - 19.5)		11,535	(8,247 - 14,824)
NE	\$15-\$24,999	1,800	9.9	2.10	(5.8 - 14.0)		16,706	(9,201 - 24,212)
NE	\$25-\$49,999	3,250	8.4	1.07	(6.3 - 10.5)		30,613	(22,680 - 38,546)
NE	\$50-\$74,999	1,650	6.2	1.24	(3.8 - 8.6)		14,987	(8,952 - 21,022)
NE	>=\$75,000	1,892	5.7	0.99	(3.7 - 7.6)		19,837	(12,927 - 26,747)
NV	< \$15,000	284	14.5	3.58	(7.5 - 21.6)		17,908	(8,686 - 27,129)
NV	\$15-\$24,999	485	5.2	1.19	(2.9 - 7.5)		10,981	(6,070 - 15,892)
NV	\$25-\$49,999	974	7.6	1.35	(5.0 - 10.3)		34,057	(21,873 - 46,241)
NV	\$50-\$74,999	694	6.9	1.35	(4.3 - 9.6)		19,523	(11,839 - 27,206)
NV	>=\$75,000	1,139	5.6	0.90	(3.9 - 7.4)		30,442	(20,742 - 40,142)
NH	< \$15,000	442	17.6	2.79	(12.1 - 23.1)		8,271	(5,372 - 11,170)
NH	\$15-\$24,999	712	16.1	1.89	(12.4 - 19.8)		15,370	(11,521 - 19,220)
NH	\$25-\$49,999	1,362	8.0	0.82	(6.4 - 9.6)		17,579	(13,960 - 21,198)
NH	\$50-\$74,999	927	10.0	1.24	(7.5 - 12.4)		16,921	(12,581 - 21,260)
NH	>=\$75,000	1,688	9.0	0.89	(7.2 - 10.7)		31,455	(25,047 - 37,863)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
NJ	< \$15,000	574	16.4	2.97	(10.6 - 22.2)		78,492	(48,169 - 108,814)
NJ	\$15-\$24,999	890	8.3	1.22	(5.9 - 10.7)		56,948	(40,269 - 73,627)
NJ	\$25-\$49,999	1,380	9.0	1.11	(6.8 - 11.2)		103,383	(77,207 - 129,559)
NJ	\$50-\$74,999	913	9.3	1.44	(6.5 - 12.2)		84,075	(57,332 - 110,818)
NJ	>=\$75,000	2,291	6.9	0.69	(5.6 - 8.3)		169,327	(135,318 - 203,336)
NM	< \$15,000	739	11.2	1.74	(7.8 - 14.7)		14,578	(9,895 - 19,260)
NM	\$15-\$24,999	1,273	8.8	1.05	(6.8 - 10.9)		23,697	(17,968 - 29,426)
NM	\$25-\$49,999	1,686	8.1	0.87	(6.4 - 9.8)		29,948	(23,468 - 36,428)
NM	\$50-\$74,999	951	8.8	1.73	(5.3 - 12.2)		18,539	(10,829 - 26,250)
NM	>=\$75,000	1,215	7.3	0.89	(5.6 - 9.1)		22,081	(16,752 - 27,410)
NY	< \$15,000	520	14.3	1.86	(10.6 - 17.9)		171,373	(127,135 - 215,610)
NY	\$15-\$24,999	851	8.7	1.23	(6.2 - 11.1)		170,364	(121,310 - 219,419)
NY	\$25-\$49,999	1,468	9.5	1.01	(7.5 - 11.5)		313,077	(245,270 - 380,884)
NY	\$50-\$74,999	929	7.7	1.07	(5.6 - 9.8)		150,976	(108,935 - 193,016)
NY	>=\$75,000	1,823	7.6	0.73	(6.2 - 9.0)		318,318	(256,600 - 380,037)
NC	< \$15,000	1,532	14.8	1.52	(11.8 - 17.7)		74,548	(58,241 - 90,855)
NC	\$15-\$24,999	2,396	10.2	1.02	(8.2 - 12.2)		104,773	(83,173 - 126,372)
NC	\$25-\$49,999	3,695	6.3	0.54	(5.2 - 7.3)		103,563	(85,852 - 121,274)
NC	\$50-\$74,999	2,083	6.5	0.79	(5.0 - 8.1)		65,128	(49,100 - 81,155)
NC	>=\$75,000	2,914	5.3	0.68	(4.0 - 6.6)		80,514	(59,680 - 101,348)
ND	< \$15,000	390	13.7	2.50	(8.8 - 18.6)		4,964	(3,123 - 6,805)
ND	\$15-\$24,999	687	9.3	1.39	(6.6 - 12.0)		5,831	(4,069 - 7,592)
ND	\$25-\$49,999	1,310	7.4	0.99	(5.4 - 9.3)		9,637	(6,996 - 12,279)
ND	\$50-\$74,999	786	8.6	1.37	(5.9 - 11.3)		7,930	(5,328 - 10,531)
ND	>=\$75,000	891	6.3	1.08	(4.2 - 8.4)		6,830	(4,460 - 9,200)
OH	< \$15,000	1,076	16.4	1.79	(12.9 - 19.9)		115,291	(89,229 - 141,353)
OH	\$15-\$24,999	1,675	11.4	1.59	(8.3 - 14.5)		125,270	(87,826 - 162,714)
OH	\$25-\$49,999	2,831	8.0	0.76	(6.5 - 9.5)		169,399	(136,482 - 202,316)
OH	\$50-\$74,999	1,757	7.8	0.91	(6.0 - 9.6)		116,415	(88,609 - 144,221)
OH	>=\$75,000	2,301	5.7	0.57	(4.5 - 6.8)		120,114	(95,870 - 144,357)
OK	< \$15,000	941	15.7	1.63	(12.5 - 18.9)		43,506	(33,949 - 53,063)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	\$15-\$24,999	1,349	9.1	1.03	(7.1 - 11.1)		41,114	(31,682 - 50,547)
OK	\$25-\$49,999	1,917	6.5	0.73	(5.1 - 8.0)		47,584	(36,869 - 58,298)
OK	\$50-\$74,999	998	8.7	1.01	(6.7 - 10.7)		34,986	(26,747 - 43,225)
OK	>=\$75,000	1,220	6.7	0.91	(4.9 - 8.5)		33,152	(24,021 - 42,282)
OR	< \$15,000	336	16.4	2.57	(11.3 - 21.4)		26,278	(17,887 - 34,669)
OR	\$15-\$24,999	822	9.7	1.48	(6.8 - 12.6)		44,973	(30,893 - 59,053)
OR	\$25-\$49,999	1,379	9.8	1.10	(7.6 - 11.9)		74,340	(57,050 - 91,630)
OR	\$50-\$74,999	870	8.7	1.13	(6.5 - 10.9)		45,451	(33,417 - 57,485)
OR	>=\$75,000	986	8.2	1.04	(6.1 - 10.2)		50,269	(37,298 - 63,240)
PA	< \$15,000	1,468	16.2	2.97	(10.3 - 22.0)		99,114	(58,355 - 139,873)
PA	\$15-\$24,999	2,295	11.2	1.33	(8.6 - 13.8)		137,693	(104,238 - 171,148)
PA	\$25-\$49,999	3,407	7.9	0.85	(6.2 - 9.6)		192,878	(150,740 - 235,016)
PA	\$50-\$74,999	1,776	8.2	1.67	(4.9 - 11.4)		123,772	(70,854 - 176,690)
PA	>=\$75,000	2,284	7.0	0.82	(5.4 - 8.6)		162,531	(123,991 - 201,072)
RI	< \$15,000	390	12.6	2.13	(8.4 - 16.8)		7,068	(4,679 - 9,456)
RI	\$15-\$24,999	555	10.7	1.77	(7.2 - 14.2)		8,570	(5,651 - 11,490)
RI	\$25-\$49,999	987	11.8	1.50	(8.8 - 14.7)		20,334	(14,953 - 25,715)
RI	\$50-\$74,999	678	8.9	1.46	(6.1 - 11.8)		11,636	(7,706 - 15,567)
RI	>=\$75,000	1,201	8.2	1.00	(6.3 - 10.2)		22,273	(16,809 - 27,737)
SC	< \$15,000	1,010	14.5	1.43	(11.7 - 17.3)		36,168	(28,908 - 43,429)
SC	\$15-\$24,999	1,473	12.2	1.63	(9.0 - 15.4)		56,937	(40,651 - 73,222)
SC	\$25-\$49,999	2,619	5.9	0.63	(4.7 - 7.2)		50,959	(40,172 - 61,746)
SC	\$50-\$74,999	1,413	6.7	1.04	(4.7 - 8.7)		33,437	(22,864 - 44,010)
SC	>=\$75,000	2,328	4.8	0.60	(3.6 - 5.9)		36,571	(27,372 - 45,770)
SD	< \$15,000	675	15.2	2.43	(10.4 - 20.0)		6,049	(3,998 - 8,099)
SD	\$15-\$24,999	1,156	8.0	1.05	(6.0 - 10.1)		6,530	(4,834 - 8,225)
SD	\$25-\$49,999	2,034	6.7	0.86	(5.0 - 8.4)		11,409	(8,429 - 14,390)
SD	\$50-\$74,999	1,061	4.3	0.74	(2.8 - 5.7)		4,744	(3,125 - 6,363)
SD	>=\$75,000	1,033	4.3	0.77	(2.8 - 5.8)		4,923	(3,183 - 6,662)
TN	< \$15,000	628	17.2	2.40	(12.5 - 21.9)		77,114	(54,126 - 100,102)
TN	\$15-\$24,999	850	10.9	1.45	(8.1 - 13.8)		78,941	(57,638 - 100,243)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	\$25-\$49,999	1,141	7.6	1.09	(5.4 - 9.7)		85,153	(60,506 - 109,801)
TN	\$50-\$74,999	582	4.7	1.14	(2.5 - 7.0)		33,541	(17,452 - 49,631)
TN	>=\$75,000	681	6.5	1.60	(3.3 - 9.6)		48,840	(24,183 - 73,498)
TX	< \$15,000	2,175	12.0	1.21	(9.7 - 14.4)		195,992	(155,070 - 236,915)
TX	\$15-\$24,999	2,787	9.0	0.94	(7.2 - 10.9)		241,964	(189,859 - 294,069)
TX	\$25-\$49,999	3,842	7.1	0.59	(5.9 - 8.2)		273,649	(227,738 - 319,560)
TX	\$50-\$74,999	2,154	8.5	0.91	(6.7 - 10.3)		191,269	(149,364 - 233,173)
TX	>=\$75,000	3,494	7.3	0.58	(6.2 - 8.5)		303,119	(254,578 - 351,660)
UT	< \$15,000	279	14.2	3.17	(8.0 - 20.5)		11,899	(6,265 - 17,533)
UT	\$15-\$24,999	563	10.0	1.70	(6.7 - 13.3)		18,906	(12,535 - 25,277)
UT	\$25-\$49,999	1,320	7.6	0.91	(5.8 - 9.4)		33,960	(25,817 - 42,103)
UT	\$50-\$74,999	983	7.8	1.12	(5.6 - 10.0)		27,101	(19,231 - 34,971)
UT	>=\$75,000	1,426	7.4	0.83	(5.7 - 9.0)		37,841	(29,329 - 46,354)
VT	< \$15,000	543	19.0	2.42	(14.2 - 23.8)		5,434	(3,927 - 6,941)
VT	\$15-\$24,999	907	11.5	1.35	(8.8 - 14.1)		6,781	(5,137 - 8,424)
VT	\$25-\$49,999	1,803	9.2	1.22	(6.8 - 11.6)		11,658	(8,405 - 14,911)
VT	\$50-\$74,999	1,137	8.6	1.04	(6.6 - 10.7)		7,618	(5,743 - 9,494)
VT	>=\$75,000	1,690	7.7	0.83	(6.1 - 9.3)		10,094	(7,872 - 12,317)
VA	< \$15,000	438	17.9	3.49	(11.1 - 24.8)		56,268	(33,390 - 79,146)
VA	\$15-\$24,999	697	9.8	1.54	(6.8 - 12.8)		50,369	(34,515 - 66,222)
VA	\$25-\$49,999	1,386	7.9	0.99	(6.0 - 9.9)		91,153	(68,399 - 113,908)
VA	\$50-\$74,999	950	5.5	0.85	(3.9 - 7.2)		49,627	(34,594 - 64,660)
VA	>=\$75,000	1,882	6.6	0.87	(4.9 - 8.3)		148,888	(110,052 - 187,724)
WA	< \$15,000	1,409	16.2	1.43	(13.4 - 19.0)		34,731	(28,474 - 40,988)
WA	\$15-\$24,999	3,654	12.4	0.91	(10.6 - 14.2)		75,357	(63,701 - 87,013)
WA	\$25-\$49,999	7,138	9.6	0.51	(8.6 - 10.6)		117,714	(104,941 - 130,487)
WA	\$50-\$74,999	4,432	6.9	0.47	(6.0 - 7.8)		58,684	(50,737 - 66,630)
WA	>=\$75,000	6,183	8.0	0.48	(7.1 - 8.9)		111,547	(97,968 - 125,127)
WV	< \$15,000	624	15.4	1.63	(12.2 - 18.6)		24,891	(19,453 - 30,329)
WV	\$15-\$24,999	823	11.9	1.37	(9.2 - 14.6)		29,703	(22,597 - 36,810)
WV	\$25-\$49,999	1,192	7.1	0.99	(5.2 - 9.1)		27,509	(19,727 - 35,292)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2007**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WV	\$50-\$74,999	620	7.8	1.50	(4.8 - 10.7)		17,353	(10,458 - 24,248)
WV	>=\$75,000	617	4.9	1.27	(2.4 - 7.4)		11,677	(5,597 - 17,756)
WI	< \$15,000	527	11.8	2.04	(7.8 - 15.8)		22,205	(14,746 - 29,664)
WI	\$15-\$24,999	1,297	13.2	2.08	(9.1 - 17.2)		76,500	(50,429 - 102,570)
WI	\$25-\$49,999	2,513	8.5	0.89	(6.8 - 10.3)		116,363	(91,823 - 140,903)
WI	\$50-\$74,999	1,138	8.4	1.37	(5.7 - 11.1)		64,362	(42,662 - 86,062)
WI	>=\$75,000	1,166	8.8	1.34	(6.2 - 11.4)		85,913	(58,965 - 112,860)
WY	< \$15,000	401	13.8	2.19	(9.5 - 18.1)		2,743	(1,857 - 3,628)
WY	\$15-\$24,999	808	9.5	1.23	(7.1 - 11.9)		4,376	(3,243 - 5,509)
WY	\$25-\$49,999	1,622	5.8	0.66	(4.5 - 7.1)		5,966	(4,619 - 7,312)
WY	\$50-\$74,999	1,061	7.6	1.00	(5.7 - 9.6)		5,570	(4,088 - 7,052)
WY	>=\$75,000	1,533	7.8	0.97	(5.9 - 9.7)		8,593	(6,423 - 10,763)
Territories								
GU	< \$15,000	41	15.8	7.94	(0.0 - 31.8)		882	(0 - 1,879)
GU	\$15-\$24,999	91	4.2				545	
GU	\$25-\$49,999	196	5.3	1.75	(1.8 - 8.7)		1,759	(590 - 2,928)
GU	\$50-\$74,999	93	6.9	2.67	(1.6 - 12.2)		947	(205 - 1,688)
GU	>=\$75,000	67	3.1				370	
PR	< \$15,000	1,567	7.1	0.80	(5.5 - 8.6)		63,098	(48,843 - 77,353)
PR	\$15-\$24,999	849	5.1	0.84	(3.5 - 6.8)		35,290	(23,710 - 46,870)
PR	\$25-\$49,999	628	4.3	0.87	(2.6 - 6.1)		23,432	(14,036 - 32,827)
PR	\$50-\$74,999	162	7.0	2.19	(2.6 - 11.3)		9,773	(3,529 - 16,018)
PR	>=\$75,000	145	3.4				4,408	
VI	< \$15,000	247	7.1	2.35	(2.4 - 11.7)		468	(146 - 790)
VI	\$15-\$24,999	465	7.7	1.93	(4.0 - 11.5)		1,067	(516 - 1,617)
VI	\$25-\$49,999	776	4.9	0.89	(3.1 - 6.6)		1,099	(697 - 1,501)
VI	\$50-\$74,999	301	4.4	1.61	(1.2 - 7.6)		367	(95 - 639)
VI	>=\$75,000	398	5.3	1.22	(2.9 - 7.7)		637	(341 - 933)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.