

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	15,375	17.8	0.59	(16.6 - 18.9)		4,502,535	(4,182,421 - 4,822,650)
U.S. Total**	25-34	43,682	13.9	0.32	(13.2 - 14.5)		5,730,302	(5,451,931 - 6,008,672)
U.S. Total**	35-44	66,491	11.9	0.23	(11.5 - 12.4)		5,523,728	(5,304,451 - 5,743,004)
U.S. Total**	45-54	86,673	12.2	0.20	(11.8 - 12.6)		5,193,407	(5,015,479 - 5,371,334)
U.S. Total**	55-64	86,463	12.9	0.23	(12.5 - 13.4)		4,100,972	(3,949,281 - 4,252,663)
U.S. Total**	65+	120,459	10.8	0.19	(10.5 - 11.2)		4,117,120	(3,971,430 - 4,262,809)
AL	18-24	256	19.9	3.24	(13.5 - 26.3)		88,241	(56,867 - 119,615)
AL	25-34	730	12.5	1.82	(8.9 - 16.1)		77,483	(53,711 - 101,255)
AL	35-44	1,075	9.8	1.22	(7.4 - 12.2)		62,244	(46,312 - 78,176)
AL	45-54	1,475	13.6	1.24	(11.2 - 16.1)		89,707	(72,532 - 106,882)
AL	55-64	1,553	14.0	1.11	(11.8 - 16.2)		71,341	(59,547 - 83,134)
AL	65+	2,085	10.8	0.88	(9.0 - 12.5)		67,170	(55,861 - 78,479)
AK	18-24	170	16.7	4.83	(7.1 - 26.2)		12,105	(4,336 - 19,874)
AK	25-34	424	14.2	2.24	(9.8 - 18.6)		11,956	(8,184 - 15,729)
AK	35-44	534	11.5	2.03	(7.5 - 15.5)		10,908	(6,944 - 14,871)
AK	45-54	617	14.8	2.06	(10.8 - 18.8)		15,820	(11,289 - 20,351)
AK	55-64	438	14.1	2.62	(9.0 - 19.3)		10,122	(6,166 - 14,079)
AK	65+	330	9.9	1.98	(6.0 - 13.8)		4,771	(2,857 - 6,685)
AZ	18-24	161	14.4	4.67	(5.2 - 23.6)		57,446	(18,400 - 96,492)
AZ	25-34	530	13.9	2.40	(9.2 - 18.7)		143,844	(93,357 - 194,332)
AZ	35-44	636	12.9	2.04	(8.9 - 16.9)		116,104	(78,645 - 153,563)
AZ	45-54	908	12.0	1.89	(8.3 - 15.7)		92,732	(62,437 - 123,028)
AZ	55-64	959	16.5	2.03	(12.5 - 20.5)		100,802	(74,865 - 126,739)
AZ	65+	1,477	15.1	1.66	(11.8 - 18.3)		120,876	(92,683 - 149,069)
AR	18-24	189	16.8	3.00	(10.9 - 22.7)		46,956	(28,890 - 65,023)
AR	25-34	570	11.3	1.44	(8.5 - 14.2)		41,673	(30,704 - 52,642)
AR	35-44	796	10.6	1.23	(8.2 - 13.1)		40,388	(30,781 - 49,994)
AR	45-54	1,114	11.5	1.02	(9.5 - 13.5)		43,872	(35,888 - 51,856)
AR	55-64	1,178	11.4	1.01	(9.5 - 13.4)		35,375	(28,958 - 41,791)
AR	65+	1,821	10.2	0.77	(8.6 - 11.7)		40,461	(34,207 - 46,715)
CA	18-24	278	15.7	2.62	(10.5 - 20.8)		581,792	(373,330 - 790,254)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	672	12.3	1.41	(9.6 - 15.1)		643,401	(493,167 - 793,635)
CA	35-44	1,024	11.4	1.11	(9.2 - 13.6)		627,693	(502,466 - 752,920)
CA	45-54	1,184	11.3	0.99	(9.3 - 13.2)		578,075	(475,756 - 680,395)
CA	55-64	1,130	15.3	1.30	(12.7 - 17.8)		554,992	(456,935 - 653,050)
CA	65+	1,402	13.1	1.22	(10.7 - 15.5)		526,733	(423,649 - 629,817)
CO	18-24	427	17.3	2.07	(13.2 - 21.4)		79,847	(59,197 - 100,496)
CO	25-34	1,355	13.9	1.03	(11.9 - 15.9)		100,157	(84,773 - 115,542)
CO	35-44	2,171	12.9	0.79	(11.4 - 14.5)		91,904	(80,296 - 103,513)
CO	45-54	2,669	11.0	0.67	(9.7 - 12.4)		74,167	(64,953 - 83,382)
CO	55-64	2,415	11.4	0.70	(10.0 - 12.7)		55,082	(48,096 - 62,069)
CO	65+	2,729	11.3	0.66	(10.0 - 12.5)		54,615	(48,067 - 61,163)
CT	18-24	225	21.4	3.22	(15.1 - 27.8)		54,297	(36,682 - 71,911)
CT	25-34	681	18.9	2.23	(14.5 - 23.3)		85,563	(62,857 - 108,269)
CT	35-44	1,235	12.9	1.13	(10.7 - 15.2)		69,714	(57,065 - 82,364)
CT	45-54	1,454	13.0	1.09	(10.9 - 15.2)		71,972	(59,514 - 84,429)
CT	55-64	1,486	11.9	1.03	(9.8 - 13.9)		46,229	(37,976 - 54,481)
CT	65+	2,316	10.0	0.75	(8.5 - 11.5)		48,692	(41,232 - 56,153)
DE	18-24	186	19.1	3.59	(12.0 - 26.1)		15,998	(9,433 - 22,563)
DE	25-34	415	13.6	2.25	(9.2 - 18.0)		15,446	(10,208 - 20,683)
DE	35-44	693	10.3	1.39	(7.6 - 13.0)		12,890	(9,346 - 16,433)
DE	45-54	813	10.3	1.24	(7.8 - 12.7)		12,639	(9,551 - 15,727)
DE	55-64	797	10.8	1.29	(8.3 - 13.3)		10,345	(7,867 - 12,824)
DE	65+	1,052	8.7	0.99	(6.7 - 10.6)		10,194	(7,849 - 12,539)
DC	18-24	116	16.2	3.84	(8.6 - 23.8)		4,972	(2,452 - 7,491)
DC	25-34	548	17.3	1.83	(13.7 - 20.9)		16,903	(13,142 - 20,665)
DC	35-44	709	16.5	1.60	(13.3 - 19.6)		20,530	(16,292 - 24,769)
DC	45-54	697	15.5	1.71	(12.2 - 18.9)		10,976	(8,423 - 13,530)
DC	55-64	829	13.1	1.35	(10.4 - 15.7)		8,026	(6,318 - 9,734)
DC	65+	984	11.4	1.27	(8.9 - 13.9)		8,237	(6,328 - 10,145)
FL	18-24	1,373	11.6	1.82	(8.0 - 15.2)		143,641	(97,480 - 189,803)
FL	25-34	3,602	11.7	1.14	(9.5 - 14.0)		286,656	(229,035 - 344,277)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	5,460	11.2	0.95	(9.4 - 13.1)		301,905	(249,205 - 354,605)
FL	45-54	7,607	10.4	0.69	(9.0 - 11.7)		262,433	(227,380 - 297,485)
FL	55-64	8,325	11.3	0.81	(9.7 - 12.9)		230,852	(196,883 - 264,821)
FL	65+	12,778	9.1	0.47	(8.1 - 10.0)		284,161	(254,862 - 313,459)
GA	18-24	253	13.2	2.32	(8.7 - 17.8)		71,024	(45,850 - 96,198)
GA	25-34	817	12.7	1.39	(10.0 - 15.5)		172,681	(134,194 - 211,168)
GA	35-44	1,251	10.5	0.98	(8.5 - 12.4)		197,850	(160,618 - 235,082)
GA	45-54	1,558	14.0	1.07	(11.9 - 16.1)		175,928	(148,010 - 203,846)
GA	55-64	1,612	12.5	0.97	(10.6 - 14.4)		111,624	(93,866 - 129,383)
GA	65+	2,112	10.9	0.83	(9.3 - 12.5)		100,261	(84,713 - 115,809)
HI	18-24	314	23.1	3.12	(16.9 - 29.2)		28,462	(19,703 - 37,220)
HI	25-34	707	13.0	1.55	(10.0 - 16.1)		20,671	(15,598 - 25,744)
HI	35-44	1,096	11.7	1.26	(9.2 - 14.2)		20,458	(15,897 - 25,019)
HI	45-54	1,461	14.0	1.27	(11.5 - 16.5)		25,934	(20,936 - 30,932)
HI	55-64	1,432	14.9	1.23	(12.5 - 17.3)		23,141	(19,204 - 27,079)
HI	65+	1,544	9.5	0.92	(7.7 - 11.3)		17,139	(13,776 - 20,503)
ID	18-24	235	13.5	2.49	(8.6 - 18.4)		19,559	(12,030 - 27,087)
ID	25-34	713	16.4	1.86	(12.8 - 20.1)		35,045	(26,647 - 43,443)
ID	35-44	834	11.2	1.21	(8.8 - 13.6)		21,768	(16,968 - 26,568)
ID	45-54	1,094	11.1	1.09	(9.0 - 13.2)		21,921	(17,510 - 26,332)
ID	55-64	1,031	12.8	1.23	(10.4 - 15.2)		19,899	(15,926 - 23,871)
ID	65+	1,356	13.7	1.10	(11.5 - 15.8)		23,521	(19,592 - 27,450)
IL	18-24	206	24.0	3.52	(17.1 - 31.0)		250,944	(166,768 - 335,121)
IL	25-34	569	14.4	1.72	(11.0 - 17.8)		283,771	(212,765 - 354,777)
IL	35-44	859	9.1	1.02	(7.0 - 11.1)		168,223	(129,997 - 206,448)
IL	45-54	1,076	11.1	1.14	(8.9 - 13.4)		203,358	(160,550 - 246,166)
IL	55-64	992	11.3	1.11	(9.2 - 13.5)		150,071	(120,084 - 180,058)
IL	65+	1,519	10.5	0.90	(8.7 - 12.3)		163,905	(135,060 - 192,750)
IN	18-24	240	18.2	3.06	(12.2 - 24.2)		116,480	(74,077 - 158,884)
IN	25-34	682	11.3	1.46	(8.4 - 14.1)		92,714	(67,979 - 117,448)
IN	35-44	999	11.8	1.24	(9.3 - 14.2)		103,098	(80,668 - 125,529)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	45-54	1,268	14.6	1.24	(12.2 - 17.1)		128,665	(105,751 - 151,580)
IN	55-64	1,199	15.0	1.31	(12.4 - 17.6)		100,842	(82,351 - 119,333)
IN	65+	1,535	10.1	0.93	(8.3 - 12.0)		80,811	(65,652 - 95,970)
IA	18-24	199	14.3	2.75	(8.9 - 19.7)		42,411	(25,200 - 59,622)
IA	25-34	566	11.3	1.43	(8.5 - 14.1)		44,484	(32,905 - 56,063)
IA	35-44	886	9.0	1.01	(7.0 - 10.9)		35,616	(27,441 - 43,791)
IA	45-54	1,164	8.7	0.87	(7.0 - 10.4)		38,234	(30,510 - 45,957)
IA	55-64	993	10.3	1.04	(8.3 - 12.4)		33,921	(26,924 - 40,919)
IA	65+	1,570	8.9	0.78	(7.4 - 10.4)		39,148	(32,167 - 46,129)
KS	18-24	265	18.5	2.59	(13.4 - 23.6)		54,509	(38,023 - 70,994)
KS	25-34	947	14.5	1.28	(12.0 - 17.0)		53,058	(43,194 - 62,922)
KS	35-44	1,271	12.0	0.99	(10.0 - 13.9)		44,481	(36,832 - 52,131)
KS	45-54	1,792	9.5	0.74	(8.1 - 11.0)		38,065	(32,023 - 44,107)
KS	55-64	1,718	10.5	0.81	(8.9 - 12.0)		29,856	(25,131 - 34,582)
KS	65+	2,445	8.9	0.63	(7.6 - 10.1)		32,172	(27,508 - 36,837)
KY	18-24	251	17.1	3.02	(11.1 - 23.0)		50,125	(31,480 - 68,770)
KY	25-34	690	13.7	1.95	(9.9 - 17.5)		84,454	(59,306 - 109,603)
KY	35-44	1,057	11.2	1.75	(7.8 - 14.6)		75,347	(50,570 - 100,124)
KY	45-54	1,315	10.0	1.03	(8.0 - 12.0)		61,163	(48,486 - 73,840)
KY	55-64	1,514	13.7	1.20	(11.3 - 16.1)		65,150	(53,237 - 77,064)
KY	65+	2,036	12.5	0.97	(10.6 - 14.4)		67,817	(56,971 - 78,663)
LA	18-24	253	14.4	2.96	(8.6 - 20.3)		39,532	(22,104 - 56,960)
LA	25-34	748	9.3	1.48	(6.3 - 12.2)		50,468	(33,689 - 67,247)
LA	35-44	1,100	9.8	1.26	(7.3 - 12.2)		80,537	(58,921 - 102,152)
LA	45-54	1,467	9.1	0.88	(7.4 - 10.9)		54,024	(43,421 - 64,626)
LA	55-64	1,448	10.3	0.96	(8.4 - 12.2)		47,159	(38,143 - 56,175)
LA	65+	1,580	10.1	0.85	(8.4 - 11.8)		52,904	(43,907 - 61,902)
ME	18-24	209	26.0	3.50	(19.1 - 32.9)		32,381	(22,443 - 42,320)
ME	25-34	628	19.0	1.69	(15.7 - 22.3)		27,762	(22,455 - 33,070)
ME	35-44	1,060	13.7	1.15	(11.4 - 15.9)		26,129	(21,592 - 30,666)
ME	45-54	1,487	13.4	1.04	(11.3 - 15.4)		29,065	(24,322 - 33,808)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
ME	55-64	1,575	11.9	0.91	(10.1 - 13.7)		20,358	(17,174 - 23,543)
ME	65+	1,804	11.8	0.89	(10.0 - 13.5)		23,395	(19,724 - 27,066)
MD	18-24	292	13.6	2.39	(8.9 - 18.3)		55,273	(35,035 - 75,512)
MD	25-34	861	12.6	1.32	(10.0 - 15.2)		98,599	(77,535 - 119,663)
MD	35-44	1,486	13.6	1.09	(11.5 - 15.8)		122,088	(101,776 - 142,400)
MD	45-54	1,793	13.7	1.01	(11.7 - 15.7)		112,744	(95,717 - 129,772)
MD	55-64	1,824	11.4	0.98	(9.4 - 13.3)		69,274	(57,051 - 81,497)
MD	65+	2,403	12.9	0.98	(11.0 - 14.8)		86,535	(72,743 - 100,327)
MA	18-24	750	23.7	2.40	(19.0 - 28.4)		89,984	(69,189 - 110,780)
MA	25-34	2,083	18.2	1.31	(15.6 - 20.7)		132,844	(112,059 - 153,629)
MA	35-44	3,572	14.4	0.79	(12.9 - 16.0)		187,345	(165,831 - 208,860)
MA	45-54	4,172	15.4	0.77	(13.8 - 16.9)		145,062	(129,803 - 160,320)
MA	55-64	4,157	14.1	0.73	(12.7 - 15.6)		94,405	(84,345 - 104,465)
MA	65+	6,367	12.0	0.57	(10.9 - 13.1)		103,552	(93,516 - 113,589)
MI	18-24	304	20.7	2.59	(15.6 - 25.8)		208,881	(152,171 - 265,592)
MI	25-34	612	18.9	1.95	(15.1 - 22.7)		241,257	(186,947 - 295,566)
MI	35-44	1,122	15.4	1.31	(12.9 - 18.0)		221,563	(181,756 - 261,370)
MI	45-54	1,641	12.3	0.99	(10.4 - 14.3)		184,769	(154,000 - 215,539)
MI	55-64	1,589	13.4	0.97	(11.5 - 15.3)		146,350	(124,241 - 168,460)
MI	65+	2,137	9.6	0.71	(8.2 - 11.0)		122,807	(104,357 - 141,258)
MN	18-24	145	17.0	3.38	(10.3 - 23.7)		89,795	(51,396 - 128,195)
MN	25-34	469	10.7	1.49	(7.7 - 13.6)		73,401	(52,567 - 94,236)
MN	35-44	833	10.2	1.20	(7.8 - 12.6)		77,751	(58,825 - 96,677)
MN	45-54	1,034	10.3	1.06	(8.2 - 12.3)		80,737	(63,619 - 97,856)
MN	55-64	895	10.1	1.11	(7.9 - 12.2)		54,963	(42,536 - 67,391)
MN	65+	1,393	8.1	0.81	(6.6 - 9.7)		52,165	(41,716 - 62,614)
MS	18-24	266	13.1	2.52	(8.1 - 18.0)		41,716	(24,769 - 58,662)
MS	25-34	818	10.2	1.21	(7.9 - 12.6)		40,927	(30,961 - 50,893)
MS	35-44	1,184	9.5	1.13	(7.3 - 11.7)		37,441	(28,182 - 46,701)
MS	45-54	1,551	11.5	0.95	(9.7 - 13.4)		46,699	(38,767 - 54,632)
MS	55-64	1,590	11.5	0.91	(9.7 - 13.3)		35,116	(29,360 - 40,873)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MS	65+	2,352	10.8	0.72	(9.4 - 12.3)		39,902	(34,476 - 45,328)
MO	18-24	223	16.4	3.08	(10.3 - 22.5)		93,445	(57,375 - 129,516)
MO	25-34	591	13.9	1.91	(10.1 - 17.6)		109,188	(77,709 - 140,666)
MO	35-44	833	13.1	1.68	(9.8 - 16.4)		106,478	(77,720 - 135,235)
MO	45-54	1,074	13.8	1.43	(11.0 - 16.6)		116,750	(91,548 - 141,953)
MO	55-64	991	12.6	1.63	(9.4 - 15.8)		81,182	(59,121 - 103,243)
MO	65+	1,500	10.4	1.11	(8.2 - 12.6)		82,739	(64,646 - 100,831)
MT	18-24	224	18.5	3.09	(12.5 - 24.6)		16,611	(10,653 - 22,569)
MT	25-34	564	11.4	1.72	(8.0 - 14.8)		13,543	(9,309 - 17,778)
MT	35-44	861	12.5	1.29	(9.9 - 15.0)		15,001	(11,786 - 18,216)
MT	45-54	1,292	14.1	1.24	(11.6 - 16.5)		21,557	(17,555 - 25,559)
MT	55-64	1,315	11.8	1.01	(9.8 - 13.8)		13,940	(11,479 - 16,401)
MT	65+	1,682	12.0	0.89	(10.3 - 13.8)		16,107	(13,676 - 18,537)
NE	18-24	314	14.9	3.41	(8.2 - 21.6)		19,616	(10,135 - 29,098)
NE	25-34	1,100	13.7	2.11	(9.6 - 17.8)		39,578	(26,517 - 52,640)
NE	35-44	1,722	10.8	1.30	(8.2 - 13.3)		25,235	(18,994 - 31,476)
NE	45-54	2,196	9.7	1.13	(7.5 - 11.9)		24,344	(18,559 - 30,129)
NE	55-64	2,083	10.2	1.14	(8.0 - 12.5)		18,929	(14,584 - 23,273)
NE	65+	3,451	10.2	0.91	(8.4 - 12.0)		24,129	(19,688 - 28,570)
NV	18-24	232	22.0	3.89	(14.3 - 29.6)		50,145	(30,008 - 70,282)
NV	25-34	485	12.5	2.20	(8.2 - 16.8)		45,836	(29,152 - 62,519)
NV	35-44	670	10.9	1.61	(7.8 - 14.1)		41,322	(28,832 - 53,812)
NV	45-54	825	14.8	1.84	(11.1 - 18.4)		49,260	(36,302 - 62,219)
NV	55-64	852	11.1	1.52	(8.2 - 14.1)		30,081	(21,627 - 38,534)
NV	65+	1,020	11.4	1.35	(8.8 - 14.1)		33,613	(25,430 - 41,797)
NH	18-24	185	18.7	3.18	(12.4 - 25.0)		16,654	(10,553 - 22,756)
NH	25-34	538	19.4	2.02	(15.4 - 23.3)		34,519	(26,562 - 42,476)
NH	35-44	980	17.0	1.33	(14.4 - 19.6)		35,640	(29,729 - 41,551)
NH	45-54	1,352	13.2	1.05	(11.1 - 15.2)		28,022	(23,419 - 32,624)
NH	55-64	1,205	12.5	1.07	(10.4 - 14.6)		19,569	(16,128 - 23,009)
NH	65+	1,649	10.6	0.84	(9.0 - 12.3)		18,056	(15,148 - 20,963)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	18-24	199	22.7	4.16	(14.5 - 30.9)		99,623	(58,173 - 141,073)
NJ	25-34	649	12.2	1.67	(8.9 - 15.5)		120,308	(86,307 - 154,309)
NJ	35-44	1,209	13.4	1.24	(11.0 - 15.9)		232,805	(188,484 - 277,126)
NJ	45-54	1,378	12.0	1.08	(9.8 - 14.1)		155,143	(126,602 - 183,685)
NJ	55-64	1,388	14.3	1.35	(11.6 - 16.9)		127,818	(102,263 - 153,373)
NJ	65+	2,282	9.4	0.77	(7.9 - 10.9)		109,154	(90,959 - 127,350)
NM	18-24	302	19.1	2.84	(13.5 - 24.7)		39,514	(26,764 - 52,263)
NM	25-34	751	12.3	1.46	(9.4 - 15.2)		30,492	(22,972 - 38,011)
NM	35-44	1,016	13.3	1.31	(10.7 - 15.9)		34,123	(27,107 - 41,139)
NM	45-54	1,431	13.0	1.15	(10.8 - 15.3)		36,534	(29,848 - 43,220)
NM	55-64	1,331	16.0	1.29	(13.4 - 18.5)		35,695	(29,580 - 41,809)
NM	65+	1,734	10.9	0.94	(9.1 - 12.8)		26,740	(21,984 - 31,495)
NY	18-24	255	17.2	2.47	(12.3 - 22.1)		313,925	(219,505 - 408,344)
NY	25-34	556	16.2	1.76	(12.7 - 19.7)		418,452	(322,711 - 514,192)
NY	35-44	1,106	12.9	1.22	(10.5 - 15.2)		368,969	(296,319 - 441,618)
NY	45-54	1,409	14.2	1.12	(12.0 - 16.4)		387,633	(323,634 - 451,633)
NY	55-64	1,334	13.8	1.23	(11.3 - 16.2)		285,470	(231,725 - 339,216)
NY	65+	1,758	10.9	0.89	(9.1 - 12.6)		278,963	(231,787 - 326,139)
NC	18-24	494	18.6	2.40	(13.9 - 23.3)		155,928	(111,632 - 200,223)
NC	25-34	1,502	11.4	1.13	(9.2 - 13.7)		145,460	(115,543 - 175,377)
NC	35-44	2,337	10.3	0.75	(8.8 - 11.7)		133,610	(113,754 - 153,465)
NC	45-54	2,919	11.0	0.73	(9.6 - 12.4)		134,566	(116,142 - 152,989)
NC	55-64	3,064	12.1	0.75	(10.7 - 13.6)		113,185	(98,828 - 127,543)
NC	65+	4,339	11.1	0.61	(9.9 - 12.3)		122,215	(108,334 - 136,097)
ND	18-24	191	12.7	2.86	(7.1 - 18.4)		9,522	(5,001 - 14,042)
ND	25-34	513	14.2	1.71	(10.8 - 17.5)		11,976	(8,963 - 14,989)
ND	35-44	721	9.5	1.22	(7.1 - 11.9)		7,498	(5,518 - 9,477)
ND	45-54	1,088	10.6	1.05	(8.5 - 12.6)		9,964	(7,942 - 11,986)
ND	55-64	924	10.2	1.11	(8.0 - 12.4)		7,221	(5,615 - 8,826)
ND	65+	1,257	10.3	0.96	(8.4 - 12.2)		9,778	(7,919 - 11,637)
OH	18-24	374	21.2	2.74	(15.8 - 26.6)		206,970	(147,367 - 266,574)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	25-34	1,045	15.1	1.57	(12.0 - 18.2)		237,883	(184,828 - 290,939)
OH	35-44	1,678	12.3	0.94	(10.4 - 14.1)		199,292	(167,675 - 230,909)
OH	45-54	2,366	11.7	0.80	(10.1 - 13.2)		197,331	(169,494 - 225,168)
OH	55-64	2,227	11.8	0.86	(10.1 - 13.5)		148,297	(125,972 - 170,622)
OH	65+	3,397	9.7	0.59	(8.5 - 10.8)		150,061	(131,382 - 168,740)
OK	18-24	305	19.9	2.94	(14.1 - 25.6)		60,108	(40,192 - 80,025)
OK	25-34	854	13.1	1.37	(10.4 - 15.8)		71,642	(55,857 - 87,427)
OK	35-44	1,099	12.2	1.07	(10.1 - 14.3)		56,318	(46,166 - 66,470)
OK	45-54	1,396	13.5	1.01	(11.5 - 15.5)		70,246	(59,341 - 81,150)
OK	55-64	1,407	13.9	1.03	(11.9 - 15.9)		53,462	(45,249 - 61,676)
OK	65+	2,354	10.8	0.74	(9.3 - 12.2)		52,755	(45,319 - 60,191)
OR	18-24	156	21.8	3.62	(14.7 - 29.0)		77,479	(48,970 - 105,988)
OR	25-34	495	16.8	2.12	(12.6 - 21.0)		85,945	(62,253 - 109,637)
OR	35-44	717	14.0	1.39	(11.3 - 16.8)		72,260	(57,370 - 87,150)
OR	45-54	963	16.7	1.32	(14.1 - 19.3)		90,772	(75,672 - 105,872)
OR	55-64	1,140	14.1	1.08	(12.0 - 16.2)		60,821	(51,237 - 70,404)
OR	65+	1,462	12.5	0.91	(10.7 - 14.3)		61,067	(51,930 - 70,204)
PA	18-24	481	20.9	3.19	(14.6 - 27.2)		250,031	(165,485 - 334,577)
PA	25-34	1,309	16.7	1.87	(13.0 - 20.4)		245,821	(185,873 - 305,770)
PA	35-44	2,075	11.2	1.12	(9.0 - 13.4)		193,622	(153,711 - 233,532)
PA	45-54	2,649	13.5	0.98	(11.6 - 15.5)		253,661	(215,836 - 291,485)
PA	55-64	2,647	10.3	0.92	(8.5 - 12.1)		146,864	(120,310 - 173,418)
PA	65+	3,932	8.3	0.64	(7.0 - 9.6)		160,299	(135,363 - 185,235)
RI	18-24	143	17.0	3.34	(10.4 - 23.6)		19,133	(11,205 - 27,062)
RI	25-34	400	18.3	2.26	(13.9 - 22.8)		25,815	(19,047 - 32,583)
RI	35-44	724	14.3	1.45	(11.5 - 17.2)		22,161	(17,508 - 26,815)
RI	45-54	944	14.2	1.28	(11.7 - 16.7)		22,765	(18,507 - 27,022)
RI	55-64	860	14.7	1.41	(11.9 - 17.4)		16,451	(13,153 - 19,750)
RI	65+	1,368	10.7	0.96	(8.9 - 12.6)		16,352	(13,354 - 19,350)
SC	18-24	355	16.5	2.50	(11.5 - 21.4)		50,731	(34,145 - 67,316)
SC	25-34	932	14.1	1.51	(11.1 - 17.1)		94,221	(72,896 - 115,545)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SC	35-44	1,567	9.8	1.03	(7.8 - 11.8)		63,209	(49,500 - 76,918)
SC	45-54	2,122	11.4	0.85	(9.7 - 13.1)		68,390	(57,868 - 78,911)
SC	55-64	2,223	12.3	0.88	(10.6 - 14.1)		60,275	(51,419 - 69,130)
SC	65+	3,062	10.3	0.68	(9.0 - 11.7)		57,739	(49,962 - 65,515)
SD	18-24	238	15.2	2.88	(9.5 - 20.9)		12,875	(7,707 - 18,043)
SD	25-34	763	10.4	1.22	(8.0 - 12.7)		10,095	(7,670 - 12,520)
SD	35-44	927	7.6	1.04	(5.5 - 9.6)		7,589	(5,480 - 9,697)
SD	45-54	1,413	7.9	0.82	(6.3 - 9.5)		8,946	(7,072 - 10,820)
SD	55-64	1,341	8.6	0.85	(6.9 - 10.2)		6,850	(5,468 - 8,233)
SD	65+	2,103	10.1	0.76	(8.6 - 11.6)		11,287	(9,544 - 13,031)
TN	18-24	151	23.1	4.97	(13.3 - 32.9)		66,788	(34,334 - 99,243)
TN	25-34	481	8.7	1.54	(5.7 - 11.7)		69,017	(44,564 - 93,471)
TN	35-44	717	12.7	1.70	(9.4 - 16.1)		153,653	(111,217 - 196,090)
TN	45-54	986	11.8	1.25	(9.4 - 14.2)		103,347	(81,222 - 125,471)
TN	55-64	1,130	14.2	1.37	(11.5 - 16.9)		96,152	(76,820 - 115,485)
TN	65+	1,520	11.0	1.07	(8.9 - 13.1)		85,628	(68,461 - 102,796)
TX	18-24	681	19.1	2.10	(15.0 - 23.2)		278,979	(212,585 - 345,373)
TX	25-34	2,114	13.4	1.09	(11.2 - 15.5)		452,958	(374,560 - 531,356)
TX	35-44	2,812	11.3	0.76	(9.8 - 12.8)		495,974	(428,454 - 563,494)
TX	45-54	3,415	12.3	0.74	(10.8 - 13.8)		381,103	(334,069 - 428,136)
TX	55-64	3,218	13.6	0.82	(12.0 - 15.2)		292,961	(255,934 - 329,987)
TX	65+	4,776	11.8	0.60	(10.6 - 12.9)		280,793	(251,500 - 310,086)
UT	18-24	312	16.0	3.01	(10.1 - 22.0)		49,414	(29,268 - 69,561)
UT	25-34	885	13.2	1.33	(10.6 - 15.9)		58,078	(45,932 - 70,225)
UT	35-44	904	12.0	1.16	(9.7 - 14.3)		37,838	(30,368 - 45,309)
UT	45-54	962	11.4	1.27	(8.9 - 13.9)		32,576	(25,103 - 40,049)
UT	55-64	861	14.5	1.48	(11.6 - 17.4)		28,792	(22,598 - 34,986)
UT	65+	1,108	12.0	1.20	(9.6 - 14.4)		26,780	(21,206 - 32,354)
VT	18-24	217	23.2	3.40	(16.5 - 29.9)		14,642	(9,682 - 19,602)
VT	25-34	586	14.8	1.55	(11.8 - 17.8)		10,829	(8,463 - 13,195)
VT	35-44	1,116	14.6	1.12	(12.4 - 16.8)		12,801	(10,750 - 14,852)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	45-54	1,568	13.6	0.95	(11.7 - 15.4)		14,102	(12,052 - 16,153)
VT	55-64	1,528	12.4	0.89	(10.6 - 14.1)		9,848	(8,384 - 11,313)
VT	65+	1,855	10.0	0.74	(8.6 - 11.5)		8,482	(7,213 - 9,752)
VA	18-24	186	16.4	4.04	(8.5 - 24.4)		92,390	(43,022 - 141,759)
VA	25-34	600	18.2	2.90	(12.5 - 23.9)		223,030	(143,680 - 302,381)
VA	35-44	1,006	12.2	1.31	(9.6 - 14.8)		139,443	(108,690 - 170,197)
VA	45-54	1,291	12.1	1.33	(9.5 - 14.7)		131,392	(101,601 - 161,183)
VA	55-64	1,281	14.0	1.31	(11.4 - 16.6)		121,648	(98,241 - 145,055)
VA	65+	1,742	9.9	1.04	(7.9 - 11.9)		89,791	(70,493 - 109,089)
WA	18-24	913	17.7	1.49	(14.8 - 20.6)		111,795	(91,729 - 131,861)
WA	25-34	2,588	15.4	0.86	(13.7 - 17.1)		134,081	(118,306 - 149,856)
WA	35-44	4,029	15.8	0.70	(14.4 - 17.2)		149,773	(135,702 - 163,844)
WA	45-54	5,201	13.4	0.56	(12.3 - 14.5)		125,813	(114,837 - 136,789)
WA	55-64	5,724	13.9	0.54	(12.8 - 15.0)		99,837	(91,754 - 107,920)
WA	65+	7,183	12.6	0.47	(11.7 - 13.6)		94,874	(87,616 - 102,131)
WV	18-24	163	16.6	3.53	(9.6 - 23.6)		28,146	(14,943 - 41,349)
WV	25-34	475	11.7	1.57	(8.6 - 14.8)		26,561	(19,196 - 33,927)
WV	35-44	646	10.6	1.28	(8.1 - 13.1)		25,571	(19,231 - 31,911)
WV	45-54	879	12.5	1.24	(10.1 - 14.9)		34,480	(27,363 - 41,597)
WV	55-64	963	12.0	1.12	(9.8 - 14.2)		28,026	(22,658 - 33,395)
WV	65+	1,281	11.4	0.96	(9.5 - 13.2)		32,465	(26,809 - 38,122)
WI	18-24	314	14.4	3.14	(8.3 - 20.6)		81,959	(43,730 - 120,188)
WI	25-34	777	18.4	2.05	(14.4 - 22.5)		131,357	(99,456 - 163,257)
WI	35-44	1,177	13.9	1.48	(11.0 - 16.8)		110,833	(86,135 - 135,530)
WI	45-54	1,700	10.5	1.14	(8.2 - 12.7)		87,022	(67,475 - 106,568)
WI	55-64	1,464	10.8	1.14	(8.6 - 13.0)		65,648	(51,419 - 79,877)
WI	65+	1,927	11.9	1.10	(9.7 - 14.0)		88,102	(71,220 - 104,983)
WY	18-24	204	17.6	3.10	(11.5 - 23.7)		9,740	(6,024 - 13,456)
WY	25-34	692	13.1	1.41	(10.3 - 15.9)		8,396	(6,512 - 10,281)
WY	35-44	899	13.4	1.27	(10.9 - 15.8)		8,734	(7,000 - 10,468)
WY	45-54	1,443	10.8	0.88	(9.1 - 12.5)		8,926	(7,431 - 10,420)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	55-64	1,283	10.3	0.93	(8.5 - 12.1)		6,652	(5,413 - 7,890)
WY	65+	1,590	11.1	0.86	(9.4 - 12.8)		7,205	(6,057 - 8,353)
Territories								
GU	18-24	71	11.9	4.61	(2.7 - 21.1)		2,053	(353 - 3,753)
GU	25-34	143	8.0	2.32	(3.4 - 12.6)		1,993	(837 - 3,150)
GU	35-44	139	9.2	2.81	(3.6 - 14.7)		2,172	(822 - 3,521)
GU	45-54	125	9.7	2.62	(4.5 - 14.8)		1,754	(791 - 2,716)
GU	55-64	93	6.5	2.36	(1.8 - 11.2)		717	(202 - 1,232)
GU	65+	76	14.9	5.30	(4.4 - 25.5)		1,462	(325 - 2,598)
PR	18-24	261	20.4	2.70	(15.1 - 25.8)		85,000	(60,135 - 109,865)
PR	25-34	344	16.5	2.21	(12.2 - 20.9)		90,585	(64,802 - 116,368)
PR	35-44	550	14.8	1.61	(11.7 - 18.0)		77,853	(60,117 - 95,589)
PR	45-54	697	15.4	1.53	(12.4 - 18.4)		73,640	(58,329 - 88,952)
PR	55-64	812	13.5	1.26	(11.0 - 15.9)		53,429	(43,170 - 63,688)
PR	65+	1,246	12.3	0.99	(10.4 - 14.3)		58,474	(48,827 - 68,121)
VI	18-24	180	22.0	3.82	(14.5 - 29.5)		1,910	(1,161 - 2,659)
VI	25-34	344	12.7	2.10	(8.6 - 16.9)		1,749	(1,149 - 2,349)
VI	35-44	478	8.2	1.46	(5.3 - 11.1)		1,291	(820 - 1,761)
VI	45-54	590	9.7	1.46	(6.8 - 12.6)		1,397	(965 - 1,828)
VI	55-64	519	7.2	1.25	(4.8 - 9.7)		837	(546 - 1,128)
VI	65+	372	7.0	1.51	(4.0 - 9.9)		629	(352 - 906)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.