

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	38,145	13.0	0.38	(12.2 - 13.7)		2,526,717	(2,374,713 - 2,678,722)
U.S. Total**	\$15-\$24,999	60,337	10.2	0.28	(9.6 - 10.7)		3,178,144	(2,999,557 - 3,356,730)
U.S. Total**	\$25-\$49,999	98,486	8.1	0.18	(7.7 - 8.4)		4,150,974	(3,967,507 - 4,334,441)
U.S. Total**	\$50-\$74,999	59,874	7.5	0.21	(7.1 - 7.9)		2,568,366	(2,421,691 - 2,715,040)
U.S. Total**	≥\$75,000	95,326	7.2	0.17	(6.8 - 7.5)		4,605,557	(4,390,651 - 4,820,463)
AL	< \$15,000	913	15.3	1.87	(11.6 - 19.0)		51,419	(37,966 - 64,873)
AL	\$15-\$24,999	1,032	11.3	2.06	(7.2 - 15.3)		55,818	(34,109 - 77,527)
AL	\$25-\$49,999	1,447	6.0	0.83	(4.3 - 7.6)		47,818	(34,539 - 61,097)
AL	\$50-\$74,999	821	5.5	1.04	(3.5 - 7.6)		29,252	(18,241 - 40,263)
AL	≥\$75,000	1,002	3.7	0.70	(2.4 - 5.1)		25,618	(16,128 - 35,109)
AK	< \$15,000	224	20.9	6.07	(9.0 - 32.9)		7,613	(2,499 - 12,727)
AK	\$15-\$24,999	268	19.6	5.38	(9.0 - 30.2)		8,834	(3,226 - 14,443)
AK	\$25-\$49,999	577	8.9	1.99	(5.0 - 12.8)		9,268	(5,043 - 13,494)
AK	\$50-\$74,999	445	7.0	1.62	(3.8 - 10.2)		5,609	(3,013 - 8,206)
AK	≥\$75,000	816	7.2	1.26	(4.7 - 9.6)		11,960	(7,779 - 16,142)
AZ	< \$15,000	688	11.8	2.22	(7.4 - 16.1)		39,503	(25,270 - 53,736)
AZ	\$15-\$24,999	1,031	8.0	1.52	(5.0 - 10.9)		50,611	(31,987 - 69,236)
AZ	\$25-\$49,999	1,552	6.4	1.13	(4.2 - 8.7)		69,634	(45,432 - 93,835)
AZ	\$50-\$74,999	821	10.2	2.46	(5.4 - 15.0)		63,756	(31,511 - 96,001)
AZ	≥\$75,000	1,072	12.0	2.23	(7.7 - 16.4)		158,812	(96,343 - 221,281)
AR	< \$15,000	729	15.3	1.98	(11.4 - 19.2)		30,871	(22,593 - 39,150)
AR	\$15-\$24,999	982	11.2	1.40	(8.5 - 13.9)		38,781	(28,957 - 48,606)
AR	\$25-\$49,999	1,419	7.8	1.06	(5.7 - 9.9)		41,561	(30,075 - 53,047)
AR	\$50-\$74,999	767	4.5	0.89	(2.7 - 6.2)		14,509	(8,767 - 20,251)
AR	≥\$75,000	1,007	6.6	1.15	(4.3 - 8.8)		31,090	(20,021 - 42,160)
CA	< \$15,000	1,645	7.6	0.78	(6.0 - 9.1)		351,415	(279,787 - 423,043)
CA	\$15-\$24,999	1,365	8.6	1.14	(6.4 - 10.9)		328,618	(239,306 - 417,930)
CA	\$25-\$49,999	2,378	9.0	0.82	(7.4 - 10.6)		511,026	(416,024 - 606,027)
CA	\$50-\$74,999	1,673	8.7	0.97	(6.8 - 10.6)		311,318	(240,306 - 382,330)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	>=\$75,000	3,759	8.1	0.55	(7.1 - 9.2)		676,045	(583,507 - 768,583)
CO	< \$15,000	819	9.8	1.40	(7.1 - 12.6)		22,763	(16,424 - 29,102)
CO	\$15-\$24,999	1,347	8.5	1.02	(6.5 - 10.5)		37,656	(28,525 - 46,786)
CO	\$25-\$49,999	2,494	7.5	0.70	(6.2 - 8.9)		55,095	(44,811 - 65,380)
CO	\$50-\$74,999	1,915	7.1	0.72	(5.7 - 8.5)		41,599	(33,071 - 50,126)
CO	>=\$75,000	3,684	8.5	0.63	(7.2 - 9.7)		102,187	(86,434 - 117,941)
CT	< \$15,000	402	20.0	3.63	(12.8 - 27.1)		23,763	(13,999 - 33,527)
CT	\$15-\$24,999	652	12.2	2.77	(6.7 - 17.6)		26,522	(13,524 - 39,520)
CT	\$25-\$49,999	1,157	10.8	1.62	(7.7 - 14.0)		48,542	(33,346 - 63,738)
CT	\$50-\$74,999	826	7.7	1.26	(5.3 - 10.2)		29,777	(19,906 - 39,648)
CT	>=\$75,000	2,164	6.9	0.81	(5.3 - 8.5)		79,707	(60,765 - 98,649)
DE	< \$15,000	397	7.4	1.60	(4.3 - 10.6)		3,243	(1,858 - 4,629)
DE	\$15-\$24,999	357	16.8	3.45	(10.0 - 23.6)		7,215	(3,996 - 10,434)
DE	\$25-\$49,999	878	8.8	1.32	(6.2 - 11.4)		10,825	(7,525 - 14,125)
DE	\$50-\$74,999	654	6.3	1.09	(4.2 - 8.4)		7,192	(4,739 - 9,646)
DE	>=\$75,000	1,019	8.9	1.56	(5.8 - 11.9)		19,735	(12,500 - 26,971)
DC	< \$15,000	359	13.0	2.22	(8.6 - 17.4)		5,341	(3,487 - 7,196)
DC	\$15-\$24,999	410	11.4	2.08	(7.3 - 15.5)		5,910	(3,688 - 8,132)
DC	\$25-\$49,999	685	8.5	1.44	(5.7 - 11.4)		6,728	(4,417 - 9,040)
DC	\$50-\$74,999	483	7.1	1.40	(4.4 - 9.9)		3,406	(2,054 - 4,759)
DC	>=\$75,000	1,740	8.6	0.89	(6.8 - 10.3)		15,665	(12,345 - 18,986)
FL	< \$15,000	1,101	14.0	2.60	(8.9 - 19.1)		140,605	(84,200 - 197,011)
FL	\$15-\$24,999	2,169	9.3	1.37	(6.7 - 12.0)		236,136	(164,937 - 307,335)
FL	\$25-\$49,999	2,791	5.1	0.61	(3.9 - 6.3)		177,105	(136,206 - 218,004)
FL	\$50-\$74,999	1,441	4.5	0.80	(3.0 - 6.1)		100,672	(65,542 - 135,802)
FL	>=\$75,000	2,005	5.2	0.85	(3.5 - 6.8)		181,884	(121,710 - 242,058)
GA	< \$15,000	577	15.2	2.24	(10.8 - 19.6)		78,547	(53,862 - 103,233)
GA	\$15-\$24,999	1,018	12.8	1.88	(9.1 - 16.5)		139,160	(95,677 - 182,644)
GA	\$25-\$49,999	1,354	6.8	1.35	(4.2 - 9.5)		110,146	(65,127 - 155,165)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
GA	\$50-\$74,999	814	7.4	1.30	(4.8 - 10.0)		82,747	(52,996 - 112,498)
GA	>=\$75,000	1,372	6.9	0.89	(5.1 - 8.6)		147,514	(109,333 - 185,694)
HI	< \$15,000	424	16.7	2.68	(11.4 - 21.9)		7,795	(5,120 - 10,469)
HI	\$15-\$24,999	725	9.3	1.74	(5.9 - 12.8)		9,024	(5,533 - 12,516)
HI	\$25-\$49,999	1,673	10.3	1.08	(8.2 - 12.4)		25,667	(20,139 - 31,195)
HI	\$50-\$74,999	1,159	8.8	1.11	(6.7 - 11.0)		16,476	(12,269 - 20,683)
HI	>=\$75,000	1,912	8.2	0.85	(6.6 - 9.9)		26,307	(20,836 - 31,778)
ID	< \$15,000	479	11.8	1.85	(8.2 - 15.5)		9,518	(6,551 - 12,485)
ID	\$15-\$24,999	823	9.6	1.22	(7.2 - 12.0)		15,854	(11,886 - 19,823)
ID	\$25-\$49,999	1,508	8.9	1.17	(6.6 - 11.2)		28,704	(20,908 - 36,501)
ID	\$50-\$74,999	793	8.0	1.61	(4.9 - 11.2)		14,033	(8,178 - 19,888)
ID	>=\$75,000	907	8.0	1.15	(5.7 - 10.3)		18,216	(12,915 - 23,517)
IL	< \$15,000	446	12.2	2.03	(8.2 - 16.2)		91,816	(60,750 - 122,881)
IL	\$15-\$24,999	729	7.7	1.22	(5.3 - 10.1)		98,945	(67,897 - 129,993)
IL	\$25-\$49,999	1,151	7.1	0.94	(5.2 - 8.9)		149,085	(109,613 - 188,558)
IL	\$50-\$74,999	856	7.8	1.07	(5.7 - 9.9)		128,176	(92,851 - 163,501)
IL	>=\$75,000	1,482	7.2	0.81	(5.6 - 8.7)		217,221	(167,560 - 266,882)
IN	< \$15,000	506	13.7	2.23	(9.3 - 18.0)		48,194	(32,986 - 63,402)
IN	\$15-\$24,999	783	10.7	1.52	(7.7 - 13.7)		68,649	(49,010 - 88,289)
IN	\$25-\$49,999	1,225	10.3	1.25	(7.8 - 12.7)		116,884	(87,804 - 145,965)
IN	\$50-\$74,999	706	9.8	1.57	(6.7 - 12.9)		75,442	(50,662 - 100,221)
IN	>=\$75,000	951	6.7	1.10	(4.5 - 8.8)		76,531	(50,970 - 102,092)
IA	< \$15,000	430	16.9	2.65	(11.6 - 22.1)		23,751	(15,786 - 31,717)
IA	\$15-\$24,999	777	9.6	1.48	(6.7 - 12.5)		25,568	(17,429 - 33,707)
IA	\$25-\$49,999	1,607	6.4	0.74	(5.0 - 7.8)		37,190	(28,610 - 45,769)
IA	\$50-\$74,999	1,038	8.1	1.15	(5.8 - 10.3)		36,218	(25,554 - 46,882)
IA	>=\$75,000	1,344	6.0	0.81	(4.4 - 7.6)		35,491	(25,891 - 45,091)
KS	< \$15,000	640	13.2	2.29	(8.7 - 17.7)		16,675	(10,585 - 22,766)
KS	\$15-\$24,999	1,140	10.9	1.24	(8.5 - 13.4)		25,239	(19,398 - 31,079)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KS	\$25-\$49,999	2,253	8.7	0.79	(7.1 - 10.2)		44,663	(36,389 - 52,937)
KS	\$50-\$74,999	1,426	8.1	1.03	(6.0 - 10.1)		29,558	(21,734 - 37,381)
KS	>=\$75,000	2,104	7.5	0.79	(5.9 - 9.1)		42,770	(33,539 - 52,001)
KY	< \$15,000	1,119	17.4	1.81	(13.8 - 20.9)		56,064	(44,109 - 68,019)
KY	\$15-\$24,999	1,441	14.5	1.66	(11.2 - 17.7)		67,084	(50,552 - 83,616)
KY	\$25-\$49,999	2,106	8.0	0.80	(6.5 - 9.6)		66,948	(53,749 - 80,146)
KY	\$50-\$74,999	1,106	9.8	1.40	(7.1 - 12.5)		49,643	(35,023 - 64,263)
KY	>=\$75,000	1,445	6.3	1.04	(4.2 - 8.3)		50,812	(33,833 - 67,791)
LA	< \$15,000	586	15.9	2.09	(11.8 - 20.0)		43,405	(31,187 - 55,624)
LA	\$15-\$24,999	847	9.5	1.47	(6.6 - 12.3)		42,597	(28,922 - 56,272)
LA	\$25-\$49,999	1,329	7.8	1.11	(5.6 - 10.0)		56,300	(39,842 - 72,759)
LA	\$50-\$74,999	794	5.8	1.07	(3.7 - 7.9)		25,151	(15,706 - 34,596)
LA	>=\$75,000	1,338	4.9	0.69	(3.5 - 6.2)		36,875	(26,449 - 47,301)
ME	< \$15,000	744	14.0	1.74	(10.5 - 17.4)		13,347	(9,947 - 16,746)
ME	\$15-\$24,999	1,036	9.3	1.03	(7.3 - 11.3)		12,619	(9,852 - 15,385)
ME	\$25-\$49,999	1,777	10.7	0.96	(8.8 - 12.6)		28,758	(23,444 - 34,072)
ME	\$50-\$74,999	1,068	11.8	1.41	(9.0 - 14.6)		21,539	(16,113 - 26,964)
ME	>=\$75,000	1,415	7.8	0.87	(6.1 - 9.5)		19,686	(15,216 - 24,157)
MD	< \$15,000	527	16.2	2.15	(11.9 - 20.4)		30,889	(23,014 - 38,764)
MD	\$15-\$24,999	963	11.7	1.47	(8.8 - 14.6)		43,425	(32,573 - 54,277)
MD	\$25-\$49,999	1,887	9.2	0.96	(7.3 - 11.0)		75,681	(59,581 - 91,781)
MD	\$50-\$74,999	1,360	8.1	0.97	(6.2 - 10.0)		46,604	(35,398 - 57,810)
MD	>=\$75,000	3,499	8.7	0.78	(7.2 - 10.3)		156,573	(127,557 - 185,589)
MA	< \$15,000	1,812	16.6	1.51	(13.7 - 19.6)		42,878	(34,714 - 51,042)
MA	\$15-\$24,999	3,403	11.9	0.97	(10.0 - 13.8)		74,670	(62,144 - 87,196)
MA	\$25-\$49,999	4,148	10.7	0.79	(9.1 - 12.2)		96,607	(81,996 - 111,217)
MA	\$50-\$74,999	2,738	8.1	0.73	(6.6 - 9.5)		58,492	(47,940 - 69,044)
MA	>=\$75,000	5,694	7.9	0.51	(6.9 - 8.9)		145,684	(126,936 - 164,432)
MI	< \$15,000	819	16.1	2.01	(12.2 - 20.1)		80,910	(59,339 - 102,481)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MI	\$15-\$24,999	1,262	9.4	1.12	(7.2 - 11.6)		81,666	(61,882 - 101,449)
MI	\$25-\$49,999	2,415	10.3	0.98	(8.3 - 12.2)		191,179	(153,024 - 229,333)
MI	\$50-\$74,999	1,376	8.4	1.00	(6.4 - 10.4)		102,897	(77,643 - 128,151)
MI	>=\$75,000	1,957	7.6	0.69	(6.3 - 9.0)		149,975	(122,685 - 177,265)
MN	< \$15,000	297	11.4	2.32	(6.9 - 16.0)		21,940	(12,830 - 31,050)
MN	\$15-\$24,999	515	10.9	1.85	(7.3 - 14.6)		42,963	(28,302 - 57,624)
MN	\$25-\$49,999	1,068	7.5	1.05	(5.4 - 9.5)		65,584	(46,905 - 84,263)
MN	\$50-\$74,999	777	7.8	1.36	(5.1 - 10.4)		58,146	(37,132 - 79,161)
MN	>=\$75,000	1,192	6.3	0.83	(4.7 - 8.0)		83,051	(61,283 - 104,819)
MS	< \$15,000	1,379	12.7	1.21	(10.3 - 15.1)		35,076	(28,210 - 41,942)
MS	\$15-\$24,999	1,434	10.0	1.14	(7.8 - 12.3)		37,842	(29,033 - 46,652)
MS	\$25-\$49,999	1,854	6.8	0.80	(5.2 - 8.4)		34,986	(26,669 - 43,303)
MS	\$50-\$74,999	884	3.5	0.74	(2.1 - 5.0)		9,467	(5,511 - 13,424)
MS	>=\$75,000	1,225	3.4	0.58	(2.2 - 4.5)		14,423	(9,520 - 19,326)
MO	< \$15,000	526	16.0	2.05	(12.0 - 20.0)		46,743	(34,731 - 58,755)
MO	\$15-\$24,999	860	12.8	1.63	(9.6 - 16.0)		84,662	(62,580 - 106,744)
MO	\$25-\$49,999	1,470	8.8	1.00	(6.8 - 10.7)		104,083	(80,293 - 127,874)
MO	\$50-\$74,999	736	4.6	0.90	(2.9 - 6.4)		34,525	(21,197 - 47,852)
MO	>=\$75,000	903	6.0	1.10	(3.8 - 8.1)		62,364	(39,196 - 85,532)
MT	< \$15,000	698	15.9	2.24	(11.5 - 20.3)		8,559	(6,040 - 11,078)
MT	\$15-\$24,999	1,140	9.8	1.22	(7.4 - 12.2)		10,538	(7,902 - 13,175)
MT	\$25-\$49,999	1,902	8.8	0.88	(7.1 - 10.5)		18,446	(14,715 - 22,177)
MT	\$50-\$74,999	1,042	9.4	1.57	(6.3 - 12.4)		11,810	(7,688 - 15,933)
MT	>=\$75,000	1,164	9.8	1.25	(7.3 - 12.2)		14,553	(10,681 - 18,424)
NE	< \$15,000	1,454	12.1	1.57	(9.0 - 15.2)		9,584	(7,189 - 11,978)
NE	\$15-\$24,999	2,541	10.9	1.64	(7.7 - 14.2)		16,815	(11,461 - 22,169)
NE	\$25-\$49,999	4,716	6.1	0.59	(4.9 - 7.2)		20,082	(16,158 - 24,005)
NE	\$50-\$74,999	2,603	5.9	1.08	(3.8 - 8.1)		14,837	(9,362 - 20,312)
NE	>=\$75,000	2,915	6.4	0.84	(4.7 - 8.0)		22,368	(16,409 - 28,327)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	< \$15,000	351	8.7	1.96	(4.9 - 12.6)		11,101	(6,663 - 15,539)
NV	\$15-\$24,999	632	10.6	2.49	(5.7 - 15.5)		27,311	(13,739 - 40,882)
NV	\$25-\$49,999	1,115	8.2	1.26	(5.7 - 10.7)		38,053	(26,241 - 49,865)
NV	\$50-\$74,999	752	10.9	1.77	(7.5 - 14.4)		30,952	(20,618 - 41,286)
NV	>=\$75,000	1,297	5.6	0.90	(3.9 - 7.4)		32,131	(21,955 - 42,306)
NH	< \$15,000	476	18.0	2.44	(13.2 - 22.8)		8,041	(5,791 - 10,292)
NH	\$15-\$24,999	805	14.8	1.94	(11.0 - 18.6)		13,443	(9,713 - 17,174)
NH	\$25-\$49,999	1,588	8.8	0.92	(7.0 - 10.6)		17,856	(14,084 - 21,629)
NH	\$50-\$74,999	1,135	9.4	1.18	(7.0 - 11.7)		17,384	(12,863 - 21,905)
NH	>=\$75,000	1,982	9.2	0.84	(7.6 - 10.9)		35,554	(28,963 - 42,145)
NJ	< \$15,000	808	16.2	2.59	(11.1 - 21.2)		72,589	(47,410 - 97,768)
NJ	\$15-\$24,999	1,631	8.6	0.97	(6.7 - 10.5)		74,090	(57,381 - 90,799)
NJ	\$25-\$49,999	2,289	8.2	0.92	(6.4 - 10.0)		98,892	(76,183 - 121,600)
NJ	\$50-\$74,999	1,599	8.3	0.99	(6.3 - 10.2)		73,612	(55,659 - 91,565)
NJ	>=\$75,000	3,761	7.7	0.61	(6.5 - 8.9)		180,735	(151,556 - 209,914)
NM	< \$15,000	766	11.2	1.52	(8.2 - 14.2)		17,131	(12,539 - 21,722)
NM	\$15-\$24,999	1,155	7.1	0.99	(5.2 - 9.1)		19,386	(14,033 - 24,739)
NM	\$25-\$49,999	1,568	8.1	1.01	(6.1 - 10.1)		28,667	(21,415 - 35,918)
NM	\$50-\$74,999	874	8.7	1.65	(5.4 - 11.9)		19,025	(11,519 - 26,530)
NM	>=\$75,000	1,197	8.0	1.07	(5.9 - 10.1)		24,454	(17,792 - 31,117)
NY	< \$15,000	657	15.9	2.02	(12.0 - 19.9)		187,877	(137,911 - 237,843)
NY	\$15-\$24,999	1,060	12.7	1.60	(9.5 - 15.8)		244,018	(179,710 - 308,325)
NY	\$25-\$49,999	1,722	8.0	0.93	(6.2 - 9.8)		255,187	(194,864 - 315,509)
NY	\$50-\$74,999	1,096	8.9	1.40	(6.2 - 11.7)		183,387	(123,710 - 243,064)
NY	>=\$75,000	2,280	6.1	0.61	(4.9 - 7.3)		268,959	(215,473 - 322,444)
NC	< \$15,000	1,777	13.7	1.38	(11.0 - 16.4)		88,224	(69,834 - 106,615)
NC	\$15-\$24,999	2,522	9.3	0.83	(7.7 - 11.0)		98,229	(81,103 - 115,356)
NC	\$25-\$49,999	3,862	6.7	0.52	(5.7 - 7.8)		106,759	(90,382 - 123,137)
NC	\$50-\$74,999	2,236	6.1	0.63	(4.8 - 7.3)		62,054	(49,272 - 74,836)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NC	>=\$75,000	3,224	5.2	0.61	(4.0 - 6.4)		87,327	(66,667 - 107,987)
ND	< \$15,000	370	12.4	2.30	(7.9 - 17.0)		3,694	(2,366 - 5,023)
ND	\$15-\$24,999	741	10.3	1.72	(6.9 - 13.7)		6,969	(4,572 - 9,367)
ND	\$25-\$49,999	1,424	7.4	0.96	(5.5 - 9.3)		9,963	(7,345 - 12,582)
ND	\$50-\$74,999	843	6.1	1.04	(4.0 - 8.1)		5,395	(3,527 - 7,263)
ND	>=\$75,000	1,012	6.3	0.86	(4.7 - 8.0)		7,068	(5,157 - 8,980)
OH	< \$15,000	1,208	18.3	1.78	(14.8 - 21.8)		116,197	(92,213 - 140,182)
OH	\$15-\$24,999	1,954	13.1	1.35	(10.4 - 15.7)		143,934	(112,600 - 175,267)
OH	\$25-\$49,999	3,099	9.1	0.83	(7.5 - 10.7)		179,102	(145,387 - 212,816)
OH	\$50-\$74,999	1,928	8.2	1.02	(6.2 - 10.2)		119,232	(88,596 - 149,868)
OH	>=\$75,000	2,826	6.5	0.63	(5.3 - 7.8)		152,314	(122,858 - 181,770)
OK	< \$15,000	1,021	16.5	1.65	(13.3 - 19.8)		51,558	(40,810 - 62,306)
OK	\$15-\$24,999	1,389	10.9	1.09	(8.8 - 13.0)		50,141	(39,948 - 60,334)
OK	\$25-\$49,999	1,996	8.1	0.83	(6.4 - 9.7)		53,788	(42,497 - 65,079)
OK	\$50-\$74,999	1,065	6.6	0.96	(4.7 - 8.4)		26,471	(18,688 - 34,255)
OK	>=\$75,000	1,425	6.2	0.77	(4.7 - 7.7)		34,872	(26,081 - 43,663)
OR	< \$15,000	278	15.7	3.06	(9.6 - 21.7)		23,901	(14,058 - 33,743)
OR	\$15-\$24,999	770	11.5	1.67	(8.2 - 14.8)		50,195	(35,205 - 65,185)
OR	\$25-\$49,999	1,283	8.0	0.97	(6.2 - 9.9)		60,531	(45,899 - 75,164)
OR	\$50-\$74,999	794	7.6	0.99	(5.7 - 9.6)		37,412	(27,697 - 47,127)
OR	>=\$75,000	1,068	5.9	0.81	(4.3 - 7.5)		42,382	(30,726 - 54,039)
PA	< \$15,000	1,549	16.7	1.71	(13.4 - 20.1)		116,526	(91,829 - 141,223)
PA	\$15-\$24,999	2,304	12.5	1.36	(9.9 - 15.2)		158,455	(122,360 - 194,549)
PA	\$25-\$49,999	3,191	8.1	0.80	(6.6 - 9.7)		184,156	(147,201 - 221,110)
PA	\$50-\$74,999	1,728	6.4	0.75	(4.9 - 7.8)		93,772	(71,835 - 115,709)
PA	>=\$75,000	2,409	8.1	0.84	(6.5 - 9.7)		200,322	(157,852 - 242,792)
RI	< \$15,000	412	16.4	2.58	(11.3 - 21.5)		9,057	(6,203 - 11,911)
RI	\$15-\$24,999	635	10.1	1.70	(6.8 - 13.5)		9,513	(6,231 - 12,795)
RI	\$25-\$49,999	991	12.6	1.74	(9.2 - 16.0)		20,413	(14,388 - 26,438)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
RI	\$50-\$74,999	684	10.4	1.49	(7.5 - 13.3)		12,865	(9,124 - 16,605)
RI	>=\$75,000	1,358	8.8	1.00	(6.8 - 10.7)		23,569	(18,088 - 29,050)
SC	< \$15,000	1,218	14.6	1.67	(11.3 - 17.9)		41,300	(31,438 - 51,162)
SC	\$15-\$24,999	1,660	10.7	1.55	(7.6 - 13.7)		52,414	(36,518 - 68,311)
SC	\$25-\$49,999	2,389	8.9	1.20	(6.5 - 11.2)		65,027	(46,745 - 83,309)
SC	\$50-\$74,999	1,331	7.4	1.15	(5.1 - 9.6)		39,678	(27,030 - 52,327)
SC	>=\$75,000	1,941	4.6	0.66	(3.3 - 5.9)		35,902	(25,678 - 46,125)
SD	< \$15,000	697	14.6	2.01	(10.6 - 18.5)		5,593	(3,978 - 7,208)
SD	\$15-\$24,999	1,002	9.5	1.49	(6.6 - 12.5)		5,985	(4,058 - 7,911)
SD	\$25-\$49,999	2,001	6.7	0.73	(5.2 - 8.1)		11,301	(8,836 - 13,765)
SD	\$50-\$74,999	1,084	5.1	0.92	(3.3 - 6.9)		5,657	(3,602 - 7,712)
SD	>=\$75,000	1,257	4.9	0.73	(3.5 - 6.4)		6,412	(4,502 - 8,322)
TN	< \$15,000	567	17.2	2.29	(12.7 - 21.7)		76,011	(55,074 - 96,949)
TN	\$15-\$24,999	871	12.6	1.80	(9.1 - 16.1)		86,055	(60,671 - 111,439)
TN	\$25-\$49,999	1,096	9.0	1.32	(6.5 - 11.6)		96,146	(67,890 - 124,401)
TN	\$50-\$74,999	491	3.2	0.84	(1.5 - 4.8)		17,907	(8,541 - 27,273)
TN	>=\$75,000	674	4.4	1.16	(2.1 - 6.7)		37,020	(17,530 - 56,510)
TX	< \$15,000	1,228	11.0	1.92	(7.3 - 14.8)		186,162	(117,721 - 254,603)
TX	\$15-\$24,999	1,643	6.8	0.96	(4.9 - 8.7)		191,988	(137,819 - 246,158)
TX	\$25-\$49,999	2,282	7.3	0.80	(5.8 - 8.9)		272,054	(213,165 - 330,943)
TX	\$50-\$74,999	1,364	7.2	0.93	(5.4 - 9.0)		151,479	(112,370 - 190,588)
TX	>=\$75,000	2,464	7.3	0.87	(5.6 - 9.0)		329,930	(249,978 - 409,882)
UT	< \$15,000	285	11.3	2.50	(6.4 - 16.2)		9,237	(5,153 - 13,321)
UT	\$15-\$24,999	604	8.3	1.61	(5.2 - 11.5)		15,779	(9,613 - 21,945)
UT	\$25-\$49,999	1,264	9.0	1.28	(6.5 - 11.5)		38,586	(27,314 - 49,858)
UT	\$50-\$74,999	1,052	6.4	0.83	(4.8 - 8.0)		23,517	(17,494 - 29,541)
UT	>=\$75,000	1,535	8.6	1.06	(6.6 - 10.7)		46,965	(35,053 - 58,877)
VT	< \$15,000	562	15.4	1.84	(11.8 - 19.1)		5,381	(4,098 - 6,663)
VT	\$15-\$24,999	888	12.7	1.58	(9.6 - 15.8)		7,433	(5,502 - 9,363)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	\$25-\$49,999	1,715	9.5	0.86	(7.8 - 11.2)		11,730	(9,571 - 13,888)
VT	\$50-\$74,999	1,179	7.8	1.03	(5.8 - 9.8)		7,071	(5,158 - 8,983)
VT	>=\$75,000	1,638	7.7	0.88	(6.0 - 9.4)		10,057	(7,689 - 12,425)
VA	< \$15,000	436	19.2	3.21	(12.9 - 25.5)		57,870	(37,122 - 78,618)
VA	\$15-\$24,999	631	11.3	1.85	(7.7 - 15.0)		61,498	(41,134 - 81,862)
VA	\$25-\$49,999	1,159	6.7	0.95	(4.9 - 8.6)		76,492	(56,819 - 96,165)
VA	\$50-\$74,999	754	6.9	1.72	(3.5 - 10.3)		60,819	(29,862 - 91,776)
VA	>=\$75,000	1,528	8.9	1.65	(5.7 - 12.2)		200,896	(124,617 - 277,175)
WA	< \$15,000	1,201	14.2	1.47	(11.3 - 17.1)		27,771	(21,945 - 33,596)
WA	\$15-\$24,999	3,392	11.9	0.89	(10.2 - 13.7)		76,705	(64,959 - 88,451)
WA	\$25-\$49,999	6,104	9.8	0.60	(8.6 - 11.0)		114,972	(100,393 - 129,552)
WA	\$50-\$74,999	3,726	8.7	0.62	(7.5 - 9.9)		72,188	(61,757 - 82,618)
WA	>=\$75,000	5,490	7.6	0.44	(6.7 - 8.5)		116,835	(103,386 - 130,285)
WV	< \$15,000	546	20.7	2.25	(16.3 - 25.1)		29,267	(22,225 - 36,309)
WV	\$15-\$24,999	750	11.5	1.48	(8.5 - 14.4)		26,806	(19,610 - 34,003)
WV	\$25-\$49,999	1,111	7.3	0.92	(5.5 - 9.1)		28,084	(20,937 - 35,231)
WV	\$50-\$74,999	574	9.9	1.49	(7.0 - 12.8)		21,913	(15,118 - 28,707)
WV	>=\$75,000	599	5.0	0.90	(3.2 - 6.7)		12,228	(7,819 - 16,637)
WI	< \$15,000	458	18.8	4.77	(9.4 - 28.2)		37,172	(15,944 - 58,400)
WI	\$15-\$24,999	1,247	10.5	1.54	(7.5 - 13.5)		60,657	(42,556 - 78,759)
WI	\$25-\$49,999	2,400	9.0	0.97	(7.0 - 10.9)		125,741	(98,323 - 153,159)
WI	\$50-\$74,999	1,046	8.0	1.17	(5.7 - 10.3)		57,005	(40,265 - 73,744)
WI	>=\$75,000	1,124	8.8	1.34	(6.2 - 11.5)		85,067	(58,543 - 111,592)
WY	< \$15,000	534	13.0	2.13	(8.9 - 17.2)		2,830	(1,883 - 3,777)
WY	\$15-\$24,999	1,001	8.5	1.07	(6.4 - 10.6)		3,715	(2,794 - 4,636)
WY	\$25-\$49,999	2,016	9.3	0.95	(7.5 - 11.2)		8,880	(7,006 - 10,754)
WY	\$50-\$74,999	1,417	9.1	0.88	(7.3 - 10.8)		6,720	(5,391 - 8,049)
WY	>=\$75,000	2,150	9.5	0.82	(7.9 - 11.1)		11,438	(9,417 - 13,460)
Territories								

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2008**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
GU	< \$15,000	57	4.0				287	
GU	\$15-\$24,999	181	3.3	1.41	(0.6 - 6.1)		782	(128 - 1,436)
GU	\$25-\$49,999	213	6.1	1.71	(2.7 - 9.4)		1,755	(766 - 2,745)
GU	\$50-\$74,999	88	1.5				194	
GU	>=\$75,000	107	4.3				563	
PR	< \$15,000	1,831	6.4	0.71	(5.0 - 7.8)		57,883	(45,030 - 70,736)
PR	\$15-\$24,999	971	4.8	0.85	(3.1 - 6.5)		34,767	(22,482 - 47,052)
PR	\$25-\$49,999	668	5.3	1.00	(3.3 - 7.2)		26,799	(16,606 - 36,992)
PR	\$50-\$74,999	160	2.7				3,648	
PR	>=\$75,000	178	4.1	1.58	(1.0 - 7.2)		5,942	(1,412 - 10,471)
VI	< \$15,000	280	5.0	1.76	(1.6 - 8.5)		387	(113 - 660)
VI	\$15-\$24,999	439	6.8	1.59	(3.7 - 9.9)		906	(475 - 1,337)
VI	\$25-\$49,999	743	4.3	0.83	(2.7 - 5.9)		947	(585 - 1,309)
VI	\$50-\$74,999	320	3.2	1.34	(0.5 - 5.8)		281	(43 - 519)
VI	>=\$75,000	397	3.3	0.98	(1.4 - 5.3)		382	(158 - 606)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.