

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	13,491	18.3	0.58	(17.2 - 19.5)		5,184,805	(4,834,867 - 5,534,743)
U.S. Total**	25-34	38,560	13.6	0.30	(13.1 - 14.2)		5,701,661	(5,443,351 - 5,959,970)
U.S. Total**	35-44	60,534	12.1	0.23	(11.6 - 12.5)		5,243,996	(5,043,001 - 5,444,992)
U.S. Total**	45-54	82,640	12.8	0.21	(12.4 - 13.2)		5,550,217	(5,367,108 - 5,733,327)
U.S. Total**	55-64	85,968	13.1	0.21	(12.7 - 13.5)		4,271,625	(4,131,699 - 4,411,551)
U.S. Total**	65+	120,967	11.3	0.16	(11.0 - 11.6)		4,353,708	(4,225,377 - 4,482,040)
AL	18-24	206	18.9	3.56	(11.8 - 25.9)		84,864	(50,035 - 119,692)
AL	25-34	599	12.6	1.57	(9.5 - 15.7)		75,863	(56,618 - 95,109)
AL	35-44	932	10.8	1.26	(8.4 - 13.3)		68,942	(52,601 - 85,283)
AL	45-54	1,303	10.4	1.08	(8.3 - 12.5)		68,270	(53,725 - 82,815)
AL	55-64	1,438	12.4	1.06	(10.3 - 14.5)		66,157	(54,556 - 77,759)
AL	65+	1,955	10.9	0.83	(9.3 - 12.6)		69,542	(58,855 - 80,229)
AK	18-24	138	22.4	6.21	(10.1 - 34.6)		14,914	(5,220 - 24,607)
AK	25-34	445	18.7	3.26	(12.2 - 25.1)		19,282	(11,679 - 26,885)
AK	35-44	475	16.1	2.48	(11.2 - 20.9)		15,455	(10,365 - 20,546)
AK	45-54	625	12.3	1.71	(8.9 - 15.7)		12,534	(8,992 - 16,075)
AK	55-64	561	12.7	2.01	(8.7 - 16.6)		9,103	(6,114 - 12,092)
AK	65+	374	17.4	2.98	(11.5 - 23.3)		8,619	(5,396 - 11,843)
AZ	18-24	184	23.4	6.24	(11.1 - 35.8)		126,115	(48,693 - 203,536)
AZ	25-34	577	17.5	2.74	(12.1 - 22.9)		171,314	(113,952 - 228,677)
AZ	35-44	755	14.2	2.26	(9.8 - 18.6)		127,150	(84,895 - 169,405)
AZ	45-54	1,059	10.5	1.50	(7.6 - 13.5)		86,019	(61,869 - 110,169)
AZ	55-64	1,249	13.1	1.69	(9.7 - 16.4)		82,740	(60,797 - 104,684)
AZ	65+	2,254	12.5	1.22	(10.1 - 14.9)		104,543	(83,547 - 125,540)
AR	18-24	170	16.6	3.54	(9.6 - 23.6)		45,396	(24,449 - 66,344)
AR	25-34	516	14.0	1.90	(10.3 - 17.7)		53,418	(38,084 - 68,751)
AR	35-44	748	11.5	1.41	(8.8 - 14.3)		43,032	(32,099 - 53,965)
AR	45-54	1,053	13.0	1.36	(10.4 - 15.7)		50,812	(39,673 - 61,950)
AR	55-64	1,233	12.5	1.08	(10.4 - 14.6)		39,196	(32,208 - 46,183)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,889	10.2	0.79	(8.6 - 11.8)		41,070	(34,567 - 47,572)
CA	18-24	513	15.8	1.84	(12.1 - 19.4)		606,496	(455,750 - 757,243)
CA	25-34	1,278	13.5	1.07	(11.4 - 15.6)		724,299	(605,941 - 842,657)
CA	35-44	1,986	11.4	0.82	(9.8 - 13.0)		631,871	(539,408 - 724,334)
CA	45-54	2,335	13.9	0.85	(12.3 - 15.6)		726,432	(634,899 - 817,965)
CA	55-64	2,256	15.7	0.94	(13.9 - 17.6)		585,537	(513,240 - 657,833)
CA	65+	3,226	13.5	0.77	(12.0 - 15.0)		553,470	(488,492 - 618,449)
CO	18-24	359	19.7	2.53	(14.8 - 24.7)		90,445	(64,486 - 116,405)
CO	25-34	1,156	13.1	1.04	(11.0 - 15.1)		94,923	(79,283 - 110,563)
CO	35-44	1,947	12.4	0.82	(10.8 - 14.0)		88,732	(76,633 - 100,831)
CO	45-54	2,576	12.3	0.72	(10.9 - 13.8)		88,542	(77,834 - 99,251)
CO	55-64	2,529	11.2	0.66	(9.9 - 12.5)		58,218	(51,192 - 65,244)
CO	65+	3,047	10.6	0.63	(9.4 - 11.9)		53,675	(47,117 - 60,234)
CT	18-24	170	20.5	3.93	(12.7 - 28.2)		54,733	(31,848 - 77,619)
CT	25-34	537	17.0	2.13	(12.8 - 21.1)		73,347	(53,585 - 93,109)
CT	35-44	972	11.7	1.18	(9.4 - 14.0)		64,404	(51,307 - 77,501)
CT	45-54	1,240	13.4	1.17	(11.1 - 15.6)		74,357	(60,915 - 87,798)
CT	55-64	1,156	11.2	1.11	(9.0 - 13.3)		42,848	(34,117 - 51,580)
CT	65+	1,965	10.4	0.82	(8.8 - 12.0)		49,946	(41,969 - 57,924)
DE	18-24	151	20.6	4.41	(11.9 - 29.3)		17,302	(9,101 - 25,504)
DE	25-34	387	19.6	3.00	(13.7 - 25.5)		22,272	(14,598 - 29,947)
DE	35-44	600	10.7	1.44	(7.9 - 13.5)		13,420	(9,745 - 17,095)
DE	45-54	794	11.5	1.49	(8.6 - 14.4)		13,936	(10,215 - 17,658)
DE	55-64	857	12.5	1.39	(9.8 - 15.3)		11,999	(9,281 - 14,716)
DE	65+	1,185	9.1	1.02	(7.1 - 11.1)		10,637	(8,222 - 13,052)
DC	18-24	118	28.5	5.02	(18.5 - 38.4)		11,658	(6,886 - 16,431)
DC	25-34	568	17.4	1.76	(14.0 - 20.9)		22,561	(17,708 - 27,414)
DC	35-44	695	15.5	1.59	(12.4 - 18.6)		13,304	(10,474 - 16,133)
DC	45-54	772	14.3	1.56	(11.3 - 17.4)		9,841	(7,581 - 12,101)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
DC	55-64	851	14.4	1.36	(11.8 - 17.1)	8,996	(7,248 - 10,744)
DC	65+	1,146	11.3	1.07	(9.2 - 13.4)	8,196	(6,603 - 9,790)
FL	18-24	320	16.7	3.38	(10.1 - 23.4)	219,561	(127,186 - 311,936)
FL	25-34	858	10.0	1.48	(7.1 - 12.9)	265,309	(186,499 - 344,120)
FL	35-44	1,378	8.3	0.96	(6.4 - 10.2)	212,953	(164,302 - 261,603)
FL	45-54	2,029	9.8	1.14	(7.6 - 12.0)	252,856	(192,802 - 312,910)
FL	55-64	2,327	11.2	0.98	(9.3 - 13.2)	235,673	(194,300 - 277,046)
FL	65+	3,854	9.2	0.74	(7.8 - 10.7)	291,972	(244,303 - 339,640)
GA	18-24	188	18.2	3.98	(10.4 - 26.0)	133,952	(68,586 - 199,318)
GA	25-34	559	15.3	1.94	(11.5 - 19.1)	246,231	(180,426 - 312,036)
GA	35-44	941	10.4	1.22	(8.0 - 12.8)	151,869	(115,292 - 188,445)
GA	45-54	1,145	11.0	1.08	(8.9 - 13.1)	148,272	(118,593 - 177,952)
GA	55-64	1,194	10.9	1.03	(8.8 - 12.9)	105,673	(85,311 - 126,034)
GA	65+	1,630	11.8	0.99	(9.9 - 13.8)	115,046	(95,076 - 135,016)
HI	18-24	306	27.4	3.00	(21.6 - 33.3)	33,931	(25,487 - 42,375)
HI	25-34	617	18.1	2.04	(14.1 - 22.1)	32,407	(24,545 - 40,269)
HI	35-44	1,030	14.3	1.41	(11.5 - 17.0)	25,411	(20,116 - 30,706)
HI	45-54	1,337	15.4	1.24	(12.9 - 17.8)	27,003	(22,427 - 31,579)
HI	55-64	1,407	15.2	1.32	(12.6 - 17.8)	22,718	(18,520 - 26,916)
HI	65+	1,684	10.1	0.96	(8.2 - 12.0)	18,590	(14,968 - 22,212)
ID	18-24	163	10.3	2.93	(4.5 - 16.1)	13,250	(5,358 - 21,143)
ID	25-34	629	15.6	2.02	(11.7 - 19.6)	36,089	(25,979 - 46,199)
ID	35-44	773	11.4	1.40	(8.6 - 14.1)	22,208	(16,547 - 27,869)
ID	45-54	1,034	13.2	1.25	(10.8 - 15.7)	26,488	(21,281 - 31,695)
ID	55-64	1,063	13.8	1.21	(11.4 - 16.1)	21,119	(17,273 - 24,964)
ID	65+	1,390	10.5	0.91	(8.7 - 12.2)	17,917	(14,761 - 21,074)
IL	18-24	196	20.8	3.69	(13.5 - 28.1)	267,117	(159,207 - 375,026)
IL	25-34	520	14.5	1.68	(11.2 - 17.8)	257,803	(196,710 - 318,897)
IL	35-44	809	12.3	1.35	(9.7 - 15.0)	226,599	(174,596 - 278,603)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	45-54	1,081	11.0	1.09	(8.9 - 13.1)	198,873	(158,568 - 239,179)
IL	55-64	969	11.5	1.13	(9.3 - 13.7)	156,364	(124,932 - 187,795)
IL	65+	1,552	10.9	0.97	(9.0 - 12.9)	171,772	(140,262 - 203,281)
IN	18-24	167	14.8	3.10	(8.7 - 20.9)	94,723	(53,594 - 135,852)
IN	25-34	552	17.6	2.22	(13.3 - 22.0)	145,046	(105,627 - 184,465)
IN	35-44	728	11.3	1.48	(8.4 - 14.2)	98,654	(71,836 - 125,473)
IN	45-54	1,038	12.6	1.24	(10.2 - 15.1)	111,744	(89,241 - 134,247)
IN	55-64	978	14.8	1.49	(11.9 - 17.8)	96,183	(75,698 - 116,669)
IN	65+	1,362	11.9	1.07	(9.8 - 14.0)	94,853	(77,387 - 112,318)
IA	18-24	176	15.1	3.01	(9.1 - 21.0)	39,397	(22,637 - 56,157)
IA	25-34	596	12.2	1.48	(9.3 - 15.1)	52,223	(38,990 - 65,456)
IA	35-44	952	9.7	1.12	(7.5 - 11.9)	38,684	(29,449 - 47,920)
IA	45-54	1,175	9.8	0.96	(7.9 - 11.7)	43,439	(34,741 - 52,138)
IA	55-64	1,191	9.3	0.92	(7.5 - 11.1)	29,855	(23,802 - 35,908)
IA	65+	1,854	9.2	0.73	(7.8 - 10.6)	40,761	(34,256 - 47,266)
KS	18-24	238	20.8	2.86	(15.2 - 26.4)	61,120	(42,591 - 79,650)
KS	25-34	802	14.2	1.32	(11.6 - 16.8)	50,198	(40,413 - 59,983)
KS	35-44	1,268	13.0	1.14	(10.7 - 15.2)	47,608	(38,765 - 56,452)
KS	45-54	1,832	12.1	0.83	(10.5 - 13.7)	48,335	(41,449 - 55,221)
KS	55-64	1,797	10.8	0.79	(9.2 - 12.3)	32,028	(27,189 - 36,867)
KS	65+	2,617	9.4	0.62	(8.2 - 10.7)	34,226	(29,663 - 38,790)
KY	18-24	229	20.2	3.75	(12.8 - 27.6)	69,949	(41,150 - 98,748)
KY	25-34	695	14.6	1.77	(11.2 - 18.1)	92,314	(69,087 - 115,542)
KY	35-44	1,233	11.7	1.10	(9.5 - 13.8)	69,547	(56,227 - 82,867)
KY	45-54	1,596	17.4	1.32	(14.8 - 20.0)	106,992	(89,595 - 124,389)
KY	55-64	1,872	13.9	0.99	(11.9 - 15.8)	67,119	(57,357 - 76,881)
KY	65+	2,382	12.7	0.81	(11.1 - 14.3)	70,326	(61,234 - 79,418)
LA	18-24	277	17.7	2.75	(12.3 - 23.1)	81,982	(54,189 - 109,774)
LA	25-34	641	11.9	1.53	(8.9 - 14.9)	69,144	(50,656 - 87,633)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
LA	35-44	904	11.2	1.32	(8.6 - 13.8)	64,538	(48,796 - 80,280)
LA	45-54	1,340	11.2	1.04	(9.1 - 13.2)	69,535	(56,116 - 82,954)
LA	55-64	1,356	10.5	0.94	(8.7 - 12.4)	51,179	(41,763 - 60,595)
LA	65+	1,600	8.8	0.78	(7.2 - 10.3)	48,164	(39,531 - 56,796)
ME	18-24	209	23.3	3.49	(16.4 - 30.2)	27,488	(18,000 - 36,977)
ME	25-34	535	19.2	1.88	(15.5 - 22.9)	28,995	(22,854 - 35,136)
ME	35-44	937	17.4	1.39	(14.6 - 20.1)	32,314	(26,772 - 37,856)
ME	45-54	1,425	14.4	1.05	(12.3 - 16.5)	31,311	(26,524 - 36,098)
ME	55-64	1,579	12.1	0.88	(10.3 - 13.8)	20,773	(17,670 - 23,877)
ME	65+	2,037	11.8	0.86	(10.1 - 13.5)	23,430	(19,877 - 26,983)
MD	18-24	310	18.3	2.71	(13.0 - 23.7)	95,461	(65,118 - 125,804)
MD	25-34	899	16.8	1.55	(13.8 - 19.9)	125,485	(101,095 - 149,876)
MD	35-44	1,604	12.8	1.03	(10.7 - 14.8)	107,687	(89,712 - 125,662)
MD	45-54	2,002	14.0	1.00	(12.1 - 16.0)	120,090	(102,191 - 137,989)
MD	55-64	1,951	14.1	1.03	(12.1 - 16.1)	89,403	(75,815 - 102,992)
MD	65+	2,597	10.9	0.81	(9.3 - 12.5)	73,763	(62,528 - 84,998)
MA	18-24	750	19.5	2.18	(15.3 - 23.8)	121,732	(92,334 - 151,131)
MA	25-34	1,986	17.4	1.20	(15.0 - 19.7)	142,540	(121,706 - 163,375)
MA	35-44	3,389	13.2	0.79	(11.6 - 14.7)	125,809	(110,349 - 141,268)
MA	45-54	4,387	14.4	0.75	(13.0 - 15.9)	139,748	(124,690 - 154,806)
MA	55-64	4,127	14.0	0.73	(12.5 - 15.4)	99,363	(88,592 - 110,135)
MA	65+	5,632	12.0	0.60	(10.8 - 13.2)	104,415	(93,748 - 115,081)
MI	18-24	365	28.4	2.72	(23.1 - 33.8)	283,582	(220,248 - 346,916)
MI	25-34	720	15.6	1.45	(12.7 - 18.4)	197,373	(159,244 - 235,503)
MI	35-44	1,289	12.8	1.05	(10.7 - 14.8)	179,976	(149,438 - 210,514)
MI	45-54	1,999	14.1	0.96	(12.2 - 16.0)	213,755	(182,983 - 244,527)
MI	55-64	2,072	13.5	0.85	(11.8 - 15.1)	151,211	(131,631 - 170,791)
MI	65+	2,893	11.6	0.69	(10.3 - 13.0)	149,978	(131,743 - 168,214)
MN	18-24	128	17.7	3.62	(10.6 - 24.9)	92,128	(51,393 - 132,864)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	395	13.7	1.82	(10.2 - 17.3)		93,716	(67,886 - 119,545)
MN	35-44	666	12.4	1.36	(9.8 - 15.1)		91,860	(71,026 - 112,693)
MN	45-54	922	12.0	1.16	(9.8 - 14.3)		96,066	(76,901 - 115,231)
MN	55-64	925	12.5	1.20	(10.2 - 14.9)		71,721	(57,466 - 85,975)
MN	65+	1,249	6.9	0.77	(5.4 - 8.5)		44,863	(34,812 - 54,915)
MS	18-24	258	14.3	2.51	(9.4 - 19.3)		33,758	(21,263 - 46,253)
MS	25-34	687	9.8	1.27	(7.3 - 12.3)		43,414	(31,956 - 54,873)
MS	35-44	1,078	11.3	1.18	(9.0 - 13.6)		43,288	(33,931 - 52,645)
MS	45-54	1,560	10.8	0.94	(8.9 - 12.6)		44,385	(36,392 - 52,379)
MS	55-64	1,750	11.7	0.91	(9.9 - 13.5)		36,588	(30,693 - 42,484)
MS	65+	2,554	11.1	0.71	(9.7 - 12.5)		40,947	(35,589 - 46,305)
MO	18-24	180	17.4	3.60	(10.3 - 24.5)		92,774	(51,470 - 134,078)
MO	25-34	486	13.6	1.85	(9.9 - 17.2)		111,236	(79,829 - 142,643)
MO	35-44	715	13.1	1.59	(10.0 - 16.3)		105,126	(78,566 - 131,686)
MO	45-54	1,055	12.8	1.30	(10.3 - 15.4)		110,303	(87,205 - 133,402)
MO	55-64	1,074	13.8	1.34	(11.2 - 16.4)		90,300	(72,029 - 108,570)
MO	65+	1,605	12.2	1.03	(10.2 - 14.2)		97,813	(80,689 - 114,938)
MT	18-24	172	17.5	3.43	(10.8 - 24.3)		14,930	(8,697 - 21,164)
MT	25-34	590	18.3	2.04	(14.3 - 22.3)		22,858	(17,311 - 28,406)
MT	35-44	879	14.3	1.35	(11.7 - 17.0)		16,781	(13,509 - 20,053)
MT	45-54	1,377	14.2	1.17	(11.9 - 16.5)		21,384	(17,674 - 25,094)
MT	55-64	1,591	13.4	1.06	(11.3 - 15.5)		15,886	(13,246 - 18,527)
MT	65+	2,155	10.9	0.79	(9.3 - 12.4)		14,719	(12,548 - 16,891)
NE	18-24	465	13.1	2.74	(7.7 - 18.5)		21,493	(12,082 - 30,904)
NE	25-34	1,502	12.6	1.46	(9.8 - 15.5)		31,655	(24,028 - 39,281)
NE	35-44	2,290	10.1	1.06	(8.0 - 12.1)		23,203	(18,174 - 28,232)
NE	45-54	3,269	10.1	0.93	(8.3 - 12.0)		25,090	(20,361 - 29,818)
NE	55-64	3,292	8.9	0.81	(7.3 - 10.5)		16,891	(13,755 - 20,026)
NE	65+	5,277	8.0	0.54	(6.9 - 9.0)		18,945	(16,377 - 21,513)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
NV	18-24	197	17.1	3.33	(10.5 - 23.6)	38,810	(22,376 - 55,245)
NV	25-34	542	12.7	2.26	(8.3 - 17.2)	48,898	(30,685 - 67,112)
NV	35-44	729	11.6	1.72	(8.2 - 15.0)	44,786	(31,025 - 58,547)
NV	45-54	941	14.7	1.92	(11.0 - 18.5)	50,866	(36,838 - 64,894)
NV	55-64	974	15.0	2.12	(10.8 - 19.1)	43,636	(30,151 - 57,122)
NV	65+	1,326	12.5	1.40	(9.7 - 15.2)	37,266	(28,494 - 46,039)
NH	18-24	186	19.2	3.40	(12.5 - 25.9)	19,733	(12,080 - 27,385)
NH	25-34	561	18.4	1.76	(15.0 - 21.9)	32,235	(25,748 - 38,722)
NH	35-44	1,086	16.8	1.29	(14.2 - 19.3)	33,578	(28,155 - 39,002)
NH	45-54	1,496	13.7	1.09	(11.6 - 15.9)	29,848	(24,921 - 34,774)
NH	55-64	1,493	14.4	1.12	(12.2 - 16.6)	23,104	(19,330 - 26,877)
NH	65+	1,980	10.9	0.79	(9.3 - 12.4)	18,372	(15,634 - 21,109)
NJ	18-24	336	19.9	2.77	(14.5 - 25.4)	154,563	(108,352 - 200,774)
NJ	25-34	1,099	12.0	1.23	(9.6 - 14.4)	127,955	(100,751 - 155,160)
NJ	35-44	1,985	12.0	0.97	(10.2 - 13.9)	160,810	(134,014 - 187,606)
NJ	45-54	2,528	12.9	0.88	(11.1 - 14.6)	169,357	(145,315 - 193,400)
NJ	55-64	2,270	12.1	0.86	(10.4 - 13.8)	115,248	(98,438 - 132,059)
NJ	65+	3,317	10.0	0.71	(8.6 - 11.4)	114,934	(98,011 - 131,856)
NM	18-24	232	10.7	2.50	(5.8 - 15.6)	21,948	(11,426 - 32,470)
NM	25-34	657	13.3	1.76	(9.8 - 16.7)	34,973	(25,164 - 44,782)
NM	35-44	897	13.9	1.54	(10.9 - 17.0)	35,567	(27,247 - 43,887)
NM	45-54	1,278	12.4	1.19	(10.1 - 14.7)	34,069	(27,275 - 40,862)
NM	55-64	1,384	12.6	1.06	(10.5 - 14.6)	27,363	(22,619 - 32,107)
NM	65+	1,751	12.4	0.92	(10.6 - 14.2)	31,095	(26,365 - 35,825)
NY	18-24	286	24.6	2.91	(18.9 - 30.3)	469,069	(344,475 - 593,663)
NY	25-34	690	12.8	1.45	(10.0 - 15.7)	324,602	(248,659 - 400,545)
NY	35-44	1,190	11.9	1.09	(9.8 - 14.0)	330,533	(268,408 - 392,659)
NY	45-54	1,613	12.4	0.92	(10.6 - 14.2)	341,679	(289,961 - 393,396)
NY	55-64	1,598	14.0	1.18	(11.7 - 16.3)	291,941	(240,457 - 343,425)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,384	11.4	0.84	(9.8 - 13.1)		294,032	(249,331 - 338,733)
NC	18-24	479	13.4	2.06	(9.4 - 17.5)		113,029	(76,439 - 149,618)
NC	25-34	1,505	10.7	0.92	(8.9 - 12.5)		133,350	(110,095 - 156,605)
NC	35-44	2,449	10.6	0.79	(9.1 - 12.2)		141,576	(119,904 - 163,248)
NC	45-54	3,078	13.0	0.83	(11.4 - 14.6)		166,596	(144,382 - 188,810)
NC	55-64	3,382	12.0	0.72	(10.6 - 13.4)		121,640	(106,622 - 136,658)
NC	65+	4,791	10.9	0.54	(9.9 - 12.0)		123,390	(111,102 - 135,678)
ND	18-24	163	15.1	2.87	(9.5 - 20.8)		12,051	(7,228 - 16,874)
ND	25-34	504	13.7	1.64	(10.5 - 17.0)		10,685	(8,019 - 13,351)
ND	35-44	697	10.6	1.24	(8.2 - 13.1)		8,087	(6,148 - 10,025)
ND	45-54	1,075	9.9	0.96	(8.0 - 11.8)		9,121	(7,322 - 10,920)
ND	55-64	999	10.2	1.03	(8.2 - 12.2)		6,918	(5,488 - 8,348)
ND	65+	1,539	10.3	0.88	(8.5 - 12.0)		9,632	(7,932 - 11,331)
OH	18-24	390	14.8	2.33	(10.2 - 19.4)		152,710	(101,513 - 203,907)
OH	25-34	1,060	17.7	1.62	(14.5 - 20.9)		270,848	(216,713 - 324,984)
OH	35-44	1,791	14.4	1.08	(12.3 - 16.5)		224,323	(188,849 - 259,797)
OH	45-54	2,589	14.0	0.92	(12.2 - 15.8)		240,272	(207,432 - 273,111)
OH	55-64	2,800	13.4	0.86	(11.7 - 15.1)		170,690	(147,833 - 193,546)
OH	65+	4,163	11.2	0.61	(10.0 - 12.4)		174,127	(154,896 - 193,358)
OK	18-24	278	16.4	2.63	(11.2 - 21.5)		46,407	(30,722 - 62,091)
OK	25-34	863	15.2	1.46	(12.4 - 18.1)		84,869	(67,569 - 102,169)
OK	35-44	1,033	14.6	1.17	(12.3 - 16.9)		69,562	(57,983 - 81,141)
OK	45-54	1,453	13.2	0.99	(11.2 - 15.1)		64,595	(54,541 - 74,648)
OK	55-64	1,572	13.9	0.98	(12.0 - 15.9)		55,099	(47,005 - 63,192)
OK	65+	2,561	10.9	0.69	(9.6 - 12.3)		54,419	(47,389 - 61,450)
OR	18-24	141	20.6	3.75	(13.2 - 28.1)		72,090	(42,798 - 101,381)
OR	25-34	376	12.7	1.86	(9.0 - 16.3)		66,244	(46,040 - 86,448)
OR	35-44	695	13.7	1.33	(11.1 - 16.3)		70,060	(56,041 - 84,078)
OR	45-54	881	15.4	1.34	(12.8 - 18.0)		85,564	(69,958 - 101,170)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,209	14.7	1.08	(12.6 - 16.8)		66,935	(56,703 - 77,166)
OR	65+	1,458	14.3	1.08	(12.2 - 16.5)		72,240	(60,793 - 83,687)
PA	18-24	455	16.1	2.48	(11.3 - 21.0)		194,888	(131,555 - 258,221)
PA	25-34	1,135	14.8	1.49	(11.9 - 17.7)		214,673	(169,441 - 259,906)
PA	35-44	1,939	12.7	1.05	(10.7 - 14.8)		216,413	(179,387 - 253,439)
PA	45-54	2,639	13.0	1.00	(11.0 - 14.9)		243,715	(204,531 - 282,899)
PA	55-64	2,734	12.9	0.97	(11.0 - 14.8)		185,098	(156,254 - 213,942)
PA	65+	4,109	11.3	0.68	(9.9 - 12.6)		216,424	(189,617 - 243,231)
RI	18-24	134	18.1	3.57	(11.0 - 25.1)		20,842	(12,014 - 29,669)
RI	25-34	416	16.0	1.97	(12.2 - 19.9)		21,209	(15,762 - 26,655)
RI	35-44	778	14.7	1.40	(12.0 - 17.5)		22,281	(17,845 - 26,717)
RI	45-54	975	15.3	1.27	(12.8 - 17.8)		24,447	(20,216 - 28,678)
RI	55-64	987	16.5	1.29	(14.0 - 19.1)		19,156	(16,046 - 22,266)
RI	65+	1,441	12.6	0.96	(10.7 - 14.4)		18,750	(15,787 - 21,714)
SC	18-24	321	21.6	3.33	(15.0 - 28.1)		73,594	(48,689 - 98,498)
SC	25-34	858	13.0	1.81	(9.5 - 16.6)		87,276	(61,638 - 112,915)
SC	35-44	1,379	11.7	1.31	(9.2 - 14.3)		71,252	(54,763 - 87,742)
SC	45-54	1,980	12.8	1.15	(10.6 - 15.1)		79,288	(64,459 - 94,117)
SC	55-64	2,204	15.0	1.12	(12.8 - 17.2)		76,802	(64,827 - 88,776)
SC	65+	3,306	11.7	0.81	(10.1 - 13.3)		68,003	(58,363 - 77,642)
SD	18-24	221	15.5	3.05	(9.5 - 21.5)		12,855	(7,455 - 18,254)
SD	25-34	664	12.7	1.54	(9.6 - 15.7)		12,366	(9,230 - 15,502)
SD	35-44	915	9.6	1.18	(7.2 - 11.9)		9,294	(6,927 - 11,662)
SD	45-54	1,353	8.7	0.98	(6.7 - 10.6)		9,806	(7,531 - 12,082)
SD	55-64	1,437	11.1	0.98	(9.2 - 13.0)		9,423	(7,712 - 11,134)
SD	65+	2,314	10.4	0.75	(8.9 - 11.8)		11,687	(9,957 - 13,417)
TN	18-24	121	14.4	4.00	(6.4 - 22.3)		43,156	(17,584 - 68,729)
TN	25-34	391	12.6	1.99	(8.7 - 16.6)		93,015	(63,371 - 122,659)
TN	35-44	681	13.1	1.74	(9.7 - 16.5)		161,893	(117,744 - 206,041)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,044	11.3	1.17	(9.0 - 13.6)		99,448	(78,361 - 120,535)
TN	55-64	1,123	13.1	1.36	(10.4 - 15.7)		92,025	(71,893 - 112,156)
TN	65+	1,613	11.8	1.01	(9.8 - 13.7)		94,306	(77,578 - 111,035)
TX	18-24	366	16.8	2.61	(11.7 - 22.0)		418,435	(279,224 - 557,646)
TX	25-34	1,118	8.8	1.00	(6.8 - 10.7)		305,725	(236,049 - 375,402)
TX	35-44	1,644	11.7	1.04	(9.6 - 13.7)		398,852	(325,556 - 472,147)
TX	45-54	1,986	13.2	1.04	(11.2 - 15.2)		419,919	(351,589 - 488,248)
TX	55-64	2,107	12.5	0.98	(10.6 - 14.4)		280,873	(235,564 - 326,181)
TX	65+	3,349	11.8	0.75	(10.3 - 13.3)		287,426	(249,961 - 324,891)
UT	18-24	289	14.1	2.53	(9.1 - 19.1)		44,698	(27,754 - 61,641)
UT	25-34	871	10.8	1.28	(8.3 - 13.3)		46,821	(35,407 - 58,234)
UT	35-44	992	13.7	1.34	(11.0 - 16.3)		44,719	(35,505 - 53,934)
UT	45-54	1,018	14.5	1.31	(12.0 - 17.1)		42,784	(34,750 - 50,817)
UT	55-64	917	14.5	1.59	(11.4 - 17.7)		31,353	(24,014 - 38,693)
UT	65+	1,191	11.8	1.19	(9.5 - 14.2)		27,606	(21,808 - 33,405)
VT	18-24	212	21.9	3.04	(16.0 - 27.9)		13,475	(9,351 - 17,598)
VT	25-34	547	18.7	1.74	(15.3 - 22.2)		13,449	(10,765 - 16,132)
VT	35-44	1,013	16.3	1.22	(13.9 - 18.7)		14,071	(11,856 - 16,285)
VT	45-54	1,552	13.9	0.95	(12.0 - 15.7)		14,256	(12,224 - 16,288)
VT	55-64	1,528	12.7	0.91	(10.9 - 14.4)		10,288	(8,761 - 11,816)
VT	65+	1,814	11.6	0.83	(10.0 - 13.2)		9,897	(8,435 - 11,359)
VA	18-24	163	18.7	3.81	(11.1 - 26.2)		140,057	(84,566 - 195,549)
VA	25-34	427	18.0	3.25	(11.7 - 24.4)		189,783	(114,790 - 264,776)
VA	35-44	772	11.7	1.69	(8.4 - 15.0)		133,436	(92,794 - 174,078)
VA	45-54	1,103	14.4	1.42	(11.6 - 17.2)		167,130	(132,982 - 201,279)
VA	55-64	1,165	12.1	1.31	(9.5 - 14.6)		101,937	(79,431 - 124,444)
VA	65+	1,594	10.8	0.95	(9.0 - 12.7)		100,444	(82,707 - 118,181)
WA	18-24	748	18.5	1.74	(15.0 - 21.9)		114,408	(90,890 - 137,925)
WA	25-34	2,036	15.0	0.97	(13.1 - 16.9)		135,171	(116,765 - 153,578)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	3,117	14.5	0.76	(13.0 - 16.0)		136,780	(121,803 - 151,758)
WA	45-54	4,550	14.7	0.64	(13.4 - 15.9)		143,970	(130,743 - 157,196)
WA	55-64	5,210	14.6	0.59	(13.5 - 15.8)		107,504	(98,462 - 116,546)
WA	65+	6,670	13.1	0.50	(12.1 - 14.1)		101,614	(93,675 - 109,554)
WV	18-24	136	20.8	3.67	(13.5 - 28.1)		34,272	(20,996 - 47,548)
WV	25-34	405	13.5	1.82	(10.0 - 17.1)		31,180	(22,386 - 39,975)
WV	35-44	582	13.6	1.55	(10.5 - 16.6)		32,333	(24,609 - 40,056)
WV	45-54	837	14.2	1.33	(11.6 - 16.8)		38,586	(31,017 - 46,154)
WV	55-64	977	13.4	1.22	(11.0 - 15.8)		31,538	(25,545 - 37,530)
WV	65+	1,201	9.8	0.94	(8.0 - 11.7)		28,198	(22,710 - 33,687)
WI	18-24	256	20.1	3.42	(13.3 - 26.8)		111,536	(71,230 - 151,842)
WI	25-34	667	14.6	2.02	(10.7 - 18.6)		103,853	(73,825 - 133,881)
WI	35-44	1,109	16.0	1.76	(12.6 - 19.5)		124,966	(95,261 - 154,671)
WI	45-54	1,597	11.8	1.11	(9.6 - 14.0)		99,299	(80,316 - 118,282)
WI	55-64	1,460	12.8	1.28	(10.3 - 15.4)		80,992	(64,340 - 97,643)
WI	65+	1,921	10.8	1.05	(8.7 - 12.8)		80,268	(64,132 - 96,404)
WY	18-24	275	22.1	2.76	(16.6 - 27.5)		11,925	(8,606 - 15,244)
WY	25-34	836	16.3	1.41	(13.5 - 19.0)		11,162	(9,100 - 13,224)
WY	35-44	1,088	13.0	1.08	(10.9 - 15.1)		8,400	(6,949 - 9,851)
WY	45-54	1,714	11.5	0.83	(9.8 - 13.1)		9,191	(7,815 - 10,566)
WY	55-64	1,793	11.6	0.81	(10.0 - 13.2)		7,223	(6,176 - 8,269)
WY	65+	2,209	11.3	0.73	(9.9 - 12.7)		7,377	(6,401 - 8,353)
Territories								
GU	18-24	117	16.1	3.39	(9.4 - 22.8)		2,774	(1,553 - 3,996)
GU	25-34	122	8.7	3.19	(2.4 - 15.0)		2,189	(528 - 3,850)
GU	35-44	175	12.7	2.81	(7.2 - 18.3)		3,102	(1,681 - 4,524)
GU	45-54	165	8.3	2.57	(3.3 - 13.4)		1,496	(546 - 2,447)
GU	55-64	122	7.1	2.30	(2.5 - 11.6)		776	(266 - 1,286)
GU	65+	91	7.9	3.39	(1.2 - 14.7)		782	(91 - 1,474)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	258	17.5	2.46	(12.7 - 22.4)		72,639	(50,782 - 94,497)
PR	25-34	354	19.0	2.28	(14.5 - 23.5)		104,063	(77,057 - 131,070)
PR	35-44	572	12.4	1.57	(9.3 - 15.4)		65,009	(47,746 - 82,272)
PR	45-54	755	15.2	1.43	(12.4 - 18.0)		72,869	(58,463 - 87,274)
PR	55-64	962	14.8	1.30	(12.2 - 17.3)		58,709	(47,877 - 69,542)
PR	65+	1,552	12.4	0.94	(10.6 - 14.2)		59,003	(49,827 - 68,180)
VI	18-24	151	15.5	3.44	(8.7 - 22.3)		1,336	(705 - 1,968)
VI	25-34	273	8.4	1.79	(4.9 - 11.9)		1,136	(652 - 1,621)
VI	35-44	497	7.9	1.33	(5.3 - 10.6)		1,260	(832 - 1,688)
VI	45-54	519	9.9	1.64	(6.7 - 13.2)		1,370	(904 - 1,835)
VI	55-64	555	5.9	1.02	(3.9 - 7.9)		691	(454 - 929)
VI	65+	417	4.2	1.00	(2.2 - 6.2)		376	(197 - 555)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.