

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	HS Nongrad	39,063	14.1	0.39	(13.4 - 14.9)		3,675,074	(3,463,932 - 3,886,216)
U.S. Total**	HS Grad	122,410	13.2	0.22	(12.7 - 13.6)		8,670,114	(8,367,900 - 8,972,329)
U.S. Total**	Some Coll	107,526	14.5	0.23	(14.1 - 15.0)		8,769,606	(8,482,613 - 9,056,600)
U.S. Total**	Coll Grad	135,460	12.2	0.18	(11.8 - 12.5)		9,249,089	(8,969,312 - 9,528,867)
AL	HS Nongrad	987	18.9	2.43	(14.2 - 23.7)		91,579	(65,189 - 117,969)
AL	HS Grad	2,095	11.8	1.14	(9.6 - 14.1)		137,619	(110,341 - 164,897)
AL	Some Coll	1,718	12.6	1.15	(10.3 - 14.9)		114,396	(93,073 - 135,720)
AL	Coll Grad	1,660	9.4	1.01	(7.5 - 11.4)		91,576	(71,591 - 111,562)
AK	HS Nongrad	199	23.1	6.01	(11.3 - 35.0)		9,287	(3,652 - 14,923)
AK	HS Grad	840	15.9	2.22	(11.6 - 20.3)		25,118	(17,593 - 32,642)
AK	Some Coll	788	18.8	2.79	(13.3 - 24.2)		29,613	(19,694 - 39,532)
AK	Coll Grad	813	11.5	1.54	(8.4 - 14.5)		15,983	(11,602 - 20,364)
AZ	HS Nongrad	786	12.1	3.18	(5.9 - 18.4)		73,715	(33,519 - 113,912)
AZ	HS Grad	1,667	13.9	2.29	(9.4 - 18.4)		163,579	(106,107 - 221,050)
AZ	Some Coll	1,841	14.8	1.81	(11.2 - 18.4)		193,721	(144,354 - 243,088)
AZ	Coll Grad	1,834	16.8	2.01	(12.9 - 20.8)		272,627	(201,270 - 343,984)
AR	HS Nongrad	751	15.5	2.03	(11.5 - 19.5)		40,815	(29,505 - 52,124)
AR	HS Grad	2,003	14.4	1.39	(11.7 - 17.1)		110,498	(87,706 - 133,291)
AR	Some Coll	1,362	13.2	1.32	(10.7 - 15.8)		70,032	(55,534 - 84,530)
AR	Coll Grad	1,545	9.1	0.98	(7.2 - 11.0)		53,578	(41,893 - 65,263)
CA	HS Nongrad	1,548	8.5	0.88	(6.8 - 10.2)		465,303	(368,090 - 562,516)
CA	HS Grad	2,257	14.3	1.06	(12.2 - 16.4)		898,565	(759,405 - 1,037,725)
CA	Some Coll	3,053	16.4	0.91	(14.7 - 18.2)		1,115,566	(986,639 - 1,244,494)
CA	Coll Grad	4,593	14.9	0.70	(13.6 - 16.3)		1,314,617	(1,186,476 - 1,442,759)
CO	HS Nongrad	750	9.7	1.38	(7.0 - 12.4)		34,878	(24,736 - 45,021)
CO	HS Grad	2,668	12.6	0.97	(10.7 - 14.5)		109,890	(92,145 - 127,635)
CO	Some Coll	3,151	15.0	1.10	(12.8 - 17.1)		147,677	(124,099 - 171,255)
CO	Coll Grad	5,149	12.7	0.57	(11.6 - 13.9)		184,036	(167,124 - 200,948)
CT	HS Nongrad	434	14.8	2.38	(10.1 - 19.4)		23,054	(15,528 - 30,579)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
CT	HS Grad	1,597	13.2	1.26	(10.7 - 15.7)	91,012	(73,123 - 108,902)
CT	Some Coll	1,353	14.6	1.53	(11.6 - 17.6)	87,764	(68,126 - 107,401)
CT	Coll Grad	2,730	12.8	0.96	(10.9 - 14.7)	159,111	(134,179 - 184,044)
DE	HS Nongrad	268	16.8	3.91	(9.1 - 24.5)	5,924	(2,962 - 8,885)
DE	HS Grad	1,300	10.9	1.26	(8.5 - 13.4)	21,651	(16,588 - 26,714)
DE	Some Coll	1,011	17.9	2.19	(13.6 - 22.2)	31,360	(22,902 - 39,817)
DE	Coll Grad	1,429	12.3	1.43	(9.5 - 15.1)	31,127	(23,489 - 38,765)
DC	HS Nongrad	334	13.0	2.57	(8.0 - 18.0)	5,997	(3,549 - 8,446)
DC	HS Grad	663	18.4	2.32	(13.8 - 22.9)	15,833	(11,435 - 20,232)
DC	Some Coll	645	18.6	2.09	(14.5 - 22.7)	14,155	(10,706 - 17,605)
DC	Coll Grad	2,579	15.3	0.96	(13.4 - 17.2)	39,334	(34,166 - 44,501)
FL	HS Nongrad	1,289	13.3	2.45	(8.5 - 18.1)	197,943	(120,822 - 275,063)
FL	HS Grad	3,488	11.2	1.04	(9.1 - 13.2)	440,320	(356,572 - 524,067)
FL	Some Coll	2,987	10.7	0.96	(8.8 - 12.5)	450,690	(369,352 - 532,028)
FL	Coll Grad	3,020	8.3	0.75	(6.8 - 9.7)	387,895	(318,051 - 457,738)
GA	HS Nongrad	704	17.9	2.10	(13.8 - 22.0)	131,699	(99,971 - 163,427)
GA	HS Grad	1,633	11.5	1.44	(8.7 - 14.3)	228,257	(167,913 - 288,601)
GA	Some Coll	1,463	13.1	1.30	(10.5 - 15.6)	240,828	(190,644 - 291,013)
GA	Coll Grad	1,881	11.8	1.23	(9.4 - 14.2)	301,419	(235,213 - 367,625)
HI	HS Nongrad	326	19.9	3.29	(13.4 - 26.3)	9,741	(6,160 - 13,322)
HI	HS Grad	1,714	17.5	1.39	(14.8 - 20.2)	51,274	(42,493 - 60,055)
HI	Some Coll	1,805	16.4	1.32	(13.8 - 19.0)	46,857	(38,758 - 54,956)
HI	Coll Grad	2,572	14.3	0.96	(12.5 - 16.2)	52,799	(45,419 - 60,180)
ID	HS Nongrad	405	13.4	2.32	(8.8 - 17.9)	14,658	(9,350 - 19,965)
ID	HS Grad	1,514	13.1	1.50	(10.1 - 16.0)	40,836	(30,875 - 50,798)
ID	Some Coll	1,622	13.6	1.13	(11.3 - 15.8)	45,355	(37,565 - 53,144)
ID	Coll Grad	1,543	11.2	1.12	(9.0 - 13.4)	36,677	(29,038 - 44,317)
IL	HS Nongrad	385	12.8	2.33	(8.2 - 17.4)	108,762	(67,849 - 149,675)
IL	HS Grad	1,536	14.3	1.49	(11.3 - 17.2)	406,913	(316,002 - 497,824)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	Some Coll	1,377	12.7	1.27	(10.2 - 15.2)	336,748	(265,970 - 407,525)
IL	Coll Grad	1,849	12.9	1.14	(10.7 - 15.1)	427,559	(347,259 - 507,860)
IN	HS Nongrad	506	17.1	2.76	(11.7 - 22.5)	87,735	(58,140 - 117,331)
IN	HS Grad	1,817	13.2	1.17	(10.9 - 15.5)	217,664	(177,980 - 257,347)
IN	Some Coll	1,228	13.9	1.47	(11.0 - 16.8)	162,947	(126,636 - 199,259)
IN	Coll Grad	1,325	13.0	1.31	(10.4 - 15.6)	177,751	(140,432 - 215,071)
IA	HS Nongrad	349	15.6	3.09	(9.5 - 21.7)	22,950	(13,015 - 32,885)
IA	HS Grad	2,131	10.8	0.94	(8.9 - 12.6)	84,632	(69,371 - 99,893)
IA	Some Coll	1,696	10.0	0.95	(8.1 - 11.8)	68,213	(54,952 - 81,475)
IA	Coll Grad	1,806	10.2	0.94	(8.3 - 12.0)	69,880	(56,508 - 83,252)
KS	HS Nongrad	544	17.4	3.05	(11.4 - 23.4)	24,695	(15,011 - 34,379)
KS	HS Grad	2,459	11.9	1.04	(9.9 - 14.0)	70,961	(57,972 - 83,950)
KS	Some Coll	2,527	15.3	1.12	(13.1 - 17.5)	93,899	(79,174 - 108,625)
KS	Coll Grad	3,069	11.6	0.73	(10.1 - 13.0)	84,389	(73,309 - 95,470)
KY	HS Nongrad	1,230	19.8	2.12	(15.6 - 23.9)	83,916	(64,801 - 103,031)
KY	HS Grad	2,831	14.6	1.12	(12.4 - 16.8)	150,206	(125,851 - 174,561)
KY	Some Coll	2,053	15.6	1.39	(12.8 - 18.3)	135,475	(109,580 - 161,370)
KY	Coll Grad	1,932	11.8	1.05	(9.7 - 13.8)	107,061	(87,588 - 126,534)
LA	HS Nongrad	668	17.6	1.98	(13.7 - 21.5)	61,111	(46,207 - 76,014)
LA	HS Grad	1,929	12.2	1.15	(9.9 - 14.5)	129,456	(103,917 - 154,995)
LA	Some Coll	1,650	11.9	1.21	(9.6 - 14.3)	104,891	(82,589 - 127,192)
LA	Coll Grad	1,902	8.9	0.87	(7.2 - 10.6)	89,581	(71,792 - 107,371)
ME	HS Nongrad	410	24.9	3.79	(17.4 - 32.3)	17,069	(10,823 - 23,316)
ME	HS Grad	2,158	15.0	1.08	(12.9 - 17.1)	49,915	(42,236 - 57,595)
ME	Some Coll	1,693	18.0	1.33	(15.4 - 20.6)	48,628	(40,794 - 56,462)
ME	Coll Grad	2,500	13.0	0.83	(11.4 - 14.6)	48,875	(42,448 - 55,302)
MD	HS Nongrad	650	14.6	1.89	(10.9 - 18.3)	42,337	(31,496 - 53,178)
MD	HS Grad	2,534	13.0	1.03	(11.0 - 15.1)	148,156	(124,231 - 172,080)
MD	Some Coll	2,203	17.7	1.40	(14.9 - 20.4)	179,210	(148,099 - 210,321)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
MD	Coll Grad	4,053	13.1	0.73	(11.7 - 14.6)	244,189	(216,337 - 272,041)
MA	HS Nongrad	2,228	18.3	1.86	(14.7 - 22.0)	67,671	(52,687 - 82,654)
MA	HS Grad	5,656	14.9	0.90	(13.2 - 16.7)	189,714	(165,328 - 214,101)
MA	Some Coll	4,736	15.4	0.89	(13.7 - 17.2)	184,118	(161,810 - 206,426)
MA	Coll Grad	7,778	13.7	0.58	(12.6 - 14.9)	292,687	(267,268 - 318,106)
MI	HS Nongrad	688	22.3	2.56	(17.3 - 27.3)	112,855	(83,406 - 142,304)
MI	HS Grad	3,017	14.1	0.97	(12.2 - 16.0)	332,667	(284,347 - 380,987)
MI	Some Coll	2,751	18.3	1.11	(16.1 - 20.4)	430,303	(373,600 - 487,006)
MI	Coll Grad	2,953	12.5	0.79	(11.0 - 14.1)	302,025	(262,722 - 341,328)
MN	HS Nongrad	214	15.7	3.34	(9.1 - 22.3)	29,868	(16,663 - 43,072)
MN	HS Grad	1,116	10.4	1.21	(8.0 - 12.8)	102,708	(78,478 - 126,937)
MN	Some Coll	1,268	15.4	1.57	(12.3 - 18.5)	189,838	(147,983 - 231,693)
MN	Coll Grad	1,680	10.9	0.93	(9.1 - 12.8)	167,941	(138,642 - 197,239)
MS	HS Nongrad	1,354	15.6	1.48	(12.8 - 18.5)	51,287	(41,059 - 61,516)
MS	HS Grad	2,657	11.3	0.88	(9.5 - 13.0)	80,840	(67,959 - 93,720)
MS	Some Coll	1,995	11.3	1.03	(9.3 - 13.3)	65,657	(53,376 - 77,939)
MS	Coll Grad	1,912	8.4	0.80	(6.8 - 10.0)	45,370	(36,644 - 54,097)
MO	HS Nongrad	555	21.1	2.65	(15.9 - 26.3)	93,943	(69,233 - 118,654)
MO	HS Grad	1,867	14.5	1.39	(11.7 - 17.2)	221,646	(176,453 - 266,838)
MO	Some Coll	1,338	12.6	1.25	(10.2 - 15.1)	152,602	(121,560 - 183,643)
MO	Coll Grad	1,384	10.8	1.12	(8.6 - 13.0)	140,168	(110,621 - 169,715)
MT	HS Nongrad	477	12.9	2.16	(8.7 - 17.1)	6,111	(4,025 - 8,196)
MT	HS Grad	2,084	15.0	1.25	(12.6 - 17.5)	35,467	(29,300 - 41,634)
MT	Some Coll	1,928	15.3	1.27	(12.8 - 17.8)	31,318	(25,797 - 36,839)
MT	Coll Grad	2,329	13.9	1.07	(11.8 - 16.0)	34,353	(28,748 - 39,957)
NE	HS Nongrad	1,339	10.0	1.48	(7.1 - 12.9)	9,370	(6,561 - 12,178)
NE	HS Grad	5,929	9.5	0.83	(7.9 - 11.1)	38,514	(31,760 - 45,269)
NE	Some Coll	4,590	12.5	1.19	(10.2 - 14.8)	47,906	(38,282 - 57,530)
NE	Coll Grad	4,320	9.5	0.87	(7.8 - 11.2)	42,280	(34,288 - 50,272)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
NV	HS Nongrad	418	7.3	1.77	(3.8 - 10.8)	18,769	(9,678 - 27,860)
NV	HS Grad	1,346	15.2	1.72	(11.8 - 18.5)	86,125	(65,244 - 107,005)
NV	Some Coll	1,530	13.3	1.50	(10.4 - 16.2)	76,478	(58,427 - 94,529)
NV	Coll Grad	1,456	15.5	1.67	(12.2 - 18.8)	84,602	(64,980 - 104,223)
NH	HS Nongrad	395	21.5	3.03	(15.5 - 27.4)	12,042	(8,323 - 15,761)
NH	HS Grad	1,928	14.1	1.15	(11.9 - 16.4)	37,712	(31,221 - 44,202)
NH	Some Coll	1,761	16.0	1.29	(13.5 - 18.6)	43,518	(36,058 - 50,977)
NH	Coll Grad	2,771	14.8	0.87	(13.1 - 16.5)	64,422	(56,518 - 72,326)
NJ	HS Nongrad	1,004	15.9	1.78	(12.4 - 19.4)	92,007	(70,219 - 113,794)
NJ	HS Grad	3,320	13.0	1.06	(10.9 - 15.1)	233,686	(192,991 - 274,381)
NJ	Some Coll	2,775	14.5	1.09	(12.3 - 16.6)	232,328	(194,987 - 269,668)
NJ	Coll Grad	4,513	11.1	0.65	(9.8 - 12.3)	291,038	(256,876 - 325,200)
NM	HS Nongrad	840	7.7	1.16	(5.5 - 10.0)	15,456	(10,845 - 20,068)
NM	HS Grad	1,673	12.4	1.24	(10.0 - 14.8)	53,049	(42,152 - 63,946)
NM	Some Coll	1,643	14.1	1.30	(11.6 - 16.7)	55,477	(44,819 - 66,134)
NM	Coll Grad	2,054	13.6	1.11	(11.5 - 15.8)	61,396	(50,937 - 71,855)
NY	HS Nongrad	582	19.4	2.41	(14.7 - 24.1)	278,753	(204,541 - 352,964)
NY	HS Grad	2,189	13.5	1.14	(11.2 - 15.7)	557,706	(458,472 - 656,940)
NY	Some Coll	1,905	17.0	1.26	(14.5 - 19.4)	614,792	(515,669 - 713,914)
NY	Coll Grad	3,196	11.2	0.74	(9.8 - 12.7)	622,750	(537,962 - 707,538)
NC	HS Nongrad	2,257	13.1	1.00	(11.1 - 15.0)	129,774	(109,956 - 149,592)
NC	HS Grad	4,650	12.4	0.90	(10.6 - 14.2)	253,294	(214,723 - 291,864)
NC	Some Coll	4,099	12.3	0.74	(10.9 - 13.8)	218,007	(191,035 - 244,979)
NC	Coll Grad	4,754	9.8	0.58	(8.6 - 10.9)	201,251	(177,021 - 225,481)
ND	HS Nongrad	382	13.4	2.75	(8.0 - 18.8)	4,910	(2,783 - 7,037)
ND	HS Grad	1,528	12.0	1.28	(9.5 - 14.5)	17,472	(13,601 - 21,343)
ND	Some Coll	1,556	12.0	1.13	(9.8 - 14.2)	19,083	(15,383 - 22,783)
ND	Coll Grad	1,553	10.4	0.96	(8.5 - 12.3)	15,468	(12,529 - 18,407)
OH	HS Nongrad	1,002	20.8	2.43	(16.0 - 25.6)	155,686	(114,844 - 196,527)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
OH	HS Grad	4,607	14.6	0.89	(12.9 - 16.4)	432,601	(377,002 - 488,200)
OH	Some Coll	3,227	14.7	1.02	(12.7 - 16.7)	331,352	(282,954 - 379,750)
OH	Coll Grad	4,066	11.5	0.71	(10.1 - 12.9)	316,926	(276,961 - 356,891)
OK	HS Nongrad	976	13.5	1.45	(10.6 - 16.3)	48,526	(37,844 - 59,207)
OK	HS Grad	2,520	14.9	1.02	(12.9 - 16.9)	132,719	(113,605 - 151,833)
OK	Some Coll	2,167	15.5	1.04	(13.5 - 17.6)	114,192	(98,004 - 130,380)
OK	Coll Grad	2,113	11.1	0.81	(9.5 - 12.7)	79,904	(67,942 - 91,865)
OR	HS Nongrad	300	14.9	2.92	(9.1 - 20.6)	37,379	(21,598 - 53,160)
OR	HS Grad	1,260	14.3	1.55	(11.2 - 17.3)	111,396	(85,571 - 137,221)
OR	Some Coll	1,414	16.8	1.31	(14.3 - 19.4)	143,150	(119,666 - 166,634)
OR	Coll Grad	1,790	13.7	0.98	(11.7 - 15.6)	137,936	(117,494 - 158,377)
PA	HS Nongrad	1,210	17.6	2.19	(13.3 - 21.8)	129,333	(95,041 - 163,625)
PA	HS Grad	5,413	13.1	0.85	(11.4 - 14.7)	477,715	(412,926 - 542,505)
PA	Some Coll	2,847	13.4	1.10	(11.3 - 15.6)	306,902	(254,472 - 359,333)
PA	Coll Grad	3,640	12.4	0.79	(10.8 - 13.9)	368,277	(319,863 - 416,691)
RI	HS Nongrad	459	16.4	2.65	(11.2 - 21.6)	12,858	(8,514 - 17,203)
RI	HS Grad	1,362	17.5	1.56	(14.4 - 20.5)	39,640	(31,972 - 47,308)
RI	Some Coll	1,113	15.3	1.42	(12.5 - 18.0)	31,593	(25,642 - 37,544)
RI	Coll Grad	1,824	13.7	1.06	(11.7 - 15.8)	43,226	(36,291 - 50,161)
SC	HS Nongrad	1,385	17.3	1.84	(13.7 - 20.9)	63,889	(49,392 - 78,387)
SC	HS Grad	3,419	15.5	1.22	(13.1 - 17.9)	170,439	(141,622 - 199,256)
SC	Some Coll	2,458	14.2	1.30	(11.6 - 16.7)	126,901	(102,262 - 151,540)
SC	Coll Grad	2,883	9.8	0.92	(8.0 - 11.6)	96,891	(78,394 - 115,388)
SD	HS Nongrad	606	17.9	2.92	(12.1 - 23.6)	7,621	(4,890 - 10,352)
SD	HS Grad	2,341	9.8	0.92	(8.0 - 11.6)	18,524	(14,980 - 22,067)
SD	Some Coll	1,969	12.7	1.38	(10.0 - 15.4)	21,736	(16,682 - 26,790)
SD	Coll Grad	2,035	9.3	0.81	(7.7 - 10.9)	17,423	(14,365 - 20,481)
TN	HS Nongrad	711	23.6	2.46	(18.8 - 28.4)	126,315	(98,237 - 154,393)
TN	HS Grad	1,811	11.7	1.10	(9.6 - 13.9)	196,677	(160,150 - 233,203)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
TN	Some Coll	1,379	10.5	1.20	(8.1 - 12.8)	141,496	(108,176 - 174,816)
TN	Coll Grad	1,086	10.9	1.57	(7.8 - 14.0)	120,458	(84,094 - 156,823)
TX	HS Nongrad	1,644	10.6	1.37	(7.9 - 13.3)	327,444	(240,007 - 414,881)
TX	HS Grad	2,666	10.6	1.05	(8.5 - 12.6)	484,858	(386,690 - 583,027)
TX	Some Coll	2,825	15.3	1.16	(13.0 - 17.5)	673,048	(564,964 - 781,131)
TX	Coll Grad	3,511	12.0	0.85	(10.3 - 13.6)	629,954	(538,266 - 721,642)
UT	HS Nongrad	319	14.9	3.04	(8.9 - 20.9)	18,769	(10,559 - 26,979)
UT	HS Grad	1,470	12.3	1.30	(9.8 - 14.9)	65,353	(51,061 - 79,646)
UT	Some Coll	1,700	13.6	1.23	(11.2 - 16.0)	80,938	(65,598 - 96,278)
UT	Coll Grad	1,816	12.8	1.00	(10.9 - 14.8)	74,078	(62,135 - 86,020)
VT	HS Nongrad	416	22.1	3.23	(15.8 - 28.5)	6,755	(4,481 - 9,030)
VT	HS Grad	1,904	16.3	1.16	(14.1 - 18.6)	24,025	(20,374 - 27,676)
VT	Some Coll	1,621	14.4	1.12	(12.2 - 16.6)	17,692	(14,814 - 20,571)
VT	Coll Grad	2,769	14.2	0.81	(12.6 - 15.8)	27,196	(23,975 - 30,418)
VA	HS Nongrad	567	20.5	3.03	(14.5 - 26.4)	100,432	(67,948 - 132,916)
VA	HS Grad	1,477	14.6	1.41	(11.8 - 17.3)	215,099	(172,474 - 257,724)
VA	Some Coll	1,257	14.8	1.81	(11.3 - 18.4)	212,170	(160,663 - 263,677)
VA	Coll Grad	1,966	12.3	1.55	(9.2 - 15.3)	307,145	(226,179 - 388,111)
WA	HS Nongrad	1,578	15.8	1.36	(13.1 - 18.4)	65,678	(53,766 - 77,590)
WA	HS Grad	5,543	14.7	0.77	(13.2 - 16.2)	175,389	(155,870 - 194,909)
WA	Some Coll	7,083	15.8	0.65	(14.5 - 17.1)	238,009	(217,319 - 258,699)
WA	Coll Grad	8,193	14.2	0.56	(13.1 - 15.3)	261,453	(239,907 - 282,999)
WV	HS Nongrad	614	18.4	2.11	(14.3 - 22.6)	37,286	(27,954 - 46,619)
WV	HS Grad	1,667	13.3	1.13	(11.1 - 15.5)	76,884	(63,212 - 90,556)
WV	Some Coll	964	13.9	1.38	(11.2 - 16.6)	47,300	(37,513 - 57,087)
WV	Coll Grad	906	10.8	1.19	(8.5 - 13.2)	33,430	(25,902 - 40,957)
WI	HS Nongrad	549	17.4	3.16	(11.2 - 23.6)	55,678	(35,881 - 75,474)
WI	HS Grad	2,632	13.6	1.30	(11.1 - 16.2)	198,465	(158,511 - 238,420)
WI	Some Coll	1,934	16.2	1.54	(13.2 - 19.2)	186,717	(148,255 - 225,179)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L6
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory: BRFSS 2008

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WI	Coll Grad	1,911	12.3	1.04	(10.2 - 14.3)		163,239	(135,107 - 191,370)
WY	HS Nongrad	471	18.5	2.85	(12.9 - 24.1)		5,440	(3,612 - 7,269)
WY	HS Grad	2,524	13.8	1.01	(11.8 - 15.8)		17,376	(14,664 - 20,088)
WY	Some Coll	2,467	13.8	0.97	(11.9 - 15.7)		16,963	(14,431 - 19,494)
WY	Coll Grad	2,514	13.2	0.81	(11.6 - 14.8)		15,738	(13,738 - 17,737)
Territories								
GU	HS Nongrad	106	11.6	3.48	(4.7 - 18.5)		1,766	(671 - 2,861)
GU	HS Grad	333	13.0	2.22	(8.7 - 17.4)		5,984	(3,863 - 8,104)
GU	Some Coll	175	5.4	1.86	(1.7 - 9.0)		1,254	(379 - 2,129)
GU	Coll Grad	175	10.2	2.67	(4.9 - 15.4)		2,116	(974 - 3,258)
PR	HS Nongrad	1,363	14.8	1.25	(12.3 - 17.2)		86,297	(71,106 - 101,487)
PR	HS Grad	1,038	12.8	1.41	(10.1 - 15.6)		84,774	(65,243 - 104,304)
PR	Some Coll	972	15.1	1.49	(12.1 - 18.0)		118,066	(93,465 - 142,668)
PR	Coll Grad	1,091	17.6	1.49	(14.7 - 20.5)		144,144	(118,179 - 170,108)
VI	HS Nongrad	462	7.7	1.66	(4.4 - 11.0)		1,049	(588 - 1,509)
VI	HS Grad	814	8.1	1.19	(5.8 - 10.5)		2,243	(1,585 - 2,901)
VI	Some Coll	458	11.0	1.90	(7.3 - 14.7)		1,441	(922 - 1,960)
VI	Coll Grad	716	7.5	1.15	(5.3 - 9.8)		1,416	(980 - 1,852)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.