

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	16,286	5.5	0.35	(4.9 - 6.3)		820,284	(714,516 - 926,052)
Total **	5-9	17,030	10.4	0.45	(9.5 - 11.3)		1,493,283	(1,359,417 - 1,627,149)
Total **	10-14	19,900	10.1	0.39	(9.4 - 10.9)		1,186,677	(1,093,070 - 1,280,284)
Total **	15-17	15,651	9.2	0.41	(8.4 - 10.1)		860,376	(783,458 - 937,295)
CA	0-4	1,049	4.2	0.89	(2.7 - 6.3)		111,413	(63,431 - 159,396)
CA	5-9	1,055	7.9	1.11	(6.0 - 10.4)		198,419	(142,017 - 254,822)
CA	10-14	1,267	8.2	1.01	(6.4 - 10.4)		129,760	(97,275 - 162,245)
CA	15-17	934	7.8	1.07	(6.0 - 10.2)		128,504	(93,150 - 163,858)
CT	0-4	369	7.2	1.77	(4.4 - 11.6)		12,864	(6,511 - 19,218)
CT	5-9	382	10.5	1.89	(7.3 - 14.8)		22,908	(14,430 - 31,386)
CT	10-14	446	17.1	2.39	(12.9 - 22.3)		35,914	(25,113 - 46,716)
CT	15-17	316	12.7	2.32	(8.8 - 18.0)		18,557	(11,549 - 25,564)
DE	0-4	279	9.2	2.48	(5.4 - 15.4)		5,560	(2,491 - 8,629)
DE	5-9	248	13.9	2.54	(9.6 - 19.6)		7,745	(4,813 - 10,678)
DE	10-14	347	16.6	2.61	(12.1 - 22.3)		8,354	(5,568 - 11,140)
DE	15-17	242	16.1	2.86	(11.2 - 22.5)		5,733	(3,607 - 7,859)
DC	0-4	223	7.9	2.90	(3.8 - 15.8)		2,228	(532 - 3,924)
DC	5-9	166	12.2	2.88	(7.5 - 19.0)		3,578	(1,823 - 5,333)
DC	10-14	149	20.7	3.72	(14.4 - 28.9)		5,916	(3,658 - 8,174)
DC	15-17	117	15.6	4.06	(9.2 - 25.3)		2,698	(1,221 - 4,175)
GA	0-4	322	8.0	1.97	(4.9 - 12.8)		60,822	(30,559 - 91,086)
GA	5-9	378	13.8	2.33	(9.8 - 19.0)		96,659	(62,593 - 130,724)
GA	10-14	389	14.0	2.40	(9.9 - 19.3)		62,767	(40,250 - 85,284)
GA	15-17	314	4.2	1.18	(2.4 - 7.2)		17,389	(7,843 - 26,935)
HI	0-4	398	7.5	1.56	(5.0 - 11.2)		6,482	(3,806 - 9,157)
HI	5-9	450	14.8	2.25	(10.9 - 19.8)		11,105	(7,515 - 14,695)
HI	10-14	512	14.0	1.76	(10.9 - 17.8)		8,392	(6,237 - 10,547)
HI	15-17	399	10.4	1.94	(7.2 - 14.9)		4,819	(2,989 - 6,649)
ID	0-4	325	2.2	0.95	(1.0 - 5.1)		2,780	(446 - 5,114)
ID	5-9	360	4.9	1.34	(2.9 - 8.3)		4,738	(2,148 - 7,327)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
ID	10-14	365	6.2	1.53	(3.8 - 10.0)		6,365	(3,237 - 9,494)
ID	15-17	261	5.8	1.45	(3.5 - 9.4)		3,874	(1,958 - 5,790)
IL	0-4	358	5.8	1.48	(3.5 - 9.5)		45,380	(22,031 - 68,729)
IL	5-9	383	12.7	2.29	(8.8 - 17.9)		110,628	(68,421 - 152,836)
IL	10-14	423	10.7	1.65	(7.9 - 14.4)		93,513	(64,776 - 122,251)
IL	15-17	393	7.2	1.53	(4.7 - 10.8)		33,031	(19,116 - 46,946)
IN	0-4	469	7.9	1.88	(4.9 - 12.4)		34,600	(17,684 - 51,515)
IN	5-9	509	9.7	1.56	(7.1 - 13.2)		38,808	(26,160 - 51,456)
IN	10-14	600	11.5	1.69	(8.6 - 15.2)		39,783	(27,761 - 51,804)
IN	15-17	431	11.2	1.82	(8.1 - 15.3)		29,215	(19,599 - 38,831)
IA	0-4	365	2.4	0.84	(1.2 - 4.7)		4,749	(1,423 - 8,075)
IA	5-9	369	3.8	0.98	(2.3 - 6.3)		7,194	(3,551 - 10,838)
IA	10-14	446	5.5	1.20	(3.6 - 8.4)		8,902	(5,038 - 12,765)
IA	15-17	313	9.7	2.17	(6.2 - 14.9)		11,670	(6,267 - 17,074)
KS	0-4	1,117	4.3	0.69	(3.2 - 5.9)		8,398	(5,741 - 11,055)
KS	5-9	1,215	8.6	0.87	(7.1 - 10.5)		16,322	(12,975 - 19,670)
KS	10-14	1,366	10.7	0.92	(9.0 - 12.6)		18,065	(14,899 - 21,232)
KS	15-17	1,105	10.6	1.05	(8.7 - 12.8)		12,220	(9,748 - 14,692)
LA	0-4	443	8.1	1.62	(5.5 - 11.9)		22,196	(13,173 - 31,219)
LA	5-9	534	11.5	1.71	(8.6 - 15.3)		35,891	(24,888 - 46,893)
LA	10-14	639	9.1	1.42	(6.6 - 12.3)		24,015	(16,371 - 31,660)
LA	15-17	506	9.3	1.65	(6.6 - 13.1)		15,704	(10,110 - 21,299)
ME	0-4	208	3.9	1.35	(2.0 - 7.6)		2,799	(897 - 4,700)
ME	5-9	243	11.3	2.25	(7.6 - 16.6)		8,036	(4,780 - 11,292)
ME	10-14	274	12.2	2.16	(8.6 - 17.1)		7,795	(4,962 - 10,629)
ME	15-17	223	11.8	2.47	(7.8 - 17.6)		6,409	(3,647 - 9,171)
MD	0-4	531	8.5	1.86	(5.5 - 12.9)		28,722	(15,661 - 41,783)
MD	5-9	569	14.0	2.25	(10.1 - 19.0)		48,586	(31,774 - 65,399)
MD	10-14	663	14.5	2.07	(10.9 - 19.0)		45,553	(31,819 - 59,288)
MD	15-17	530	11.7	1.84	(8.6 - 15.8)		28,189	(19,101 - 37,277)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
MA	0-4	291	4.3	1.65	(2.0 - 9.0)		16,301	(3,865 - 28,738)
MA	5-9	307	12.1	2.38	(8.1 - 17.6)		45,521	(27,292 - 63,750)
MA	10-14	370	9.7	1.99	(6.5 - 14.4)		27,416	(16,043 - 38,790)
MA	15-17	294	11.5	2.70	(7.2 - 18.0)		29,850	(15,399 - 44,301)
MI	0-4	438	4.0	1.07	(2.4 - 6.7)		25,186	(11,894 - 38,478)
MI	5-9	524	9.2	1.59	(6.5 - 12.8)		59,130	(38,325 - 79,935)
MI	10-14	653	8.7	1.30	(6.5 - 11.6)		47,210	(32,969 - 61,452)
MI	15-17	555	10.8	1.92	(7.6 - 15.2)		47,088	(29,630 - 64,546)
MS	0-4	591	8.5	1.30	(6.3 - 11.4)		18,439	(12,763 - 24,115)
MS	5-9	566	13.0	1.69	(10.0 - 16.7)		26,867	(19,657 - 34,078)
MS	10-14	789	10.7	1.38	(8.3 - 13.7)		18,496	(13,608 - 23,384)
MS	15-17	549	9.8	1.69	(7.0 - 13.7)		12,246	(7,922 - 16,571)
MT	0-4	401	2.6	1.16	(1.1 - 6.2)		1,532	(158 - 2,906)
MT	5-9	417	6.9	1.58	(4.4 - 10.7)		3,985	(2,137 - 5,833)
MT	10-14	500	7.8	1.38	(5.5 - 10.9)		3,770	(2,442 - 5,098)
MT	15-17	398	10.2	1.85	(7.1 - 14.4)		4,132	(2,597 - 5,668)
NE	0-4	776	2.2	0.72	(1.1 - 4.1)		2,618	(895 - 4,341)
NE	5-9	842	4.0	0.91	(2.6 - 6.3)		4,915	(2,739 - 7,092)
NE	10-14	1,046	9.0	1.77	(6.1 - 13.1)		9,330	(5,604 - 13,057)
NE	15-17	874	7.4	1.24	(5.3 - 10.2)		5,557	(3,737 - 7,376)
NV	0-4	175	8.0	3.68	(3.1 - 18.8)		15,993	(778 - 31,207)
NV	5-9	212	6.4	2.21	(3.2 - 12.4)		9,271	(2,830 - 15,712)
NV	10-14	233	5.1	1.78	(2.6 - 10.0)		8,656	(2,788 - 14,525)
NV	15-17	179	5.8	2.39	(2.6 - 12.7)		6,025	(1,150 - 10,900)
NJ	0-4	727	7.0	1.45	(4.6 - 10.4)		38,576	(22,165 - 54,988)
NJ	5-9	811	10.3	1.27	(8.1 - 13.1)		57,124	(42,899 - 71,348)
NJ	10-14	969	11.2	1.31	(8.9 - 14.0)		41,755	(31,786 - 51,725)
NJ	15-17	744	10.1	1.49	(7.6 - 13.4)		36,131	(25,217 - 47,045)
NM	0-4	294	3.1	1.14	(1.5 - 6.3)		4,336	(1,234 - 7,437)
NM	5-9	341	13.0	2.27	(9.2 - 18.2)		15,728	(10,037 - 21,419)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NM	10-14	398	8.6	2.02	(5.3 - 13.4)		10,461	(5,431 - 15,492)
NM	15-17	348	10.9	2.60	(6.8 - 17.1)		9,311	(4,634 - 13,988)
NY	0-4	384	7.1	1.92	(4.2 - 11.9)		85,237	(38,371 - 132,102)
NY	5-9	359	13.7	2.29	(9.8 - 18.8)		155,890	(101,520 - 210,259)
NY	10-14	445	9.6	1.56	(6.9 - 13.1)		86,020	(57,992 - 114,048)
NY	15-17	330	10.1	2.19	(6.6 - 15.3)		79,512	(44,236 - 114,789)
ND	0-4	290	1.8	1.08	(0.5 - 5.7)		711	(0 - 1,573)
ND	5-9	274	6.6	1.43	(4.3 - 10.0)		2,403	(1,367 - 3,440)
ND	10-14	315	7.5	1.46	(5.1 - 10.9)		2,279	(1,399 - 3,158)
ND	15-17	268	9.5	2.19	(5.9 - 14.7)		2,541	(1,326 - 3,755)
OH	0-4	219	4.1	1.70	(1.8 - 9.1)		15,268	(2,723 - 27,814)
OH	5-9	226	6.3	1.72	(3.6 - 10.6)		25,828	(11,795 - 39,862)
OH	10-14	256	12.4	2.45	(8.3 - 18.0)		42,854	(25,415 - 60,293)
OH	15-17	229	12.1	2.42	(8.1 - 17.7)		32,550	(19,436 - 45,664)
OK	0-4	227	7.4	2.21	(4.1 - 13.1)		17,913	(6,958 - 28,868)
OK	5-9	241	13.2	2.34	(9.3 - 18.5)		34,546	(22,071 - 47,022)
OK	10-14	257	11.3	2.25	(7.6 - 16.5)		24,043	(14,347 - 33,738)
OK	15-17	159	12.3	3.11	(7.4 - 19.8)		16,348	(7,859 - 24,837)
OR	0-4	166	6.0	2.15	(3.0 - 11.9)		14,278	(3,985 - 24,571)
OR	5-9	194	12.2	2.65	(7.9 - 18.4)		27,626	(15,185 - 40,066)
OR	10-14	226	10.0	2.34	(6.3 - 15.6)		20,002	(10,453 - 29,552)
OR	15-17	172	9.8	2.42	(6.0 - 15.7)		14,977	(7,538 - 22,417)
PA	0-4	459	7.8	2.27	(4.3 - 13.6)		56,306	(22,218 - 90,394)
PA	5-9	459	11.3	1.88	(8.1 - 15.6)		76,611	(50,411 - 102,811)
PA	10-14	543	12.0	2.38	(8.0 - 17.5)		72,792	(42,287 - 103,298)
PA	15-17	438	11.5	2.08	(8.0 - 16.2)		58,584	(36,601 - 80,567)
RI	0-4	413	5.6	1.35	(3.5 - 8.9)		3,453	(1,785 - 5,122)
RI	5-9	390	13.4	2.06	(9.8 - 18.0)		8,010	(5,426 - 10,595)
RI	10-14	420	13.9	1.81	(10.7 - 17.9)		6,997	(5,138 - 8,856)
RI	15-17	345	13.0	2.07	(9.4 - 17.6)		5,336	(3,613 - 7,059)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
TX	0-4	820	4.6	1.08	(2.9 - 7.3)		83,215	(44,248 - 122,181)
TX	5-9	777	11.3	1.92	(8.0 - 15.6)		193,982	(125,364 - 262,600)
TX	10-14	853	9.4	1.52	(6.8 - 12.8)		149,488	(100,076 - 198,900)
TX	15-17	685	7.4	1.37	(5.1 - 10.6)		82,209	(52,249 - 112,169)
UT	0-4	982	3.6	0.88	(2.2 - 5.7)		8,486	(4,305 - 12,666)
UT	5-9	905	7.9	1.13	(6.0 - 10.4)		17,439	(12,366 - 22,511)
UT	10-14	993	9.9	1.19	(7.8 - 12.5)		18,834	(14,223 - 23,444)
UT	15-17	776	10.5	1.37	(8.1 - 13.5)		13,361	(9,804 - 16,917)
VT	0-4	361	8.3	1.75	(5.5 - 12.5)		2,723	(1,549 - 3,897)
VT	5-9	386	10.6	1.85	(7.4 - 14.8)		3,501	(2,232 - 4,770)
VT	10-14	469	11.3	1.67	(8.4 - 15.0)		3,355	(2,336 - 4,374)
VT	15-17	335	10.3	1.97	(7.1 - 14.9)		2,687	(1,631 - 3,744)
VA	0-4	274	3.1	1.40	(1.3 - 7.4)		15,820	(1,579 - 30,060)
VA	5-9	295	11.4	2.77	(6.9 - 18.0)		56,892	(27,898 - 85,886)
VA	10-14	346	12.3	2.95	(7.6 - 19.3)		41,786	(20,422 - 63,150)
VA	15-17	273	6.9	1.55	(4.4 - 10.6)		21,716	(12,259 - 31,173)
WA	0-4	1,068	3.8	0.66	(2.7 - 5.3)		16,218	(10,599 - 21,837)
WA	5-9	1,150	6.2	0.86	(4.7 - 8.1)		25,717	(18,526 - 32,908)
WA	10-14	1,369	8.7	0.91	(7.1 - 10.7)		29,011	(22,884 - 35,139)
WA	15-17	1,160	11.1	1.21	(9.0 - 13.7)		29,494	(22,823 - 36,165)
WV	0-4	263	3.4	1.11	(1.8 - 6.4)		3,541	(1,259 - 5,822)
WV	5-9	274	10.0	2.14	(6.5 - 15.0)		10,279	(5,760 - 14,799)
WV	10-14	276	12.0	2.18	(8.3 - 16.9)		10,000	(6,281 - 13,718)
WV	15-17	198	10.9	2.55	(6.8 - 17.0)		7,292	(3,796 - 10,787)
WI	0-4	211	7.0	2.73	(3.2 - 14.6)		25,142	(5,208 - 45,077)
WI	5-9	219	6.1	1.96	(3.2 - 11.2)		21,400	(7,711 - 35,089)
WI	10-14	288	5.6	1.60	(3.2 - 9.7)		17,026	(7,353 - 26,698)
WI	15-17	258	10.9	3.42	(5.8 - 19.7)		25,415	(8,745 - 42,084)
Territories								
PR	0-4	199	10.8	2.33	(7.0 - 16.3)		28,635	(16,053 - 41,218)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
PR	5-9	205	18.5	2.96	(13.4 - 25.0)		54,324	(35,914 - 72,734)
PR	10-14	322	9.6	1.89	(6.5 - 14.0)		21,687	(12,955 - 30,419)
PR	15-17	234	7.4	1.90	(4.5 - 12.1)		12,883	(6,198 - 19,568)

Notes:  
 \* CI denotes confidence interval.  
 \*\* Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.