

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	22,153	17.9	0.44	(17.0 - 18.7)		5,377,824	(5,096,617 - 5,659,031)
U.S. Total**	25-34	48,215	14.3	0.28	(13.8 - 14.8)		5,905,826	(5,664,574 - 6,147,079)
U.S. Total**	35-44	63,558	12.7	0.24	(12.2 - 13.2)		5,191,301	(4,988,373 - 5,394,229)
U.S. Total**	45-54	89,960	12.6	0.21	(12.2 - 13.0)		5,553,918	(5,364,293 - 5,743,543)
U.S. Total**	55-64	110,011	13.2	0.21	(12.8 - 13.6)		4,647,475	(4,494,826 - 4,800,124)
U.S. Total**	65+	157,470	11.2	0.16	(10.9 - 11.6)		4,629,567	(4,496,148 - 4,762,987)
AL	18-24	382	14.1	1.96	(10.3 - 18.0)		66,770	(47,710 - 85,830)
AL	25-34	644	12.0	1.59	(8.9 - 15.1)		74,474	(53,843 - 95,105)
AL	35-44	902	12.1	1.45	(9.2 - 14.9)		73,818	(55,172 - 92,464)
AL	45-54	1,347	12.4	1.19	(10.1 - 14.8)		83,309	(66,715 - 99,903)
AL	55-64	1,721	11.7	0.96	(9.8 - 13.6)		65,839	(54,895 - 76,782)
AL	65+	2,592	9.7	0.73	(8.3 - 11.1)		65,601	(55,552 - 75,649)
AK	18-24	230	13.8	2.77	(8.4 - 19.3)		10,422	(6,076 - 14,769)
AK	25-34	486	12.7	1.85	(9.1 - 16.3)		13,736	(9,675 - 17,798)
AK	35-44	589	16.9	2.11	(12.8 - 21.1)		15,436	(11,325 - 19,547)
AK	45-54	750	13.7	1.82	(10.1 - 17.2)		13,865	(9,935 - 17,796)
AK	55-64	809	13.2	1.76	(9.7 - 16.6)		10,960	(7,873 - 14,048)
AK	65+	625	14.1	2.54	(9.1 - 19.0)		8,135	(4,936 - 11,334)
AZ	18-24	224	16.0	3.06	(10.0 - 22.1)		95,895	(57,240 - 134,550)
AZ	25-34	455	13.7	2.35	(9.0 - 18.3)		126,053	(80,456 - 171,650)
AZ	35-44	676	12.9	1.81	(9.3 - 16.4)		109,297	(77,913 - 140,682)
AZ	45-54	991	15.5	1.95	(11.7 - 19.4)		128,429	(94,334 - 162,524)
AZ	55-64	1,334	12.6	1.53	(9.6 - 15.6)		85,588	(64,129 - 107,047)
AZ	65+	2,547	14.2	1.16	(11.9 - 16.5)		124,348	(103,093 - 145,604)
AR	18-24	147	15.1	3.29	(8.6 - 21.6)		42,127	(22,670 - 61,584)
AR	25-34	312	16.6	2.92	(10.8 - 22.3)		64,617	(39,895 - 89,339)
AR	35-44	460	13.2	2.14	(9.0 - 17.4)		48,113	(31,738 - 64,489)
AR	45-54	774	13.8	1.67	(10.5 - 17.1)		54,025	(40,320 - 67,729)
AR	55-64	1,082	16.6	1.50	(13.7 - 19.6)		55,553	(44,902 - 66,204)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,896	11.1	0.85	(9.5 - 12.8)		47,773	(40,420 - 55,126)
CA	18-24	949	20.4	1.52	(17.4 - 23.4)		759,306	(635,378 - 883,235)
CA	25-34	1,996	14.7	0.91	(12.9 - 16.5)		788,842	(686,754 - 890,930)
CA	35-44	2,744	11.0	0.70	(9.6 - 12.4)		573,069	(499,171 - 646,966)
CA	45-54	3,119	13.3	0.75	(11.8 - 14.8)		695,734	(614,704 - 776,764)
CA	55-64	3,681	13.9	0.81	(12.3 - 15.5)		560,482	(492,639 - 628,326)
CA	65+	5,498	12.4	0.64	(11.2 - 13.7)		536,445	(479,050 - 593,839)
CO	18-24	508	17.0	1.90	(13.3 - 20.7)		81,996	(62,454 - 101,538)
CO	25-34	1,112	14.2	1.26	(11.7 - 16.7)		99,049	(80,946 - 117,152)
CO	35-44	1,817	11.9	0.91	(10.1 - 13.6)		83,703	(70,547 - 96,859)
CO	45-54	2,559	12.0	0.83	(10.3 - 13.6)		89,232	(76,380 - 102,085)
CO	55-64	3,278	12.1	0.76	(10.6 - 13.6)		71,246	(61,987 - 80,504)
CO	65+	4,128	11.6	0.63	(10.3 - 12.8)		65,730	(58,345 - 73,116)
CT	18-24	283	22.6	3.23	(16.3 - 29.0)		75,915	(51,641 - 100,188)
CT	25-34	671	20.4	2.03	(16.4 - 24.4)		85,354	(66,657 - 104,051)
CT	35-44	953	13.8	1.47	(10.9 - 16.7)		65,385	(50,775 - 79,994)
CT	45-54	1,336	11.6	1.11	(9.4 - 13.7)		64,809	(52,022 - 77,595)
CT	55-64	1,396	14.1	1.20	(11.7 - 16.4)		59,421	(48,963 - 69,879)
CT	65+	2,061	10.9	0.83	(9.2 - 12.5)		55,450	(46,830 - 64,071)
DE	18-24	241	18.7	3.15	(12.5 - 24.9)		15,703	(10,098 - 21,308)
DE	25-34	508	18.0	2.28	(13.5 - 22.4)		20,878	(15,167 - 26,589)
DE	35-44	569	14.2	1.85	(10.6 - 17.9)		16,448	(11,942 - 20,954)
DE	45-54	825	11.4	1.35	(8.8 - 14.1)		14,681	(11,141 - 18,221)
DE	55-64	1,028	12.1	1.30	(9.5 - 14.6)		12,977	(10,106 - 15,848)
DE	65+	1,541	11.3	1.11	(9.1 - 13.5)		15,063	(12,012 - 18,114)
DC	18-24	130	12.2	3.21	(5.8 - 18.6)		8,256	(3,692 - 12,820)
DC	25-34	456	19.7	2.23	(15.3 - 24.1)		21,979	(16,608 - 27,350)
DC	35-44	626	13.3	1.77	(9.9 - 16.8)		11,542	(8,296 - 14,788)
DC	45-54	777	18.8	1.83	(15.2 - 22.4)		14,727	(11,660 - 17,795)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
DC	55-64	1,037	16.3	1.69	(13.0 - 19.7)	10,604	(8,218 - 12,990)
DC	65+	1,441	12.6	1.19	(10.3 - 15.0)	9,301	(7,473 - 11,128)
FL	18-24	501	16.2	2.03	(12.2 - 20.2)	269,558	(197,938 - 341,177)
FL	25-34	1,044	12.1	1.37	(9.4 - 14.8)	289,456	(221,000 - 357,911)
FL	35-44	1,275	12.0	1.23	(9.6 - 14.4)	288,052	(226,902 - 349,201)
FL	45-54	2,007	12.5	1.07	(10.4 - 14.6)	330,737	(271,887 - 389,586)
FL	55-64	2,546	13.1	0.94	(11.3 - 15.0)	289,709	(247,292 - 332,126)
FL	65+	4,836	10.1	0.62	(8.9 - 11.3)	335,872	(293,771 - 377,973)
GA	18-24	340	18.7	2.40	(14.0 - 23.4)	180,369	(130,669 - 230,068)
GA	25-34	921	15.7	1.62	(12.5 - 18.9)	211,713	(165,136 - 258,291)
GA	35-44	1,274	12.7	1.21	(10.3 - 15.1)	177,408	(142,065 - 212,750)
GA	45-54	1,823	12.7	0.98	(10.8 - 14.6)	170,934	(143,467 - 198,402)
GA	55-64	2,315	13.7	0.95	(11.8 - 15.5)	140,755	(120,248 - 161,263)
GA	65+	3,149	11.9	0.78	(10.4 - 13.4)	125,532	(108,579 - 142,485)
HI	18-24	335	28.1	3.39	(21.4 - 34.8)	34,258	(24,524 - 43,991)
HI	25-34	731	16.8	1.80	(13.3 - 20.3)	33,137	(25,507 - 40,766)
HI	35-44	849	12.8	1.43	(10.0 - 15.6)	22,588	(17,358 - 27,818)
HI	45-54	1,259	17.8	1.53	(14.8 - 20.8)	32,213	(26,239 - 38,187)
HI	55-64	1,834	14.2	1.12	(12.0 - 16.4)	23,073	(19,276 - 26,870)
HI	65+	2,515	11.6	0.91	(9.8 - 13.4)	23,498	(19,749 - 27,247)
ID	18-24	244	14.2	2.43	(9.4 - 19.0)	23,104	(14,874 - 31,335)
ID	25-34	524	15.3	2.10	(11.2 - 19.4)	32,349	(22,867 - 41,832)
ID	35-44	766	12.2	1.53	(9.2 - 15.2)	23,322	(17,335 - 29,309)
ID	45-54	1,053	11.8	1.30	(9.2 - 14.3)	24,031	(18,576 - 29,486)
ID	55-64	1,414	12.1	1.25	(9.6 - 14.6)	21,103	(16,520 - 25,686)
ID	65+	1,985	13.8	1.14	(11.5 - 16.0)	26,946	(22,236 - 31,657)
IL	18-24	276	18.6	2.73	(13.2 - 23.9)	237,109	(162,418 - 311,800)
IL	25-34	531	14.5	1.87	(10.8 - 18.1)	252,807	(184,858 - 320,756)
IL	35-44	713	12.6	1.69	(9.3 - 15.9)	216,898	(155,913 - 277,882)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	45-54	1,024	12.0	1.30	(9.4 - 14.5)	218,845	(169,805 - 267,886)
IL	55-64	1,093	14.6	1.64	(11.4 - 17.8)	212,249	(161,214 - 263,284)
IL	65+	1,815	10.4	0.94	(8.6 - 12.2)	170,213	(138,940 - 201,486)
IN	18-24	376	18.8	2.31	(14.3 - 23.4)	121,347	(89,049 - 153,644)
IN	25-34	825	13.1	1.42	(10.3 - 15.9)	109,330	(84,642 - 134,017)
IN	35-44	1,037	13.6	1.25	(11.1 - 16.0)	113,451	(91,676 - 135,226)
IN	45-54	1,553	14.8	1.13	(12.6 - 17.0)	136,687	(114,777 - 158,596)
IN	55-64	1,862	13.0	0.94	(11.1 - 14.8)	95,926	(81,581 - 110,272)
IN	65+	2,726	11.1	0.78	(9.5 - 12.6)	95,390	(81,612 - 109,168)
IA	18-24	408	17.6	2.22	(13.2 - 21.9)	55,430	(40,276 - 70,583)
IA	25-34	740	12.8	1.43	(9.9 - 15.6)	47,312	(36,167 - 58,457)
IA	35-44	902	13.7	1.46	(10.8 - 16.6)	49,741	(38,489 - 60,994)
IA	45-54	1,259	9.7	0.95	(7.8 - 11.6)	42,055	(33,616 - 50,493)
IA	55-64	1,476	10.1	0.91	(8.3 - 11.9)	36,480	(29,756 - 43,204)
IA	65+	2,463	8.8	0.69	(7.5 - 10.2)	40,457	(34,026 - 46,887)
KS	18-24	934	17.7	1.43	(14.9 - 20.5)	52,890	(43,729 - 62,052)
KS	25-34	2,000	14.7	0.90	(12.9 - 16.4)	54,632	(47,600 - 61,664)
KS	35-44	2,468	13.5	0.79	(11.9 - 15.0)	46,952	(41,233 - 52,671)
KS	45-54	3,907	11.0	0.56	(9.9 - 12.1)	43,637	(39,039 - 48,235)
KS	55-64	4,587	11.8	0.55	(10.7 - 12.9)	38,643	(34,909 - 42,378)
KS	65+	6,633	9.5	0.41	(8.7 - 10.3)	36,084	(32,915 - 39,252)
KY	18-24	378	18.5	2.54	(13.5 - 23.5)	77,007	(53,877 - 100,137)
KY	25-34	986	12.1	1.39	(9.4 - 14.8)	69,441	(52,907 - 85,976)
KY	35-44	1,299	14.9	1.44	(12.1 - 17.7)	85,275	(67,789 - 102,762)
KY	45-54	1,987	14.3	1.16	(12.1 - 16.6)	89,350	(74,162 - 104,538)
KY	55-64	2,599	16.4	1.04	(14.3 - 18.4)	84,756	(73,536 - 95,975)
KY	65+	3,476	15.3	1.01	(13.4 - 17.3)	91,493	(78,570 - 104,417)
LA	18-24	462	13.8	1.92	(10.0 - 17.6)	64,873	(45,933 - 83,813)
LA	25-34	969	10.6	1.34	(8.0 - 13.3)	66,679	(49,308 - 84,049)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	1,340	11.9	1.42	(9.1 - 14.7)		66,762	(50,008 - 83,516)
LA	45-54	1,910	10.6	1.00	(8.7 - 12.6)		66,938	(53,974 - 79,902)
LA	55-64	2,463	11.7	0.92	(9.9 - 13.5)		60,440	(50,670 - 70,210)
LA	65+	3,690	8.9	0.64	(7.6 - 10.1)		51,061	(43,665 - 58,456)
ME	18-24	415	28.5	2.47	(23.6 - 33.3)		33,480	(26,751 - 40,208)
ME	25-34	958	21.9	1.59	(18.8 - 25.1)		33,056	(27,779 - 38,332)
ME	35-44	1,596	14.9	1.02	(12.9 - 16.9)		24,935	(21,382 - 28,488)
ME	45-54	2,522	15.6	0.91	(13.8 - 17.4)		33,260	(29,143 - 37,378)
ME	55-64	3,314	14.9	0.78	(13.3 - 16.4)		27,683	(24,601 - 30,765)
ME	65+	4,302	11.2	0.57	(10.1 - 12.3)		24,056	(21,557 - 26,554)
MD	18-24	325	19.6	2.60	(14.5 - 24.7)		106,321	(75,825 - 136,818)
MD	25-34	922	17.4	1.80	(13.9 - 20.9)		132,430	(102,614 - 162,247)
MD	35-44	1,545	14.1	1.37	(11.4 - 16.8)		110,712	(87,747 - 133,677)
MD	45-54	2,052	10.2	0.96	(8.3 - 12.1)		88,681	(71,513 - 105,849)
MD	55-64	2,208	12.9	1.15	(10.6 - 15.2)		87,183	(70,590 - 103,776)
MD	65+	2,882	11.3	0.95	(9.4 - 13.1)		82,585	(68,036 - 97,135)
MA	18-24	805	21.2	1.97	(17.4 - 25.1)		137,392	(109,147 - 165,637)
MA	25-34	2,187	18.5	1.32	(15.9 - 21.1)		156,802	(132,176 - 181,428)
MA	35-44	3,143	15.0	0.93	(13.2 - 16.8)		132,969	(115,836 - 150,102)
MA	45-54	4,472	14.2	0.81	(12.6 - 15.8)		141,529	(124,421 - 158,638)
MA	55-64	4,837	13.4	0.71	(12.0 - 14.8)		101,521	(90,465 - 112,578)
MA	65+	6,411	11.9	0.63	(10.6 - 13.1)		109,077	(97,078 - 121,076)
MI	18-24	593	17.9	1.92	(14.1 - 21.7)		176,121	(136,167 - 216,075)
MI	25-34	971	16.8	1.53	(13.8 - 19.8)		199,590	(161,024 - 238,155)
MI	35-44	1,292	14.2	1.34	(11.6 - 16.9)		179,086	(143,697 - 214,475)
MI	45-54	1,957	14.6	1.16	(12.3 - 16.8)		216,105	(179,528 - 252,682)
MI	55-64	2,559	13.9	0.99	(12.0 - 15.9)		168,386	(143,317 - 193,454)
MI	65+	3,542	12.4	0.85	(10.7 - 14.1)		170,045	(145,932 - 194,157)
MN	18-24	861	14.9	1.71	(11.6 - 18.3)		77,144	(58,393 - 95,895)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	1,799	15.3	1.26	(12.9 - 17.8)		107,563	(88,662 - 126,465)
MN	35-44	2,208	9.6	0.77	(8.1 - 11.1)		65,143	(54,543 - 75,744)
MN	45-54	3,231	8.1	0.63	(6.8 - 9.3)		64,220	(53,992 - 74,448)
MN	55-64	3,353	10.5	0.70	(9.1 - 11.8)		64,667	(55,740 - 73,594)
MN	65+	3,747	8.2	0.60	(7.0 - 9.4)		57,172	(48,719 - 65,626)
MS	18-24	463	16.3	1.99	(12.4 - 20.2)		51,422	(37,949 - 64,894)
MS	25-34	814	12.4	1.41	(9.7 - 15.2)		48,586	(37,048 - 60,123)
MS	35-44	1,047	11.5	1.38	(8.8 - 14.2)		41,886	(31,332 - 52,441)
MS	45-54	1,560	11.5	0.99	(9.6 - 13.4)		45,327	(37,292 - 53,363)
MS	55-64	1,950	12.2	0.94	(10.3 - 14.0)		40,319	(33,902 - 46,735)
MS	65+	2,986	11.4	0.77	(9.8 - 12.9)		44,271	(38,050 - 50,491)
MO	18-24	323	19.1	2.65	(13.8 - 24.3)		112,094	(78,597 - 145,591)
MO	25-34	623	17.0	1.85	(13.4 - 20.6)		132,913	(101,972 - 163,854)
MO	35-44	695	11.9	1.45	(9.1 - 14.8)		89,703	(67,304 - 112,102)
MO	45-54	1,118	11.6	1.19	(9.2 - 13.9)		100,061	(79,022 - 121,099)
MO	55-64	1,423	14.3	1.36	(11.6 - 16.9)		100,461	(80,162 - 120,761)
MO	65+	2,155	11.1	0.88	(9.4 - 12.8)		93,763	(78,610 - 108,915)
MT	18-24	519	16.7	2.00	(12.7 - 20.6)		16,571	(12,336 - 20,806)
MT	25-34	964	15.4	1.48	(12.5 - 18.3)		18,689	(14,904 - 22,474)
MT	35-44	1,113	14.0	1.50	(11.1 - 16.9)		15,890	(12,285 - 19,495)
MT	45-54	1,862	13.6	1.27	(11.1 - 16.1)		19,887	(15,954 - 23,820)
MT	55-64	2,457	12.2	0.96	(10.3 - 14.1)		16,276	(13,610 - 18,942)
MT	65+	3,253	10.2	0.74	(8.7 - 11.6)		15,190	(12,951 - 17,429)
NE	18-24	1,466	15.5	1.10	(13.4 - 17.7)		29,788	(25,362 - 34,215)
NE	25-34	2,628	13.9	0.87	(12.2 - 15.6)		32,778	(28,472 - 37,084)
NE	35-44	3,027	10.7	0.77	(9.2 - 12.2)		23,299	(19,818 - 26,780)
NE	45-54	4,391	9.4	0.63	(8.1 - 10.6)		23,438	(20,189 - 26,688)
NE	55-64	5,106	10.5	0.63	(9.2 - 11.7)		21,740	(19,049 - 24,430)
NE	65+	8,583	9.7	0.43	(8.9 - 10.6)		24,349	(22,182 - 26,515)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
NV	18-24	288	18.5	3.01	(12.5 - 24.4)	42,976	(27,981 - 57,972)
NV	25-34	563	19.3	2.44	(14.5 - 24.1)	76,002	(55,045 - 96,959)
NV	35-44	717	11.3	1.71	(7.9 - 14.7)	43,145	(29,772 - 56,517)
NV	45-54	955	12.5	1.71	(9.2 - 15.9)	46,091	(33,178 - 59,004)
NV	55-64	1,199	12.3	1.53	(9.3 - 15.3)	36,504	(27,380 - 45,628)
NV	65+	1,666	10.0	1.23	(7.6 - 12.4)	32,988	(24,793 - 41,184)
NH	18-24	218	23.1	3.30	(16.6 - 29.6)	29,603	(20,187 - 39,020)
NH	25-34	526	19.3	2.24	(14.9 - 23.7)	28,921	(21,429 - 36,412)
NH	35-44	852	15.6	1.44	(12.8 - 18.5)	26,895	(21,715 - 32,075)
NH	45-54	1,221	13.5	1.13	(11.2 - 15.7)	29,183	(24,106 - 34,260)
NH	55-64	1,460	13.2	1.06	(11.2 - 15.3)	22,111	(18,431 - 25,791)
NH	65+	1,971	10.7	0.79	(9.1 - 12.2)	19,748	(16,778 - 22,718)
NJ	18-24	515	21.9	2.30	(17.4 - 26.4)	166,874	(127,760 - 205,987)
NJ	25-34	1,551	11.6	1.03	(9.6 - 13.6)	128,068	(104,792 - 151,343)
NJ	35-44	2,329	11.9	0.88	(10.2 - 13.7)	145,683	(123,407 - 167,959)
NJ	45-54	3,109	12.9	0.88	(11.1 - 14.6)	174,022	(148,954 - 199,089)
NJ	55-64	3,205	12.5	0.87	(10.8 - 14.2)	125,758	(107,501 - 144,016)
NJ	65+	4,379	10.3	0.69	(8.9 - 11.6)	125,431	(108,193 - 142,669)
NM	18-24	452	20.8	2.17	(16.6 - 25.1)	41,632	(32,237 - 51,026)
NM	25-34	996	18.0	1.46	(15.1 - 20.9)	51,446	(42,483 - 60,409)
NM	35-44	1,115	14.6	1.24	(12.1 - 17.0)	36,479	(29,990 - 42,967)
NM	45-54	1,627	13.2	1.04	(11.2 - 15.3)	36,662	(30,683 - 42,642)
NM	55-64	2,177	14.8	1.04	(12.8 - 16.9)	35,586	(30,257 - 40,915)
NM	65+	2,944	11.6	0.73	(10.2 - 13.1)	32,155	(28,004 - 36,306)
NY	18-24	463	21.3	2.76	(15.9 - 26.7)	398,575	(283,603 - 513,547)
NY	25-34	1,044	16.0	1.53	(13.0 - 19.0)	417,989	(332,123 - 503,854)
NY	35-44	1,095	14.0	1.30	(11.5 - 16.6)	362,281	(292,141 - 432,421)
NY	45-54	1,415	12.7	1.04	(10.7 - 14.8)	362,932	(302,483 - 423,382)
NY	55-64	1,451	14.0	1.15	(11.8 - 16.3)	310,823	(257,483 - 364,164)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,116	11.3	0.94	(9.5 - 13.2)		302,689	(250,343 - 355,036)
NC	18-24	424	20.6	2.44	(15.8 - 25.4)		192,040	(141,817 - 242,263)
NC	25-34	999	11.5	1.33	(8.9 - 14.1)		143,499	(108,998 - 178,001)
NC	35-44	1,554	12.3	1.19	(9.9 - 14.6)		161,346	(128,961 - 193,732)
NC	45-54	2,089	11.7	0.98	(9.8 - 13.7)		157,663	(130,729 - 184,597)
NC	55-64	2,473	13.8	1.05	(11.7 - 15.8)		151,322	(127,238 - 175,407)
NC	65+	3,830	11.2	0.77	(9.7 - 12.7)		141,118	(121,377 - 160,859)
ND	18-24	252	18.6	2.70	(13.3 - 24.0)		16,255	(11,125 - 21,384)
ND	25-34	573	11.4	1.49	(8.4 - 14.3)		9,889	(7,222 - 12,557)
ND	35-44	621	10.7	1.39	(8.0 - 13.4)		7,684	(5,631 - 9,737)
ND	45-54	984	8.9	1.04	(6.8 - 10.9)		8,057	(6,132 - 9,982)
ND	55-64	1,162	9.2	0.99	(7.3 - 11.2)		6,991	(5,462 - 8,520)
ND	65+	1,641	10.1	0.89	(8.4 - 11.9)		10,009	(8,217 - 11,802)
OH	18-24	359	17.7	2.27	(13.2 - 22.2)		192,123	(139,428 - 244,819)
OH	25-34	834	15.2	1.54	(12.2 - 18.2)		222,226	(174,776 - 269,675)
OH	35-44	1,302	14.1	1.25	(11.6 - 16.5)		206,362	(167,879 - 244,844)
OH	45-54	1,833	13.1	1.05	(11.1 - 15.2)		223,156	(185,958 - 260,353)
OH	55-64	2,399	13.0	0.96	(11.1 - 14.9)		179,481	(151,789 - 207,174)
OH	65+	3,050	10.4	0.74	(9.0 - 11.9)		172,302	(147,357 - 197,247)
OK	18-24	379	21.3	2.67	(16.0 - 26.5)		82,788	(59,440 - 106,136)
OK	25-34	852	13.5	1.41	(10.7 - 16.2)		69,309	(54,343 - 84,275)
OK	35-44	1,018	15.0	1.34	(12.3 - 17.6)		68,518	(55,738 - 81,297)
OK	45-54	1,451	13.1	1.08	(11.0 - 15.2)		66,470	(55,144 - 77,796)
OK	55-64	1,805	13.9	0.99	(11.9 - 15.8)		59,858	(50,918 - 68,797)
OK	65+	2,977	11.1	0.68	(9.8 - 12.4)		57,640	(50,476 - 64,804)
OR	18-24	311	24.7	3.04	(18.7 - 30.7)		88,318	(63,451 - 113,185)
OR	25-34	598	19.3	2.00	(15.4 - 23.3)		93,174	(72,252 - 114,095)
OR	35-44	721	13.5	1.53	(10.5 - 16.5)		67,018	(51,140 - 82,896)
OR	45-54	1,021	16.2	1.41	(13.4 - 19.0)		88,972	(72,606 - 105,339)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,500	15.3	1.10	(13.1 - 17.4)		77,375	(65,783 - 88,967)
OR	65+	2,017	14.2	0.93	(12.4 - 16.1)		78,383	(67,827 - 88,938)
PA	18-24	623	18.8	2.19	(14.4 - 23.1)		226,738	(168,689 - 284,788)
PA	25-34	1,212	16.6	1.43	(13.8 - 19.4)		253,697	(206,865 - 300,528)
PA	35-44	1,438	12.7	1.07	(10.6 - 14.8)		203,637	(168,478 - 238,797)
PA	45-54	2,014	11.6	0.92	(9.8 - 13.4)		218,991	(183,453 - 254,530)
PA	55-64	2,470	11.0	0.86	(9.3 - 12.7)		171,117	(143,445 - 198,789)
PA	65+	3,583	9.7	0.69	(8.3 - 11.1)		195,307	(166,679 - 223,935)
RI	18-24	242	18.2	2.78	(12.7 - 23.7)		19,878	(13,397 - 26,358)
RI	25-34	580	22.3	2.13	(18.1 - 26.5)		29,145	(22,984 - 35,307)
RI	35-44	883	16.4	1.49	(13.5 - 19.3)		22,744	(18,369 - 27,118)
RI	45-54	1,288	15.3	1.18	(12.9 - 17.6)		24,454	(20,502 - 28,406)
RI	55-64	1,423	14.5	1.12	(12.3 - 16.7)		18,010	(15,079 - 20,942)
RI	65+	2,001	12.8	0.89	(11.0 - 14.5)		19,766	(16,930 - 22,602)
SC	18-24	651	15.2	1.98	(11.3 - 19.1)		68,961	(49,622 - 88,300)
SC	25-34	1,237	12.3	1.24	(9.9 - 14.8)		74,776	(59,226 - 90,325)
SC	35-44	1,528	12.7	1.28	(10.2 - 15.2)		76,052	(59,960 - 92,143)
SC	45-54	2,133	12.2	1.05	(10.1 - 14.3)		78,841	(64,782 - 92,900)
SC	55-64	2,935	13.5	0.95	(11.6 - 15.3)		76,470	(65,279 - 87,661)
SC	65+	4,320	12.5	0.75	(11.0 - 13.9)		82,116	(72,002 - 92,229)
SD	18-24	371	15.9	2.70	(10.6 - 21.2)		13,646	(8,736 - 18,556)
SD	25-34	850	11.6	1.92	(7.8 - 15.4)		12,038	(7,909 - 16,167)
SD	35-44	995	12.0	1.66	(8.7 - 15.3)		11,045	(7,900 - 14,189)
SD	45-54	1,450	9.4	1.34	(6.7 - 12.0)		10,420	(7,390 - 13,449)
SD	55-64	1,780	8.5	1.04	(6.5 - 10.6)		8,254	(6,250 - 10,258)
SD	65+	2,740	10.9	1.17	(8.6 - 13.2)		13,166	(10,266 - 16,066)
TN	18-24	144	5.5	2.57	(0.4 - 10.6)		32,356	(1,943 - 62,768)
TN	25-34	402	9.5	2.31	(4.9 - 14.0)		79,395	(40,131 - 118,658)
TN	35-44	633	12.2	2.56	(7.2 - 17.2)		104,696	(58,039 - 151,353)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,011	11.1	1.93	(7.3 - 14.8)		100,785	(63,909 - 137,661)
TN	55-64	1,452	11.5	2.00	(7.6 - 15.4)		88,050	(56,106 - 119,994)
TN	65+	2,211	11.1	1.66	(7.8 - 14.4)		98,019	(66,706 - 129,332)
TX	18-24	613	13.1	1.84	(9.5 - 16.7)		332,989	(235,058 - 430,919)
TX	25-34	1,465	12.1	1.15	(9.8 - 14.3)		434,659	(349,944 - 519,373)
TX	35-44	1,978	11.9	1.08	(9.7 - 14.0)		404,635	(328,446 - 480,824)
TX	45-54	2,554	12.3	1.03	(10.3 - 14.3)		413,460	(341,847 - 485,073)
TX	55-64	3,173	12.8	1.01	(10.8 - 14.7)		323,600	(270,379 - 376,820)
TX	65+	5,010	11.7	0.75	(10.2 - 13.2)		314,636	(273,739 - 355,533)
UT	18-24	881	18.2	1.63	(15.0 - 21.4)		60,676	(48,953 - 72,400)
UT	25-34	1,948	13.6	0.98	(11.7 - 15.5)		60,090	(50,963 - 69,217)
UT	35-44	2,283	11.4	0.79	(9.8 - 12.9)		39,943	(34,238 - 45,647)
UT	45-54	2,107	11.6	0.83	(10.0 - 13.2)		35,223	(30,054 - 40,392)
UT	55-64	2,206	13.6	0.91	(11.8 - 15.3)		32,553	(28,036 - 37,069)
UT	65+	3,075	12.2	0.74	(10.7 - 13.6)		31,429	(27,487 - 35,371)
VT	18-24	259	24.2	2.91	(18.5 - 30.0)		15,949	(11,636 - 20,262)
VT	25-34	530	16.6	1.81	(13.1 - 20.2)		11,756	(9,089 - 14,423)
VT	35-44	850	18.8	1.67	(15.5 - 22.1)		14,337	(11,552 - 17,123)
VT	45-54	1,385	13.5	1.07	(11.4 - 15.6)		13,490	(11,270 - 15,709)
VT	55-64	1,759	13.2	0.96	(11.3 - 15.0)		11,480	(9,742 - 13,218)
VT	65+	2,225	12.1	0.83	(10.5 - 13.8)		11,434	(9,805 - 13,064)
VA	18-24	256	15.0	2.74	(9.6 - 20.4)		119,157	(72,562 - 165,751)
VA	25-34	754	11.7	1.53	(8.7 - 14.7)		123,263	(89,860 - 156,667)
VA	35-44	883	13.1	1.50	(10.2 - 16.1)		145,671	(111,180 - 180,162)
VA	45-54	1,242	12.8	1.38	(10.1 - 15.5)		151,624	(117,341 - 185,908)
VA	55-64	1,478	13.3	1.33	(10.7 - 15.9)		123,068	(97,077 - 149,060)
VA	65+	1,890	10.7	0.93	(8.9 - 12.6)		109,665	(90,431 - 128,899)
WA	18-24	523	14.2	1.83	(10.6 - 17.8)		90,170	(65,778 - 114,563)
WA	25-34	1,109	15.3	1.47	(12.5 - 18.2)		145,286	(116,276 - 174,296)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	1,679	15.2	1.35	(12.6 - 17.8)		135,959	(110,240 - 161,678)
WA	45-54	2,473	13.5	0.96	(11.6 - 15.4)		131,426	(111,877 - 150,975)
WA	55-64	3,688	15.4	0.94	(13.5 - 17.2)		125,590	(109,180 - 142,000)
WA	65+	5,090	12.6	0.69	(11.2 - 13.9)		107,036	(94,703 - 119,370)
WV	18-24	256	17.8	2.92	(12.1 - 23.6)		30,965	(19,888 - 42,041)
WV	25-34	544	11.6	1.53	(8.6 - 14.6)		26,129	(18,974 - 33,284)
WV	35-44	672	12.1	1.46	(9.2 - 14.9)		27,995	(20,959 - 35,030)
WV	45-54	967	12.4	1.25	(10.0 - 14.9)		33,079	(26,143 - 40,015)
WV	55-64	1,199	10.5	0.96	(8.6 - 12.4)		26,277	(21,379 - 31,174)
WV	65+	1,592	9.8	0.84	(8.1 - 11.4)		29,625	(24,455 - 34,794)
WI	18-24	237	15.7	2.84	(10.1 - 21.3)		90,837	(56,331 - 125,344)
WI	25-34	533	11.1	1.77	(7.6 - 14.5)		78,861	(52,895 - 104,827)
WI	35-44	640	14.0	1.95	(10.1 - 17.8)		100,280	(70,682 - 129,877)
WI	45-54	993	10.7	1.36	(8.0 - 13.3)		91,551	(67,631 - 115,472)
WI	55-64	1,223	9.6	1.18	(7.3 - 12.0)		66,045	(49,702 - 82,389)
WI	65+	1,616	11.6	1.30	(9.1 - 14.2)		92,486	(70,969 - 114,004)
WY	18-24	318	19.6	2.56	(14.6 - 24.6)		11,653	(8,303 - 15,003)
WY	25-34	738	15.4	1.61	(12.2 - 18.6)		11,967	(9,286 - 14,649)
WY	35-44	847	12.2	1.63	(9.0 - 15.4)		8,014	(5,739 - 10,289)
WY	45-54	1,213	13.4	1.58	(10.3 - 16.5)		10,618	(7,947 - 13,289)
WY	55-64	1,632	10.2	1.18	(7.9 - 12.6)		7,110	(5,431 - 8,790)
WY	65+	2,048	10.4	1.02	(8.4 - 12.4)		7,519	(6,001 - 9,038)
Territories								
PR	18-24	544	20.8	1.85	(17.2 - 24.5)		86,518	(69,819 - 103,217)
PR	25-34	821	19.4	1.54	(16.4 - 22.4)		106,453	(88,408 - 124,498)
PR	35-44	888	19.0	1.56	(16.0 - 22.1)		97,655	(80,278 - 115,032)
PR	45-54	1,012	15.2	1.27	(12.7 - 17.7)		72,757	(60,018 - 85,497)
PR	55-64	1,145	14.5	1.19	(12.2 - 16.9)		57,385	(47,601 - 67,168)
PR	65+	2,152	14.3	0.88	(12.5 - 16.0)		67,866	(59,161 - 76,570)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.