

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	22,008	9.9	0.33	(9.3 - 10.6)		2,965,653	(2,764,716 - 3,166,591)
U.S. Total**	25-34	48,004	8.5	0.22	(8.0 - 8.9)		3,482,214	(3,295,656 - 3,668,773)
U.S. Total**	35-44	63,352	8.5	0.20	(8.1 - 8.9)		3,449,128	(3,285,995 - 3,612,262)
U.S. Total**	45-54	89,687	8.9	0.18	(8.6 - 9.3)		3,913,751	(3,755,785 - 4,071,718)
U.S. Total**	55-64	109,647	9.2	0.17	(8.8 - 9.5)		3,230,244	(3,107,237 - 3,353,251)
U.S. Total**	65+	156,983	8.1	0.13	(7.8 - 8.4)		3,324,062	(3,213,080 - 3,435,044)
AL	18-24	380	7.4	1.44	(4.6 - 10.2)		34,798	(21,214 - 48,382)
AL	25-34	643	6.6	1.18	(4.3 - 9.0)		41,148	(26,279 - 56,016)
AL	35-44	902	9.4	1.36	(6.7 - 12.1)		57,554	(40,281 - 74,826)
AL	45-54	1,343	9.2	1.08	(7.1 - 11.3)		61,559	(46,651 - 76,466)
AL	55-64	1,716	7.7	0.74	(6.3 - 9.2)		43,235	(35,006 - 51,463)
AL	65+	2,585	7.0	0.64	(5.7 - 8.2)		47,058	(38,370 - 55,745)
AK	18-24	224	5.8	1.99	(1.8 - 9.7)		4,261	(1,287 - 7,235)
AK	25-34	486	6.4	1.30	(3.9 - 9.0)		6,957	(4,149 - 9,764)
AK	35-44	588	10.3	1.71	(6.9 - 13.6)		9,330	(6,124 - 12,536)
AK	45-54	747	7.8	1.22	(5.4 - 10.2)		7,828	(5,340 - 10,316)
AK	55-64	806	9.4	1.37	(6.7 - 12.1)		7,790	(5,476 - 10,103)
AK	65+	623	10.3	2.05	(6.2 - 14.3)		5,902	(3,425 - 8,378)
AZ	18-24	222	8.9	2.35	(4.3 - 13.6)		52,844	(24,472 - 81,215)
AZ	25-34	454	10.6	2.03	(6.6 - 14.6)		97,586	(59,200 - 135,973)
AZ	35-44	674	8.1	1.42	(5.3 - 10.9)		68,662	(44,537 - 92,787)
AZ	45-54	987	13.0	1.86	(9.3 - 16.6)		107,188	(75,030 - 139,346)
AZ	55-64	1,325	7.0	1.01	(5.0 - 9.0)		47,128	(33,634 - 60,621)
AZ	65+	2,530	9.2	0.97	(7.3 - 11.1)		79,914	(62,678 - 97,150)
AR	18-24	146	7.4	2.25	(2.9 - 11.8)		20,491	(7,837 - 33,146)
AR	25-34	310	9.1	2.26	(4.7 - 13.6)		35,487	(17,317 - 53,657)
AR	35-44	456	9.7	1.97	(5.8 - 13.6)		35,080	(20,315 - 49,845)
AR	45-54	772	10.5	1.47	(7.6 - 13.4)		41,112	(29,296 - 52,928)
AR	55-64	1,077	12.5	1.32	(10.0 - 15.1)		41,820	(32,711 - 50,928)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,886	8.0	0.74	(6.6 - 9.5)		34,219	(27,875 - 40,563)
CA	18-24	946	11.8	1.23	(9.4 - 14.3)		439,712	(344,740 - 534,684)
CA	25-34	1,992	7.4	0.67	(6.1 - 8.7)		397,813	(325,227 - 470,400)
CA	35-44	2,743	6.7	0.56	(5.6 - 7.8)		349,798	(290,918 - 408,678)
CA	45-54	3,118	8.5	0.62	(7.3 - 9.7)		443,430	(377,920 - 508,939)
CA	55-64	3,674	8.5	0.64	(7.3 - 9.8)		343,320	(290,976 - 395,663)
CA	65+	5,490	8.6	0.54	(7.5 - 9.6)		368,229	(320,344 - 416,114)
CO	18-24	503	9.1	1.42	(6.3 - 11.9)		43,466	(29,566 - 57,365)
CO	25-34	1,109	8.1	0.93	(6.2 - 9.9)		55,946	(43,100 - 68,792)
CO	35-44	1,808	8.1	0.77	(6.6 - 9.6)		56,669	(45,718 - 67,619)
CO	45-54	2,551	8.4	0.70	(7.1 - 9.8)		62,746	(52,179 - 73,313)
CO	55-64	3,261	8.4	0.63	(7.1 - 9.6)		49,028	(41,596 - 56,460)
CO	65+	4,115	8.2	0.54	(7.2 - 9.3)		46,672	(40,451 - 52,893)
CT	18-24	283	15.5	2.91	(9.7 - 21.2)		51,859	(30,786 - 72,932)
CT	25-34	666	10.7	1.52	(7.7 - 13.7)		44,403	(31,394 - 57,412)
CT	35-44	948	9.7	1.31	(7.1 - 12.2)		45,598	(32,866 - 58,329)
CT	45-54	1,334	8.3	0.95	(6.5 - 10.2)		46,556	(35,747 - 57,365)
CT	55-64	1,391	10.4	1.04	(8.4 - 12.4)		43,719	(34,760 - 52,677)
CT	65+	2,055	7.8	0.71	(6.4 - 9.2)		39,530	(32,229 - 46,831)
DE	18-24	241	13.0	2.82	(7.4 - 18.6)		10,891	(5,939 - 15,843)
DE	25-34	507	13.3	2.04	(9.3 - 17.3)		15,436	(10,429 - 20,443)
DE	35-44	568	9.7	1.49	(6.8 - 12.6)		11,200	(7,679 - 14,721)
DE	45-54	824	8.5	1.17	(6.2 - 10.8)		10,866	(7,833 - 13,898)
DE	55-64	1,028	7.8	0.91	(6.0 - 9.5)		8,352	(6,402 - 10,301)
DE	65+	1,539	7.9	0.99	(6.0 - 9.9)		10,545	(7,872 - 13,218)
DC	18-24	128	8.1	2.71	(2.8 - 13.5)		5,374	(1,689 - 9,060)
DC	25-34	454	9.9	1.56	(6.8 - 13.0)		11,027	(7,491 - 14,563)
DC	35-44	622	8.2	1.51	(5.3 - 11.2)		7,048	(4,381 - 9,714)
DC	45-54	775	13.5	1.64	(10.3 - 16.8)		10,571	(7,893 - 13,249)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	1,032	12.1	1.60	(8.9 - 15.2)		7,792	(5,594 - 9,990)
DC	65+	1,436	9.1	1.09	(7.0 - 11.3)		6,705	(5,053 - 8,358)
FL	18-24	495	9.5	1.63	(6.3 - 12.7)		155,308	(100,349 - 210,267)
FL	25-34	1,037	6.6	1.15	(4.4 - 8.9)		158,047	(102,228 - 213,867)
FL	35-44	1,271	6.6	0.98	(4.7 - 8.5)		158,031	(110,342 - 205,719)
FL	45-54	1,999	8.4	0.87	(6.7 - 10.1)		221,503	(174,987 - 268,020)
FL	55-64	2,535	9.0	0.80	(7.4 - 10.6)		198,374	(162,861 - 233,887)
FL	65+	4,820	6.6	0.47	(5.6 - 7.5)		217,948	(186,766 - 249,131)
GA	18-24	339	10.0	1.81	(6.4 - 13.5)		96,008	(60,389 - 131,626)
GA	25-34	916	10.6	1.40	(7.8 - 13.3)		141,495	(102,914 - 180,076)
GA	35-44	1,269	9.3	1.07	(7.2 - 11.4)		129,939	(99,528 - 160,349)
GA	45-54	1,819	9.3	0.85	(7.6 - 10.9)		124,700	(101,306 - 148,093)
GA	55-64	2,310	9.1	0.77	(7.6 - 10.6)		93,507	(77,293 - 109,721)
GA	65+	3,143	9.3	0.70	(7.9 - 10.6)		97,659	(82,513 - 112,804)
HI	18-24	332	13.8	2.67	(8.6 - 19.1)		16,737	(9,851 - 23,622)
HI	25-34	726	10.5	1.52	(7.6 - 13.5)		20,707	(14,516 - 26,898)
HI	35-44	846	7.6	1.06	(5.5 - 9.7)		13,343	(9,588 - 17,098)
HI	45-54	1,255	10.8	1.20	(8.5 - 13.2)		19,495	(15,059 - 23,931)
HI	55-64	1,826	8.9	0.92	(7.1 - 10.7)		14,420	(11,380 - 17,460)
HI	65+	2,509	7.3	0.75	(5.8 - 8.8)		14,644	(11,590 - 17,698)
ID	18-24	242	9.9	2.17	(5.6 - 14.2)		15,966	(8,781 - 23,151)
ID	25-34	520	9.4	1.65	(6.2 - 12.7)		19,621	(12,546 - 26,695)
ID	35-44	765	8.8	1.28	(6.3 - 11.3)		16,757	(11,817 - 21,698)
ID	45-54	1,048	8.7	1.17	(6.4 - 10.9)		17,609	(12,770 - 22,449)
ID	55-64	1,412	8.4	1.04	(6.4 - 10.5)		14,704	(11,001 - 18,407)
ID	65+	1,977	10.5	1.05	(8.4 - 12.5)		20,379	(16,104 - 24,654)
IL	18-24	275	6.6	1.73	(3.2 - 10.0)		84,749	(40,167 - 129,331)
IL	25-34	530	9.4	1.56	(6.4 - 12.5)		164,902	(109,387 - 220,417)
IL	35-44	712	6.8	1.26	(4.4 - 9.3)		118,008	(74,045 - 161,971)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	45-54	1,023	7.9	1.06	(5.8 - 9.9)		143,434	(104,137 - 182,731)
IL	55-64	1,090	9.8	1.33	(7.2 - 12.5)		141,750	(101,936 - 181,565)
IL	65+	1,814	8.2	0.86	(6.5 - 9.9)		134,635	(106,100 - 163,169)
IN	18-24	373	10.1	1.64	(6.9 - 13.3)		64,820	(43,496 - 86,144)
IN	25-34	817	8.0	1.12	(5.8 - 10.2)		65,812	(47,046 - 84,578)
IN	35-44	1,031	10.2	1.12	(8.0 - 12.4)		84,710	(65,642 - 103,778)
IN	45-54	1,543	10.4	1.00	(8.5 - 12.4)		95,937	(76,915 - 114,959)
IN	55-64	1,851	9.8	0.83	(8.2 - 11.4)		72,075	(59,630 - 84,520)
IN	65+	2,722	8.9	0.72	(7.5 - 10.3)		76,457	(63,827 - 89,087)
IA	18-24	406	9.2	1.65	(6.0 - 12.5)		28,933	(18,297 - 39,568)
IA	25-34	737	7.4	1.18	(5.1 - 9.7)		27,312	(18,365 - 36,258)
IA	35-44	900	11.4	1.41	(8.7 - 14.2)		41,393	(30,632 - 52,153)
IA	45-54	1,256	7.6	0.87	(5.9 - 9.3)		33,011	(25,401 - 40,622)
IA	55-64	1,475	7.8	0.81	(6.2 - 9.4)		27,953	(22,014 - 33,891)
IA	65+	2,456	6.8	0.62	(5.6 - 8.1)		31,233	(25,488 - 36,979)
KS	18-24	929	11.3	1.18	(9.0 - 13.6)		33,483	(26,223 - 40,744)
KS	25-34	1,991	9.0	0.73	(7.5 - 10.4)		33,254	(27,725 - 38,784)
KS	35-44	2,465	9.8	0.69	(8.5 - 11.2)		34,239	(29,327 - 39,151)
KS	45-54	3,898	7.9	0.48	(7.0 - 8.9)		31,471	(27,591 - 35,352)
KS	55-64	4,582	8.3	0.47	(7.3 - 9.2)		27,004	(23,890 - 30,118)
KS	65+	6,616	6.8	0.36	(6.1 - 7.5)		25,794	(23,072 - 28,517)
KY	18-24	375	9.9	1.85	(6.2 - 13.5)		40,677	(24,967 - 56,387)
KY	25-34	982	7.4	1.17	(5.1 - 9.7)		42,280	(28,760 - 55,800)
KY	35-44	1,290	9.9	1.18	(7.5 - 12.2)		55,971	(42,151 - 69,792)
KY	45-54	1,977	11.2	1.06	(9.1 - 13.3)		69,488	(55,925 - 83,052)
KY	55-64	2,585	12.6	0.94	(10.7 - 14.4)		64,613	(54,647 - 74,579)
KY	65+	3,461	11.8	0.94	(10.0 - 13.6)		70,220	(58,530 - 81,909)
LA	18-24	459	5.5	1.27	(3.0 - 8.0)		25,773	(13,866 - 37,680)
LA	25-34	969	5.3	0.93	(3.5 - 7.1)		33,200	(21,546 - 44,854)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	1,337	6.7	1.12	(4.5 - 8.9)		37,473	(24,588 - 50,358)
LA	45-54	1,906	7.2	0.81	(5.6 - 8.8)		45,259	(35,087 - 55,430)
LA	55-64	2,460	8.2	0.78	(6.7 - 9.7)		42,148	(34,006 - 50,291)
LA	65+	3,676	5.9	0.49	(4.9 - 6.8)		33,576	(28,047 - 39,106)
ME	18-24	409	17.7	2.16	(13.5 - 22.0)		20,494	(15,048 - 25,939)
ME	25-34	953	14.9	1.40	(12.2 - 17.7)		22,343	(17,874 - 26,813)
ME	35-44	1,590	11.1	0.89	(9.3 - 12.8)		18,510	(15,482 - 21,539)
ME	45-54	2,511	11.7	0.80	(10.1 - 13.2)		24,709	(21,163 - 28,255)
ME	55-64	3,304	11.3	0.70	(9.9 - 12.7)		20,979	(18,278 - 23,680)
ME	65+	4,285	8.8	0.52	(7.8 - 9.8)		18,828	(16,573 - 21,084)
MD	18-24	323	11.9	2.13	(7.7 - 16.1)		64,196	(40,247 - 88,145)
MD	25-34	921	10.1	1.29	(7.6 - 12.7)		77,217	(57,161 - 97,272)
MD	35-44	1,542	6.7	0.89	(5.0 - 8.5)		52,586	(38,539 - 66,634)
MD	45-54	2,049	7.1	0.84	(5.4 - 8.7)		61,631	(46,764 - 76,498)
MD	55-64	2,204	9.4	0.92	(7.6 - 11.2)		63,336	(50,546 - 76,126)
MD	65+	2,874	7.1	0.68	(5.7 - 8.4)		51,596	(41,629 - 61,562)
MA	18-24	799	13.8	1.68	(10.5 - 17.1)		88,834	(65,986 - 111,681)
MA	25-34	2,178	11.1	1.09	(9.0 - 13.3)		93,496	(74,366 - 112,626)
MA	35-44	3,135	11.7	0.83	(10.1 - 13.4)		103,622	(88,603 - 118,641)
MA	45-54	4,462	10.5	0.70	(9.1 - 11.9)		104,587	(90,315 - 118,859)
MA	55-64	4,817	9.8	0.61	(8.6 - 11.0)		74,165	(64,917 - 83,413)
MA	65+	6,396	8.3	0.55	(7.2 - 9.4)		76,201	(66,013 - 86,388)
MI	18-24	592	10.1	1.54	(7.1 - 13.1)		99,396	(68,220 - 130,571)
MI	25-34	965	10.5	1.27	(8.0 - 13.0)		123,514	(92,516 - 154,512)
MI	35-44	1,285	9.4	1.11	(7.2 - 11.6)		117,821	(89,209 - 146,433)
MI	45-54	1,950	10.3	1.00	(8.4 - 12.3)		152,788	(122,305 - 183,270)
MI	55-64	2,555	10.2	0.88	(8.5 - 11.9)		122,844	(101,051 - 144,638)
MI	65+	3,533	8.7	0.74	(7.3 - 10.2)		119,602	(99,046 - 140,158)
MN	18-24	858	7.5	1.17	(5.2 - 9.8)		38,604	(26,435 - 50,774)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	1,796	9.1	1.01	(7.1 - 11.1)		63,534	(48,849 - 78,219)
MN	35-44	2,201	6.0	0.59	(4.9 - 7.2)		40,672	(32,750 - 48,594)
MN	45-54	3,223	5.7	0.52	(4.7 - 6.8)		45,700	(37,370 - 54,029)
MN	55-64	3,340	7.5	0.58	(6.3 - 8.6)		45,863	(38,634 - 53,092)
MN	65+	3,738	6.3	0.51	(5.3 - 7.3)		43,544	(36,376 - 50,713)
MS	18-24	461	9.1	1.61	(5.9 - 12.2)		28,537	(18,096 - 38,979)
MS	25-34	809	6.7	1.12	(4.5 - 8.9)		26,067	(17,208 - 34,927)
MS	35-44	1,042	7.6	1.21	(5.2 - 10.0)		27,520	(18,492 - 36,548)
MS	45-54	1,556	7.6	0.80	(6.0 - 9.2)		29,858	(23,541 - 36,176)
MS	55-64	1,945	8.0	0.78	(6.4 - 9.5)		26,262	(21,018 - 31,506)
MS	65+	2,973	7.8	0.66	(6.5 - 9.1)		30,292	(25,062 - 35,522)
MO	18-24	320	10.6	2.01	(6.7 - 14.6)		62,005	(37,877 - 86,134)
MO	25-34	618	9.6	1.42	(6.8 - 12.4)		74,694	(52,037 - 97,351)
MO	35-44	691	7.6	1.08	(5.5 - 9.7)		56,818	(40,685 - 72,951)
MO	45-54	1,116	8.8	1.03	(6.8 - 10.9)		76,492	(58,489 - 94,495)
MO	55-64	1,420	10.5	1.20	(8.2 - 12.8)		73,710	(56,244 - 91,177)
MO	65+	2,149	8.6	0.78	(7.1 - 10.1)		72,185	(58,979 - 85,391)
MT	18-24	515	8.5	1.57	(5.4 - 11.6)		8,386	(5,215 - 11,558)
MT	25-34	959	10.6	1.32	(8.0 - 13.2)		12,823	(9,515 - 16,131)
MT	35-44	1,110	11.0	1.40	(8.3 - 13.8)		12,516	(9,189 - 15,843)
MT	45-54	1,851	9.0	1.03	(7.0 - 11.1)		13,115	(10,041 - 16,189)
MT	55-64	2,445	8.8	0.82	(7.2 - 10.4)		11,689	(9,477 - 13,901)
MT	65+	3,245	7.3	0.61	(6.1 - 8.5)		10,797	(8,986 - 12,609)
NE	18-24	1,460	8.5	0.86	(6.8 - 10.2)		16,287	(12,955 - 19,619)
NE	25-34	2,616	8.3	0.70	(6.9 - 9.6)		19,423	(16,058 - 22,789)
NE	35-44	3,022	6.8	0.62	(5.5 - 8.0)		14,738	(11,988 - 17,487)
NE	45-54	4,383	6.6	0.52	(5.6 - 7.6)		16,480	(13,840 - 19,120)
NE	55-64	5,090	7.3	0.49	(6.3 - 8.2)		15,047	(12,993 - 17,100)
NE	65+	8,561	6.9	0.36	(6.2 - 7.6)		17,235	(15,450 - 19,020)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	285	8.7	1.89	(4.9 - 12.4)		20,010	(11,238 - 28,781)
NV	25-34	560	11.9	1.97	(8.0 - 15.7)		46,111	(30,222 - 62,000)
NV	35-44	714	6.6	1.37	(3.9 - 9.3)		25,234	(14,710 - 35,759)
NV	45-54	949	6.8	1.13	(4.6 - 9.1)		24,797	(16,684 - 32,910)
NV	55-64	1,190	8.4	1.25	(6.0 - 10.9)		24,971	(17,596 - 32,347)
NV	65+	1,662	5.9	0.76	(4.4 - 7.3)		19,231	(14,377 - 24,084)
NH	18-24	217	15.9	2.82	(10.3 - 21.4)		20,224	(12,576 - 27,873)
NH	25-34	525	11.1	1.81	(7.6 - 14.7)		16,677	(10,991 - 22,363)
NH	35-44	845	11.5	1.23	(9.1 - 13.9)		19,467	(15,180 - 23,755)
NH	45-54	1,211	10.0	1.00	(8.0 - 11.9)		21,482	(17,130 - 25,835)
NH	55-64	1,456	10.7	0.99	(8.8 - 12.6)		17,831	(14,434 - 21,227)
NH	65+	1,969	8.4	0.72	(7.0 - 9.8)		15,463	(12,789 - 18,138)
NJ	18-24	510	13.4	1.94	(9.6 - 17.2)		101,526	(70,315 - 132,737)
NJ	25-34	1,544	8.0	0.92	(6.2 - 9.8)		88,049	(67,441 - 108,657)
NJ	35-44	2,323	8.3	0.77	(6.7 - 9.8)		100,478	(81,344 - 119,612)
NJ	45-54	3,096	9.2	0.76	(7.7 - 10.7)		124,453	(103,248 - 145,658)
NJ	55-64	3,194	8.9	0.71	(7.5 - 10.3)		88,857	(74,467 - 103,246)
NJ	65+	4,361	7.6	0.62	(6.4 - 8.8)		92,073	(76,701 - 107,444)
NM	18-24	448	10.3	1.63	(7.1 - 13.5)		20,307	(13,669 - 26,946)
NM	25-34	992	11.0	1.19	(8.6 - 13.3)		31,266	(24,258 - 38,275)
NM	35-44	1,114	10.5	1.05	(8.4 - 12.6)		26,329	(20,939 - 31,719)
NM	45-54	1,624	8.5	0.85	(6.8 - 10.1)		23,444	(18,678 - 28,210)
NM	55-64	2,173	11.4	0.96	(9.5 - 13.3)		27,313	(22,464 - 32,162)
NM	65+	2,940	8.8	0.64	(7.5 - 10.1)		24,333	(20,736 - 27,930)
NY	18-24	458	11.2	2.05	(7.2 - 15.3)		209,002	(129,455 - 288,548)
NY	25-34	1,037	10.9	1.36	(8.2 - 13.6)		282,346	(208,365 - 356,326)
NY	35-44	1,088	8.9	1.04	(6.9 - 10.9)		228,255	(173,841 - 282,669)
NY	45-54	1,409	9.0	0.88	(7.3 - 10.7)		254,867	(204,534 - 305,199)
NY	55-64	1,441	9.9	0.94	(8.1 - 11.8)		218,544	(176,132 - 260,955)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,108	8.7	0.84	(7.1 - 10.4)		232,764	(186,964 - 278,564)
NC	18-24	424	12.5	2.05	(8.5 - 16.6)		116,968	(76,650 - 157,285)
NC	25-34	999	5.9	1.00	(3.9 - 7.8)		73,726	(48,606 - 98,846)
NC	35-44	1,551	9.4	1.10	(7.2 - 11.5)		122,758	(93,295 - 152,220)
NC	45-54	2,088	8.5	0.82	(6.9 - 10.1)		113,772	(91,746 - 135,797)
NC	55-64	2,466	9.8	0.95	(8.0 - 11.7)		107,620	(86,170 - 129,069)
NC	65+	3,819	7.8	0.63	(6.5 - 9.0)		97,397	(81,618 - 113,177)
ND	18-24	251	11.5	2.18	(7.2 - 15.8)		9,908	(5,990 - 13,825)
ND	25-34	569	6.8	1.21	(4.4 - 9.2)		5,857	(3,741 - 7,974)
ND	35-44	618	7.7	1.19	(5.3 - 10.0)		5,469	(3,742 - 7,196)
ND	45-54	981	6.9	0.92	(5.1 - 8.7)		6,241	(4,567 - 7,915)
ND	55-64	1,159	6.9	0.89	(5.2 - 8.7)		5,222	(3,865 - 6,579)
ND	65+	1,633	8.2	0.83	(6.6 - 9.9)		8,107	(6,452 - 9,763)
OH	18-24	357	12.7	2.02	(8.8 - 16.7)		137,059	(91,632 - 182,487)
OH	25-34	829	9.0	1.23	(6.6 - 11.4)		130,941	(94,258 - 167,624)
OH	35-44	1,295	10.8	1.07	(8.7 - 12.9)		156,609	(124,569 - 188,649)
OH	45-54	1,823	9.9	0.92	(8.1 - 11.7)		167,315	(135,255 - 199,374)
OH	55-64	2,393	10.0	0.83	(8.3 - 11.6)		137,080	(113,482 - 160,678)
OH	65+	3,042	7.7	0.62	(6.5 - 8.9)		126,490	(106,070 - 146,909)
OK	18-24	378	13.0	2.22	(8.6 - 17.4)		50,410	(32,084 - 68,735)
OK	25-34	848	8.0	1.07	(5.9 - 10.1)		41,016	(29,983 - 52,049)
OK	35-44	1,015	8.8	1.02	(6.8 - 10.8)		39,902	(30,523 - 49,282)
OK	45-54	1,445	9.9	0.96	(8.0 - 11.7)		49,794	(39,823 - 59,765)
OK	55-64	1,803	10.3	0.88	(8.5 - 12.0)		44,347	(36,545 - 52,149)
OK	65+	2,967	8.4	0.59	(7.3 - 9.6)		43,584	(37,396 - 49,773)
OR	18-24	311	14.9	2.46	(10.1 - 19.8)		53,361	(34,632 - 72,091)
OR	25-34	593	10.0	1.47	(7.1 - 12.9)		47,646	(33,278 - 62,014)
OR	35-44	717	8.1	1.17	(5.8 - 10.4)		40,294	(28,605 - 51,983)
OR	45-54	1,018	11.1	1.24	(8.7 - 13.5)		60,744	(46,710 - 74,777)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,493	10.2	0.94	(8.4 - 12.1)		51,655	(41,946 - 61,365)
OR	65+	2,011	9.8	0.79	(8.2 - 11.3)		53,582	(44,749 - 62,414)
PA	18-24	617	12.3	1.84	(8.6 - 15.9)		146,641	(100,336 - 192,946)
PA	25-34	1,205	9.8	1.13	(7.6 - 12.0)		149,157	(113,942 - 184,373)
PA	35-44	1,432	10.1	0.94	(8.2 - 11.9)		160,876	(130,344 - 191,408)
PA	45-54	2,008	8.6	0.79	(7.1 - 10.2)		162,266	(132,499 - 192,032)
PA	55-64	2,460	7.8	0.65	(6.5 - 9.0)		119,599	(99,392 - 139,806)
PA	65+	3,573	7.3	0.60	(6.1 - 8.4)		145,690	(121,039 - 170,340)
RI	18-24	241	11.2	2.23	(6.8 - 15.6)		12,201	(7,186 - 17,217)
RI	25-34	579	16.3	1.92	(12.5 - 20.1)		21,302	(15,939 - 26,665)
RI	35-44	878	11.9	1.34	(9.3 - 14.5)		16,433	(12,596 - 20,270)
RI	45-54	1,282	11.3	0.98	(9.4 - 13.2)		18,008	(14,844 - 21,173)
RI	55-64	1,419	10.9	0.99	(9.0 - 12.8)		13,503	(10,979 - 16,026)
RI	65+	1,990	10.0	0.81	(8.5 - 11.6)		15,451	(12,899 - 18,003)
SC	18-24	645	6.2	1.26	(3.8 - 8.7)		27,834	(16,443 - 39,225)
SC	25-34	1,230	8.4	1.10	(6.2 - 10.5)		50,618	(37,122 - 64,113)
SC	35-44	1,524	7.5	0.99	(5.6 - 9.4)		44,804	(32,778 - 56,830)
SC	45-54	2,129	8.7	0.89	(6.9 - 10.4)		55,901	(44,265 - 67,537)
SC	55-64	2,917	9.1	0.77	(7.6 - 10.6)		51,239	(42,380 - 60,097)
SC	65+	4,292	9.1	0.67	(7.8 - 10.4)		59,297	(50,422 - 68,171)
SD	18-24	369	7.0	1.67	(3.7 - 10.3)		5,956	(3,108 - 8,804)
SD	25-34	846	6.3	1.39	(3.6 - 9.0)		6,520	(3,631 - 9,410)
SD	35-44	990	6.8	1.16	(4.5 - 9.1)		6,190	(4,084 - 8,295)
SD	45-54	1,449	5.6	0.84	(4.0 - 7.3)		6,239	(4,411 - 8,067)
SD	55-64	1,773	6.2	0.90	(4.4 - 7.9)		5,957	(4,224 - 7,689)
SD	65+	2,734	9.0	1.11	(6.8 - 11.2)		10,875	(8,128 - 13,622)
TN	18-24	144	4.6	2.45	(0.0 - 9.4)		27,020	(0 - 55,996)
TN	25-34	401	5.4	1.57	(2.3 - 8.5)		45,084	(18,969 - 71,199)
TN	35-44	633	7.9	2.24	(3.5 - 12.3)		68,183	(28,373 - 107,993)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,006	7.8	1.63	(4.6 - 11.0)		71,251	(40,893 - 101,610)
TN	55-64	1,450	8.7	1.88	(5.0 - 12.4)		66,746	(37,091 - 96,400)
TN	65+	2,210	8.0	1.17	(5.7 - 10.2)		70,191	(49,140 - 91,242)
TX	18-24	607	4.4	0.92	(2.6 - 6.2)		109,253	(63,688 - 154,818)
TX	25-34	1,456	6.5	0.84	(4.9 - 8.2)		232,855	(173,221 - 292,489)
TX	35-44	1,973	7.9	0.87	(6.2 - 9.6)		268,335	(208,731 - 327,940)
TX	45-54	2,544	8.6	0.90	(6.9 - 10.4)		289,709	(228,224 - 351,194)
TX	55-64	3,155	8.3	0.79	(6.7 - 9.8)		208,370	(168,003 - 248,736)
TX	65+	4,994	8.1	0.62	(6.8 - 9.3)		216,196	(183,088 - 249,304)
UT	18-24	875	12.2	1.43	(9.4 - 15.1)		40,538	(30,598 - 50,478)
UT	25-34	1,934	7.5	0.75	(6.0 - 9.0)		32,777	(26,084 - 39,471)
UT	35-44	2,277	7.2	0.62	(6.0 - 8.4)		25,230	(20,836 - 29,625)
UT	45-54	2,098	8.1	0.72	(6.7 - 9.5)		24,558	(20,163 - 28,954)
UT	55-64	2,197	9.4	0.77	(7.9 - 10.9)		22,422	(18,686 - 26,158)
UT	65+	3,063	9.1	0.65	(7.8 - 10.3)		23,316	(19,924 - 26,708)
VT	18-24	255	16.5	2.55	(11.5 - 21.6)		10,724	(7,165 - 14,283)
VT	25-34	529	10.9	1.50	(7.9 - 13.8)		7,698	(5,530 - 9,865)
VT	35-44	848	13.5	1.48	(10.6 - 16.4)		10,248	(7,873 - 12,622)
VT	45-54	1,379	10.0	0.95	(8.1 - 11.9)		9,944	(8,006 - 11,882)
VT	55-64	1,754	9.6	0.85	(8.0 - 11.3)		8,355	(6,850 - 9,860)
VT	65+	2,215	8.5	0.71	(7.1 - 9.9)		8,007	(6,659 - 9,356)
VA	18-24	255	7.6	1.91	(3.9 - 11.4)		59,914	(29,336 - 90,492)
VA	25-34	751	6.5	1.22	(4.1 - 8.9)		68,575	(42,566 - 94,583)
VA	35-44	880	9.6	1.35	(7.0 - 12.3)		106,219	(75,609 - 136,828)
VA	45-54	1,240	9.1	1.15	(6.8 - 11.3)		107,638	(79,832 - 135,445)
VA	55-64	1,475	10.2	1.23	(7.8 - 12.7)		94,883	(71,083 - 118,683)
VA	65+	1,884	8.1	0.85	(6.5 - 9.8)		82,935	(65,427 - 100,444)
WA	18-24	520	7.2	1.32	(4.6 - 9.8)		45,224	(28,412 - 62,036)
WA	25-34	1,107	10.8	1.27	(8.3 - 13.3)		102,222	(77,476 - 126,968)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2011

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	1,673	10.4	1.16	(8.1 - 12.7)		92,458	(70,961 - 113,954)
WA	45-54	2,463	9.3	0.83	(7.7 - 10.9)		90,321	(73,901 - 106,742)
WA	55-64	3,679	10.9	0.80	(9.3 - 12.4)		88,570	(75,010 - 102,130)
WA	65+	5,070	9.2	0.60	(8.0 - 10.4)		77,679	(67,326 - 88,032)
WV	18-24	256	12.9	2.67	(7.6 - 18.1)		22,358	(12,470 - 32,246)
WV	25-34	543	7.4	1.25	(4.9 - 9.8)		16,548	(10,844 - 22,253)
WV	35-44	669	8.3	1.28	(5.8 - 10.8)		19,211	(13,144 - 25,279)
WV	45-54	967	10.7	1.18	(8.4 - 13.0)		28,487	(21,988 - 34,987)
WV	55-64	1,199	8.9	0.90	(7.1 - 10.6)		22,138	(17,602 - 26,673)
WV	65+	1,592	8.1	0.78	(6.6 - 9.6)		24,612	(19,810 - 29,414)
WI	18-24	234	10.3	2.50	(5.4 - 15.2)		58,691	(29,190 - 88,192)
WI	25-34	532	7.4	1.50	(4.4 - 10.3)		52,498	(30,732 - 74,263)
WI	35-44	639	11.7	1.85	(8.1 - 15.4)		84,257	(56,335 - 112,179)
WI	45-54	992	8.9	1.23	(6.5 - 11.4)		76,390	(54,932 - 97,847)
WI	55-64	1,222	8.4	1.12	(6.2 - 10.6)		57,523	(41,994 - 73,053)
WI	65+	1,610	8.8	1.16	(6.5 - 11.1)		69,672	(50,756 - 88,588)
WY	18-24	316	12.9	2.26	(8.5 - 17.3)		7,636	(4,800 - 10,472)
WY	25-34	734	9.3	1.35	(6.6 - 11.9)		7,184	(5,022 - 9,345)
WY	35-44	843	9.6	1.52	(6.6 - 12.6)		6,284	(4,203 - 8,364)
WY	45-54	1,210	8.9	1.29	(6.4 - 11.4)		7,009	(4,915 - 9,103)
WY	55-64	1,623	7.1	0.92	(5.3 - 8.9)		4,877	(3,604 - 6,149)
WY	65+	2,037	7.7	0.88	(6.0 - 9.4)		5,518	(4,239 - 6,798)
Territories								
PR	18-24	544	11.8	1.50	(8.9 - 14.8)		49,214	(36,297 - 62,131)
PR	25-34	820	10.5	1.19	(8.2 - 12.8)		57,507	(44,182 - 70,831)
PR	35-44	888	10.7	1.24	(8.3 - 13.1)		54,954	(41,723 - 68,184)
PR	45-54	1,012	10.5	1.11	(8.3 - 12.7)		50,325	(39,378 - 61,272)
PR	55-64	1,145	8.3	0.88	(6.5 - 10.0)		32,701	(25,670 - 39,733)
PR	65+	2,152	8.7	0.70	(7.4 - 10.1)		41,512	(34,782 - 48,242)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.