

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	15,630	7.3	0.39	(6.6 - 8.1)		959,420	(854,680 - 1,064,160)
Total **	5-9	16,157	14.6	0.51	(13.6 - 15.6)		2,078,649	(1,924,441 - 2,232,857)
Total **	10-14	18,710	17.5	0.51	(16.5 - 18.6)		2,259,541	(2,119,507 - 2,399,575)
Total **	15-17	14,196	17.4	0.60	(16.3 - 18.6)		1,597,390	(1,481,403 - 1,713,377)
AL	0-4	430	9.9	1.79	(6.9 - 14.0)		27,241	(17,206 - 37,275)
AL	5-9	423	17.2	2.12	(13.4 - 21.7)		47,237	(35,112 - 59,363)
AL	10-14	572	21.5	2.08	(17.7 - 25.9)		60,909	(48,154 - 73,665)
AL	15-17	436	17.3	2.14	(13.5 - 21.9)		33,055	(24,412 - 41,697)
AZ	0-4	293	3.3	1.22	(1.6 - 6.7)		14,149	(3,960 - 24,338)
AZ	5-9	347	14.6	2.50	(10.3 - 20.2)		58,474	(37,839 - 79,108)
AZ	10-14	373	14.5	2.43	(10.4 - 20.0)		56,766	(37,274 - 76,259)
AZ	15-17	275	19.2	3.39	(13.4 - 26.7)		47,917	(29,953 - 65,881)
CA	0-4	718	7.3	1.27	(5.2 - 10.2)		159,375	(102,473 - 216,277)
CA	5-9	762	15.9	1.60	(13.0 - 19.3)		395,778	(310,744 - 480,813)
CA	10-14	872	20.2	1.63	(17.2 - 23.5)		430,368	(355,532 - 505,204)
CA	15-17	690	17.5	1.78	(14.3 - 21.3)		282,199	(221,654 - 342,744)
CT	0-4	449	9.9	2.25	(6.3 - 15.3)		18,363	(9,652 - 27,074)
CT	5-9	517	17.7	1.98	(14.2 - 22.0)		36,434	(27,994 - 44,874)
CT	10-14	578	26.3	2.29	(22.1 - 31.1)		48,929	(39,335 - 58,522)
CT	15-17	408	20.8	2.63	(16.1 - 26.5)		30,500	(22,024 - 38,977)
DC	0-4	194	8.4	3.09	(4.0 - 16.8)		2,310	(599 - 4,021)
DC	5-9	151	21.5	5.41	(12.7 - 33.9)		6,610	(2,953 - 10,267)
DC	10-14	151	32.2	6.74	(20.6 - 46.5)		7,970	(3,763 - 12,178)
DC	15-17	109	13.6	4.97	(6.4 - 26.5)		2,242	(501 - 3,984)
GA	0-4	291	9.7	2.04	(6.3 - 14.5)		58,987	(33,721 - 84,254)
GA	5-9	296	17.1	2.69	(12.5 - 23.1)		120,797	(80,803 - 160,791)
GA	10-14	404	20.4	2.41	(16.1 - 25.6)		112,305	(84,030 - 140,580)
GA	15-17	276	17.4	2.93	(12.4 - 23.9)		72,490	(46,257 - 98,724)
HI	0-4	534	10.1	1.90	(6.9 - 14.4)		7,640	(4,664 - 10,615)
HI	5-9	439	22.0	2.50	(17.4 - 27.3)		18,651	(14,057 - 23,246)
HI	10-14	491	19.6	2.21	(15.6 - 24.3)		13,472	(10,326 - 16,618)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
HI	15-17	364	27.6	3.28	(21.7 - 34.5)		13,316	(9,657 - 16,976)
IL	0-4	276	4.8	1.45	(2.6 - 8.6)		37,378	(14,847 - 59,909)
IL	5-9	264	14.9	2.71	(10.3 - 21.0)		123,133	(75,678 - 170,587)
IL	10-14	367	14.6	2.11	(11.0 - 19.3)		109,908	(77,408 - 142,408)
IL	15-17	280	19.6	2.85	(14.6 - 25.7)		105,708	(73,078 - 138,338)
KS	0-4	629	6.7	1.28	(4.6 - 9.7)		12,738	(7,792 - 17,685)
KS	5-9	665	13.0	1.61	(10.2 - 16.5)		25,580	(18,957 - 32,204)
KS	10-14	756	19.9	1.75	(16.7 - 23.5)		35,470	(28,697 - 42,243)
KS	15-17	505	19.6	2.28	(15.5 - 24.5)		23,157	(17,240 - 29,074)
KY	0-4	518	10.9	1.97	(7.5 - 15.4)		28,785	(17,870 - 39,700)
KY	5-9	575	16.2	1.89	(12.8 - 20.2)		41,746	(31,543 - 51,950)
KY	10-14	715	15.4	1.57	(12.6 - 18.8)		39,165	(31,007 - 47,322)
KY	15-17	566	17.0	2.06	(13.3 - 21.4)		27,729	(20,605 - 34,853)
MD	0-4	547	9.0	1.78	(6.0 - 13.1)		28,335	(16,953 - 39,717)
MD	5-9	694	17.7	2.05	(14.0 - 22.1)		64,021	(48,522 - 79,521)
MD	10-14	849	21.2	2.12	(17.3 - 25.7)		60,950	(47,813 - 74,088)
MD	15-17	638	19.9	2.43	(15.6 - 25.1)		46,579	(34,215 - 58,944)
MI	0-4	462	7.4	1.50	(4.9 - 10.9)		36,766	(21,606 - 51,925)
MI	5-9	531	13.4	1.85	(10.1 - 17.4)		80,863	(57,259 - 104,466)
MI	10-14	695	19.6	1.77	(16.4 - 23.3)		108,867	(87,788 - 129,945)
MI	15-17	567	19.8	1.93	(16.3 - 23.8)		81,373	(64,482 - 98,265)
MS	0-4	398	10.0	1.76	(7.0 - 14.0)		18,274	(11,705 - 24,843)
MS	5-9	423	13.0	1.83	(9.8 - 17.1)		24,634	(17,504 - 31,764)
MS	10-14	478	20.4	2.17	(16.4 - 24.9)		37,429	(28,889 - 45,970)
MS	15-17	319	13.0	2.07	(9.4 - 17.6)		15,931	(10,700 - 21,161)
MO	0-4	316	10.1	2.11	(6.7 - 15.1)		34,326	(19,665 - 48,986)
MO	5-9	304	15.0	2.68	(10.4 - 21.0)		54,069	(33,769 - 74,368)
MO	10-14	326	16.3	2.70	(11.7 - 22.3)		56,409	(36,565 - 76,252)
MO	15-17	289	19.0	2.72	(14.2 - 24.9)		42,852	(29,708 - 55,997)
MT	0-4	523	7.6	2.84	(3.6 - 15.4)		4,285	(960 - 7,610)
MT	5-9	438	10.6	1.92	(7.3 - 15.0)		6,367	(3,984 - 8,750)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
MT	10-14	519	11.5	1.81	(8.4 - 15.6)		6,254	(4,267 - 8,242)
MT	15-17	396	21.2	3.74	(14.8 - 29.5)		8,162	(4,817 - 11,508)
NE	0-4	1,114	2.5	0.62	(1.5 - 4.0)		3,026	(1,525 - 4,526)
NE	5-9	1,087	10.8	1.25	(8.5 - 13.5)		13,635	(10,371 - 16,899)
NE	10-14	1,234	15.1	1.47	(12.4 - 18.2)		16,996	(13,468 - 20,523)
NE	15-17	992	12.0	1.29	(9.7 - 14.8)		8,706	(6,787 - 10,624)
NV	0-4	238	5.8	1.75	(3.2 - 10.3)		9,242	(3,663 - 14,820)
NV	5-9	260	10.8	2.51	(6.7 - 16.8)		18,391	(9,691 - 27,090)
NV	10-14	307	13.7	2.26	(9.8 - 18.7)		19,023	(12,652 - 25,394)
NV	15-17	212	17.3	4.20	(10.5 - 27.1)		18,352	(8,481 - 28,224)
NH	0-4	336	8.2	2.00	(5.0 - 13.1)		5,134	(2,562 - 7,706)
NH	5-9	334	17.0	2.48	(12.6 - 22.4)		11,829	(8,139 - 15,519)
NH	10-14	451	18.4	2.26	(14.3 - 23.2)		12,885	(9,447 - 16,323)
NH	15-17	343	19.9	2.65	(15.2 - 25.6)		10,314	(7,323 - 13,305)
NJ	0-4	912	7.9	1.17	(5.9 - 10.5)		36,814	(25,636 - 47,992)
NJ	5-9	923	16.0	1.52	(13.2 - 19.2)		74,791	(59,808 - 89,774)
NJ	10-14	1,035	16.2	1.37	(13.7 - 19.1)		74,147	(61,126 - 87,167)
NJ	15-17	778	15.2	1.51	(12.4 - 18.4)		48,571	(38,622 - 58,520)
NM	0-4	481	5.4	1.13	(3.6 - 8.1)		7,243	(4,203 - 10,284)
NM	5-9	497	14.5	1.95	(11.1 - 18.8)		19,687	(14,085 - 25,290)
NM	10-14	599	16.2	1.64	(13.2 - 19.6)		18,963	(14,992 - 22,935)
NM	15-17	403	14.2	2.12	(10.6 - 18.9)		12,050	(8,291 - 15,808)
NY	0-4	274	8.4	1.89	(5.4 - 12.9)		81,301	(44,269 - 118,333)
NY	5-9	306	12.4	2.24	(8.7 - 17.5)		130,280	(81,870 - 178,689)
NY	10-14	338	23.0	3.05	(17.6 - 29.5)		212,816	(150,076 - 275,556)
NY	15-17	242	17.6	3.02	(12.4 - 24.3)		130,776	(83,623 - 177,930)
OH	0-4	652	6.3	1.09	(4.4 - 8.8)		41,023	(26,675 - 55,371)
OH	5-9	658	12.8	1.59	(10.0 - 16.2)		86,889	(64,321 - 109,456)
OH	10-14	758	16.0	1.67	(13.0 - 19.5)		98,913	(77,074 - 120,752)
OH	15-17	618	16.0	1.75	(12.8 - 19.7)		72,344	(55,827 - 88,862)
OK	0-4	483	6.0	1.24	(4.0 - 9.0)		14,644	(8,870 - 20,418)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
OK	5-9	471	12.8	1.99	(9.4 - 17.3)		31,737	(22,897 - 40,578)
OK	10-14	531	14.9	2.04	(11.3 - 19.4)		35,590	(25,594 - 45,585)
OK	15-17	360	15.0	2.49	(10.8 - 20.6)		22,651	(16,320 - 28,981)
OR	0-4	214	8.8	2.17	(5.4 - 14.1)		17,141	(8,657 - 25,626)
OR	5-9	235	15.6	2.94	(10.7 - 22.3)		35,886	(21,630 - 50,143)
OR	10-14	267	15.6	2.65	(11.1 - 21.5)		29,829	(19,331 - 40,326)
OR	15-17	198	14.8	3.24	(9.5 - 22.3)		21,397	(11,638 - 31,156)
PA	0-4	1,014	7.0	1.05	(5.2 - 9.4)		43,328	(30,308 - 56,348)
PA	5-9	1,006	16.0	1.65	(13.1 - 19.5)		112,072	(87,333 - 136,811)
PA	10-14	1,090	17.4	1.52	(14.6 - 20.6)		114,208	(92,780 - 135,636)
PA	15-17	924	18.7	1.78	(15.5 - 22.5)		89,667	(71,287 - 108,047)
TN	0-4	271	7.0	1.98	(4.0 - 12.1)		25,934	(11,044 - 40,824)
TN	5-9	334	12.1	2.26	(8.3 - 17.2)		48,549	(29,768 - 67,331)
TN	10-14	324	14.9	2.23	(11.0 - 19.8)		53,380	(37,060 - 69,700)
TN	15-17	206	14.9	2.90	(10.1 - 21.6)		36,103	(21,675 - 50,531)
TX	0-4	545	8.1	1.66	(5.3 - 12.0)		126,651	(73,295 - 180,007)
TX	5-9	563	14.5	1.98	(11.1 - 18.8)		264,084	(188,335 - 339,834)
TX	10-14	651	14.7	1.80	(11.5 - 18.6)		251,604	(187,943 - 315,266)
TX	15-17	458	15.9	2.34	(11.8 - 21.0)		174,703	(120,026 - 229,380)
UT	0-4	1,001	4.6	0.86	(3.2 - 6.6)		10,629	(6,677 - 14,582)
UT	5-9	987	12.1	1.32	(9.7 - 14.9)		28,794	(22,219 - 35,369)
UT	10-14	1,162	12.8	1.13	(10.7 - 15.1)		25,796	(21,143 - 30,450)
UT	15-17	888	12.0	1.27	(9.7 - 14.7)		15,355	(12,059 - 18,651)
WA	0-4	758	5.0	0.96	(3.4 - 7.3)		20,038	(12,412 - 27,663)
WA	5-9	779	11.8	1.45	(9.2 - 14.9)		50,060	(37,270 - 62,851)
WA	10-14	929	12.6	1.34	(10.2 - 15.5)		46,215	(36,030 - 56,400)
WA	15-17	756	19.8	1.95	(16.3 - 23.9)		53,016	(41,564 - 64,468)
WV	0-4	304	3.7	1.27	(1.9 - 7.2)		3,804	(1,227 - 6,381)
WV	5-9	321	12.9	1.90	(9.6 - 17.1)		12,549	(8,820 - 16,279)
WV	10-14	319	10.7	1.80	(7.7 - 14.8)		10,966	(7,239 - 14,693)
WV	15-17	227	17.0	2.62	(12.5 - 22.8)		11,149	(7,611 - 14,687)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WI	0-4	229	6.7	2.75	(3.0 - 14.5)		22,099	(3,566 - 40,631)
WI	5-9	272	9.4	2.05	(6.1 - 14.2)		31,367	(17,633 - 45,100)
WI	10-14	280	14.2	3.12	(9.1 - 21.4)		48,701	(26,400 - 71,003)
WI	15-17	251	17.1	3.64	(11.1 - 25.5)		35,222	(18,963 - 51,482)
WY	0-4	226	6.8	2.61	(3.2 - 14.1)		2,417	(530 - 4,304)
WY	5-9	295	9.6	2.30	(5.9 - 15.2)		3,653	(1,864 - 5,441)
WY	10-14	289	13.9	2.54	(9.6 - 19.7)		4,336	(2,721 - 5,951)
WY	15-17	222	18.0	4.32	(11.1 - 28.1)		3,802	(1,784 - 5,819)
Territories								
PR	0-4	359	17.3	2.40	(13.1 - 22.5)		39,535	(27,774 - 51,295)
PR	5-9	384	24.2	2.57	(19.5 - 29.6)		58,413	(44,668 - 72,157)
PR	10-14	473	27.1	2.47	(22.5 - 32.2)		56,493	(45,011 - 67,975)
PR	15-17	357	23.1	2.69	(18.3 - 28.8)		39,108	(29,330 - 48,887)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.