

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2012

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
Total **	White NH ***	46,149	12.2	0.25	(11.7 - 12.6)		3,215,576	(3,083,422 - 3,347,730)
Total **	Black NH	6,802	19.9	0.85	(18.3 - 21.7)		1,403,696	(1,275,039 - 1,532,353)
Total **	Other NH	4,099	11.4	1.01	(9.6 - 13.5)		425,036	(347,060 - 503,012)
Total **	Multirace NH	2,928	20.3	1.37	(17.7 - 23.1)		302,099	(257,476 - 346,722)
Total **	Hispanic	10,209	13.5	0.55	(12.5 - 14.7)		2,032,337	(1,863,363 - 2,201,311)
AL	White NH	1,190	13.1	1.13	(11.0 - 15.4)		84,470	(69,704 - 99,237)
AL	Black NH	652	22.9	2.08	(19.0 - 27.2)		76,263	(61,283 - 91,244)
AL	Other NH	48	15.1	5.44	(7.2 - 29.0)		5,355	(1,405 - 9,305)
AL	Multirace NH	18	18.0				2,435	
AL	Hispanic	89	14.7	4.24	(8.1 - 25.0)		10,362	(4,253 - 16,471)
AZ	White NH	713	13.4	1.65	(10.5 - 17.0)		84,431	(63,319 - 105,543)
AZ	Black NH	50	10.8	5.37	(3.9 - 26.5)		12,617	(0 - 25,443)
AZ	Other NH	142	11.2	3.76	(5.7 - 21.0)		12,995	(4,731 - 21,258)
AZ	Multirace NH	42	25.1	7.68	(13.0 - 42.7)		4,008	(1,228 - 6,787)
AZ	Hispanic	469	12.2	1.84	(9.0 - 16.3)		89,017	(61,997 - 116,036)
CA	White NH	1,274	13.4	1.06	(11.5 - 15.6)		316,410	(264,929 - 367,891)
CA	Black NH	125	28.3	4.63	(20.1 - 38.2)		124,421	(77,521 - 171,321)
CA	Other NH	239	14.7	2.66	(10.2 - 20.7)		167,669	(103,241 - 232,097)
CA	Multirace NH	130	20.2	4.11	(13.3 - 29.4)		75,919	(41,972 - 109,867)
CA	Hispanic	1,506	13.5	1.03	(11.6 - 15.6)		636,908	(536,296 - 737,521)
CT	White NH	1,458	17.2	1.18	(15.0 - 19.6)		78,475	(67,508 - 89,443)
CT	Black NH	188	23.3	3.91	(16.5 - 31.8)		19,625	(12,171 - 27,078)
CT	Other NH	98	9.1	3.74	(4.0 - 19.6)		4,414	(692 - 8,137)
CT	Multirace NH	57	13.5	5.10	(6.2 - 26.8)		2,097	(460 - 3,734)
CT	Hispanic	302	23.0	3.08	(17.5 - 29.6)		38,918	(27,424 - 50,412)
DC	White NH	240	6.9	2.17	(3.7 - 12.5)		1,443	(531 - 2,355)
DC	Black NH	304	21.5	3.34	(15.7 - 28.8)		13,667	(9,184 - 18,150)
DC	Other NH	33	20.8	10.06	(7.4 - 46.5)		705	(0 - 1,452)
DC	Multirace NH	23	3.1				74	
DC	Hispanic	48	24.0	10.95	(8.9 - 50.6)		3,461	(0 - 7,222)
GA	White NH	781	15.1	1.55	(12.3 - 18.4)		168,190	(132,591 - 203,789)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2012

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
GA	Black NH	403	21.1	2.52	(16.6 - 26.5)		179,479	(133,486 - 225,472)
GA	Other NH	63	6.2				6,441	
GA	Multirace NH	41	20.7	7.79	(9.3 - 39.8)		12,589	(2,267 - 22,911)
GA	Hispanic	115	12.8	3.48	(7.4 - 21.3)		45,519	(20,223 - 70,814)
HI	White NH	263	10.4	2.29	(6.7 - 15.8)		3,939	(2,173 - 5,704)
HI	Black NH	17	31.5	15.36	(10.2 - 65.0)		1,352	(0 - 2,951)
HI	Other NH	549	13.1	1.95	(9.7 - 17.4)		11,685	(8,071 - 15,300)
HI	Multirace NH	885	23.8	1.90	(20.3 - 27.8)		31,519	(26,125 - 36,913)
HI	Hispanic	260	19.6	3.34	(13.9 - 27.0)		6,552	(4,101 - 9,004)
IL	White NH	826	12.3	1.34	(9.9 - 15.1)		194,348	(151,706 - 236,989)
IL	Black NH	125	19.8	4.05	(13.0 - 29.0)		100,388	(56,955 - 143,821)
IL	Other NH	62	14.5	5.56	(6.5 - 29.0)		22,055	(4,086 - 40,023)
IL	Multirace NH	56	23.8	6.25	(13.7 - 38.0)		19,764	(8,630 - 30,898)
IL	Hispanic	200	9.2	2.26	(5.6 - 14.7)		69,822	(35,115 - 104,529)
KS	White NH	2,093	12.7	0.84	(11.1 - 14.4)		60,973	(52,847 - 69,100)
KS	Black NH	151	24.6	4.33	(17.1 - 34.0)		11,601	(6,978 - 16,225)
KS	Other NH	83	17.3	4.89	(9.7 - 29.0)		5,967	(2,368 - 9,566)
KS	Multirace NH	90	24.9	5.71	(15.4 - 37.6)		6,403	(2,989 - 9,817)
KS	Hispanic	272	11.8	2.29	(8.0 - 17.1)		15,466	(9,228 - 21,704)
KY	White NH	2,144	13.9	0.91	(12.2 - 15.8)		111,863	(97,318 - 126,409)
KY	Black NH	222	19.5	3.48	(13.6 - 27.2)		17,801	(11,168 - 24,434)
KY	Other NH	46	15.4	7.76	(5.4 - 36.9)		3,373	(0 - 7,082)
KY	Multirace NH	63	18.6	5.74	(9.8 - 32.4)		5,696	(1,991 - 9,401)
KY	Hispanic	83	15.2	5.86	(6.9 - 30.4)		9,759	(1,602 - 17,915)
MD	White NH	1,900	15.7	1.22	(13.4 - 18.2)		90,423	(75,656 - 105,190)
MD	Black NH	688	21.8	2.23	(17.8 - 26.5)		93,788	(73,482 - 114,095)
MD	Other NH	169	8.3	2.13	(5.0 - 13.5)		8,086	(4,074 - 12,098)
MD	Multirace NH	105	11.7	2.90	(7.1 - 18.7)		5,037	(2,891 - 7,182)
MD	Hispanic	173	11.8	2.59	(7.6 - 17.9)		20,621	(11,962 - 29,280)
MI	White NH	1,669	13.2	0.93	(11.5 - 15.1)		192,713	(165,436 - 219,990)
MI	Black NH	391	15.1	2.12	(11.4 - 19.7)		55,460	(39,354 - 71,566)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2012

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
MI	Other NH	91	21.7	5.95	(12.3 - 35.5)		22,176	(8,325 - 36,027)
MI	Multirace NH	111	22.7	4.88	(14.6 - 33.6)		18,144	(9,493 - 26,794)
MI	Hispanic	110	16.6	4.21	(9.9 - 26.6)		29,027	(13,307 - 44,746)
MS	White NH	864	11.2	1.23	(9.0 - 13.9)		39,868	(31,029 - 48,706)
MS	Black NH	766	17.1	1.57	(14.3 - 20.4)		55,588	(45,086 - 66,090)
MS	Other NH	42	9.2				1,498	
MS	Multirace NH	22	0.0				0	
MS	Hispanic	53	17.1	5.48	(8.8 - 30.6)		4,698	(1,654 - 7,743)
MO	White NH	1,024	11.8	1.29	(9.5 - 14.6)		121,501	(94,632 - 148,370)
MO	Black NH	211	28.8	4.04	(21.6 - 37.3)		56,408	(38,305 - 74,511)
MO	Other NH	35	13.7				4,415	
MO	Multirace NH	43	23.2	7.31	(11.9 - 40.3)		10,107	(3,065 - 17,149)
MO	Hispanic	61	13.5	5.39	(6.0 - 27.9)		14,490	(2,521 - 26,459)
MT	White NH	1,583	9.3	0.90	(7.7 - 11.2)		16,489	(13,303 - 19,675)
MT	Black NH	7	17.0				483	
MT	Other NH	279	13.1	3.82	(7.2 - 22.5)		1,636	(656 - 2,616)
MT	Multirace NH	78	14.5	4.90	(7.3 - 26.9)		428	(135 - 722)
MT	Hispanic	79	21.0	6.76	(10.7 - 37.1)		5,972	(1,593 - 10,351)
NE	White NH	3,768	9.4	0.60	(8.3 - 10.7)		30,804	(26,880 - 34,729)
NE	Black NH	164	15.5	3.31	(10.0 - 23.1)		4,632	(2,544 - 6,719)
NE	Other NH	171	8.6	2.68	(4.6 - 15.5)		1,488	(552 - 2,423)
NE	Multirace NH	108	9.8	3.05	(5.2 - 17.6)		1,021	(387 - 1,654)
NE	Hispanic	499	9.1	1.85	(6.1 - 13.5)		7,034	(4,070 - 9,997)
NV	White NH	616	10.3	1.34	(8.0 - 13.3)		25,252	(18,742 - 31,762)
NV	Black NH	48	21.7	7.40	(10.6 - 39.4)		11,962	(2,897 - 21,026)
NV	Other NH	89	9.7	4.29	(4.0 - 21.9)		5,809	(574 - 11,043)
NV	Multirace NH	50	21.8	9.18	(8.8 - 44.5)		4,320	(25 - 8,616)
NV	Hispanic	333	9.7	1.88	(6.6 - 14.0)		26,296	(16,010 - 36,582)
NH	White NH	1,402	14.3	1.12	(12.3 - 16.7)		33,750	(28,424 - 39,076)
NH	Black NH	14	15.4				536	
NH	Other NH	72	21.4	6.68	(11.2 - 37.3)		3,180	(897 - 5,464)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2012

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
NH	Multirace NH	23	12.2				560	
NH	Hispanic	61	28.2	7.35	(16.2 - 44.4)		3,901	(1,509 - 6,293)
NJ	White NH	2,315	11.4	0.80	(9.9 - 13.0)		110,931	(95,331 - 126,531)
NJ	Black NH	599	18.1	1.96	(14.6 - 22.3)		49,790	(38,305 - 61,275)
NJ	Other NH	328	8.5	1.83	(5.6 - 12.9)		17,896	(10,087 - 25,704)
NJ	Multirace NH	79	18.7	4.74	(11.1 - 29.8)		4,405	(2,084 - 6,726)
NJ	Hispanic	838	17.8	1.54	(15.0 - 21.0)		88,253	(72,305 - 104,201)
NM	White NH	664	10.4	1.35	(8.1 - 13.4)		13,607	(10,020 - 17,195)
NM	Black NH	21	4.7				219	
NM	Other NH	259	12.6	2.41	(8.6 - 18.2)		7,727	(4,686 - 10,767)
NM	Multirace NH	41	16.5	6.86	(6.9 - 34.4)		1,789	(192 - 3,386)
NM	Hispanic	1,206	12.8	1.12	(10.7 - 15.1)		39,583	(32,545 - 46,620)
NY	White NH	793	11.1	1.20	(8.9 - 13.6)		219,935	(172,539 - 267,332)
NY	Black NH	150	15.8	3.46	(10.1 - 23.8)		102,327	(55,337 - 149,317)
NY	Other NH	63	9.2	3.88	(3.9 - 20.1)		30,155	(4,629 - 55,681)
NY	Multirace NH	40	31.0	8.07	(17.7 - 48.5)		19,197	(7,394 - 31,000)
NY	Hispanic	260	19.6	3.01	(14.4 - 26.2)		209,366	(140,368 - 278,364)
OH	White NH	2,357	10.9	0.72	(9.5 - 12.4)		207,717	(180,427 - 235,008)
OH	Black NH	280	17.4	2.72	(12.7 - 23.4)		68,796	(45,978 - 91,613)
OH	Other NH	89	8.6	3.68	(3.6 - 19.1)		8,568	(1,014 - 16,123)
OH	Multirace NH	79	21.4	5.18	(12.9 - 33.2)		17,315	(8,133 - 26,497)
OH	Hispanic	123	10.5	3.26	(5.6 - 18.8)		14,775	(5,255 - 24,295)
OK	White NH	1,177	11.8	1.09	(9.8 - 14.1)		58,926	(47,878 - 69,973)
OK	Black NH	127	21.4	4.44	(14.0 - 31.3)		16,409	(8,864 - 23,955)
OK	Other NH	206	6.7	2.07	(3.6 - 12.1)		10,254	(5,156 - 15,352)
OK	Multirace NH	168	16.2	3.07	(11.0 - 23.1)		7,307	(4,387 - 10,227)
OK	Hispanic	274	12.0	2.32	(8.1 - 17.3)		17,434	(10,423 - 24,445)
OR	White NH	729	15.0	1.52	(12.3 - 18.2)		81,298	(64,615 - 97,981)
OR	Black NH	15	27.0				5,855	
OR	Other NH	50	10.4	5.92	(3.3 - 28.7)		4,989	(0 - 10,906)
OR	Multirace NH	92	11.8	4.23	(5.7 - 22.9)		4,093	(1,006 - 7,181)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2012

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
OR	Hispanic	135	8.4	2.85	(4.3 - 16.0)		17,160	(5,373 - 28,947)
PA	White NH	3,458	11.4	0.66	(10.2 - 12.8)		210,585	(186,237 - 234,932)
PA	Black NH	420	17.2	2.30	(13.2 - 22.2)		60,595	(43,581 - 77,610)
PA	Other NH	103	16.5	5.78	(8.0 - 31.0)		12,430	(2,801 - 22,059)
PA	Multirace NH	136	23.4	4.20	(16.1 - 32.6)		20,832	(12,728 - 28,935)
PA	Hispanic	272	28.1	3.66	(21.5 - 35.8)		89,699	(62,977 - 116,422)
TN	White NH	905	12.3	1.34	(9.9 - 15.1)		118,264	(92,128 - 144,399)
TN	Black NH	217	14.9	2.65	(10.4 - 20.9)		44,397	(28,769 - 60,025)
TN	Other NH	36	1.0				731	
TN	Multirace NH	19	12.6				2,644	
TN	Hispanic	37	7.9				8,157	
TX	White NH	913	11.6	1.25	(9.4 - 14.3)		246,094	(192,053 - 300,136)
TX	Black NH	182	23.4	3.89	(16.6 - 31.8)		190,474	(119,811 - 261,136)
TX	Other NH	79	4.3				11,694	
TX	Multirace NH	43	17.7	6.36	(8.4 - 33.6)		5,792	(1,272 - 10,311)
TX	Hispanic	1,210	11.5	1.22	(9.3 - 14.1)		414,844	(325,136 - 504,551)
UT	White NH	3,730	9.5	0.56	(8.4 - 10.6)		61,842	(54,543 - 69,141)
UT	Black NH	45	15.1	6.65	(6.1 - 33.0)		1,808	(117 - 3,499)
UT	Other NH	136	12.3	3.27	(7.2 - 20.3)		4,257	(1,909 - 6,604)
UT	Multirace NH	59	25.0	7.30	(13.5 - 41.7)		5,352	(1,715 - 8,989)
UT	Hispanic	466	8.7	1.53	(6.1 - 12.2)		13,767	(8,820 - 18,714)
WA	White NH	2,413	10.7	0.76	(9.3 - 12.3)		98,725	(84,681 - 112,770)
WA	Black NH	80	10.7	3.98	(5.1 - 21.3)		6,956	(1,663 - 12,250)
WA	Other NH	310	10.8	2.14	(7.3 - 15.8)		20,349	(12,041 - 28,658)
WA	Multirace NH	145	11.3	2.95	(6.7 - 18.5)		6,658	(3,084 - 10,233)
WA	Hispanic	493	13.8	1.89	(10.5 - 18.0)		47,439	(34,052 - 60,827)
WV	White NH	1,090	10.6	0.98	(8.9 - 12.7)		36,055	(29,580 - 42,531)
WV	Black NH	29	6.5				856	
WV	Other NH	23	6.4				527	
WV	Multirace NH	38	17.0	5.65	(8.5 - 30.9)		1,971	(643 - 3,299)
WV	Hispanic	37	15.0	6.46	(6.1 - 32.3)		1,166	(93 - 2,239)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2012

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
WI	White NH	843	9.2	1.38	(6.8 - 12.3)		85,400	(59,718 - 111,082)
WI	Black NH	104	16.4	4.43	(9.4 - 27.0)		19,143	(9,546 - 28,740)
WI	Other NH	66	7.8	3.82	(2.9 - 19.3)		5,915	(290 - 11,540)
WI	Multirace NH	30	17.5	7.77	(6.9 - 37.9)		4,306	(258 - 8,354)
WI	Hispanic	50	19.2	6.81	(9.2 - 36.0)		29,483	(6,973 - 51,994)
WY	White NH	954	10.3	1.38	(7.9 - 13.4)		10,853	(7,933 - 13,773)
WY	Black NH	7	0.0				0	
WY	Other NH	40	8.6				596	
WY	Multirace NH	14	20.5				315	
WY	Hispanic	95	17.0	5.05	(9.3 - 29.3)		3,388	(1,260 - 5,517)
Territories								
PR	White NH	3	36.9				590	
PR	Black NH	1	0.0				0	
PR	Other NH	2	55.9				280	
PR	Multirace NH	0					0	
PR	Hispanic	1,717	22.1	1.21	(19.8 - 24.5)		201,884	(179,431 - 224,338)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.