

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	26,347	19.0	0.40	(18.3 - 19.8)		6,013,603	(5,742,931 - 6,284,275)
U.S. Total**	25-34	48,927	15.0	0.28	(14.5 - 15.6)		6,278,309	(6,035,742 - 6,520,877)
U.S. Total**	35-44	58,282	13.1	0.26	(12.6 - 13.6)		5,200,315	(4,989,634 - 5,410,997)
U.S. Total**	45-54	81,765	13.2	0.23	(12.7 - 13.6)		5,749,277	(5,543,345 - 5,955,209)
U.S. Total**	55-64	104,504	13.6	0.22	(13.1 - 14.0)		5,297,084	(5,120,036 - 5,474,132)
U.S. Total**	65+	157,922	11.7	0.17	(11.4 - 12.0)		5,258,538	(5,105,469 - 5,411,608)
AL	18-24	281	16.6	2.51	(11.6 - 21.5)		81,258	(55,089 - 107,427)
AL	25-34	514	12.1	1.60	(9.0 - 15.3)		74,471	(54,382 - 94,560)
AL	35-44	675	13.6	1.66	(10.3 - 16.9)		81,306	(60,676 - 101,936)
AL	45-54	1,037	13.6	1.33	(11.0 - 16.2)		89,512	(71,324 - 107,699)
AL	55-64	1,523	13.4	1.12	(11.2 - 15.6)		81,972	(67,755 - 96,188)
AL	65+	2,404	12.8	0.91	(11.0 - 14.6)		93,059	(79,419 - 106,699)
AK	18-24	350	15.6	2.55	(10.6 - 20.6)		12,116	(7,903 - 16,329)
AK	25-34	650	16.2	2.10	(12.0 - 20.3)		17,303	(12,467 - 22,140)
AK	35-44	721	16.5	2.30	(12.0 - 21.1)		15,301	(10,615 - 19,988)
AK	45-54	881	13.6	1.68	(10.3 - 16.9)		14,009	(10,385 - 17,633)
AK	55-64	1,058	13.9	1.79	(10.4 - 17.4)		13,469	(9,737 - 17,202)
AK	65+	862	12.5	1.52	(9.5 - 15.5)		8,760	(6,582 - 10,938)
AZ	18-24	250	16.0	2.88	(10.3 - 21.7)		105,390	(66,518 - 144,262)
AZ	25-34	390	14.9	2.47	(10.0 - 19.7)		132,480	(87,367 - 177,594)
AZ	35-44	431	16.9	2.45	(12.1 - 21.7)		139,121	(97,871 - 180,372)
AZ	45-54	653	15.1	2.09	(11.0 - 19.3)		126,043	(90,196 - 161,889)
AZ	55-64	898	14.2	2.12	(10.0 - 18.4)		107,989	(74,009 - 141,969)
AZ	65+	1,572	11.6	1.38	(8.9 - 14.3)		114,827	(86,625 - 143,029)
AR	18-24	217	15.0	2.89	(9.3 - 20.7)		43,658	(25,593 - 61,724)
AR	25-34	416	13.7	2.04	(9.7 - 17.7)		51,336	(35,225 - 67,447)
AR	35-44	532	11.4	1.64	(8.2 - 14.6)		40,538	(28,597 - 52,479)
AR	45-54	762	12.7	1.45	(9.8 - 15.5)		48,812	(37,319 - 60,304)
AR	55-64	1,199	12.4	1.25	(10.0 - 14.9)		44,848	(35,530 - 54,167)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	2,063	13.7	1.06	(11.7 - 15.8)		63,068	(52,878 - 73,258)
CA	18-24	929	18.9	1.59	(15.8 - 22.0)		747,730	(613,511 - 881,950)
CA	25-34	1,727	12.9	1.03	(10.9 - 15.0)		708,962	(591,334 - 826,590)
CA	35-44	1,683	12.1	0.99	(10.2 - 14.1)		625,038	(520,122 - 729,954)
CA	45-54	1,900	13.4	1.00	(11.5 - 15.4)		706,533	(598,191 - 814,874)
CA	55-64	2,148	16.9	1.08	(14.8 - 19.0)		761,943	(658,580 - 865,305)
CA	65+	3,104	13.5	0.82	(11.9 - 15.1)		648,315	(568,405 - 728,225)
CO	18-24	727	20.2	1.77	(16.8 - 23.7)		103,444	(83,380 - 123,509)
CO	25-34	1,443	14.4	1.07	(12.3 - 16.5)		107,499	(90,845 - 124,153)
CO	35-44	1,864	13.0	0.90	(11.2 - 14.8)		90,107	(77,200 - 103,014)
CO	45-54	2,316	12.1	0.82	(10.5 - 13.7)		87,763	(75,494 - 100,032)
CO	55-64	3,053	12.0	0.74	(10.5 - 13.4)		78,403	(68,336 - 88,471)
CO	65+	4,050	11.2	0.63	(9.9 - 12.4)		72,705	(64,308 - 81,102)
CT	18-24	401	27.5	3.16	(21.3 - 33.7)		96,616	(70,653 - 122,579)
CT	25-34	758	17.4	1.73	(14.0 - 20.8)		73,240	(58,019 - 88,461)
CT	35-44	973	17.0	1.50	(14.1 - 20.0)		74,939	(61,081 - 88,797)
CT	45-54	1,422	14.4	1.25	(11.9 - 16.8)		78,987	(64,591 - 93,383)
CT	55-64	1,679	14.6	1.13	(12.4 - 16.8)		68,800	(57,726 - 79,874)
CT	65+	2,351	13.0	1.01	(11.1 - 15.0)		71,752	(60,121 - 83,383)
DE	18-24	280	22.2	3.07	(16.2 - 28.3)		20,490	(14,193 - 26,787)
DE	25-34	488	18.7	2.13	(14.5 - 22.9)		21,972	(16,651 - 27,293)
DE	35-44	607	16.9	1.83	(13.3 - 20.5)		18,735	(14,421 - 23,050)
DE	45-54	884	15.1	1.60	(11.9 - 18.2)		19,618	(15,182 - 24,053)
DE	55-64	1,100	11.9	1.14	(9.7 - 14.2)		14,361	(11,594 - 17,128)
DE	65+	1,776	10.7	0.90	(8.9 - 12.5)		15,601	(12,920 - 18,281)
DC	18-24	158	25.8	4.08	(17.8 - 33.9)		17,797	(11,295 - 24,300)
DC	25-34	468	17.1	2.12	(12.9 - 21.2)		25,075	(18,486 - 31,663)
DC	35-44	649	18.2	2.40	(13.5 - 22.9)		15,917	(11,240 - 20,595)
DC	45-54	843	16.0	2.03	(12.0 - 20.0)		12,754	(9,261 - 16,247)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	1,037	16.1	1.66	(12.9 - 19.4)		10,873	(8,480 - 13,265)
DC	65+	1,675	12.2	1.13	(10.0 - 14.4)		9,694	(7,825 - 11,562)
FL	18-24	1,369	16.8	1.44	(14.0 - 19.6)		301,403	(248,835 - 353,971)
FL	25-34	2,505	16.2	1.35	(13.6 - 18.9)		390,590	(321,112 - 460,067)
FL	35-44	3,154	11.7	0.99	(9.8 - 13.7)		276,442	(228,904 - 323,979)
FL	45-54	5,093	14.2	1.17	(11.9 - 16.4)		383,200	(315,368 - 451,031)
FL	55-64	7,114	13.7	1.01	(11.7 - 15.6)		344,582	(290,624 - 398,539)
FL	65+	14,446	11.0	0.57	(9.9 - 12.2)		399,014	(356,710 - 441,317)
GA	18-24	501	21.6	2.21	(17.3 - 26.0)		221,777	(172,041 - 271,513)
GA	25-34	902	14.5	1.48	(11.6 - 17.4)		196,117	(154,227 - 238,007)
GA	35-44	1,060	13.0	1.21	(10.6 - 15.4)		174,448	(140,931 - 207,965)
GA	45-54	1,465	12.1	1.01	(10.1 - 14.1)		169,478	(140,640 - 198,317)
GA	55-64	1,813	14.1	1.10	(11.9 - 16.3)		162,791	(136,046 - 189,535)
GA	65+	2,291	10.7	0.82	(9.1 - 12.3)		129,434	(109,205 - 149,663)
HI	18-24	644	25.0	2.37	(20.4 - 29.7)		32,732	(25,741 - 39,723)
HI	25-34	997	18.1	1.76	(14.7 - 21.6)		35,154	(27,784 - 42,525)
HI	35-44	984	15.7	1.54	(12.6 - 18.7)		27,259	(21,580 - 32,938)
HI	45-54	1,253	13.9	1.48	(11.0 - 16.8)		25,894	(20,031 - 31,757)
HI	55-64	1,639	17.8	1.44	(15.0 - 20.6)		32,180	(26,539 - 37,821)
HI	65+	2,253	12.4	1.09	(10.3 - 14.6)		27,540	(22,529 - 32,550)
ID	18-24	303	16.0	2.51	(11.1 - 21.0)		26,373	(17,547 - 35,199)
ID	25-34	586	10.4	1.51	(7.5 - 13.4)		21,573	(15,159 - 27,986)
ID	35-44	699	16.2	1.96	(12.4 - 20.1)		31,085	(23,136 - 39,034)
ID	45-54	907	11.4	1.46	(8.5 - 14.3)		22,833	(16,797 - 28,869)
ID	55-64	1,128	12.5	1.31	(9.9 - 15.1)		23,934	(18,757 - 29,111)
ID	65+	1,937	11.8	1.01	(9.9 - 13.8)		25,911	(21,379 - 30,442)
IL	18-24	372	14.8	2.33	(10.2 - 19.4)		189,258	(125,915 - 252,600)
IL	25-34	580	13.3	1.69	(10.0 - 16.6)		229,464	(169,300 - 289,628)
IL	35-44	651	10.2	1.39	(7.5 - 12.9)		171,078	(124,229 - 217,927)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	45-54	965	11.0	1.31	(8.4 - 13.6)	195,617	(147,645 - 243,589)
IL	55-64	1,180	12.1	1.21	(9.7 - 14.4)	191,666	(152,461 - 230,871)
IL	65+	1,833	11.2	1.00	(9.3 - 13.2)	197,372	(161,668 - 233,076)
IN	18-24	539	17.8	1.91	(14.1 - 21.6)	121,708	(93,519 - 149,897)
IN	25-34	917	18.5	1.58	(15.5 - 21.6)	151,256	(123,173 - 179,338)
IN	35-44	1,234	14.5	1.22	(12.1 - 16.9)	118,081	(97,202 - 138,960)
IN	45-54	1,775	15.1	1.01	(13.1 - 17.1)	134,402	(115,440 - 153,365)
IN	55-64	2,258	13.3	0.86	(11.6 - 15.0)	107,739	(93,330 - 122,149)
IN	65+	3,485	13.3	0.71	(11.9 - 14.7)	122,734	(109,054 - 136,413)
IA	18-24	399	20.5	2.29	(16.0 - 25.0)	66,523	(50,265 - 82,781)
IA	25-34	722	12.9	1.42	(10.1 - 15.7)	48,616	(37,553 - 59,679)
IA	35-44	913	11.6	1.27	(9.1 - 14.1)	40,479	(31,366 - 49,592)
IA	45-54	1,320	10.8	1.03	(8.8 - 12.8)	44,121	(35,514 - 52,729)
IA	55-64	1,799	10.2	0.86	(8.5 - 11.9)	40,168	(33,219 - 47,118)
IA	65+	2,918	9.4	0.65	(8.1 - 10.6)	45,580	(39,169 - 51,991)
KS	18-24	1,375	18.2	1.15	(15.9 - 20.4)	55,294	(47,767 - 62,821)
KS	25-34	2,421	14.9	0.80	(13.3 - 16.5)	55,512	(49,303 - 61,720)
KS	35-44	2,783	13.8	0.75	(12.3 - 15.3)	47,064	(41,727 - 52,401)
KS	45-54	3,868	12.4	0.65	(11.1 - 13.7)	46,812	(41,655 - 51,969)
KS	55-64	5,011	11.8	0.53	(10.8 - 12.9)	42,005	(38,102 - 45,909)
KS	65+	7,607	10.4	0.40	(9.6 - 11.2)	42,719	(39,423 - 46,016)
KY	18-24	575	18.4	2.02	(14.4 - 22.4)	78,337	(59,962 - 96,712)
KY	25-34	911	14.2	1.43	(11.4 - 17.0)	78,939	(62,352 - 95,526)
KY	35-44	1,331	13.2	1.33	(10.6 - 15.8)	72,931	(57,401 - 88,461)
KY	45-54	2,047	13.5	1.18	(11.1 - 15.8)	82,305	(67,138 - 97,472)
KY	55-64	2,598	14.6	1.00	(12.6 - 16.6)	82,505	(70,816 - 94,194)
KY	65+	3,439	12.9	0.92	(11.0 - 14.7)	82,738	(70,295 - 95,181)
LA	18-24	211	17.3	3.06	(11.2 - 23.3)	81,477	(50,504 - 112,450)
LA	25-34	431	14.8	2.17	(10.6 - 19.1)	95,591	(66,804 - 124,378)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	568	10.6	1.81	(7.0 - 14.2)		58,514	(37,919 - 79,108)
LA	45-54	825	11.2	1.51	(8.2 - 14.1)		68,959	(49,833 - 88,084)
LA	55-64	1,281	10.7	1.09	(8.6 - 12.9)		61,480	(48,824 - 74,137)
LA	65+	1,878	10.0	0.91	(8.2 - 11.8)		62,268	(50,667 - 73,869)
ME	18-24	384	24.2	2.43	(19.4 - 29.0)		29,126	(22,698 - 35,553)
ME	25-34	617	17.6	1.78	(14.1 - 21.1)		25,553	(20,103 - 31,002)
ME	35-44	874	17.0	1.52	(14.1 - 20.0)		25,949	(21,066 - 30,831)
ME	45-54	1,429	17.3	1.31	(14.7 - 19.9)		35,126	(29,407 - 40,845)
ME	55-64	1,920	13.2	0.94	(11.4 - 15.1)		27,025	(23,026 - 31,024)
ME	65+	2,786	12.2	0.82	(10.6 - 13.8)		28,355	(24,415 - 32,294)
MD	18-24	484	21.0	2.35	(16.4 - 25.6)		121,350	(91,160 - 151,540)
MD	25-34	1,143	16.3	1.46	(13.4 - 19.2)		126,780	(102,611 - 150,948)
MD	35-44	1,607	13.8	1.17	(11.5 - 16.1)		104,640	(86,202 - 123,077)
MD	45-54	2,391	12.4	0.94	(10.6 - 14.3)		109,560	(92,299 - 126,821)
MD	55-64	2,916	12.6	0.83	(11.0 - 14.2)		93,761	(81,005 - 106,517)
MD	65+	4,262	9.8	0.64	(8.6 - 11.1)		79,492	(69,001 - 89,984)
MA	18-24	785	27.6	2.20	(23.2 - 31.9)		194,403	(158,137 - 230,669)
MA	25-34	1,512	17.0	1.32	(14.4 - 19.6)		147,245	(123,075 - 171,415)
MA	35-44	1,893	16.3	1.23	(13.9 - 18.7)		133,997	(112,587 - 155,408)
MA	45-54	2,945	14.8	1.03	(12.8 - 16.8)		146,481	(124,919 - 168,043)
MA	55-64	3,173	14.9	1.02	(12.9 - 16.9)		129,463	(110,639 - 148,288)
MA	65+	4,573	12.8	0.74	(11.3 - 14.2)		128,005	(112,720 - 143,289)
MI	18-24	902	22.8	1.70	(19.5 - 26.1)		230,846	(192,798 - 268,893)
MI	25-34	1,126	18.3	1.44	(15.5 - 21.1)		212,855	(177,224 - 248,486)
MI	35-44	1,420	16.9	1.31	(14.3 - 19.5)		196,466	(163,961 - 228,971)
MI	45-54	2,176	14.4	1.02	(12.4 - 16.4)		202,347	(172,115 - 232,579)
MI	55-64	2,794	16.9	0.97	(15.0 - 18.8)		223,995	(196,208 - 251,783)
MI	65+	4,175	12.9	0.70	(11.5 - 14.2)		190,607	(168,921 - 212,294)
MN	18-24	697	20.1	1.97	(16.3 - 24.0)		104,876	(82,578 - 127,175)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	1,556	12.8	1.24	(10.4 - 15.2)		90,838	(72,311 - 109,366)
MN	35-44	1,957	11.1	1.14	(8.8 - 13.3)		72,205	(56,920 - 87,491)
MN	45-54	2,590	10.8	1.07	(8.7 - 12.9)		82,861	(66,083 - 99,640)
MN	55-64	3,268	9.5	0.98	(7.6 - 11.4)		64,444	(50,947 - 77,941)
MN	65+	4,074	9.5	1.03	(7.4 - 11.5)		71,960	(55,917 - 88,004)
MS	18-24	359	15.9	2.18	(11.7 - 20.2)		50,036	(35,663 - 64,409)
MS	25-34	664	11.0	1.48	(8.1 - 13.9)		42,504	(30,734 - 54,274)
MS	35-44	745	13.8	1.59	(10.7 - 16.9)		50,091	(37,996 - 62,186)
MS	45-54	1,215	11.7	1.25	(9.3 - 14.2)		45,910	(35,812 - 56,007)
MS	55-64	1,682	12.1	1.06	(10.0 - 14.2)		44,253	(36,281 - 52,226)
MS	65+	2,722	11.4	0.86	(9.7 - 13.1)		47,468	(40,135 - 54,802)
MO	18-24	370	23.2	2.56	(18.1 - 28.2)		139,797	(106,154 - 173,439)
MO	25-34	697	15.5	1.71	(12.1 - 18.8)		119,631	(91,825 - 147,437)
MO	35-44	747	16.8	2.10	(12.7 - 20.9)		120,000	(87,087 - 152,913)
MO	45-54	1,089	17.5	1.76	(14.1 - 21.0)		144,071	(112,512 - 175,630)
MO	55-64	1,475	13.7	1.23	(11.3 - 16.1)		103,897	(84,593 - 123,202)
MO	65+	2,647	10.3	0.84	(8.6 - 11.9)		93,937	(78,247 - 109,627)
MT	18-24	612	19.1	2.01	(15.1 - 23.0)		18,930	(14,592 - 23,268)
MT	25-34	1,086	15.5	1.37	(12.8 - 18.2)		19,342	(15,734 - 22,950)
MT	35-44	1,065	12.7	1.35	(10.0 - 15.3)		14,194	(11,034 - 17,355)
MT	45-54	1,506	11.5	1.04	(9.4 - 13.5)		15,478	(12,607 - 18,350)
MT	55-64	2,186	12.2	0.97	(10.3 - 14.1)		18,232	(15,250 - 21,215)
MT	65+	3,162	10.5	0.79	(9.0 - 12.1)		17,298	(14,638 - 19,958)
NE	18-24	857	16.3	1.65	(13.1 - 19.6)		31,058	(24,419 - 37,697)
NE	25-34	1,668	12.2	1.15	(10.0 - 14.5)		29,644	(23,866 - 35,421)
NE	35-44	1,984	9.9	0.93	(8.0 - 11.7)		21,698	(17,554 - 25,842)
NE	45-54	2,751	9.5	0.78	(8.0 - 11.0)		23,007	(19,196 - 26,819)
NE	55-64	3,698	11.3	0.83	(9.7 - 13.0)		26,049	(22,109 - 29,989)
NE	65+	5,997	9.4	0.54	(8.3 - 10.4)		25,123	(22,196 - 28,051)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	327	15.7	2.97	(9.9 - 21.6)		39,785	(24,505 - 55,065)
NV	25-34	564	13.8	2.48	(9.0 - 18.7)		53,346	(32,886 - 73,805)
NV	35-44	631	8.0	1.35	(5.4 - 10.7)		29,758	(19,929 - 39,587)
NV	45-54	862	10.4	1.96	(6.5 - 14.2)		39,523	(24,119 - 54,928)
NV	55-64	1,047	12.6	1.55	(9.5 - 15.6)		41,866	(31,446 - 52,287)
NV	65+	1,599	9.0	1.07	(6.9 - 11.1)		34,415	(26,358 - 42,473)
NH	18-24	276	23.5	3.06	(17.5 - 29.5)		30,645	(21,614 - 39,676)
NH	25-34	517	19.4	2.10	(15.3 - 23.5)		28,392	(21,662 - 35,121)
NH	35-44	738	15.4	1.62	(12.3 - 18.6)		24,289	(18,896 - 29,681)
NH	45-54	1,272	16.8	1.44	(14.0 - 19.7)		35,834	(29,170 - 42,498)
NH	55-64	1,420	13.2	1.09	(11.0 - 15.3)		25,102	(20,781 - 29,423)
NH	65+	2,146	14.3	1.01	(12.3 - 16.2)		28,878	(24,593 - 33,163)
NJ	18-24	764	21.5	2.13	(17.4 - 25.7)		175,270	(136,822 - 213,719)
NJ	25-34	1,572	13.5	1.06	(11.4 - 15.6)		148,761	(124,823 - 172,700)
NJ	35-44	2,061	13.2	0.97	(11.3 - 15.1)		150,671	(127,716 - 173,626)
NJ	45-54	2,638	12.4	1.01	(10.4 - 14.4)		164,985	(136,786 - 193,183)
NJ	55-64	2,659	12.2	0.88	(10.4 - 13.9)		134,692	(114,634 - 154,749)
NJ	65+	3,459	12.0	0.80	(10.4 - 13.6)		155,962	(134,582 - 177,343)
NM	18-24	555	18.8	2.06	(14.7 - 22.8)		38,426	(29,533 - 47,319)
NM	25-34	1,057	15.8	1.39	(13.0 - 18.5)		43,450	(35,489 - 51,411)
NM	35-44	1,123	13.8	1.34	(11.1 - 16.4)		33,371	(26,593 - 40,149)
NM	45-54	1,561	13.9	1.37	(11.2 - 16.6)		37,420	(29,548 - 45,293)
NM	55-64	2,049	15.1	1.18	(12.8 - 17.5)		39,947	(33,309 - 46,586)
NM	65+	2,851	11.7	0.80	(10.2 - 13.3)		35,671	(30,762 - 40,580)
NY	18-24	631	19.3	2.06	(15.2 - 23.3)		374,547	(287,353 - 461,741)
NY	25-34	1,162	18.0	1.34	(15.3 - 20.6)		493,012	(415,319 - 570,705)
NY	35-44	1,171	13.9	1.39	(11.2 - 16.6)		341,390	(269,255 - 413,525)
NY	45-54	1,561	13.8	1.07	(11.7 - 15.9)		383,003	(321,339 - 444,667)
NY	55-64	1,726	13.8	1.03	(11.8 - 15.8)		330,034	(278,919 - 381,149)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,538	11.8	0.87	(10.1 - 13.5)		340,295	(288,588 - 392,002)
NC	18-24	462	19.1	2.11	(15.0 - 23.3)		187,103	(142,483 - 231,722)
NC	25-34	914	12.9	1.37	(10.2 - 15.6)		162,315	(126,042 - 198,587)
NC	35-44	1,166	11.9	1.18	(9.5 - 14.2)		151,176	(119,870 - 182,482)
NC	45-54	1,471	12.6	1.14	(10.3 - 14.8)		171,553	(139,177 - 203,929)
NC	55-64	1,812	13.8	1.09	(11.6 - 15.9)		166,500	(138,647 - 194,354)
NC	65+	2,923	10.2	0.76	(8.7 - 11.7)		143,342	(121,575 - 165,108)
ND	18-24	494	14.0	2.03	(10.0 - 18.0)		11,829	(8,235 - 15,424)
ND	25-34	895	15.7	1.63	(12.5 - 18.9)		15,401	(11,984 - 18,819)
ND	35-44	870	13.8	1.57	(10.8 - 16.9)		10,894	(8,284 - 13,505)
ND	45-54	1,323	10.3	1.08	(8.2 - 12.4)		9,441	(7,410 - 11,472)
ND	55-64	1,703	11.3	1.15	(9.0 - 13.6)		10,267	(8,067 - 12,467)
ND	65+	2,422	9.6	0.81	(8.0 - 11.2)		10,358	(8,556 - 12,159)
OH	18-24	615	21.1	2.04	(17.1 - 25.2)		237,443	(187,873 - 287,014)
OH	25-34	1,144	17.1	1.47	(14.2 - 20.0)		241,975	(197,748 - 286,202)
OH	35-44	1,435	14.3	1.29	(11.7 - 16.8)		197,686	(160,244 - 235,128)
OH	45-54	2,173	13.4	0.98	(11.5 - 15.3)		216,403	(183,385 - 249,422)
OH	55-64	2,714	11.9	0.89	(10.1 - 13.6)		179,738	(151,792 - 207,685)
OH	65+	3,729	10.5	0.70	(9.1 - 11.9)		184,619	(159,532 - 209,706)
OK	18-24	381	18.4	2.22	(14.0 - 22.8)		71,913	(53,120 - 90,707)
OK	25-34	847	14.9	1.39	(12.2 - 17.6)		76,582	(61,531 - 91,632)
OK	35-44	976	15.4	1.34	(12.7 - 18.0)		71,432	(58,255 - 84,609)
OK	45-54	1,298	14.9	1.15	(12.6 - 17.1)		73,072	(61,197 - 84,947)
OK	55-64	1,736	13.7	0.95	(11.8 - 15.6)		64,160	(54,930 - 73,391)
OK	65+	2,927	11.7	0.72	(10.2 - 13.1)		64,951	(56,735 - 73,166)
OR	18-24	323	26.0	3.00	(20.1 - 31.9)		95,374	(70,343 - 120,406)
OR	25-34	607	21.2	1.91	(17.5 - 25.0)		111,995	(90,259 - 133,731)
OR	35-44	629	18.8	1.94	(15.0 - 22.6)		93,047	(72,373 - 113,720)
OR	45-54	862	14.7	1.42	(11.9 - 17.5)		75,586	(60,443 - 90,728)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,425	16.5	1.15	(14.2 - 18.8)		88,469	(75,458 - 101,479)
OR	65+	2,045	14.9	0.88	(13.1 - 16.6)		89,943	(78,994 - 100,892)
PA	18-24	677	18.8	1.80	(15.3 - 22.4)		240,912	(191,082 - 290,741)
PA	25-34	1,177	17.6	1.33	(15.0 - 20.2)		271,417	(227,603 - 315,232)
PA	35-44	1,288	13.5	1.08	(11.4 - 15.7)		200,924	(168,141 - 233,707)
PA	45-54	1,920	14.6	1.02	(12.6 - 16.6)		265,455	(226,773 - 304,136)
PA	55-64	2,429	13.0	0.93	(11.2 - 14.8)		222,979	(189,713 - 256,244)
PA	65+	3,781	10.3	0.67	(9.0 - 11.6)		218,218	(189,370 - 247,067)
RI	18-24	272	23.4	3.01	(17.5 - 29.3)		26,909	(19,153 - 34,665)
RI	25-34	590	20.5	1.96	(16.6 - 24.3)		27,096	(21,487 - 32,704)
RI	35-44	827	14.7	1.51	(11.7 - 17.6)		18,405	(14,423 - 22,386)
RI	45-54	1,166	17.4	1.39	(14.7 - 20.1)		26,334	(21,843 - 30,826)
RI	55-64	1,507	17.1	1.20	(14.7 - 19.4)		23,537	(20,030 - 27,045)
RI	65+	2,073	12.9	0.95	(11.1 - 14.8)		21,140	(17,923 - 24,358)
SC	18-24	535	15.1	1.88	(11.4 - 18.8)		72,241	(53,032 - 91,450)
SC	25-34	997	14.6	1.41	(11.8 - 17.3)		88,771	(70,624 - 106,919)
SC	35-44	1,197	13.1	1.18	(10.8 - 15.4)		76,053	(61,909 - 90,197)
SC	45-54	1,694	11.8	0.99	(9.8 - 13.7)		76,056	(62,964 - 89,149)
SC	55-64	2,331	12.4	0.95	(10.6 - 14.3)		75,316	(63,449 - 87,183)
SC	65+	3,811	13.7	0.85	(12.0 - 15.4)		99,454	(86,467 - 112,441)
SD	18-24	444	16.2	2.49	(11.3 - 21.1)		13,971	(9,375 - 18,567)
SD	25-34	874	14.4	1.93	(10.6 - 18.2)		15,554	(11,101 - 20,007)
SD	35-44	775	7.8	1.45	(5.0 - 10.7)		7,402	(4,633 - 10,170)
SD	45-54	1,172	10.9	1.60	(7.8 - 14.1)		11,864	(8,249 - 15,480)
SD	55-64	1,418	11.4	1.60	(8.3 - 14.6)		12,296	(8,699 - 15,893)
SD	65+	2,150	10.8	1.25	(8.4 - 13.3)		13,736	(10,463 - 17,009)
TN	18-24	264	8.4	1.90	(4.7 - 12.2)		52,621	(28,412 - 76,830)
TN	25-34	556	14.1	1.72	(10.7 - 17.5)		118,448	(88,369 - 148,528)
TN	35-44	652	9.4	1.39	(6.7 - 12.1)		76,813	(53,795 - 99,832)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	989	13.3	1.38	(10.6 - 16.0)		120,675	(94,842 - 146,508)
TN	55-64	1,324	10.9	1.08	(8.8 - 13.0)		90,125	(72,080 - 108,171)
TN	65+	1,948	10.4	0.97	(8.5 - 12.3)		100,135	(80,975 - 119,295)
TX	18-24	731	17.3	1.84	(13.6 - 20.9)		472,464	(363,509 - 581,418)
TX	25-34	1,324	13.9	1.22	(11.5 - 16.2)		513,983	(420,525 - 607,440)
TX	35-44	1,447	11.3	1.21	(8.9 - 13.7)		394,870	(307,280 - 482,460)
TX	45-54	1,810	10.5	0.98	(8.6 - 12.5)		365,815	(297,139 - 434,490)
TX	55-64	2,028	10.9	0.98	(9.0 - 12.8)		312,083	(255,795 - 368,372)
TX	65+	3,407	11.7	0.92	(9.9 - 13.5)		351,428	(294,800 - 408,056)
UT	18-24	987	16.3	1.29	(13.8 - 18.9)		54,509	(45,424 - 63,595)
UT	25-34	1,881	13.6	0.92	(11.8 - 15.4)		60,888	(52,342 - 69,434)
UT	35-44	2,191	12.6	0.84	(10.9 - 14.2)		45,868	(39,589 - 52,147)
UT	45-54	2,065	15.1	1.01	(13.1 - 17.1)		46,580	(39,972 - 53,189)
UT	55-64	2,256	14.6	0.92	(12.8 - 16.4)		38,846	(33,745 - 43,947)
UT	65+	3,232	12.8	0.78	(11.2 - 14.3)		36,339	(31,707 - 40,972)
VT	18-24	255	25.9	3.08	(19.9 - 32.0)		17,593	(12,874 - 22,313)
VT	25-34	579	18.1	1.79	(14.6 - 21.6)		12,558	(9,926 - 15,189)
VT	35-44	735	17.8	1.60	(14.7 - 21.0)		12,686	(10,242 - 15,130)
VT	45-54	1,158	15.0	1.21	(12.6 - 17.4)		14,085	(11,715 - 16,454)
VT	55-64	1,507	12.9	1.00	(11.0 - 14.9)		12,215	(10,272 - 14,158)
VT	65+	2,077	12.7	0.88	(11.0 - 14.4)		12,864	(11,038 - 14,689)
VA	18-24	469	18.0	2.19	(13.7 - 22.3)		151,836	(112,229 - 191,443)
VA	25-34	967	14.2	1.33	(11.6 - 16.8)		157,014	(126,245 - 187,783)
VA	35-44	1,108	12.3	1.28	(9.8 - 14.8)		131,123	(102,774 - 159,473)
VA	45-54	1,541	13.6	1.15	(11.3 - 15.8)		161,780	(132,964 - 190,597)
VA	55-64	1,823	13.8	1.05	(11.7 - 15.8)		142,031	(119,577 - 164,485)
VA	65+	2,447	10.5	0.80	(8.9 - 12.1)		117,829	(99,358 - 136,299)
WA	18-24	629	20.2	1.91	(16.4 - 23.9)		135,429	(107,338 - 163,521)
WA	25-34	1,062	16.6	1.31	(14.0 - 19.1)		159,003	(132,491 - 185,515)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	1,321	15.0	1.17	(12.7 - 17.3)		134,786	(112,838 - 156,733)
WA	45-54	1,803	15.5	1.08	(13.4 - 17.6)		147,769	(126,143 - 169,396)
WA	55-64	2,474	15.8	0.97	(13.9 - 17.7)		142,118	(123,709 - 160,528)
WA	65+	3,749	13.6	0.74	(12.2 - 15.1)		130,799	(116,192 - 145,406)
WV	18-24	305	19.7	2.56	(14.6 - 24.7)		34,298	(24,612 - 43,984)
WV	25-34	580	14.7	1.57	(11.6 - 17.8)		31,411	(24,425 - 38,396)
WV	35-44	784	14.0	1.39	(11.3 - 16.7)		31,514	(24,991 - 38,038)
WV	45-54	1,027	11.6	1.12	(9.4 - 13.8)		29,685	(23,760 - 35,611)
WV	55-64	1,359	13.0	1.06	(10.9 - 15.0)		35,059	(29,046 - 41,072)
WV	65+	1,769	11.6	0.91	(9.9 - 13.4)		37,415	(31,403 - 43,427)
WI	18-24	418	25.7	3.02	(19.8 - 31.6)		146,238	(106,585 - 185,891)
WI	25-34	648	14.5	1.95	(10.6 - 18.3)		103,624	(74,190 - 133,059)
WI	35-44	738	14.5	1.91	(10.8 - 18.3)		99,071	(71,622 - 126,520)
WI	45-54	1,190	12.5	1.52	(9.5 - 15.5)		102,526	(76,407 - 128,645)
WI	55-64	1,514	13.0	1.53	(10.0 - 16.0)		97,151	(72,958 - 121,344)
WI	65+	2,002	12.5	1.33	(9.8 - 15.1)		105,698	(81,996 - 129,400)
WY	18-24	202	15.7	2.65	(10.4 - 20.9)		8,441	(5,426 - 11,456)
WY	25-34	518	16.6	1.94	(12.8 - 20.4)		13,773	(10,349 - 17,197)
WY	35-44	615	13.8	1.63	(10.6 - 17.0)		9,464	(7,126 - 11,801)
WY	45-54	901	14.9	1.36	(12.2 - 17.6)		11,341	(9,177 - 13,505)
WY	55-64	1,615	12.3	1.01	(10.3 - 14.3)		9,722	(8,071 - 11,373)
WY	65+	2,495	12.0	0.81	(10.4 - 13.6)		9,715	(8,362 - 11,068)
Territories								
GU	18-24	257	11.4	2.40	(6.7 - 16.1)		2,140	(1,205 - 3,074)
GU	25-34	422	13.7	2.62	(8.5 - 18.9)		2,958	(1,742 - 4,173)
GU	35-44	378	11.1	2.12	(6.9 - 15.3)		2,227	(1,347 - 3,107)
GU	45-54	371	5.6	1.46	(2.7 - 8.4)		1,133	(538 - 1,728)
GU	55-64	241	10.5	2.63	(5.4 - 15.7)		1,534	(739 - 2,328)
GU	65+	202	13.2	2.84	(7.6 - 18.8)		1,729	(961 - 2,497)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	467	23.9	2.24	(19.5 - 28.3)		90,654	(71,944 - 109,364)
PR	25-34	652	17.8	1.90	(14.1 - 21.6)		87,085	(66,953 - 107,218)
PR	35-44	790	16.4	1.53	(13.4 - 19.4)		77,103	(62,148 - 92,058)
PR	45-54	995	15.7	1.38	(13.0 - 18.4)		75,685	(61,797 - 89,574)
PR	55-64	1,067	18.8	1.49	(15.9 - 21.8)		80,556	(66,744 - 94,368)
PR	65+	1,990	13.2	0.90	(11.4 - 14.9)		72,061	(61,979 - 82,144)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.