

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	26,146	10.2	0.30	(9.6 - 10.8)		3,212,420	(3,017,010 - 3,407,831)
U.S. Total**	25-34	48,670	8.3	0.21	(7.9 - 8.7)		3,456,466	(3,283,002 - 3,629,930)
U.S. Total**	35-44	58,064	8.5	0.21	(8.1 - 8.9)		3,361,911	(3,193,888 - 3,529,933)
U.S. Total**	45-54	81,484	9.3	0.19	(8.9 - 9.7)		4,039,610	(3,869,502 - 4,209,718)
U.S. Total**	55-64	104,157	9.5	0.19	(9.2 - 9.9)		3,705,908	(3,558,525 - 3,853,290)
U.S. Total**	65+	157,389	8.3	0.14	(8.0 - 8.6)		3,711,195	(3,584,289 - 3,838,100)
AL	18-24	278	7.7	1.82	(4.2 - 11.3)		37,609	(19,624 - 55,595)
AL	25-34	513	6.8	1.20	(4.5 - 9.2)		41,806	(27,103 - 56,510)
AL	35-44	673	9.0	1.34	(6.4 - 11.6)		53,702	(37,510 - 69,893)
AL	45-54	1,028	9.2	1.10	(7.1 - 11.4)		60,225	(45,574 - 74,876)
AL	55-64	1,516	9.5	0.98	(7.6 - 11.4)		57,579	(45,425 - 69,734)
AL	65+	2,393	8.5	0.75	(7.0 - 10.0)		61,543	(50,520 - 72,566)
AK	18-24	348	8.1	1.90	(4.4 - 11.9)		6,294	(3,292 - 9,296)
AK	25-34	647	8.3	1.54	(5.2 - 11.3)		8,757	(5,409 - 12,106)
AK	35-44	717	12.2	2.09	(8.1 - 16.3)		11,231	(7,132 - 15,330)
AK	45-54	878	9.5	1.55	(6.5 - 12.6)		9,788	(6,493 - 13,083)
AK	55-64	1,057	9.8	1.66	(6.5 - 13.0)		9,449	(6,081 - 12,817)
AK	65+	858	7.6	1.07	(5.5 - 9.7)		5,323	(3,837 - 6,809)
AZ	18-24	247	6.1	1.76	(2.7 - 9.6)		40,141	(17,186 - 63,096)
AZ	25-34	388	9.2	2.05	(5.2 - 13.3)		81,432	(44,815 - 118,050)
AZ	35-44	428	9.2	1.79	(5.7 - 12.7)		75,489	(46,211 - 104,767)
AZ	45-54	649	10.8	1.84	(7.2 - 14.4)		89,529	(58,489 - 120,569)
AZ	55-64	894	8.5	1.32	(5.9 - 11.0)		64,256	(44,524 - 83,987)
AZ	65+	1,568	8.8	1.24	(6.4 - 11.3)		87,078	(62,173 - 111,983)
AR	18-24	215	8.0	2.18	(3.7 - 12.3)		23,105	(10,177 - 36,034)
AR	25-34	415	7.4	1.43	(4.6 - 10.2)		27,674	(16,877 - 38,472)
AR	35-44	528	7.2	1.33	(4.6 - 9.8)		25,530	(16,005 - 35,055)
AR	45-54	759	8.4	1.19	(6.1 - 10.8)		32,372	(23,157 - 41,587)
AR	55-64	1,196	9.0	1.09	(6.8 - 11.1)		32,234	(24,269 - 40,199)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	2,050	9.5	0.90	(7.7 - 11.3)		43,433	(34,989 - 51,877)
CA	18-24	926	9.7	1.23	(7.3 - 12.2)		385,176	(285,246 - 485,105)
CA	25-34	1,724	6.3	0.71	(4.9 - 7.7)		346,918	(268,858 - 424,977)
CA	35-44	1,681	7.9	0.85	(6.3 - 9.6)		408,155	(319,046 - 497,265)
CA	45-54	1,893	9.0	0.78	(7.5 - 10.5)		470,326	(388,783 - 551,869)
CA	55-64	2,142	11.3	0.93	(9.5 - 13.1)		508,581	(422,171 - 594,991)
CA	65+	3,098	9.0	0.67	(7.7 - 10.3)		429,036	(365,124 - 492,947)
CO	18-24	719	13.5	1.57	(10.4 - 16.6)		68,439	(51,490 - 85,389)
CO	25-34	1,436	7.7	0.79	(6.2 - 9.3)		57,431	(45,521 - 69,341)
CO	35-44	1,858	8.1	0.73	(6.7 - 9.6)		56,229	(45,936 - 66,522)
CO	45-54	2,307	8.3	0.70	(6.9 - 9.6)		59,571	(49,273 - 69,869)
CO	55-64	3,035	8.1	0.64	(6.9 - 9.4)		52,746	(44,363 - 61,130)
CO	65+	4,031	8.1	0.54	(7.0 - 9.1)		52,152	(45,030 - 59,274)
CT	18-24	398	12.2	2.13	(8.0 - 16.4)		42,853	(27,395 - 58,310)
CT	25-34	755	8.8	1.25	(6.3 - 11.2)		36,802	(26,261 - 47,344)
CT	35-44	970	11.9	1.30	(9.3 - 14.4)		52,104	(40,397 - 63,812)
CT	45-54	1,416	9.4	1.01	(7.5 - 11.4)		51,774	(40,464 - 63,084)
CT	55-64	1,672	9.0	0.95	(7.1 - 10.8)		42,023	(32,957 - 51,088)
CT	65+	2,342	8.8	0.85	(7.1 - 10.4)		48,107	(38,535 - 57,678)
DE	18-24	277	13.7	2.54	(8.7 - 18.7)		12,511	(7,613 - 17,410)
DE	25-34	483	10.3	1.77	(6.9 - 13.8)		12,099	(7,812 - 16,387)
DE	35-44	607	11.8	1.58	(8.7 - 14.9)		13,003	(9,388 - 16,619)
DE	45-54	883	11.6	1.46	(8.8 - 14.5)		15,147	(11,168 - 19,126)
DE	55-64	1,099	9.6	1.05	(7.6 - 11.7)		11,563	(9,018 - 14,108)
DE	65+	1,773	8.1	0.81	(6.5 - 9.7)		11,798	(9,411 - 14,186)
DC	18-24	158	16.4	3.57	(9.4 - 23.5)		11,317	(5,956 - 16,678)
DC	25-34	465	11.0	1.76	(7.5 - 14.4)		16,121	(10,828 - 21,415)
DC	35-44	646	12.2	2.14	(8.0 - 16.4)		10,547	(6,589 - 14,504)
DC	45-54	836	11.8	1.73	(8.4 - 15.2)		9,364	(6,495 - 12,233)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	1,035	11.3	1.43	(8.5 - 14.1)		7,629	(5,623 - 9,635)
DC	65+	1,672	9.2	1.05	(7.1 - 11.2)		7,287	(5,566 - 9,008)
FL	18-24	1,356	7.7	0.96	(5.8 - 9.5)		136,804	(103,060 - 170,548)
FL	25-34	2,491	9.0	0.96	(7.1 - 10.9)		215,537	(169,016 - 262,057)
FL	35-44	3,141	7.1	0.69	(5.7 - 8.4)		166,688	(134,729 - 198,648)
FL	45-54	5,078	9.1	1.02	(7.1 - 11.1)		244,418	(187,078 - 301,758)
FL	55-64	7,094	9.2	0.90	(7.4 - 10.9)		230,804	(183,798 - 277,810)
FL	65+	14,386	7.8	0.52	(6.8 - 8.8)		281,432	(243,106 - 319,758)
GA	18-24	496	13.1	1.71	(9.7 - 16.5)		133,032	(97,032 - 169,032)
GA	25-34	898	6.7	0.94	(4.8 - 8.5)		89,622	(64,452 - 114,792)
GA	35-44	1,055	7.9	0.98	(6.0 - 9.8)		105,503	(79,118 - 131,889)
GA	45-54	1,459	7.3	0.78	(5.8 - 8.9)		101,868	(80,043 - 123,693)
GA	55-64	1,809	9.0	0.89	(7.3 - 10.8)		104,053	(83,025 - 125,081)
GA	65+	2,281	7.7	0.73	(6.2 - 9.1)		92,205	(74,472 - 109,938)
HI	18-24	639	12.7	1.86	(9.0 - 16.3)		16,491	(11,420 - 21,561)
HI	25-34	994	9.1	1.25	(6.7 - 11.6)		17,611	(12,686 - 22,536)
HI	35-44	981	9.7	1.20	(7.4 - 12.1)		16,795	(12,563 - 21,027)
HI	45-54	1,245	7.5	1.01	(5.5 - 9.5)		13,943	(10,163 - 17,724)
HI	55-64	1,628	11.2	1.25	(8.7 - 13.6)		20,093	(15,415 - 24,772)
HI	65+	2,245	8.0	0.93	(6.2 - 9.8)		17,565	(13,406 - 21,725)
ID	18-24	303	6.8	1.63	(3.6 - 10.0)		11,154	(5,715 - 16,593)
ID	25-34	582	6.0	1.21	(3.6 - 8.4)		12,321	(7,294 - 17,348)
ID	35-44	696	11.8	1.75	(8.3 - 15.2)		22,441	(15,498 - 29,385)
ID	45-54	904	8.1	1.27	(5.6 - 10.6)		16,197	(11,068 - 21,327)
ID	55-64	1,125	9.4	1.19	(7.1 - 11.7)		17,956	(13,305 - 22,606)
ID	65+	1,932	9.3	0.93	(7.5 - 11.1)		20,364	(16,231 - 24,497)
IL	18-24	371	9.3	1.83	(5.7 - 12.9)		119,345	(71,303 - 167,387)
IL	25-34	578	5.6	1.10	(3.4 - 7.7)		96,025	(58,207 - 133,844)
IL	35-44	649	6.3	1.09	(4.1 - 8.4)		105,096	(68,942 - 141,251)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	45-54	963	7.9	1.19	(5.6 - 10.2)		140,608	(97,759 - 183,458)
IL	55-64	1,179	9.1	1.11	(7.0 - 11.3)		145,142	(109,499 - 180,785)
IL	65+	1,831	7.5	0.75	(6.0 - 9.0)		131,863	(105,925 - 157,801)
IN	18-24	537	10.3	1.52	(7.4 - 13.3)		70,269	(48,872 - 91,666)
IN	25-34	908	10.2	1.29	(7.6 - 12.7)		81,856	(60,283 - 103,429)
IN	35-44	1,228	9.8	1.03	(7.7 - 11.8)		79,176	(61,995 - 96,357)
IN	45-54	1,770	11.4	0.90	(9.6 - 13.1)		100,874	(84,289 - 117,459)
IN	55-64	2,250	10.1	0.76	(8.6 - 11.6)		81,652	(69,103 - 94,201)
IN	65+	3,465	9.9	0.65	(8.7 - 11.2)		91,577	(79,384 - 103,770)
IA	18-24	396	10.0	1.75	(6.5 - 13.4)		32,114	(20,471 - 43,757)
IA	25-34	720	7.4	1.11	(5.2 - 9.6)		27,886	(19,409 - 36,363)
IA	35-44	911	8.0	1.07	(5.9 - 10.1)		27,967	(20,421 - 35,513)
IA	45-54	1,317	7.3	0.85	(5.6 - 8.9)		29,503	(22,535 - 36,472)
IA	55-64	1,797	7.2	0.74	(5.8 - 8.7)		28,521	(22,575 - 34,467)
IA	65+	2,907	7.3	0.59	(6.1 - 8.4)		35,157	(29,432 - 40,883)
KS	18-24	1,364	9.9	0.91	(8.1 - 11.7)		29,902	(24,253 - 35,551)
KS	25-34	2,411	9.1	0.64	(7.8 - 10.3)		33,673	(28,846 - 38,500)
KS	35-44	2,776	9.5	0.59	(8.3 - 10.7)		32,334	(28,228 - 36,440)
KS	45-54	3,858	9.2	0.59	(8.0 - 10.4)		34,701	(30,112 - 39,289)
KS	55-64	4,996	8.2	0.45	(7.3 - 9.1)		28,971	(25,739 - 32,203)
KS	65+	7,588	7.8	0.35	(7.1 - 8.5)		31,776	(28,907 - 34,646)
KY	18-24	570	9.6	1.61	(6.4 - 12.7)		40,274	(26,348 - 54,200)
KY	25-34	902	7.5	1.05	(5.4 - 9.6)		41,287	(29,598 - 52,977)
KY	35-44	1,325	9.1	1.16	(6.8 - 11.4)		49,828	(36,629 - 63,028)
KY	45-54	2,042	9.8	0.90	(8.0 - 11.6)		59,641	(48,509 - 70,774)
KY	55-64	2,592	11.5	0.92	(9.7 - 13.3)		64,605	(54,020 - 75,191)
KY	65+	3,431	9.5	0.81	(7.9 - 11.1)		61,027	(50,369 - 71,684)
LA	18-24	211	11.4	2.69	(6.1 - 16.7)		53,787	(27,200 - 80,374)
LA	25-34	430	7.8	1.64	(4.6 - 11.1)		50,546	(29,302 - 71,790)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	567	6.9	1.44	(4.1 - 9.7)		38,082	(22,048 - 54,115)
LA	45-54	823	7.8	1.32	(5.2 - 10.4)		48,055	(31,497 - 64,612)
LA	55-64	1,279	6.9	0.79	(5.3 - 8.4)		39,355	(30,395 - 48,315)
LA	65+	1,874	6.4	0.76	(4.9 - 7.9)		40,061	(30,542 - 49,579)
ME	18-24	382	15.7	2.10	(11.6 - 19.8)		18,813	(13,486 - 24,140)
ME	25-34	613	11.6	1.50	(8.6 - 14.5)		16,765	(12,314 - 21,216)
ME	35-44	870	12.9	1.39	(10.2 - 15.6)		19,622	(15,230 - 24,014)
ME	45-54	1,426	13.8	1.22	(11.4 - 16.2)		27,964	(22,764 - 33,163)
ME	55-64	1,913	10.0	0.84	(8.3 - 11.6)		20,252	(16,768 - 23,737)
ME	65+	2,776	9.3	0.74	(7.8 - 10.7)		21,432	(17,944 - 24,920)
MD	18-24	480	12.9	1.99	(8.9 - 16.8)		73,890	(49,736 - 98,044)
MD	25-34	1,141	10.7	1.25	(8.3 - 13.2)		83,181	(63,189 - 103,172)
MD	35-44	1,599	9.6	1.03	(7.6 - 11.6)		72,480	(56,619 - 88,341)
MD	45-54	2,388	8.5	0.79	(6.9 - 10.0)		74,716	(60,597 - 88,835)
MD	55-64	2,911	9.4	0.75	(7.9 - 10.8)		69,577	(58,266 - 80,887)
MD	65+	4,250	6.9	0.54	(5.9 - 8.0)		55,883	(47,214 - 64,551)
MA	18-24	779	15.2	1.86	(11.5 - 18.8)		105,319	(77,429 - 133,210)
MA	25-34	1,503	10.4	1.09	(8.3 - 12.6)		90,027	(70,696 - 109,359)
MA	35-44	1,886	12.1	1.09	(10.0 - 14.3)		99,659	(81,044 - 118,274)
MA	45-54	2,938	11.2	0.88	(9.5 - 12.9)		110,316	(92,400 - 128,232)
MA	55-64	3,160	10.5	0.91	(8.7 - 12.3)		90,750	(74,488 - 107,013)
MA	65+	4,551	9.4	0.65	(8.2 - 10.7)		94,570	(81,376 - 107,764)
MI	18-24	894	14.1	1.45	(11.3 - 16.9)		141,440	(110,744 - 172,136)
MI	25-34	1,107	10.6	1.17	(8.3 - 12.9)		121,554	(94,073 - 149,035)
MI	35-44	1,410	12.5	1.13	(10.2 - 14.7)		143,452	(116,235 - 170,669)
MI	45-54	2,171	10.8	0.89	(9.0 - 12.5)		150,430	(124,574 - 176,286)
MI	55-64	2,779	12.3	0.86	(10.6 - 14.0)		162,758	(138,928 - 186,588)
MI	65+	4,157	9.8	0.63	(8.6 - 11.1)		144,692	(125,659 - 163,724)
MN	18-24	694	10.7	1.53	(7.7 - 13.8)		55,640	(39,229 - 72,051)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	1,553	6.9	0.93	(5.1 - 8.7)		48,580	(35,264 - 61,896)
MN	35-44	1,952	7.2	0.91	(5.4 - 8.9)		46,512	(34,644 - 58,380)
MN	45-54	2,583	8.0	0.94	(6.2 - 9.9)		61,427	(46,823 - 76,030)
MN	55-64	3,261	7.0	0.87	(5.3 - 8.7)		47,131	(35,232 - 59,030)
MN	65+	4,064	7.3	0.91	(5.5 - 9.1)		55,383	(41,441 - 69,325)
MS	18-24	356	8.7	1.68	(5.4 - 12.0)		27,230	(16,558 - 37,902)
MS	25-34	664	5.5	0.95	(3.6 - 7.4)		21,165	(13,834 - 28,496)
MS	35-44	743	8.5	1.33	(5.9 - 11.1)		30,687	(20,815 - 40,558)
MS	45-54	1,213	9.4	1.16	(7.1 - 11.7)		36,820	(27,477 - 46,163)
MS	55-64	1,676	8.6	0.91	(6.8 - 10.4)		31,434	(24,672 - 38,196)
MS	65+	2,716	8.6	0.76	(7.1 - 10.0)		35,477	(29,105 - 41,848)
MO	18-24	366	14.5	2.21	(10.1 - 18.8)		86,455	(58,592 - 114,318)
MO	25-34	689	8.5	1.27	(6.0 - 11.0)		64,797	(45,236 - 84,357)
MO	35-44	743	12.6	1.80	(9.1 - 16.2)		89,784	(62,747 - 116,822)
MO	45-54	1,086	13.6	1.64	(10.4 - 16.8)		111,777	(83,040 - 140,514)
MO	55-64	1,469	10.0	1.07	(7.9 - 12.1)		75,948	(59,448 - 92,448)
MO	65+	2,641	7.3	0.69	(6.0 - 8.7)		66,854	(54,330 - 79,379)
MT	18-24	606	9.9	1.45	(7.1 - 12.8)		9,614	(6,733 - 12,494)
MT	25-34	1,081	8.2	1.03	(6.2 - 10.2)		10,142	(7,554 - 12,729)
MT	35-44	1,062	7.7	1.09	(5.6 - 9.9)		8,646	(6,166 - 11,125)
MT	45-54	1,500	8.4	0.92	(6.6 - 10.2)		11,252	(8,735 - 13,768)
MT	55-64	2,177	10.0	0.90	(8.2 - 11.8)		14,890	(12,136 - 17,645)
MT	65+	3,153	7.6	0.70	(6.2 - 9.0)		12,471	(10,150 - 14,792)
NE	18-24	851	9.5	1.34	(6.8 - 12.1)		17,814	(12,652 - 22,977)
NE	25-34	1,661	6.5	0.82	(4.9 - 8.1)		15,689	(11,733 - 19,646)
NE	35-44	1,979	6.8	0.80	(5.2 - 8.3)		14,901	(11,375 - 18,427)
NE	45-54	2,748	6.8	0.66	(5.5 - 8.1)		16,376	(13,182 - 19,569)
NE	55-64	3,689	8.1	0.69	(6.8 - 9.5)		18,577	(15,372 - 21,781)
NE	65+	5,983	7.0	0.46	(6.1 - 7.9)		18,621	(16,148 - 21,094)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	326	8.8	2.35	(4.2 - 13.5)		22,251	(10,317 - 34,184)
NV	25-34	562	8.7	1.76	(5.2 - 12.2)		33,453	(19,715 - 47,191)
NV	35-44	628	4.3	0.89	(2.5 - 6.0)		15,920	(9,540 - 22,299)
NV	45-54	854	7.6	1.78	(4.1 - 11.1)		29,024	(15,179 - 42,869)
NV	55-64	1,044	9.7	1.37	(7.0 - 12.4)		32,247	(23,172 - 41,322)
NV	65+	1,589	6.5	0.94	(4.7 - 8.4)		24,763	(17,737 - 31,788)
NH	18-24	272	13.5	2.67	(8.2 - 18.7)		17,384	(10,010 - 24,759)
NH	25-34	512	10.7	1.54	(7.6 - 13.7)		15,373	(10,812 - 19,934)
NH	35-44	734	9.2	1.22	(6.8 - 11.6)		14,385	(10,489 - 18,282)
NH	45-54	1,271	12.0	1.31	(9.5 - 14.6)		25,570	(19,668 - 31,471)
NH	55-64	1,417	9.9	0.96	(8.0 - 11.8)		18,898	(15,159 - 22,637)
NH	65+	2,139	10.4	0.86	(8.7 - 12.1)		21,028	(17,453 - 24,602)
NJ	18-24	758	12.8	1.78	(9.3 - 16.3)		103,314	(72,930 - 133,697)
NJ	25-34	1,564	7.5	0.81	(5.9 - 9.1)		81,911	(64,105 - 99,716)
NJ	35-44	2,053	8.5	0.81	(6.9 - 10.1)		96,448	(77,734 - 115,161)
NJ	45-54	2,628	9.2	0.95	(7.4 - 11.1)		122,649	(96,367 - 148,931)
NJ	55-64	2,648	9.3	0.78	(7.7 - 10.8)		101,836	(84,503 - 119,169)
NJ	65+	3,445	8.2	0.64	(6.9 - 9.4)		105,723	(89,064 - 122,382)
NM	18-24	550	10.2	1.65	(6.9 - 13.4)		20,733	(13,820 - 27,646)
NM	25-34	1,047	8.4	1.01	(6.4 - 10.3)		22,792	(17,226 - 28,357)
NM	35-44	1,118	9.3	1.17	(7.0 - 11.6)		22,545	(16,740 - 28,350)
NM	45-54	1,555	8.6	0.92	(6.8 - 10.4)		22,967	(18,014 - 27,919)
NM	55-64	2,046	10.9	1.01	(8.9 - 12.9)		28,716	(23,225 - 34,206)
NM	65+	2,838	8.6	0.71	(7.2 - 10.0)		26,121	(21,810 - 30,431)
NY	18-24	628	11.3	1.69	(7.9 - 14.6)		217,565	(149,186 - 285,944)
NY	25-34	1,158	10.9	1.09	(8.8 - 13.1)		298,802	(237,694 - 359,909)
NY	35-44	1,163	8.7	1.18	(6.4 - 11.0)		213,143	(153,653 - 272,633)
NY	45-54	1,557	9.4	0.91	(7.6 - 11.2)		261,353	(209,646 - 313,060)
NY	55-64	1,717	10.1	0.91	(8.3 - 11.8)		239,108	(194,872 - 283,345)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,527	8.3	0.76	(6.9 - 9.8)		239,012	(194,746 - 283,277)
NC	18-24	459	9.8	1.57	(6.7 - 12.9)		94,751	(63,448 - 126,053)
NC	25-34	910	8.0	1.06	(6.0 - 10.1)		100,721	(73,663 - 127,778)
NC	35-44	1,164	7.5	0.98	(5.5 - 9.4)		94,893	(69,557 - 120,228)
NC	45-54	1,464	8.7	0.93	(6.9 - 10.5)		118,186	(92,508 - 143,863)
NC	55-64	1,810	9.7	0.95	(7.8 - 11.5)		116,910	(93,216 - 140,603)
NC	65+	2,917	7.5	0.67	(6.2 - 8.8)		105,265	(86,093 - 124,437)
ND	18-24	490	8.7	1.78	(5.2 - 12.2)		7,316	(4,230 - 10,402)
ND	25-34	889	9.3	1.32	(6.7 - 11.8)		9,032	(6,392 - 11,672)
ND	35-44	867	9.9	1.41	(7.1 - 12.7)		7,787	(5,483 - 10,091)
ND	45-54	1,316	7.6	0.97	(5.7 - 9.5)		6,943	(5,152 - 8,733)
ND	55-64	1,696	7.9	0.88	(6.1 - 9.6)		7,118	(5,505 - 8,731)
ND	65+	2,411	7.2	0.67	(5.9 - 8.6)		7,826	(6,379 - 9,273)
OH	18-24	611	12.8	1.73	(9.4 - 16.2)		142,114	(101,944 - 182,285)
OH	25-34	1,140	9.6	1.17	(7.3 - 11.9)		135,582	(101,753 - 169,410)
OH	35-44	1,429	9.4	1.06	(7.4 - 11.5)		130,235	(100,308 - 160,163)
OH	45-54	2,161	10.3	0.85	(8.6 - 12.0)		165,083	(137,226 - 192,940)
OH	55-64	2,705	9.3	0.80	(7.7 - 10.8)		140,049	(115,346 - 164,751)
OH	65+	3,721	8.0	0.63	(6.8 - 9.3)		140,978	(118,426 - 163,530)
OK	18-24	379	8.7	1.56	(5.6 - 11.8)		33,828	(21,380 - 46,277)
OK	25-34	844	7.7	1.01	(5.8 - 9.7)		39,702	(29,163 - 50,240)
OK	35-44	973	8.9	1.07	(6.8 - 11.0)		41,321	(31,180 - 51,462)
OK	45-54	1,292	10.6	0.99	(8.7 - 12.6)		52,011	(42,032 - 61,991)
OK	55-64	1,730	9.7	0.81	(8.1 - 11.3)		45,079	(37,376 - 52,783)
OK	65+	2,923	8.6	0.62	(7.3 - 9.8)		47,638	(40,608 - 54,668)
OR	18-24	317	13.1	2.39	(8.3 - 17.8)		46,947	(28,778 - 65,116)
OR	25-34	598	11.9	1.54	(8.9 - 15.0)		62,139	(45,496 - 78,782)
OR	35-44	621	12.7	1.73	(9.3 - 16.1)		61,838	(44,146 - 79,530)
OR	45-54	862	10.2	1.23	(7.8 - 12.6)		52,491	(39,617 - 65,365)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,418	11.3	0.98	(9.4 - 13.3)		60,314	(49,616 - 71,011)
OR	65+	2,035	9.9	0.74	(8.4 - 11.3)		59,610	(50,589 - 68,631)
PA	18-24	674	11.0	1.51	(8.0 - 13.9)		139,289	(99,339 - 179,239)
PA	25-34	1,168	10.7	1.13	(8.5 - 13.0)		164,321	(128,323 - 200,319)
PA	35-44	1,286	9.0	0.88	(7.3 - 10.8)		133,861	(107,455 - 160,268)
PA	45-54	1,909	11.0	0.91	(9.3 - 12.8)		199,987	(166,198 - 233,777)
PA	55-64	2,425	9.3	0.77	(7.8 - 10.9)		159,628	(132,594 - 186,662)
PA	65+	3,771	7.2	0.56	(6.1 - 8.3)		151,311	(127,740 - 174,883)
RI	18-24	269	11.6	2.37	(6.9 - 16.3)		13,129	(7,498 - 18,761)
RI	25-34	587	13.4	1.65	(10.2 - 16.7)		17,668	(13,144 - 22,192)
RI	35-44	824	10.2	1.31	(7.6 - 12.7)		12,753	(9,381 - 16,126)
RI	45-54	1,162	13.6	1.23	(11.2 - 16.0)		20,330	(16,479 - 24,181)
RI	55-64	1,500	13.0	1.08	(10.9 - 15.1)		17,787	(14,708 - 20,866)
RI	65+	2,065	9.6	0.83	(7.9 - 11.2)		15,594	(12,816 - 18,371)
SC	18-24	531	8.0	1.37	(5.3 - 10.7)		37,818	(24,562 - 51,075)
SC	25-34	993	7.8	1.04	(5.8 - 9.9)		47,455	(34,685 - 60,224)
SC	35-44	1,192	9.0	1.02	(7.0 - 11.0)		52,300	(40,271 - 64,330)
SC	45-54	1,684	7.3	0.77	(5.8 - 8.8)		46,941	(36,974 - 56,908)
SC	55-64	2,317	8.1	0.78	(6.5 - 9.6)		48,700	(39,139 - 58,262)
SC	65+	3,802	10.1	0.77	(8.6 - 11.6)		73,222	(61,760 - 84,684)
SD	18-24	441	9.1	1.88	(5.4 - 12.8)		7,703	(4,418 - 10,989)
SD	25-34	871	8.4	1.46	(5.5 - 11.3)		9,012	(5,813 - 12,210)
SD	35-44	774	6.0	1.39	(3.3 - 8.8)		5,698	(3,051 - 8,346)
SD	45-54	1,169	8.5	1.42	(5.7 - 11.3)		9,245	(6,084 - 12,405)
SD	55-64	1,408	8.1	1.36	(5.4 - 10.7)		8,602	(5,624 - 11,581)
SD	65+	2,140	7.7	1.05	(5.7 - 9.8)		9,743	(7,069 - 12,417)
TN	18-24	263	3.4	1.18	(1.1 - 5.8)		21,505	(6,800 - 36,210)
TN	25-34	555	7.4	1.19	(5.0 - 9.7)		61,781	(41,779 - 81,784)
TN	35-44	651	5.1	1.06	(3.0 - 7.2)		41,543	(24,242 - 58,844)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	984	10.4	1.27	(7.9 - 12.9)		94,186	(70,678 - 117,694)
TN	55-64	1,322	7.9	0.93	(6.1 - 9.7)		65,128	(49,756 - 80,500)
TN	65+	1,943	6.8	0.75	(5.4 - 8.3)		65,590	(51,191 - 79,989)
TX	18-24	722	7.1	1.16	(4.9 - 9.4)		193,822	(130,578 - 257,065)
TX	25-34	1,312	7.5	0.90	(5.7 - 9.2)		274,657	(208,002 - 341,312)
TX	35-44	1,440	6.5	0.90	(4.8 - 8.3)		227,094	(163,858 - 290,330)
TX	45-54	1,804	7.2	0.84	(5.5 - 8.8)		248,730	(190,325 - 307,136)
TX	55-64	2,022	6.7	0.76	(5.2 - 8.2)		191,837	(149,041 - 234,632)
TX	65+	3,394	8.3	0.75	(6.9 - 9.8)		248,792	(203,971 - 293,612)
UT	18-24	982	9.2	1.03	(7.2 - 11.2)		30,670	(23,657 - 37,684)
UT	25-34	1,874	8.0	0.72	(6.6 - 9.4)		35,555	(29,008 - 42,102)
UT	35-44	2,183	8.0	0.68	(6.6 - 9.3)		28,898	(23,919 - 33,877)
UT	45-54	2,059	11.0	0.88	(9.3 - 12.8)		33,938	(28,302 - 39,575)
UT	55-64	2,250	10.2	0.79	(8.6 - 11.7)		26,941	(22,664 - 31,219)
UT	65+	3,225	8.8	0.69	(7.5 - 10.2)		25,137	(21,121 - 29,153)
VT	18-24	254	15.6	2.58	(10.5 - 20.7)		10,540	(6,816 - 14,265)
VT	25-34	576	11.6	1.54	(8.6 - 14.6)		8,030	(5,817 - 10,243)
VT	35-44	730	13.2	1.43	(10.4 - 16.0)		9,349	(7,228 - 11,470)
VT	45-54	1,155	11.0	1.05	(8.9 - 13.0)		10,286	(8,262 - 12,311)
VT	55-64	1,498	9.4	0.85	(7.8 - 11.1)		8,863	(7,234 - 10,491)
VT	65+	2,068	8.9	0.75	(7.4 - 10.4)		8,980	(7,433 - 10,528)
VA	18-24	465	10.2	1.61	(7.0 - 13.4)		85,623	(58,178 - 113,068)
VA	25-34	964	7.3	1.01	(5.3 - 9.3)		80,099	(57,401 - 102,796)
VA	35-44	1,105	8.1	1.01	(6.1 - 10.1)		85,823	(64,081 - 107,565)
VA	45-54	1,535	10.1	1.04	(8.0 - 12.1)		119,144	(93,732 - 144,557)
VA	55-64	1,811	10.1	0.87	(8.4 - 11.8)		103,192	(85,051 - 121,334)
VA	65+	2,439	7.2	0.70	(5.8 - 8.5)		80,031	(64,114 - 95,949)
WA	18-24	624	10.6	1.43	(7.8 - 13.4)		70,462	(50,808 - 90,115)
WA	25-34	1,058	10.3	1.07	(8.2 - 12.4)		98,095	(77,139 - 119,052)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	1,314	8.5	0.92	(6.7 - 10.3)		75,990	(59,271 - 92,710)
WA	45-54	1,794	11.2	0.93	(9.4 - 13.1)		106,530	(88,331 - 124,730)
WA	55-64	2,466	10.5	0.79	(9.0 - 12.1)		93,721	(79,267 - 108,174)
WA	65+	3,733	9.2	0.62	(7.9 - 10.4)		87,418	(75,393 - 99,442)
WV	18-24	296	6.7	1.53	(3.7 - 9.7)		11,394	(6,134 - 16,655)
WV	25-34	575	8.2	1.21	(5.9 - 10.6)		17,520	(12,331 - 22,709)
WV	35-44	784	10.0	1.20	(7.7 - 12.4)		22,547	(17,020 - 28,074)
WV	45-54	1,023	9.0	0.98	(7.0 - 10.9)		22,760	(17,715 - 27,804)
WV	55-64	1,355	10.7	0.99	(8.8 - 12.6)		28,851	(23,330 - 34,372)
WV	65+	1,761	8.8	0.80	(7.2 - 10.3)		27,947	(22,754 - 33,141)
WI	18-24	416	12.8	2.23	(8.4 - 17.2)		72,691	(46,187 - 99,196)
WI	25-34	648	9.5	1.59	(6.4 - 12.6)		67,998	(44,743 - 91,253)
WI	35-44	737	12.6	1.85	(9.0 - 16.3)		85,938	(59,455 - 112,421)
WI	45-54	1,189	9.1	1.28	(6.6 - 11.6)		74,527	(52,960 - 96,093)
WI	55-64	1,511	10.3	1.38	(7.6 - 13.0)		76,793	(55,283 - 98,304)
WI	65+	2,001	9.2	1.23	(6.8 - 11.6)		78,009	(56,422 - 99,596)
WY	18-24	202	8.8	2.07	(4.7 - 12.9)		4,735	(2,447 - 7,023)
WY	25-34	513	9.1	1.51	(6.2 - 12.1)		7,463	(4,933 - 9,992)
WY	35-44	613	8.7	1.32	(6.1 - 11.3)		5,956	(4,125 - 7,787)
WY	45-54	896	10.2	1.16	(8.0 - 12.5)		7,746	(5,955 - 9,538)
WY	55-64	1,611	9.0	0.88	(7.2 - 10.7)		7,059	(5,640 - 8,479)
WY	65+	2,486	9.1	0.72	(7.6 - 10.5)		7,293	(6,102 - 8,483)
Territories								
GU	18-24	254	3.9	1.48	(1.0 - 6.8)		717	(168 - 1,265)
GU	25-34	422	5.7	1.70	(2.3 - 9.0)		1,220	(478 - 1,962)
GU	35-44	377	7.5	1.79	(4.0 - 11.0)		1,498	(772 - 2,225)
GU	45-54	371	2.3	0.64	(1.0 - 3.5)		461	(206 - 717)
GU	55-64	238	5.8	2.08	(1.7 - 9.9)		843	(232 - 1,454)
GU	65+	201	8.3	2.27	(3.8 - 12.7)		1,074	(478 - 1,670)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2013

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	467	13.4	1.83	(9.8 - 17.0)		50,633	(36,078 - 65,188)
PR	25-34	652	8.6	1.52	(5.6 - 11.6)		42,042	(26,677 - 57,407)
PR	35-44	790	9.9	1.25	(7.4 - 12.4)		46,419	(34,420 - 58,418)
PR	45-54	995	9.7	1.13	(7.5 - 12.0)		47,072	(35,934 - 58,211)
PR	55-64	1,067	12.6	1.31	(10.0 - 15.2)		53,970	(42,173 - 65,766)
PR	65+	1,989	8.9	0.75	(7.4 - 10.3)		48,469	(40,231 - 56,707)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.