

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	48,964	14.5	0.33	(13.9 - 15.2)		3,908,552	(3,723,917 - 4,093,188)
U.S. Total**	\$15-\$24,999	74,339	10.0	0.21	(9.6 - 10.4)		3,743,136	(3,588,002 - 3,898,271)
U.S. Total**	\$25-\$49,999	108,317	7.9	0.16	(7.6 - 8.2)		4,113,221	(3,950,010 - 4,276,432)
U.S. Total**	\$50-\$74,999	64,531	7.7	0.22	(7.3 - 8.1)		2,358,816	(2,222,970 - 2,494,663)
U.S. Total**	≥\$75,000	115,047	7.2	0.15	(6.9 - 7.5)		4,317,869	(4,135,286 - 4,500,453)
AL	< \$15,000	897	18.3	2.06	(14.2 - 22.3)		78,393	(59,414 - 97,372)
AL	\$15-\$24,999	1,132	9.8	1.19	(7.5 - 12.2)		65,851	(49,893 - 81,809)
AL	\$25-\$49,999	1,278	7.1	0.85	(5.4 - 8.7)		55,030	(41,963 - 68,097)
AL	\$50-\$74,999	745	4.4	0.88	(2.7 - 6.1)		19,625	(11,834 - 27,417)
AL	≥\$75,000	1,053	5.6	1.11	(3.4 - 7.8)		36,587	(21,766 - 51,408)
AK	< \$15,000	397	11.1	2.01	(7.2 - 15.1)		4,951	(3,152 - 6,750)
AK	\$15-\$24,999	530	15.0	2.90	(9.3 - 20.7)		10,098	(5,805 - 14,391)
AK	\$25-\$49,999	894	7.5	1.43	(4.7 - 10.3)		8,310	(5,049 - 11,571)
AK	\$50-\$74,999	758	6.9	1.38	(4.2 - 9.6)		5,876	(3,477 - 8,275)
AK	≥\$75,000	1,572	8.1	1.02	(6.1 - 10.1)		15,121	(11,233 - 19,009)
AZ	< \$15,000	508	11.8	2.37	(7.2 - 16.5)		63,961	(38,372 - 89,550)
AZ	\$15-\$24,999	709	9.4	1.91	(5.7 - 13.2)		77,269	(45,607 - 108,932)
AZ	\$25-\$49,999	1,058	6.6	0.97	(4.7 - 8.5)		78,383	(56,240 - 100,526)
AZ	\$50-\$74,999	527	8.3	1.76	(4.9 - 11.8)		51,595	(29,487 - 73,703)
AZ	≥\$75,000	810	10.3	1.72	(6.9 - 13.7)		110,822	(72,869 - 148,775)
AR	< \$15,000	754	11.9	1.73	(8.5 - 15.3)		39,734	(27,922 - 51,546)
AR	\$15-\$24,999	1,023	10.7	1.40	(7.9 - 13.4)		49,135	(35,881 - 62,389)
AR	\$25-\$49,999	1,182	6.7	0.92	(4.9 - 8.5)		34,228	(24,832 - 43,624)
AR	\$50-\$74,999	569	6.5	1.23	(4.1 - 8.9)		16,913	(10,539 - 23,288)
AR	≥\$75,000	817	4.1	0.88	(2.4 - 5.8)		14,738	(8,494 - 20,982)
CA	< \$15,000	1,973	10.9	0.90	(9.1 - 12.7)		558,204	(463,963 - 652,445)
CA	\$15-\$24,999	1,481	7.7	0.86	(6.0 - 9.4)		288,812	(223,259 - 354,366)
CA	\$25-\$49,999	2,195	7.3	0.67	(6.0 - 8.6)		400,226	(326,269 - 474,183)
CA	\$50-\$74,999	1,403	10.9	1.20	(8.6 - 13.3)		373,203	(287,928 - 458,479)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
CA	>=\$75,000	3,337	8.2	0.64	(7.0 - 9.5)		683,328	(576,430 - 790,226)
CO	< \$15,000	982	10.8	1.38	(8.1 - 13.5)		31,129	(22,875 - 39,383)
CO	\$15-\$24,999	1,838	10.0	1.13	(7.8 - 12.2)		56,823	(43,416 - 70,229)
CO	\$25-\$49,999	2,938	9.0	0.71	(7.6 - 10.4)		77,247	(64,780 - 89,713)
CO	\$50-\$74,999	1,987	7.0	0.72	(5.6 - 8.4)		41,200	(32,728 - 49,672)
CO	>=\$75,000	4,147	7.5	0.51	(6.5 - 8.5)		90,739	(78,234 - 103,243)
CT	< \$15,000	588	16.1	2.16	(11.9 - 20.3)		34,175	(24,661 - 43,689)
CT	\$15-\$24,999	922	9.3	1.23	(6.9 - 11.7)		28,456	(20,993 - 35,918)
CT	\$25-\$49,999	1,362	7.6	0.98	(5.7 - 9.5)		35,440	(26,255 - 44,624)
CT	\$50-\$74,999	1,047	8.9	1.28	(6.4 - 11.4)		32,919	(23,179 - 42,659)
CT	>=\$75,000	2,609	8.3	0.69	(6.9 - 9.6)		82,809	(69,122 - 96,497)
DE	< \$15,000	427	13.0	2.06	(9.0 - 17.1)		7,698	(5,231 - 10,165)
DE	\$15-\$24,999	734	14.3	1.66	(11.0 - 17.5)		13,995	(10,586 - 17,404)
DE	\$25-\$49,999	1,177	9.6	1.32	(7.0 - 12.2)		15,327	(10,927 - 19,726)
DE	\$50-\$74,999	684	7.6	1.14	(5.3 - 9.8)		7,109	(4,970 - 9,247)
DE	>=\$75,000	1,343	9.9	1.14	(7.6 - 12.1)		19,779	(15,072 - 24,487)
DC	< \$15,000	460	24.7	3.43	(17.9 - 31.4)		17,265	(11,715 - 22,815)
DC	\$15-\$24,999	544	9.5	1.87	(5.8 - 13.2)		6,879	(4,110 - 9,648)
DC	\$25-\$49,999	691	9.9	2.23	(5.5 - 14.2)		7,827	(4,123 - 11,531)
DC	\$50-\$74,999	497	15.4	2.95	(9.6 - 21.2)		8,066	(4,734 - 11,399)
DC	>=\$75,000	2,056	9.1	1.12	(6.9 - 11.3)		17,031	(12,740 - 21,323)
FL	< \$15,000	4,181	14.7	1.50	(11.8 - 17.6)		284,209	(222,177 - 346,241)
FL	\$15-\$24,999	6,343	10.9	0.90	(9.1 - 12.6)		298,491	(248,059 - 348,923)
FL	\$25-\$49,999	8,167	6.9	0.59	(5.7 - 8.0)		251,077	(207,730 - 294,423)
FL	\$50-\$74,999	4,139	5.9	0.62	(4.7 - 7.2)		110,653	(87,650 - 133,657)
FL	>=\$75,000	6,163	6.1	0.62	(4.9 - 7.3)		200,094	(158,791 - 241,397)
GA	< \$15,000	927	18.0	1.74	(14.5 - 21.4)		145,270	(115,096 - 175,445)
GA	\$15-\$24,999	1,296	9.0	1.02	(7.0 - 11.0)		111,553	(85,980 - 137,127)
GA	\$25-\$49,999	1,797	7.3	0.85	(5.6 - 8.9)		128,489	(98,156 - 158,822)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
GA	\$50-\$74,999	1,001	5.7	0.92	(3.9 - 7.5)		51,894	(35,039 - 68,750)
GA	>=\$75,000	1,735	5.4	0.64	(4.2 - 6.7)		86,344	(66,187 - 106,502)
HI	< \$15,000	813	17.7	2.16	(13.5 - 21.9)		15,913	(11,664 - 20,163)
HI	\$15-\$24,999	1,122	10.4	1.26	(8.0 - 12.9)		15,282	(11,529 - 19,035)
HI	\$25-\$49,999	1,903	8.5	0.96	(6.6 - 10.4)		22,666	(17,404 - 27,927)
HI	\$50-\$74,999	1,129	7.5	1.16	(5.2 - 9.8)		11,397	(7,781 - 15,012)
HI	>=\$75,000	2,085	8.0	0.83	(6.3 - 9.6)		25,080	(19,813 - 30,346)
ID	< \$15,000	607	15.2	2.44	(10.4 - 19.9)		18,271	(11,998 - 24,543)
ID	\$15-\$24,999	950	7.7	1.34	(5.1 - 10.4)		16,252	(10,531 - 21,974)
ID	\$25-\$49,999	1,559	8.4	0.97	(6.5 - 10.3)		27,560	(21,131 - 33,990)
ID	\$50-\$74,999	819	6.3	1.17	(4.0 - 8.6)		11,296	(7,098 - 15,495)
ID	>=\$75,000	1,003	7.7	1.11	(5.5 - 9.8)		16,702	(11,819 - 21,585)
IL	< \$15,000	474	12.0	2.14	(7.8 - 16.2)		110,099	(69,788 - 150,410)
IL	\$15-\$24,999	863	4.9	0.89	(3.2 - 6.7)		80,270	(51,670 - 108,869)
IL	\$25-\$49,999	1,385	6.9	0.89	(5.1 - 8.6)		157,040	(116,375 - 197,705)
IL	\$50-\$74,999	877	7.4	1.19	(5.0 - 9.7)		110,242	(74,224 - 146,259)
IL	>=\$75,000	1,686	8.1	0.85	(6.4 - 9.8)		235,625	(185,877 - 285,374)
IN	< \$15,000	1,069	17.4	1.70	(14.0 - 20.7)		86,134	(67,790 - 104,478)
IN	\$15-\$24,999	1,743	12.8	1.13	(10.6 - 15.0)		103,200	(84,147 - 122,253)
IN	\$25-\$49,999	2,472	8.5	0.68	(7.2 - 9.8)		99,986	(83,760 - 116,212)
IN	\$50-\$74,999	1,343	8.5	1.13	(6.3 - 10.8)		57,469	(41,740 - 73,199)
IN	>=\$75,000	2,056	8.1	0.84	(6.5 - 9.8)		86,638	(68,195 - 105,082)
IA	< \$15,000	620	14.8	2.03	(10.8 - 18.8)		30,688	(21,779 - 39,597)
IA	\$15-\$24,999	1,255	10.5	1.21	(8.1 - 12.9)		36,992	(28,226 - 45,759)
IA	\$25-\$49,999	2,042	6.8	0.75	(5.3 - 8.2)		39,054	(30,345 - 47,763)
IA	\$50-\$74,999	1,210	4.8	0.74	(3.3 - 6.3)		17,255	(11,920 - 22,590)
IA	>=\$75,000	1,939	5.7	0.70	(4.4 - 7.1)		32,781	(24,708 - 40,854)
KS	< \$15,000	1,874	16.3	1.09	(14.2 - 18.4)		29,539	(25,363 - 33,715)
KS	\$15-\$24,999	3,604	9.8	0.63	(8.6 - 11.1)		33,340	(29,008 - 37,671)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KS	\$25-\$49,999	5,743	7.9	0.47	(7.0 - 8.9)		41,695	(36,722 - 46,667)
KS	\$50-\$74,999	3,332	7.3	0.59	(6.2 - 8.5)		22,832	(19,060 - 26,603)
KS	>=\$75,000	5,499	7.4	0.43	(6.6 - 8.3)		38,331	(33,875 - 42,787)
KY	< \$15,000	1,372	17.7	1.74	(14.3 - 21.2)		66,946	(52,960 - 80,932)
KY	\$15-\$24,999	1,113	9.0	1.18	(6.6 - 11.3)		28,036	(20,585 - 35,487)
KY	\$25-\$49,999	2,029	8.5	0.86	(6.8 - 10.2)		54,535	(43,294 - 65,776)
KY	\$50-\$74,999	1,258	7.3	1.00	(5.3 - 9.2)		30,711	(22,176 - 39,246)
KY	>=\$75,000	1,752	5.2	0.71	(3.8 - 6.6)		29,409	(21,414 - 37,404)
LA	< \$15,000	641	15.0	2.47	(10.2 - 19.9)		72,676	(47,500 - 97,851)
LA	\$15-\$24,999	879	9.0	1.58	(5.9 - 12.1)		58,118	(37,414 - 78,822)
LA	\$25-\$49,999	1,144	7.3	1.17	(5.0 - 9.6)		55,482	(37,709 - 73,255)
LA	\$50-\$74,999	580	7.6	1.71	(4.2 - 11.0)		29,115	(15,726 - 42,505)
LA	>=\$75,000	1,120	2.7	0.50	(1.7 - 3.7)		19,493	(12,302 - 26,684)
ME	< \$15,000	863	20.2	2.06	(16.1 - 24.2)		21,715	(16,861 - 26,569)
ME	\$15-\$24,999	1,335	16.1	1.48	(13.2 - 19.0)		27,325	(21,950 - 32,700)
ME	\$25-\$49,999	2,071	11.3	0.94	(9.4 - 13.1)		30,902	(25,563 - 36,240)
ME	\$50-\$74,999	1,223	10.2	1.13	(7.9 - 12.4)		16,744	(12,916 - 20,572)
ME	>=\$75,000	1,670	7.4	0.79	(5.8 - 8.9)		16,649	(13,045 - 20,254)
MD	< \$15,000	763	16.1	2.30	(11.6 - 20.6)		44,734	(30,998 - 58,470)
MD	\$15-\$24,999	1,521	10.2	1.17	(7.9 - 12.5)		59,372	(45,496 - 73,247)
MD	\$25-\$49,999	2,338	9.9	1.16	(7.6 - 12.2)		84,147	(63,734 - 104,560)
MD	\$50-\$74,999	1,624	10.0	1.31	(7.5 - 12.6)		55,349	(40,181 - 70,516)
MD	>=\$75,000	4,654	7.7	0.53	(6.6 - 8.7)		123,856	(106,590 - 141,122)
MA	< \$15,000	1,405	16.1	1.58	(13.0 - 19.2)		63,359	(50,410 - 76,309)
MA	\$15-\$24,999	2,157	15.9	1.44	(13.1 - 18.7)		108,510	(87,220 - 129,801)
MA	\$25-\$49,999	2,760	11.6	1.06	(9.5 - 13.7)		103,294	(83,397 - 123,190)
MA	\$50-\$74,999	1,824	9.3	1.09	(7.2 - 11.5)		57,946	(43,927 - 71,965)
MA	>=\$75,000	4,480	9.3	0.66	(8.0 - 10.6)		172,669	(147,447 - 197,890)
MI	< \$15,000	1,200	20.7	1.75	(17.3 - 24.2)		160,510	(130,731 - 190,289)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
MI	\$15-\$24,999	1,964	13.9	1.14	(11.7 - 16.1)		158,068	(131,098 - 185,037)
MI	\$25-\$49,999	3,081	10.2	0.79	(8.6 - 11.7)		176,013	(147,685 - 204,341)
MI	\$50-\$74,999	1,835	8.5	0.83	(6.8 - 10.1)		93,709	(75,063 - 112,356)
MI	>=\$75,000	2,812	9.1	0.73	(7.7 - 10.5)		158,672	(132,530 - 184,815)
MN	< \$15,000	957	15.5	2.02	(11.5 - 19.4)		40,007	(28,987 - 51,026)
MN	\$15-\$24,999	1,811	8.8	1.18	(6.5 - 11.1)		45,007	(32,713 - 57,301)
MN	\$25-\$49,999	3,273	6.8	0.82	(5.2 - 8.4)		62,155	(47,011 - 77,300)
MN	\$50-\$74,999	2,251	6.1	0.88	(4.4 - 7.8)		38,268	(27,123 - 49,413)
MN	>=\$75,000	4,214	6.8	0.74	(5.4 - 8.3)		82,776	(64,612 - 100,941)
MS	< \$15,000	1,360	15.3	1.51	(12.3 - 18.2)		60,604	(48,076 - 73,131)
MS	\$15-\$24,999	1,401	8.5	1.04	(6.5 - 10.6)		35,196	(26,477 - 43,914)
MS	\$25-\$49,999	1,571	6.5	0.86	(4.8 - 8.1)		33,569	(24,580 - 42,559)
MS	\$50-\$74,999	770	5.3	1.09	(3.2 - 7.5)		12,853	(7,603 - 18,104)
MS	>=\$75,000	1,107	4.2	0.86	(2.5 - 5.9)		14,173	(8,341 - 20,004)
MO	< \$15,000	848	19.4	2.43	(14.6 - 24.1)		94,315	(68,360 - 120,269)
MO	\$15-\$24,999	1,244	12.9	1.46	(10.1 - 15.8)		96,225	(73,680 - 118,770)
MO	\$25-\$49,999	1,657	9.0	1.16	(6.7 - 11.3)		93,578	(68,634 - 118,522)
MO	\$50-\$74,999	872	8.6	1.34	(6.0 - 11.3)		54,349	(37,165 - 71,533)
MO	>=\$75,000	1,205	7.5	1.10	(5.4 - 9.7)		74,041	(52,138 - 95,944)
MT	< \$15,000	1,111	14.3	1.48	(11.4 - 17.3)		11,946	(9,386 - 14,506)
MT	\$15-\$24,999	1,784	11.0	1.13	(8.7 - 13.2)		16,165	(12,692 - 19,637)
MT	\$25-\$49,999	2,570	8.0	0.72	(6.5 - 9.4)		16,423	(13,405 - 19,441)
MT	\$50-\$74,999	1,408	6.5	0.88	(4.7 - 8.2)		7,351	(5,331 - 9,371)
MT	>=\$75,000	1,750	6.0	0.73	(4.6 - 7.4)		9,318	(7,060 - 11,575)
NE	< \$15,000	1,503	13.1	1.34	(10.5 - 15.8)		15,515	(12,295 - 18,736)
NE	\$15-\$24,999	2,798	11.0	1.05	(8.9 - 13.0)		23,050	(18,479 - 27,621)
NE	\$25-\$49,999	4,633	6.1	0.52	(5.1 - 7.2)		21,978	(18,272 - 25,683)
NE	\$50-\$74,999	2,493	5.3	0.61	(4.1 - 6.5)		10,826	(8,355 - 13,296)
NE	>=\$75,000	3,646	5.5	0.53	(4.4 - 6.5)		19,193	(15,474 - 22,913)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	< \$15,000	457	11.4	2.69	(6.1 - 16.7)		24,261	(12,716 - 35,806)
NV	\$15-\$24,999	807	8.9	1.67	(5.6 - 12.2)		31,015	(19,300 - 42,730)
NV	\$25-\$49,999	1,087	8.1	1.38	(5.3 - 10.8)		36,020	(23,541 - 48,500)
NV	\$50-\$74,999	749	4.4	0.92	(2.6 - 6.2)		13,281	(7,913 - 18,648)
NV	>=\$75,000	1,231	4.9	0.79	(3.4 - 6.5)		22,168	(15,175 - 29,160)
NH	< \$15,000	480	23.3	3.58	(16.2 - 30.3)		14,312	(9,099 - 19,525)
NH	\$15-\$24,999	872	12.7	1.53	(9.7 - 15.7)		16,321	(12,283 - 20,359)
NH	\$25-\$49,999	1,405	10.4	1.10	(8.2 - 12.5)		22,934	(17,919 - 27,948)
NH	\$50-\$74,999	914	9.7	1.21	(7.4 - 12.1)		14,793	(11,028 - 18,558)
NH	>=\$75,000	1,837	8.1	0.91	(6.3 - 9.8)		27,327	(21,032 - 33,623)
NJ	< \$15,000	982	12.9	2.05	(8.9 - 16.9)		64,560	(42,630 - 86,491)
NJ	\$15-\$24,999	1,783	10.1	1.00	(8.2 - 12.1)		92,064	(73,580 - 110,548)
NJ	\$25-\$49,999	2,256	9.8	0.90	(8.0 - 11.6)		110,765	(89,976 - 131,554)
NJ	\$50-\$74,999	1,696	7.6	0.95	(5.8 - 9.5)		65,384	(48,803 - 81,965)
NJ	>=\$75,000	4,403	8.1	0.60	(7.0 - 9.3)		190,666	(161,956 - 219,375)
NM	< \$15,000	1,294	9.9	0.99	(7.9 - 11.8)		21,279	(17,081 - 25,478)
NM	\$15-\$24,999	1,845	9.8	0.92	(8.0 - 11.6)		32,464	(26,277 - 38,650)
NM	\$25-\$49,999	2,197	8.7	0.82	(7.0 - 10.3)		31,649	(25,586 - 37,712)
NM	\$50-\$74,999	1,175	9.2	1.20	(6.8 - 11.5)		17,320	(12,739 - 21,902)
NM	>=\$75,000	1,688	8.7	1.10	(6.5 - 10.9)		24,738	(18,282 - 31,193)
NY	< \$15,000	1,011	15.8	1.80	(12.3 - 19.4)		289,235	(217,339 - 361,130)
NY	\$15-\$24,999	1,332	11.4	1.14	(9.2 - 13.7)		266,125	(211,535 - 320,715)
NY	\$25-\$49,999	1,791	8.0	0.76	(6.5 - 9.5)		252,481	(204,660 - 300,303)
NY	\$50-\$74,999	1,009	7.7	0.97	(5.7 - 9.6)		125,620	(93,535 - 157,706)
NY	>=\$75,000	2,482	7.4	0.67	(6.1 - 8.7)		301,407	(246,783 - 356,032)
NC	< \$15,000	1,085	16.4	1.60	(13.2 - 19.5)		129,649	(102,664 - 156,634)
NC	\$15-\$24,999	1,564	9.8	0.99	(7.9 - 11.8)		127,208	(101,177 - 153,238)
NC	\$25-\$49,999	1,888	9.1	0.93	(7.3 - 11.0)		148,217	(117,272 - 179,163)
NC	\$50-\$74,999	925	5.4	0.87	(3.7 - 7.1)		46,404	(31,625 - 61,182)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NC	>=\$75,000	1,625	5.2	0.83	(3.6 - 6.8)		80,409	(54,306 - 106,512)
ND	< \$15,000	500	12.8	2.32	(8.3 - 17.4)		5,883	(3,649 - 8,117)
ND	\$15-\$24,999	916	9.8	1.50	(6.9 - 12.7)		6,838	(4,686 - 8,990)
ND	\$25-\$49,999	1,737	8.7	0.97	(6.8 - 10.6)		10,559	(8,174 - 12,944)
ND	\$50-\$74,999	1,251	9.4	1.42	(6.6 - 12.2)		8,808	(6,029 - 11,587)
ND	>=\$75,000	2,319	5.9	0.65	(4.6 - 7.1)		9,028	(7,020 - 11,036)
OH	< \$15,000	1,218	18.2	1.75	(14.7 - 21.6)		161,449	(127,972 - 194,926)
OH	\$15-\$24,999	2,118	13.3	1.15	(11.0 - 15.5)		198,384	(162,463 - 234,305)
OH	\$25-\$49,999	2,836	8.2	0.78	(6.7 - 9.7)		174,594	(140,946 - 208,243)
OH	\$50-\$74,999	1,596	7.0	0.78	(5.5 - 8.5)		86,123	(66,968 - 105,279)
OH	>=\$75,000	2,458	6.3	0.70	(4.9 - 7.7)		124,891	(96,836 - 152,946)
OK	< \$15,000	1,087	14.1	1.37	(11.4 - 16.8)		51,578	(41,137 - 62,019)
OK	\$15-\$24,999	1,477	11.1	1.04	(9.1 - 13.1)		57,263	(46,291 - 68,235)
OK	\$25-\$49,999	2,008	7.7	0.76	(6.2 - 9.2)		54,230	(43,432 - 65,029)
OK	\$50-\$74,999	1,065	7.1	0.97	(5.2 - 9.0)		26,730	(19,267 - 34,194)
OK	>=\$75,000	1,545	7.3	0.83	(5.7 - 8.9)		41,438	(31,884 - 50,992)
OR	< \$15,000	558	20.3	2.71	(15.0 - 25.6)		61,200	(43,015 - 79,386)
OR	\$15-\$24,999	860	13.7	1.60	(10.6 - 16.8)		69,409	(52,644 - 86,173)
OR	\$25-\$49,999	1,416	11.0	1.09	(8.9 - 13.2)		77,912	(62,030 - 93,794)
OR	\$50-\$74,999	874	9.1	1.14	(6.9 - 11.4)		38,995	(29,092 - 48,898)
OR	>=\$75,000	1,425	8.2	0.96	(6.4 - 10.1)		57,957	(44,100 - 71,814)
PA	< \$15,000	1,184	18.6	1.62	(15.4 - 21.8)		167,215	(135,697 - 198,732)
PA	\$15-\$24,999	1,972	11.0	0.95	(9.2 - 12.9)		172,882	(142,285 - 203,479)
PA	\$25-\$49,999	2,583	7.2	0.67	(5.9 - 8.5)		157,870	(128,357 - 187,383)
PA	\$50-\$74,999	1,474	8.0	0.99	(6.0 - 9.9)		111,491	(82,955 - 140,027)
PA	>=\$75,000	2,497	7.2	0.68	(5.9 - 8.6)		176,776	(143,071 - 210,480)
RI	< \$15,000	636	19.0	2.22	(14.7 - 23.4)		15,466	(11,586 - 19,346)
RI	\$15-\$24,999	886	14.9	1.73	(11.5 - 18.3)		17,243	(12,998 - 21,488)
RI	\$25-\$49,999	1,381	13.4	1.36	(10.7 - 16.0)		22,074	(17,314 - 26,833)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
RI	\$50-\$74,999	875	9.4	1.25	(6.9 - 11.8)		9,824	(7,143 - 12,504)
RI	>=\$75,000	1,704	8.3	0.93	(6.5 - 10.1)		19,147	(14,762 - 23,533)
SC	< \$15,000	1,323	15.9	1.39	(13.1 - 18.6)		73,140	(59,706 - 86,575)
SC	\$15-\$24,999	1,863	11.3	1.05	(9.2 - 13.4)		75,889	(61,263 - 90,514)
SC	\$25-\$49,999	2,442	6.0	0.67	(4.7 - 7.3)		50,594	(39,365 - 61,823)
SC	\$50-\$74,999	1,320	5.8	0.82	(4.2 - 7.4)		26,017	(18,608 - 33,427)
SC	>=\$75,000	2,103	6.1	0.84	(4.5 - 7.8)		44,544	(32,188 - 56,900)
SD	< \$15,000	581	12.7	2.13	(8.5 - 16.8)		6,441	(4,209 - 8,674)
SD	\$15-\$24,999	906	9.6	1.58	(6.5 - 12.7)		8,193	(5,435 - 10,951)
SD	\$25-\$49,999	1,729	8.2	1.28	(5.7 - 10.7)		12,679	(8,604 - 16,755)
SD	\$50-\$74,999	1,033	8.3	1.59	(5.2 - 11.4)		8,259	(4,981 - 11,537)
SD	>=\$75,000	1,482	4.8	0.88	(3.1 - 6.5)		6,577	(4,164 - 8,990)
TN	< \$15,000	725	14.2	1.90	(10.5 - 17.9)		77,030	(55,685 - 98,376)
TN	\$15-\$24,999	953	8.8	1.13	(6.6 - 11.0)		72,156	(53,654 - 90,658)
TN	\$25-\$49,999	1,126	4.3	0.65	(3.0 - 5.6)		44,302	(31,183 - 57,421)
TN	\$50-\$74,999	546	5.2	1.17	(2.9 - 7.5)		26,527	(14,687 - 38,366)
TN	>=\$75,000	729	3.8	0.86	(2.1 - 5.5)		26,609	(14,570 - 38,648)
TX	< \$15,000	1,347	9.6	1.15	(7.4 - 11.9)		221,912	(168,868 - 274,955)
TX	\$15-\$24,999	1,755	6.0	0.70	(4.6 - 7.3)		200,214	(154,087 - 246,340)
TX	\$25-\$49,999	2,166	7.6	0.80	(6.0 - 9.1)		305,292	(240,954 - 369,631)
TX	\$50-\$74,999	1,201	7.5	1.15	(5.2 - 9.8)		155,521	(106,870 - 204,171)
TX	>=\$75,000	2,541	5.8	0.65	(4.5 - 7.0)		261,462	(202,985 - 319,939)
UT	< \$15,000	847	15.0	1.58	(11.9 - 18.1)		20,722	(16,122 - 25,321)
UT	\$15-\$24,999	1,582	10.8	1.02	(8.8 - 12.8)		27,705	(22,333 - 33,077)
UT	\$25-\$49,999	2,886	8.3	0.64	(7.1 - 9.6)		38,873	(32,847 - 44,899)
UT	\$50-\$74,999	2,196	8.8	0.78	(7.3 - 10.4)		30,483	(24,951 - 36,015)
UT	>=\$75,000	3,613	7.3	0.55	(6.2 - 8.4)		39,991	(33,883 - 46,099)
VT	< \$15,000	526	21.0	2.55	(16.0 - 26.0)		8,252	(6,084 - 10,419)
VT	\$15-\$24,999	915	15.6	1.66	(12.4 - 18.9)		10,238	(7,920 - 12,556)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
VT	\$25-\$49,999	1,570	10.7	1.02	(8.7 - 12.7)		12,710	(10,215 - 15,206)
VT	\$50-\$74,999	1,039	6.8	0.90	(5.0 - 8.6)		5,780	(4,242 - 7,318)
VT	>=\$75,000	1,490	8.2	0.94	(6.3 - 10.0)		10,192	(7,803 - 12,580)
VA	< \$15,000	740	15.9	1.74	(12.5 - 19.3)		83,382	(64,117 - 102,648)
VA	\$15-\$24,999	1,212	11.9	1.21	(9.5 - 14.3)		112,320	(88,925 - 135,716)
VA	\$25-\$49,999	1,816	7.7	0.86	(6.1 - 9.4)		102,859	(79,613 - 126,106)
VA	\$50-\$74,999	1,100	7.9	1.13	(5.7 - 10.1)		67,108	(47,465 - 86,752)
VA	>=\$75,000	2,441	6.2	0.63	(4.9 - 7.4)		117,896	(93,971 - 141,821)
WA	< \$15,000	917	15.0	1.64	(11.8 - 18.2)		71,544	(55,202 - 87,887)
WA	\$15-\$24,999	1,470	12.3	1.18	(10.0 - 14.6)		87,237	(69,924 - 104,549)
WA	\$25-\$49,999	2,523	10.9	0.84	(9.3 - 12.6)		127,909	(107,852 - 147,966)
WA	\$50-\$74,999	1,589	6.6	0.78	(5.0 - 8.1)		47,685	(36,256 - 59,113)
WA	>=\$75,000	3,178	7.6	0.57	(6.5 - 8.8)		120,440	(102,252 - 138,628)
WV	< \$15,000	785	17.9	1.60	(14.7 - 21.0)		33,135	(26,887 - 39,384)
WV	\$15-\$24,999	1,043	10.4	1.10	(8.2 - 12.5)		27,401	(21,454 - 33,348)
WV	\$25-\$49,999	1,336	6.6	0.80	(5.1 - 8.2)		22,118	(16,768 - 27,469)
WV	\$50-\$74,999	734	7.1	1.02	(5.1 - 9.1)		12,962	(9,192 - 16,732)
WV	>=\$75,000	1,019	4.9	0.88	(3.1 - 6.6)		12,401	(7,909 - 16,892)
WI	< \$15,000	603	24.6	3.02	(18.6 - 30.5)		93,221	(66,832 - 119,609)
WI	\$15-\$24,999	1,156	11.3	1.51	(8.3 - 14.2)		79,360	(57,627 - 101,092)
WI	\$25-\$49,999	1,748	7.5	1.05	(5.5 - 9.6)		76,908	(55,152 - 98,663)
WI	\$50-\$74,999	983	7.4	1.45	(4.5 - 10.2)		51,644	(30,776 - 72,513)
WI	>=\$75,000	1,326	7.4	1.14	(5.1 - 9.6)		79,812	(54,745 - 104,880)
WY	< \$15,000	504	15.0	2.15	(10.8 - 19.2)		5,724	(4,034 - 7,415)
WY	\$15-\$24,999	956	11.0	1.54	(7.9 - 14.0)		7,439	(5,289 - 9,589)
WY	\$25-\$49,999	1,420	8.4	0.95	(6.5 - 10.3)		8,011	(6,204 - 9,817)
WY	\$50-\$74,999	982	7.6	1.17	(5.3 - 9.8)		5,291	(3,627 - 6,955)
WY	>=\$75,000	1,591	7.9	0.94	(6.0 - 9.7)		9,195	(6,950 - 11,441)
Territories								

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
GU	< \$15,000	274	7.0	1.97	(3.1 - 10.9)		1,343	(578 - 2,107)
GU	\$15-\$24,999	354	4.6	1.61	(1.4 - 7.8)		1,073	(315 - 1,831)
GU	\$25-\$49,999	529	5.2	1.08	(3.0 - 7.3)		1,441	(841 - 2,042)
GU	\$50-\$74,999	206	4.1	1.61	(0.9 - 7.3)		444	(96 - 793)
GU	>=\$75,000	251	4.1	1.29	(1.6 - 6.6)		461	(175 - 746)
PR	< \$15,000	2,408	11.5	0.87	(9.8 - 13.2)		138,607	(116,993 - 160,222)
PR	\$15-\$24,999	1,361	10.2	1.15	(8.0 - 12.5)		66,134	(50,756 - 81,511)
PR	\$25-\$49,999	868	9.1	1.20	(6.8 - 11.5)		31,667	(23,130 - 40,204)
PR	\$50-\$74,999	198	6.4	2.13	(2.2 - 10.6)		5,169	(1,683 - 8,655)
PR	>=\$75,000	199	5.4	1.73	(2.0 - 8.8)		3,309	(1,166 - 5,452)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.