

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	23,322	17.7	0.40	(16.9 - 18.5)		5,586,084	(5,315,248 - 5,856,921)
U.S. Total**	25-34	42,270	14.3	0.28	(13.7 - 14.8)		6,040,271	(5,791,605 - 6,288,938)
U.S. Total**	35-44	52,702	12.9	0.26	(12.4 - 13.4)		5,135,657	(4,920,874 - 5,350,440)
U.S. Total**	45-54	74,368	12.8	0.22	(12.3 - 13.2)		5,409,775	(5,215,469 - 5,604,082)
U.S. Total**	55-64	100,262	13.3	0.22	(12.8 - 13.7)		5,224,196	(5,046,624 - 5,401,768)
U.S. Total**	65+	156,122	11.6	0.17	(11.2 - 11.9)		5,393,623	(5,231,110 - 5,556,136)
AL	18-24	438	21.1	2.43	(16.3 - 25.9)		101,973	(75,753 - 128,192)
AL	25-34	755	15.8	1.65	(12.6 - 19.1)		97,235	(75,896 - 118,575)
AL	35-44	888	13.8	1.38	(11.1 - 16.5)		81,900	(64,923 - 98,876)
AL	45-54	1,395	13.5	1.07	(11.4 - 15.6)		86,425	(72,379 - 100,472)
AL	55-64	1,965	14.1	0.98	(12.2 - 16.0)		87,567	(74,978 - 100,157)
AL	65+	3,106	11.2	0.70	(9.9 - 12.6)		84,001	(73,364 - 94,638)
AK	18-24	243	11.4	2.31	(6.8 - 15.9)		8,824	(5,104 - 12,545)
AK	25-34	555	13.0	1.78	(9.5 - 16.5)		14,392	(10,281 - 18,504)
AK	35-44	637	12.3	1.56	(9.3 - 15.4)		11,343	(8,422 - 14,264)
AK	45-54	863	10.2	1.27	(7.8 - 12.7)		10,081	(7,539 - 12,622)
AK	55-64	1,031	15.2	1.79	(11.7 - 18.7)		14,580	(10,879 - 18,282)
AK	65+	986	11.1	1.39	(8.3 - 13.8)		8,164	(6,037 - 10,291)
AZ	18-24	482	17.5	1.99	(13.6 - 21.4)		115,324	(87,391 - 143,257)
AZ	25-34	932	16.0	1.61	(12.8 - 19.1)		143,230	(112,355 - 174,104)
AZ	35-44	1,450	15.1	1.24	(12.6 - 17.5)		125,107	(103,567 - 146,647)
AZ	45-54	2,111	12.6	0.91	(10.8 - 14.4)		102,770	(87,497 - 118,042)
AZ	55-64	3,082	13.1	0.80	(11.5 - 14.7)		100,616	(88,062 - 113,170)
AZ	65+	6,515	12.4	0.56	(11.3 - 13.5)		128,976	(117,058 - 140,894)
AR	18-24	169	14.4	2.92	(8.6 - 20.1)		39,739	(22,709 - 56,770)
AR	25-34	360	11.2	1.95	(7.4 - 15.1)		44,192	(28,332 - 60,052)
AR	35-44	435	12.8	2.11	(8.7 - 17.0)		46,379	(30,370 - 62,388)
AR	45-54	703	14.8	1.79	(11.3 - 18.3)		55,743	(41,484 - 70,002)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	55-64	1,124	15.2	1.45	(12.4 - 18.1)		55,868	(44,607 - 67,129)
AR	65+	2,371	12.3	0.93	(10.5 - 14.1)		57,447	(48,517 - 66,377)
CA	18-24	806	16.5	1.62	(13.3 - 19.7)		649,828	(513,380 - 786,277)
CA	25-34	1,297	10.9	0.95	(9.1 - 12.8)		605,116	(498,737 - 711,495)
CA	35-44	1,250	11.5	1.06	(9.5 - 13.6)		586,005	(474,841 - 697,168)
CA	45-54	1,485	12.9	0.99	(10.9 - 14.8)		649,525	(546,882 - 752,167)
CA	55-64	1,623	13.1	1.10	(11.0 - 15.3)		583,768	(482,011 - 685,526)
CA	65+	2,212	12.0	0.89	(10.2 - 13.7)		594,750	(503,750 - 685,749)
CO	18-24	651	15.9	1.67	(12.6 - 19.2)		81,833	(63,336 - 100,330)
CO	25-34	1,263	12.8	1.04	(10.8 - 14.9)		98,219	(81,715 - 114,723)
CO	35-44	1,765	11.3	0.81	(9.7 - 12.9)		81,592	(69,654 - 93,531)
CO	45-54	2,222	10.8	0.78	(9.3 - 12.3)		76,616	(65,213 - 88,019)
CO	55-64	3,007	12.6	0.73	(11.1 - 14.0)		83,357	(73,260 - 93,454)
CO	65+	4,274	10.8	0.58	(9.7 - 12.0)		74,742	(66,502 - 82,982)
CT	18-24	347	17.6	2.46	(12.8 - 22.4)		62,369	(43,800 - 80,938)
CT	25-34	641	16.1	1.73	(12.7 - 19.5)		68,032	(52,475 - 83,589)
CT	35-44	910	15.1	1.50	(12.1 - 18.0)		65,325	(51,551 - 79,099)
CT	45-54	1,465	11.6	1.04	(9.6 - 13.7)		61,398	(50,111 - 72,686)
CT	55-64	1,776	14.7	1.11	(12.5 - 16.8)		69,434	(58,466 - 80,403)
CT	65+	2,628	11.2	0.84	(9.6 - 12.9)		63,731	(53,929 - 73,534)
DE	18-24	176	17.9	3.56	(10.9 - 24.9)		16,406	(9,285 - 23,526)
DE	25-34	363	16.2	2.46	(11.4 - 21.0)		19,382	(13,073 - 25,690)
DE	35-44	425	12.7	1.82	(9.1 - 16.3)		14,021	(9,872 - 18,170)
DE	45-54	724	14.1	1.67	(10.8 - 17.4)		17,877	(13,445 - 22,309)
DE	55-64	980	13.3	1.38	(10.6 - 16.0)		16,123	(12,639 - 19,608)
DE	65+	1,555	12.8	1.07	(10.7 - 14.9)		19,506	(16,186 - 22,826)
DC	18-24	123	26.1	4.49	(17.2 - 35.0)		18,860	(11,431 - 26,289)
DC	25-34	348	19.9	2.77	(14.4 - 25.3)		29,058	(20,144 - 37,973)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	35-44	438	14.7	2.47	(9.8 - 19.5)		13,266	(8,483 - 18,048)
DC	45-54	643	14.6	2.10	(10.5 - 18.7)		11,408	(7,905 - 14,911)
DC	55-64	869	16.7	1.91	(13.0 - 20.5)		11,375	(8,588 - 14,162)
DC	65+	1,535	11.3	0.98	(9.4 - 13.2)		9,161	(7,568 - 10,755)
FL	18-24	449	16.0	1.93	(12.2 - 19.7)		287,164	(213,668 - 360,660)
FL	25-34	773	12.9	1.43	(10.1 - 15.8)		318,857	(245,277 - 392,437)
FL	35-44	873	10.6	1.22	(8.2 - 13.0)		249,388	(190,728 - 308,049)
FL	45-54	1,382	12.6	1.13	(10.3 - 14.8)		336,510	(273,255 - 399,765)
FL	55-64	1,951	13.3	1.01	(11.3 - 15.3)		342,923	(287,890 - 397,956)
FL	65+	4,222	10.0	0.56	(8.9 - 11.1)		373,459	(331,501 - 415,418)
GA	18-24	327	20.4	2.41	(15.6 - 25.1)		210,223	(156,223 - 264,223)
GA	25-34	552	14.1	1.67	(10.9 - 17.4)		191,566	(144,253 - 238,879)
GA	35-44	729	13.4	1.55	(10.4 - 16.5)		181,032	(137,157 - 224,907)
GA	45-54	1,069	11.8	1.27	(9.3 - 14.3)		162,232	(125,643 - 198,821)
GA	55-64	1,388	13.0	1.12	(10.8 - 15.2)		150,576	(123,632 - 177,521)
GA	65+	2,183	11.7	0.88	(10.0 - 13.4)		147,338	(124,440 - 170,235)
HI	18-24	544	20.4	2.41	(15.7 - 25.2)		26,982	(19,948 - 34,016)
HI	25-34	902	19.7	1.82	(16.1 - 23.3)		39,292	(31,411 - 47,173)
HI	35-44	851	16.2	1.64	(13.0 - 19.4)		27,778	(21,864 - 33,692)
HI	45-54	1,113	16.8	1.69	(13.5 - 20.1)		29,687	(23,226 - 36,149)
HI	55-64	1,582	12.4	1.06	(10.3 - 14.5)		22,939	(18,910 - 26,968)
HI	65+	2,119	13.7	1.06	(11.7 - 15.8)		30,928	(25,956 - 35,900)
ID	18-24	312	14.0	2.10	(9.8 - 18.1)		23,074	(15,992 - 30,157)
ID	25-34	548	13.8	1.93	(10.0 - 17.6)		28,632	(20,282 - 36,982)
ID	35-44	631	13.2	1.78	(9.7 - 16.7)		26,384	(19,048 - 33,721)
ID	45-54	804	9.6	1.28	(7.1 - 12.2)		18,549	(13,561 - 23,537)
ID	55-64	1,198	12.9	1.20	(10.5 - 15.2)		25,256	(20,420 - 30,092)
ID	65+	1,927	11.4	0.97	(9.5 - 13.3)		26,227	(21,613 - 30,841)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	18-24	342	17.7	2.41	(12.9 - 22.4)		224,281	(158,804 - 289,758)
IL	25-34	506	15.0	1.88	(11.3 - 18.7)		260,518	(191,902 - 329,134)
IL	35-44	620	14.9	1.71	(11.5 - 18.2)		249,173	(188,942 - 309,403)
IL	45-54	897	12.5	1.26	(10.0 - 15.0)		218,466	(173,340 - 263,592)
IL	55-64	1,020	13.0	1.36	(10.3 - 15.6)		208,274	(162,629 - 253,920)
IL	65+	1,640	12.1	1.03	(10.1 - 14.1)		218,899	(180,647 - 257,151)
IN	18-24	566	19.5	1.81	(15.9 - 23.0)		132,043	(105,424 - 158,663)
IN	25-34	874	16.2	1.42	(13.4 - 18.9)		133,120	(108,315 - 157,924)
IN	35-44	1,269	15.1	1.22	(12.7 - 17.5)		123,238	(102,218 - 144,258)
IN	45-54	1,881	13.8	0.94	(12.0 - 15.6)		119,838	(102,919 - 136,757)
IN	55-64	2,604	12.3	0.77	(10.8 - 13.9)		101,152	(88,009 - 114,295)
IN	65+	4,146	12.4	0.67	(11.1 - 13.7)		118,764	(105,471 - 132,057)
IA	18-24	389	18.4	2.23	(14.0 - 22.8)		59,884	(44,068 - 75,700)
IA	25-34	685	17.1	1.73	(13.7 - 20.4)		65,019	(50,784 - 79,253)
IA	35-44	908	11.0	1.25	(8.5 - 13.4)		39,755	(30,340 - 49,170)
IA	45-54	1,312	12.8	1.14	(10.5 - 15.0)		50,089	(40,665 - 59,514)
IA	55-64	1,796	12.3	0.93	(10.4 - 14.1)		49,129	(41,419 - 56,839)
IA	65+	2,941	9.6	0.67	(8.3 - 10.9)		48,107	(41,275 - 54,940)
KS	18-24	873	18.3	1.43	(15.5 - 21.1)		55,956	(46,630 - 65,281)
KS	25-34	1,451	13.9	0.97	(12.0 - 15.9)		52,325	(44,738 - 59,912)
KS	35-44	1,615	13.5	0.93	(11.6 - 15.3)		46,580	(39,891 - 53,269)
KS	45-54	2,213	13.4	0.82	(11.8 - 15.0)		48,531	(42,344 - 54,718)
KS	55-64	3,038	12.6	0.67	(11.3 - 14.0)		45,226	(40,249 - 50,204)
KS	65+	4,398	11.0	0.54	(10.0 - 12.1)		46,221	(41,578 - 50,865)
KY	18-24	433	21.0	2.51	(16.1 - 25.9)		89,840	(65,956 - 113,725)
KY	25-34	798	17.9	1.84	(14.3 - 21.5)		99,937	(77,890 - 121,984)
KY	35-44	1,216	18.6	1.76	(15.2 - 22.1)		104,063	(82,451 - 125,674)
KY	45-54	1,950	15.8	1.31	(13.3 - 18.4)		95,259	(78,468 - 112,050)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KY	55-64	2,720	16.8	1.07	(14.7 - 18.9)		94,662	(81,859 - 107,465)
KY	65+	3,928	13.1	0.84	(11.5 - 14.7)		87,074	(75,518 - 98,630)
LA	18-24	421	15.5	1.87	(11.8 - 19.1)		71,982	(53,916 - 90,047)
LA	25-34	751	12.9	1.32	(10.3 - 15.5)		84,050	(66,212 - 101,888)
LA	35-44	777	12.9	1.43	(10.1 - 15.7)		72,423	(55,659 - 89,187)
LA	45-54	1,198	11.3	1.07	(9.2 - 13.4)		67,235	(53,998 - 80,473)
LA	55-64	1,481	12.2	0.98	(10.2 - 14.1)		70,179	(58,441 - 81,916)
LA	65+	2,078	11.5	0.86	(9.8 - 13.2)		74,162	(62,672 - 85,652)
ME	18-24	368	21.0	2.52	(16.0 - 25.9)		24,959	(18,376 - 31,543)
ME	25-34	665	21.4	1.95	(17.6 - 25.2)		31,276	(25,029 - 37,523)
ME	35-44	901	18.9	1.57	(15.8 - 22.0)		28,950	(23,768 - 34,132)
ME	45-54	1,556	15.3	1.11	(13.1 - 17.4)		29,682	(25,181 - 34,183)
ME	55-64	2,202	14.0	0.94	(12.2 - 15.9)		28,732	(24,699 - 32,765)
ME	65+	3,343	12.6	0.74	(11.1 - 14.1)		30,471	(26,731 - 34,211)
MD	18-24	354	23.9	2.86	(18.3 - 29.5)		135,399	(98,907 - 171,892)
MD	25-34	754	14.9	1.84	(11.3 - 18.5)		118,761	(87,874 - 149,648)
MD	35-44	1,441	11.8	1.25	(9.4 - 14.3)		90,271	(70,763 - 109,779)
MD	45-54	2,225	10.2	0.86	(8.5 - 11.9)		88,676	(73,639 - 103,712)
MD	55-64	2,900	11.8	0.99	(9.9 - 13.8)		89,127	(73,622 - 104,631)
MD	65+	4,659	11.4	0.85	(9.8 - 13.1)		95,563	(80,735 - 110,392)
MA	18-24	678	22.1	2.00	(18.1 - 26.0)		155,302	(124,232 - 186,373)
MA	25-34	1,284	21.8	1.49	(18.9 - 24.7)		192,538	(163,626 - 221,449)
MA	35-44	1,621	16.6	1.22	(14.2 - 19.0)		137,230	(116,036 - 158,423)
MA	45-54	2,560	16.7	1.02	(14.7 - 18.7)		158,458	(138,057 - 178,859)
MA	55-64	3,472	16.2	0.95	(14.3 - 18.0)		138,063	(120,831 - 155,295)
MA	65+	5,636	14.4	0.79	(12.9 - 16.0)		149,599	(132,300 - 166,897)
MI	18-24	554	16.7	1.76	(13.3 - 20.2)		169,047	(131,145 - 206,949)
MI	25-34	715	18.8	1.66	(15.6 - 22.1)		223,165	(180,632 - 265,699)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MI	35-44	837	13.5	1.34	(10.9 - 16.2)		158,370	(125,775 - 190,965)
MI	45-54	1,387	16.2	1.21	(13.8 - 18.5)		217,886	(183,052 - 252,720)
MI	55-64	1,961	16.0	1.05	(14.0 - 18.1)		214,005	(183,896 - 244,113)
MI	65+	2,881	11.7	0.70	(10.3 - 13.1)		180,546	(158,384 - 202,709)
MN	18-24	1,051	16.7	1.37	(14.0 - 19.3)		87,259	(71,879 - 102,638)
MN	25-34	1,940	13.1	0.89	(11.4 - 14.9)		94,424	(81,053 - 107,794)
MN	35-44	2,179	11.6	0.76	(10.1 - 13.0)		77,549	(67,065 - 88,033)
MN	45-54	2,947	11.2	0.69	(9.8 - 12.5)		81,701	(71,255 - 92,148)
MN	55-64	3,554	10.6	0.60	(9.5 - 11.8)		74,580	(65,972 - 83,189)
MN	65+	4,513	9.6	0.54	(8.6 - 10.7)		76,094	(67,410 - 84,777)
MS	18-24	202	14.2	2.68	(8.9 - 19.5)		44,664	(26,866 - 62,462)
MS	25-34	347	14.8	2.43	(10.0 - 19.5)		56,988	(36,988 - 76,988)
MS	35-44	460	14.7	2.03	(10.7 - 18.7)		54,081	(38,372 - 69,791)
MS	45-54	658	11.7	1.49	(8.7 - 14.6)		44,535	(32,813 - 56,256)
MS	55-64	938	10.9	1.28	(8.4 - 13.4)		40,117	(30,482 - 49,751)
MS	65+	1,556	9.8	0.92	(8.0 - 11.6)		42,095	(34,082 - 50,109)
MO	18-24	336	17.5	2.56	(12.5 - 22.5)		105,579	(72,065 - 139,094)
MO	25-34	541	18.9	2.03	(14.9 - 22.9)		145,968	(112,423 - 179,512)
MO	35-44	715	15.5	1.89	(11.8 - 19.2)		112,791	(83,349 - 142,234)
MO	45-54	1,037	12.8	1.43	(10.0 - 15.6)		102,010	(78,188 - 125,833)
MO	55-64	1,599	13.8	1.21	(11.4 - 16.1)		107,033	(87,437 - 126,629)
MO	65+	2,760	10.6	0.80	(9.0 - 12.2)		99,394	(84,110 - 114,679)
MT	18-24	348	19.7	2.57	(14.6 - 24.7)		19,707	(14,075 - 25,339)
MT	25-34	623	13.6	1.78	(10.1 - 17.1)		17,296	(12,526 - 22,066)
MT	35-44	730	15.5	1.74	(12.0 - 18.9)		17,985	(13,705 - 22,265)
MT	45-54	1,105	12.2	1.23	(9.8 - 14.6)		15,710	(12,447 - 18,974)
MT	55-64	1,797	11.7	1.05	(9.6 - 13.8)		17,535	(14,265 - 20,804)
MT	65+	2,805	10.8	0.79	(9.3 - 12.4)		18,730	(15,968 - 21,493)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NE	18-24	1,232	17.1	1.53	(14.1 - 20.1)		32,372	(26,170 - 38,573)
NE	25-34	2,221	14.3	1.15	(12.0 - 16.5)		35,146	(29,191 - 41,101)
NE	35-44	2,628	12.6	0.97	(10.7 - 14.5)		28,496	(23,950 - 33,041)
NE	45-54	3,471	9.4	0.72	(8.0 - 10.8)		21,990	(18,565 - 25,415)
NE	55-64	4,806	11.5	0.71	(10.2 - 12.9)		26,796	(23,383 - 30,210)
NE	65+	7,821	9.7	0.48	(8.8 - 10.7)		26,789	(24,075 - 29,503)
NV	18-24	202	14.7	2.81	(9.2 - 20.3)		37,996	(23,329 - 52,664)
NV	25-34	381	9.3	2.11	(5.2 - 13.5)		36,615	(19,557 - 53,673)
NV	35-44	472	11.2	1.87	(7.6 - 14.9)		42,371	(28,091 - 56,651)
NV	45-54	613	14.7	2.16	(10.5 - 19.0)		54,923	(37,912 - 71,934)
NV	55-64	742	13.6	2.16	(9.4 - 17.9)		45,851	(30,501 - 61,202)
NV	65+	1,286	11.5	1.23	(9.1 - 13.9)		45,861	(36,044 - 55,678)
NH	18-24	222	16.6	2.85	(11.0 - 22.2)		21,611	(13,736 - 29,486)
NH	25-34	468	16.7	2.07	(12.6 - 20.8)		24,813	(18,291 - 31,334)
NH	35-44	669	16.1	1.60	(13.0 - 19.2)		25,124	(19,942 - 30,306)
NH	45-54	1,098	13.2	1.24	(10.8 - 15.6)		27,112	(21,859 - 32,365)
NH	55-64	1,410	12.0	1.07	(9.9 - 14.1)		23,216	(18,979 - 27,453)
NH	65+	2,204	12.1	0.91	(10.4 - 13.9)		25,643	(21,711 - 29,575)
NJ	18-24	597	16.5	1.87	(12.8 - 20.2)		134,804	(102,396 - 167,213)
NJ	25-34	1,233	14.6	1.28	(12.1 - 17.1)		162,321	(132,584 - 192,059)
NJ	35-44	1,669	12.4	1.05	(10.3 - 14.4)		141,720	(117,118 - 166,322)
NJ	45-54	2,487	9.9	0.79	(8.3 - 11.4)		128,560	(107,752 - 149,368)
NJ	55-64	2,858	12.2	1.03	(10.2 - 14.2)		138,334	(113,871 - 162,798)
NJ	65+	3,938	10.8	0.77	(9.3 - 12.3)		144,964	(123,840 - 166,089)
NM	18-24	483	20.6	2.37	(15.9 - 25.2)		41,730	(31,273 - 52,187)
NM	25-34	824	15.7	1.74	(12.3 - 19.1)		43,628	(33,446 - 53,810)
NM	35-44	1,022	15.4	1.63	(12.2 - 18.6)		37,660	(29,197 - 46,123)
NM	45-54	1,473	12.6	1.09	(10.5 - 14.8)		32,340	(26,665 - 38,014)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	55-64	2,063	12.4	1.02	(10.4 - 14.4)		33,252	(27,614 - 38,890)
NM	65+	2,949	11.8	0.83	(10.2 - 13.5)		37,173	(31,878 - 42,468)
NY	18-24	403	18.3	2.26	(13.8 - 22.7)		353,271	(258,498 - 448,044)
NY	25-34	778	18.3	1.65	(15.1 - 21.6)		508,300	(409,042 - 607,558)
NY	35-44	855	14.3	1.49	(11.4 - 17.2)		353,074	(275,209 - 430,938)
NY	45-54	1,197	13.3	1.15	(11.1 - 15.6)		362,227	(297,380 - 427,075)
NY	55-64	1,424	13.6	1.14	(11.4 - 15.8)		329,593	(272,057 - 387,128)
NY	65+	2,075	13.5	1.05	(11.5 - 15.6)		399,965	(334,048 - 465,883)
NC	18-24	447	15.8	2.05	(11.7 - 19.8)		156,566	(112,503 - 200,629)
NC	25-34	822	10.7	1.24	(8.2 - 13.1)		135,708	(102,974 - 168,441)
NC	35-44	953	10.8	1.17	(8.5 - 13.1)		138,335	(107,244 - 169,426)
NC	45-54	1,098	9.5	0.97	(7.6 - 11.5)		125,994	(99,741 - 152,246)
NC	55-64	1,513	13.1	0.98	(11.2 - 15.0)		158,969	(134,261 - 183,676)
NC	65+	2,327	10.5	0.73	(9.0 - 11.9)		154,756	(132,624 - 176,887)
ND	18-24	345	10.9	1.96	(7.0 - 14.7)		9,585	(6,038 - 13,133)
ND	25-34	662	17.0	2.10	(12.8 - 21.1)		17,798	(13,027 - 22,569)
ND	35-44	845	12.9	1.64	(9.6 - 16.1)		10,862	(7,973 - 13,750)
ND	45-54	1,208	8.0	1.03	(6.0 - 10.0)		7,261	(5,370 - 9,153)
ND	55-64	1,857	11.5	1.05	(9.5 - 13.6)		10,897	(8,840 - 12,953)
ND	65+	2,771	11.8	0.95	(9.9 - 13.6)		13,314	(11,064 - 15,563)
OH	18-24	447	19.2	2.22	(14.8 - 23.6)		216,324	(162,641 - 270,008)
OH	25-34	810	17.5	1.77	(14.0 - 20.9)		248,928	(194,647 - 303,208)
OH	35-44	1,152	14.4	1.39	(11.6 - 17.1)		198,400	(158,327 - 238,474)
OH	45-54	1,786	14.9	1.25	(12.4 - 17.3)		233,519	(191,951 - 275,088)
OH	55-64	2,620	14.1	1.02	(12.1 - 16.1)		216,673	(183,825 - 249,522)
OH	65+	3,973	12.2	0.79	(10.6 - 13.7)		221,680	(192,009 - 251,352)
OK	18-24	443	16.9	1.92	(13.2 - 20.7)		66,584	(50,614 - 82,553)
OK	25-34	832	16.6	1.55	(13.5 - 19.6)		86,357	(68,995 - 103,720)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	35-44	978	12.8	1.22	(10.4 - 15.2)		60,122	(48,097 - 72,147)
OK	45-54	1,271	14.8	1.12	(12.7 - 17.0)		71,351	(60,089 - 82,613)
OK	55-64	1,818	13.7	0.94	(11.9 - 15.6)		64,777	(55,533 - 74,021)
OK	65+	3,009	12.0	0.68	(10.6 - 13.3)		68,899	(60,933 - 76,864)
OR	18-24	280	22.3	2.82	(16.8 - 27.9)		82,193	(59,503 - 104,882)
OR	25-34	466	17.9	2.03	(13.9 - 21.9)		94,923	(71,922 - 117,925)
OR	35-44	518	16.9	1.95	(13.1 - 20.8)		85,042	(64,009 - 106,075)
OR	45-54	736	17.4	1.84	(13.8 - 21.0)		86,589	(66,568 - 106,611)
OR	55-64	1,147	14.5	1.19	(12.1 - 16.8)		78,548	(65,105 - 91,990)
OR	65+	2,009	13.0	0.89	(11.2 - 14.7)		82,036	(70,386 - 93,685)
PA	18-24	495	21.4	2.19	(17.1 - 25.7)		271,375	(211,547 - 331,204)
PA	25-34	892	15.4	1.44	(12.5 - 18.2)		241,269	(193,750 - 288,788)
PA	35-44	1,190	15.2	1.26	(12.7 - 17.6)		225,016	(185,857 - 264,175)
PA	45-54	1,782	14.7	1.04	(12.6 - 16.7)		256,984	(218,934 - 295,033)
PA	55-64	2,461	12.9	0.83	(11.2 - 14.5)		218,936	(189,936 - 247,936)
PA	65+	3,983	10.2	0.59	(9.0 - 11.3)		221,461	(195,371 - 247,552)
RI	18-24	228	18.7	2.93	(12.9 - 24.4)		21,324	(14,032 - 28,617)
RI	25-34	446	16.1	2.16	(11.9 - 20.4)		21,658	(15,382 - 27,934)
RI	35-44	718	16.0	1.66	(12.7 - 19.2)		19,945	(15,558 - 24,332)
RI	45-54	1,148	14.3	1.19	(11.9 - 16.6)		20,865	(17,269 - 24,461)
RI	55-64	1,611	13.5	1.01	(11.5 - 15.5)		18,846	(15,922 - 21,770)
RI	65+	2,175	14.1	0.97	(12.2 - 16.0)		23,742	(20,305 - 27,179)
SC	18-24	564	16.4	1.96	(12.5 - 20.2)		78,599	(58,172 - 99,026)
SC	25-34	1,021	14.1	1.34	(11.4 - 16.7)		87,821	(70,167 - 105,475)
SC	35-44	1,178	13.5	1.17	(11.2 - 15.8)		79,132	(64,903 - 93,361)
SC	45-54	1,735	13.8	1.02	(11.8 - 15.8)		86,960	(73,573 - 100,347)
SC	55-64	2,418	11.8	0.82	(10.2 - 13.4)		73,096	(62,645 - 83,547)
SC	65+	3,966	10.5	0.60	(9.3 - 11.6)		79,876	(70,610 - 89,142)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	18-24	403	14.8	2.69	(9.5 - 20.0)		12,791	(7,887 - 17,695)
SD	25-34	825	13.0	1.80	(9.4 - 16.5)		14,303	(10,192 - 18,414)
SD	35-44	860	10.4	1.50	(7.5 - 13.4)		10,117	(7,162 - 13,072)
SD	45-54	1,165	11.2	1.62	(8.0 - 14.4)		11,782	(8,233 - 15,331)
SD	55-64	1,534	9.0	1.20	(6.6 - 11.3)		9,903	(7,197 - 12,610)
SD	65+	2,517	10.1	0.97	(8.2 - 12.0)		13,326	(10,740 - 15,912)
TN	18-24	205	23.6	3.36	(17.0 - 30.3)		147,504	(101,446 - 193,562)
TN	25-34	405	11.8	1.94	(8.0 - 15.6)		100,708	(66,279 - 135,137)
TN	35-44	480	14.3	2.10	(10.2 - 18.4)		118,825	(81,840 - 155,810)
TN	45-54	814	12.7	1.41	(9.9 - 15.5)		111,466	(86,051 - 136,880)
TN	55-64	1,155	14.5	1.28	(12.0 - 17.0)		119,661	(97,589 - 141,733)
TN	65+	1,996	12.0	0.94	(10.1 - 13.8)		119,745	(100,499 - 138,992)
TX	18-24	940	14.3	1.44	(11.5 - 17.1)		394,531	(311,986 - 477,077)
TX	25-34	1,678	10.4	1.01	(8.5 - 12.4)		396,419	(318,094 - 474,743)
TX	35-44	1,922	8.7	0.86	(7.0 - 10.4)		308,658	(247,253 - 370,064)
TX	45-54	2,392	10.0	0.87	(8.3 - 11.7)		342,956	(282,714 - 403,197)
TX	55-64	2,978	12.6	0.97	(10.7 - 14.5)		370,115	(312,004 - 428,227)
TX	65+	5,286	11.3	0.90	(9.5 - 13.1)		354,341	(295,937 - 412,746)
UT	18-24	1,272	16.1	1.10	(13.9 - 18.3)		54,643	(46,836 - 62,449)
UT	25-34	2,270	14.2	0.81	(12.6 - 15.8)		63,332	(55,735 - 70,929)
UT	35-44	2,702	12.2	0.71	(10.8 - 13.6)		45,858	(40,334 - 51,382)
UT	45-54	2,374	13.4	0.80	(11.8 - 14.9)		41,337	(36,192 - 46,483)
UT	55-64	2,620	12.1	0.77	(10.6 - 13.7)		33,117	(28,730 - 37,504)
UT	65+	3,568	12.5	0.71	(11.1 - 13.8)		37,276	(32,878 - 41,674)
VT	18-24	339	20.0	2.35	(15.3 - 24.6)		13,369	(9,970 - 16,768)
VT	25-34	636	22.6	1.87	(18.9 - 26.2)		15,740	(12,847 - 18,633)
VT	35-44	816	16.8	1.43	(14.0 - 19.6)		11,887	(9,738 - 14,036)
VT	45-54	1,250	15.1	1.19	(12.8 - 17.5)		13,577	(11,314 - 15,840)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	55-64	1,534	14.4	0.98	(12.4 - 16.3)		13,887	(11,925 - 15,849)
VT	65+	1,809	13.4	0.97	(11.5 - 15.3)		14,177	(12,022 - 16,332)
VA	18-24	421	17.7	2.08	(13.6 - 21.8)		149,490	(111,547 - 187,433)
VA	25-34	937	12.2	1.35	(9.5 - 14.8)		137,539	(105,675 - 169,403)
VA	35-44	1,215	11.7	1.19	(9.4 - 14.0)		126,454	(99,553 - 153,355)
VA	45-54	1,755	12.2	0.98	(10.3 - 14.1)		142,472	(118,777 - 166,167)
VA	55-64	2,131	11.7	0.85	(10.0 - 13.4)		121,816	(103,746 - 139,886)
VA	65+	2,873	11.8	0.80	(10.2 - 13.4)		137,583	(118,408 - 156,758)
WA	18-24	502	21.0	2.15	(16.7 - 25.2)		139,446	(107,888 - 171,005)
WA	25-34	859	14.7	1.41	(11.9 - 17.4)		143,329	(114,528 - 172,130)
WA	35-44	1,135	13.9	1.31	(11.3 - 16.4)		125,672	(100,603 - 150,741)
WA	45-54	1,566	14.5	1.08	(12.4 - 16.6)		134,560	(113,618 - 155,501)
WA	55-64	2,237	13.7	0.89	(12.0 - 15.5)		124,133	(107,381 - 140,885)
WA	65+	3,605	13.2	0.70	(11.8 - 14.5)		131,671	(117,269 - 146,074)
WV	18-24	310	18.0	2.36	(13.3 - 22.6)		31,074	(22,334 - 39,813)
WV	25-34	565	16.3	1.71	(12.9 - 19.7)		34,895	(27,144 - 42,647)
WV	35-44	737	14.7	1.43	(11.9 - 17.5)		33,073	(26,297 - 39,850)
WV	45-54	1,045	14.2	1.25	(11.7 - 16.6)		35,295	(28,766 - 41,825)
WV	55-64	1,453	14.3	1.06	(12.2 - 16.4)		38,351	(32,371 - 44,330)
WV	65+	2,022	12.1	0.88	(10.4 - 13.8)		39,961	(33,937 - 45,985)
WI	18-24	425	16.7	2.26	(12.3 - 21.2)		94,547	(67,460 - 121,635)
WI	25-34	633	14.4	1.89	(10.6 - 18.1)		103,792	(74,805 - 132,778)
WI	35-44	830	11.5	1.45	(8.7 - 14.4)		79,954	(59,119 - 100,790)
WI	45-54	1,186	11.9	1.21	(9.5 - 14.2)		94,054	(74,382 - 113,727)
WI	55-64	1,632	13.5	1.24	(11.1 - 16.0)		103,954	(83,966 - 123,942)
WI	65+	2,262	9.7	0.82	(8.1 - 11.3)		85,467	(70,969 - 99,965)
WY	18-24	135	10.8	3.02	(4.8 - 16.8)		5,851	(2,438 - 9,265)
WY	25-34	383	14.6	2.19	(10.3 - 18.9)		12,341	(8,450 - 16,231)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	35-44	587	11.1	1.50	(8.2 - 14.1)		7,883	(5,735 - 10,031)
WY	45-54	813	12.0	1.50	(9.1 - 15.0)		8,701	(6,463 - 10,939)
WY	55-64	1,582	11.7	1.07	(9.6 - 13.8)		9,276	(7,537 - 11,016)
WY	65+	2,781	11.6	0.84	(10.0 - 13.2)		9,764	(8,313 - 11,215)
Territories								
GU	18-24	307	15.0	2.67	(9.7 - 20.2)		2,663	(1,658 - 3,668)
GU	25-34	507	13.0	2.24	(8.6 - 17.4)		2,731	(1,740 - 3,723)
GU	35-44	470	11.5	2.10	(7.4 - 15.6)		2,511	(1,569 - 3,453)
GU	45-54	509	11.2	2.01	(7.2 - 15.1)		2,253	(1,410 - 3,096)
GU	55-64	394	10.4	2.44	(5.6 - 15.2)		1,459	(733 - 2,185)
GU	65+	304	12.1	2.59	(7.0 - 17.2)		1,304	(717 - 1,892)
PR	18-24	454	20.3	2.10	(16.2 - 24.5)		76,400	(59,438 - 93,363)
PR	25-34	658	19.2	1.71	(15.9 - 22.6)		92,221	(74,833 - 109,609)
PR	35-44	757	17.9	1.60	(14.7 - 21.0)		84,884	(68,722 - 101,045)
PR	45-54	964	15.7	1.39	(12.9 - 18.4)		74,566	(60,700 - 88,431)
PR	55-64	1,090	17.0	1.41	(14.2 - 19.8)		73,187	(60,296 - 86,078)
PR	65+	2,025	14.1	0.93	(12.3 - 15.9)		79,274	(68,540 - 90,008)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.