

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	13,160	5.9	0.46	(5.1 - 6.9)		807,155	(680,745 - 933,564)
Total **	5-9	14,545	10.2	0.61	(9.1 - 11.5)		1,513,238	(1,326,261 - 1,700,216)
Total **	10-14	17,848	11.7	0.52	(10.7 - 12.7)		1,507,654	(1,370,924 - 1,644,384)
Total **	15-17	13,891	9.9	0.50	(9.0 - 10.9)		926,376	(832,785 - 1,019,967)
AL	0-4	349	6.6	1.64	(4.0 - 10.6)		18,862	(9,557 - 28,166)
AL	5-9	387	16.3	2.66	(11.8 - 22.2)		44,087	(28,934 - 59,240)
AL	10-14	475	15.2	2.19	(11.4 - 20.0)		37,544	(26,362 - 48,726)
AL	15-17	371	15.3	2.48	(11.0 - 20.8)		27,903	(18,478 - 37,328)
CA	0-4	381	4.1	1.62	(1.9 - 8.8)		79,521	(16,407 - 142,634)
CA	5-9	410	13.1	2.73	(8.6 - 19.4)		330,407	(184,865 - 475,949)
CA	10-14	470	8.6	1.87	(5.5 - 13.0)		175,755	(97,924 - 253,586)
CA	15-17	367	8.3	1.88	(5.3 - 12.8)		130,454	(71,759 - 189,149)
CT	0-4	301	5.8	1.93	(3.0 - 11.0)		10,963	(3,717 - 18,209)
CT	5-9	352	12.7	2.43	(8.6 - 18.2)		23,652	(14,302 - 33,002)
CT	10-14	466	10.2	1.93	(7.0 - 14.6)		17,353	(10,682 - 24,023)
CT	15-17	366	11.6	2.19	(7.9 - 16.6)		16,475	(10,174 - 22,776)
DC	0-4	157	8.5	2.94	(4.2 - 16.3)		2,535	(729 - 4,341)
DC	5-9	132	16.8	4.20	(10.1 - 26.7)		5,797	(2,711 - 8,883)
DC	10-14	149	22.0	4.60	(14.3 - 32.3)		5,626	(2,985 - 8,266)
DC	15-17	94	15.7	4.72	(8.5 - 27.2)		2,047	(762 - 3,333)
GA	0-4	239	6.6	2.06	(3.6 - 12.0)		33,004	(12,203 - 53,804)
GA	5-9	283	10.5	2.07	(7.0 - 15.3)		70,589	(42,191 - 98,987)
GA	10-14	317	12.8	2.26	(9.0 - 17.9)		66,540	(42,332 - 90,749)
GA	15-17	257	11.5	2.43	(7.5 - 17.2)		48,428	(27,496 - 69,361)
HI	0-4	400	14.0	4.06	(7.7 - 24.0)		10,389	(3,868 - 16,910)
HI	5-9	379	19.5	4.05	(12.8 - 28.7)		14,407	(7,963 - 20,851)
HI	10-14	410	15.1	3.81	(9.0 - 24.1)		10,712	(4,855 - 16,569)
HI	15-17	274	18.3	4.38	(11.2 - 28.4)		8,795	(4,279 - 13,311)
IL	0-4	219	4.4	1.58	(2.2 - 8.8)		34,464	(9,831 - 59,096)
IL	5-9	246	8.5	1.95	(5.4 - 13.2)		69,524	(37,577 - 101,472)
IL	10-14	326	11.8	2.30	(8.0 - 17.1)		84,514	(50,395 - 118,633)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
IL	15-17	286	9.9	2.12	(6.5 - 14.9)		51,794	(29,389 - 74,200)
IN	0-4	462	4.1	1.04	(2.5 - 6.7)		16,788	(8,413 - 25,163)
IN	5-9	494	8.4	1.51	(5.9 - 11.9)		35,284	(22,520 - 48,048)
IN	10-14	637	11.2	1.43	(8.7 - 14.3)		36,617	(27,194 - 46,039)
IN	15-17	552	9.2	1.64	(6.4 - 12.9)		21,258	(13,444 - 29,071)
KS	0-4	677	3.0	0.76	(1.8 - 4.9)		5,138	(2,563 - 7,713)
KS	5-9	736	9.3	1.48	(6.7 - 12.6)		16,935	(11,337 - 22,534)
KS	10-14	851	11.8	1.50	(9.2 - 15.1)		19,182	(14,109 - 24,255)
KS	15-17	643	11.4	1.62	(8.6 - 14.9)		12,559	(8,872 - 16,247)
KY	0-4	430	5.6	1.64	(3.2 - 9.9)		13,986	(5,767 - 22,205)
KY	5-9	488	12.7	2.00	(9.3 - 17.2)		30,922	(20,854 - 40,990)
KY	10-14	625	11.8	2.05	(8.3 - 16.4)		28,149	(17,834 - 38,464)
KY	15-17	526	13.6	1.97	(10.2 - 17.9)		21,443	(14,976 - 27,910)
LA	0-4	340	4.9	1.61	(2.6 - 9.2)		12,936	(4,418 - 21,454)
LA	5-9	419	7.5	1.51	(5.0 - 11.0)		19,710	(11,735 - 27,685)
LA	10-14	439	11.3	1.98	(8.0 - 15.8)		29,882	(19,078 - 40,685)
LA	15-17	331	10.1	1.94	(6.9 - 14.6)		18,002	(10,984 - 25,020)
ME	0-4	183	3.5	1.31	(1.7 - 7.2)		2,276	(596 - 3,955)
ME	5-9	224	9.0	2.09	(5.6 - 14.0)		6,088	(3,223 - 8,953)
ME	10-14	273	10.7	2.28	(6.9 - 16.0)		6,679	(3,725 - 9,632)
ME	15-17	248	15.7	2.64	(11.2 - 21.6)		6,735	(4,396 - 9,075)
MD	0-4	417	4.4	1.21	(2.6 - 7.5)		15,754	(7,226 - 24,282)
MD	5-9	632	13.5	1.84	(10.3 - 17.5)		48,164	(34,490 - 61,839)
MD	10-14	776	10.8	1.84	(7.6 - 14.9)		27,432	(17,524 - 37,340)
MD	15-17	585	11.6	1.78	(8.5 - 15.5)		26,739	(18,234 - 35,244)
MI	0-4	368	7.2	1.82	(4.4 - 11.7)		33,065	(16,084 - 50,046)
MI	5-9	372	9.0	1.89	(5.9 - 13.5)		53,158	(30,091 - 76,225)
MI	10-14	492	15.2	2.11	(11.5 - 19.8)		89,693	(63,056 - 116,329)
MI	15-17	480	10.6	1.61	(7.9 - 14.2)		38,047	(26,321 - 49,772)
MS	0-4	181	9.7	2.41	(5.9 - 15.5)		16,847	(8,451 - 25,243)
MS	5-9	203	13.4	2.99	(8.6 - 20.4)		25,249	(13,313 - 37,184)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
MS	10-14	229	15.1	3.27	(9.7 - 22.6)		25,712	(13,747 - 37,676)
MS	15-17	193	11.0	2.52	(6.9 - 17.0)		11,769	(6,269 - 17,269)
MO	0-4	243	4.7	1.61	(2.4 - 9.1)		16,653	(5,313 - 27,993)
MO	5-9	286	14.0	2.53	(9.7 - 19.7)		51,707	(32,361 - 71,054)
MO	10-14	388	16.1	2.64	(11.6 - 22.0)		50,568	(32,933 - 68,202)
MO	15-17	315	10.2	2.51	(6.3 - 16.3)		22,343	(11,092 - 33,595)
MT	0-4	303	3.2	1.22	(1.5 - 6.7)		1,569	(376 - 2,762)
MT	5-9	339	7.1	1.67	(4.5 - 11.2)		4,199	(2,222 - 6,176)
MT	10-14	435	9.6	1.82	(6.6 - 13.9)		4,753	(2,937 - 6,570)
MT	15-17	316	9.6	1.84	(6.5 - 13.9)		3,545	(2,188 - 4,902)
NE	0-4	929	3.4	1.14	(1.7 - 6.5)		4,099	(1,325 - 6,873)
NE	5-9	974	5.0	1.05	(3.3 - 7.5)		6,118	(3,580 - 8,656)
NE	10-14	1,181	10.7	1.39	(8.3 - 13.8)		11,389	(8,372 - 14,407)
NE	15-17	888	6.6	1.17	(4.6 - 9.3)		4,855	(3,130 - 6,580)
NV	0-4	173	6.0	3.04	(2.2 - 15.5)		10,289	(0 - 20,832)
NV	5-9	170	9.0	3.69	(3.9 - 19.3)		12,411	(1,774 - 23,048)
NV	10-14	225	6.6	1.93	(3.7 - 11.6)		11,518	(4,991 - 18,046)
NV	15-17	180	9.7	3.43	(4.8 - 18.8)		6,948	(1,881 - 12,014)
NH	0-4	234	5.9	2.27	(2.7 - 12.2)		3,530	(780 - 6,280)
NH	5-9	286	11.2	2.70	(6.9 - 17.6)		7,642	(3,765 - 11,518)
NH	10-14	376	13.8	2.14	(10.1 - 18.5)		9,020	(6,150 - 11,890)
NH	15-17	267	7.3	1.71	(4.6 - 11.4)		3,454	(1,838 - 5,069)
NJ	0-4	586	5.7	1.23	(3.7 - 8.6)		26,533	(15,029 - 38,037)
NJ	5-9	648	8.7	1.39	(6.4 - 11.9)		36,912	(25,092 - 48,731)
NJ	10-14	779	13.4	1.80	(10.3 - 17.4)		57,819	(41,669 - 73,968)
NJ	15-17	625	13.9	2.40	(9.8 - 19.3)		44,001	(27,737 - 60,264)
NM	0-4	386	2.5	1.02	(1.1 - 5.5)		3,519	(719 - 6,318)
NM	5-9	444	8.1	1.86	(5.1 - 12.6)		10,072	(5,371 - 14,773)
NM	10-14	562	8.8	1.54	(6.2 - 12.3)		9,443	(6,137 - 12,748)
NM	15-17	450	10.0	1.82	(6.9 - 14.2)		7,874	(4,993 - 10,756)
NY	0-4	155	8.0	2.67	(4.1 - 15.1)		91,768	(29,476 - 154,061)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NY	5-9	150	9.3	3.02	(4.9 - 17.2)		93,093	(31,215 - 154,971)
NY	10-14	194	12.5	2.79	(8.0 - 19.1)		115,307	(62,139 - 168,474)
NY	15-17	152	5.4	1.85	(2.7 - 10.4)		30,365	(9,747 - 50,983)
NC	0-4	305	6.2	1.71	(3.6 - 10.5)		38,174	(16,921 - 59,427)
NC	5-9	314	14.4	2.84	(9.7 - 20.9)		90,198	(52,272 - 128,125)
NC	10-14	376	14.3	2.56	(9.9 - 20.0)		60,987	(37,805 - 84,168)
NC	15-17	258	15.1	3.19	(9.9 - 22.5)		58,983	(32,362 - 85,603)
OH	0-4	270	6.9	1.80	(4.1 - 11.4)		38,942	(18,517 - 59,367)
OH	5-9	289	9.8	2.70	(5.7 - 16.5)		60,810	(26,038 - 95,583)
OH	10-14	440	17.3	2.81	(12.5 - 23.5)		103,384	(66,567 - 140,202)
OH	15-17	331	7.7	1.76	(4.9 - 11.9)		32,421	(17,588 - 47,254)
OK	0-4	421	11.2	2.36	(7.3 - 16.7)		27,425	(15,337 - 39,513)
OK	5-9	452	10.4	1.73	(7.5 - 14.3)		25,361	(16,893 - 33,828)
OK	10-14	529	14.4	2.27	(10.5 - 19.5)		33,328	(22,198 - 44,458)
OK	15-17	355	11.3	1.94	(8.0 - 15.7)		16,995	(11,122 - 22,868)
OR	0-4	160	3.2	1.61	(1.2 - 8.4)		7,250	(0 - 14,543)
OR	5-9	213	8.2	2.47	(4.5 - 14.5)		18,910	(7,286 - 30,533)
OR	10-14	239	5.9	1.71	(3.3 - 10.3)		9,874	(4,171 - 15,577)
OR	15-17	182	14.7	3.20	(9.5 - 22.1)		18,677	(10,346 - 27,009)
PA	0-4	408	7.5	1.86	(4.6 - 12.1)		44,203	(21,964 - 66,443)
PA	5-9	460	10.5	1.89	(7.3 - 14.8)		68,817	(43,560 - 94,074)
PA	10-14	536	13.0	2.19	(9.3 - 17.9)		78,426	(50,507 - 106,344)
PA	15-17	480	11.7	1.83	(8.6 - 15.8)		51,382	(35,012 - 67,751)
RI	0-4	237	4.8	1.69	(2.4 - 9.4)		2,494	(726 - 4,261)
RI	5-9	303	15.9	2.84	(11.1 - 22.3)		9,008	(5,582 - 12,434)
RI	10-14	355	12.3	2.08	(8.7 - 17.0)		6,111	(3,983 - 8,240)
RI	15-17	276	10.6	2.63	(6.4 - 17.0)		4,105	(1,976 - 6,235)
TN	0-4	150	11.6	4.81	(5.0 - 24.7)		45,355	(4,932 - 85,777)
TN	5-9	166	8.2	2.26	(4.7 - 13.9)		29,809	(13,486 - 46,133)
TN	10-14	195	9.6	2.64	(5.5 - 16.2)		29,715	(13,211 - 46,218)
TN	15-17	179	7.4	2.20	(4.1 - 13.0)		18,563	(7,480 - 29,645)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
TX	0-4	652	5.4	1.38	(3.3 - 8.9)		80,027	(39,331 - 120,723)
TX	5-9	756	7.4	1.30	(5.2 - 10.4)		119,316	(77,423 - 161,209)
TX	10-14	907	9.9	1.58	(7.2 - 13.4)		147,180	(99,517 - 194,844)
TX	15-17	659	8.1	1.55	(5.5 - 11.7)		89,965	(55,318 - 124,611)
UT	0-4	1,164	2.8	0.57	(1.9 - 4.2)		5,148	(3,061 - 7,234)
UT	5-9	1,160	5.6	0.88	(4.1 - 7.5)		14,192	(9,685 - 18,698)
UT	10-14	1,368	10.5	1.25	(8.2 - 13.2)		22,121	(16,629 - 27,613)
UT	15-17	1,038	8.8	1.32	(6.6 - 11.8)		11,502	(7,981 - 15,023)
VT	0-4	295	5.7	2.10	(2.7 - 11.5)		1,684	(412 - 2,957)
VT	5-9	321	4.5	1.21	(2.7 - 7.6)		1,438	(683 - 2,194)
VT	10-14	400	11.9	2.20	(8.2 - 16.9)		3,388	(2,100 - 4,676)
VT	15-17	325	11.3	2.56	(7.2 - 17.4)		2,598	(1,390 - 3,806)
WA	0-4	388	3.6	1.18	(1.9 - 6.8)		13,273	(4,705 - 21,842)
WA	5-9	451	5.2	1.20	(3.2 - 8.1)		22,726	(12,166 - 33,285)
WA	10-14	618	9.7	1.39	(7.3 - 12.8)		37,250	(26,414 - 48,087)
WA	15-17	489	9.1	1.80	(6.2 - 13.3)		24,341	(14,422 - 34,259)
WV	0-4	310	4.9	1.58	(2.5 - 9.1)		4,156	(1,428 - 6,884)
WV	5-9	322	11.7	2.02	(8.2 - 16.2)		12,050	(7,758 - 16,342)
WV	10-14	400	10.4	1.76	(7.4 - 14.4)		8,940	(5,847 - 12,033)
WV	15-17	241	10.2	2.23	(6.5 - 15.4)		6,690	(3,685 - 9,695)
WI	0-4	287	11.0	4.43	(4.8 - 23.1)		34,538	(4,528 - 64,548)
WI	5-9	284	7.2	1.95	(4.2 - 12.1)		24,475	(11,278 - 37,671)
WI	10-14	410	12.4	3.16	(7.5 - 20.1)		35,744	(16,505 - 54,983)
WI	15-17	312	11.2	3.19	(6.3 - 19.1)		24,321	(10,005 - 38,637)
Territory								
PR	0-4	292	11.0	2.15	(7.5 - 16.0)		23,391	(14,014 - 32,769)
PR	5-9	301	20.1	2.77	(15.2 - 26.1)		46,087	(32,241 - 59,933)
PR	10-14	411	14.7	1.93	(11.3 - 18.9)		26,271	(19,212 - 33,330)
PR	15-17	321	9.5	1.84	(6.4 - 13.8)		15,135	(9,160 - 21,109)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.