

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	23,437	18.9	0.42	(18.1 - 19.7)		5,967,121	(5,683,530 - 6,250,713)
U.S. Total**	25-34	41,597	14.8	0.28	(14.2 - 15.3)		6,340,480	(6,085,242 - 6,595,717)
U.S. Total**	35-44	49,361	13.0	0.26	(12.5 - 13.5)		5,229,610	(5,016,217 - 5,443,003)
U.S. Total**	45-54	68,806	12.9	0.23	(12.5 - 13.3)		5,399,794	(5,204,201 - 5,595,387)
U.S. Total**	55-64	94,409	13.1	0.22	(12.7 - 13.6)		5,313,537	(5,130,529 - 5,496,545)
U.S. Total**	65+	150,083	11.9	0.17	(11.6 - 12.2)		5,740,540	(5,571,297 - 5,909,783)
AL	18-24	485	19.6	2.18	(15.3 - 23.9)		93,624	(71,146 - 116,102)
AL	25-34	759	17.8	1.84	(14.2 - 21.4)		110,885	(86,081 - 135,690)
AL	35-44	889	12.9	1.34	(10.3 - 15.5)		77,343	(60,810 - 93,877)
AL	45-54	1,312	17.7	1.32	(15.1 - 20.3)		110,628	(92,989 - 128,267)
AL	55-64	1,785	13.4	1.04	(11.4 - 15.5)		84,794	(71,229 - 98,359)
AL	65+	2,638	13.6	0.90	(11.8 - 15.4)		105,127	(90,586 - 119,669)
AK	18-24	203	15.7	3.77	(8.3 - 23.1)		12,543	(6,030 - 19,056)
AK	25-34	454	17.2	2.76	(11.8 - 22.7)		19,436	(12,606 - 26,266)
AK	35-44	491	13.1	2.62	(7.9 - 18.2)		11,909	(6,862 - 16,957)
AK	45-54	682	11.3	1.75	(7.8 - 14.7)		10,190	(6,941 - 13,439)
AK	55-64	884	11.5	1.71	(8.1 - 14.8)		10,848	(7,529 - 14,167)
AK	65+	889	11.5	1.83	(8.0 - 15.1)		8,819	(5,908 - 11,730)
AZ	18-24	302	19.6	2.56	(14.5 - 24.6)		132,023	(94,769 - 169,277)
AZ	25-34	572	18.6	1.85	(14.9 - 22.2)		166,798	(131,618 - 201,978)
AZ	35-44	869	16.0	1.52	(13.0 - 19.0)		136,047	(108,740 - 163,355)
AZ	45-54	1,081	14.3	1.34	(11.7 - 17.0)		115,027	(92,335 - 137,719)
AZ	55-64	1,531	15.5	1.19	(13.2 - 17.9)		123,237	(103,324 - 143,150)
AZ	65+	3,393	12.4	0.74	(10.9 - 13.8)		134,437	(118,030 - 150,843)
AR	18-24	158	30.2	4.54	(21.2 - 39.2)		88,633	(56,718 - 120,549)
AR	25-34	299	12.1	2.38	(7.4 - 16.8)		45,350	(26,659 - 64,042)
AR	35-44	450	13.0	2.06	(8.9 - 17.0)		47,297	(31,794 - 62,800)
AR	45-54	715	14.7	2.08	(10.6 - 18.7)		54,697	(38,247 - 71,146)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
AR	55-64	1,145	19.1	1.91	(15.3 - 22.8)	70,433	(54,873 - 85,994)
AR	65+	2,420	11.9	1.08	(9.8 - 14.0)	57,073	(46,313 - 67,833)
CA	18-24	1,257	16.7	1.26	(14.2 - 19.2)	659,609	(553,578 - 765,640)
CA	25-34	2,112	12.9	0.89	(11.2 - 14.7)	733,490	(628,611 - 838,370)
CA	35-44	1,952	11.4	0.93	(9.5 - 13.2)	582,786	(483,579 - 681,992)
CA	45-54	2,142	10.4	0.80	(8.8 - 12.0)	534,017	(450,031 - 618,003)
CA	55-64	2,197	13.8	1.04	(11.8 - 15.8)	645,704	(543,742 - 747,666)
CA	65+	2,810	13.2	0.87	(11.5 - 14.9)	688,542	(594,749 - 782,334)
CO	18-24	774	21.5	2.17	(17.3 - 25.8)	112,196	(86,985 - 137,408)
CO	25-34	1,424	14.6	1.34	(11.9 - 17.2)	114,038	(91,914 - 136,163)
CO	35-44	1,676	14.3	1.15	(12.0 - 16.5)	104,024	(86,730 - 121,318)
CO	45-54	2,145	12.5	0.97	(10.6 - 14.4)	87,276	(73,264 - 101,288)
CO	55-64	2,957	11.0	0.78	(9.5 - 12.5)	74,141	(63,389 - 84,893)
CO	65+	4,337	11.9	0.65	(10.6 - 13.2)	87,072	(77,345 - 96,800)
CT	18-24	502	24.6	2.32	(20.1 - 29.2)	87,874	(69,366 - 106,382)
CT	25-34	929	18.6	1.57	(15.6 - 21.7)	80,400	(65,787 - 95,012)
CT	35-44	1,296	16.6	1.22	(14.3 - 19.0)	71,909	(60,894 - 82,924)
CT	45-54	1,989	13.2	0.91	(11.4 - 15.0)	67,931	(58,317 - 77,546)
CT	55-64	2,679	14.6	0.87	(12.9 - 16.3)	69,951	(61,175 - 78,728)
CT	65+	4,266	13.8	0.73	(12.4 - 15.2)	79,512	(70,811 - 88,213)
DE	18-24	218	23.1	4.29	(14.6 - 31.6)	20,900	(11,758 - 30,041)
DE	25-34	384	14.8	2.37	(10.1 - 19.4)	17,964	(11,905 - 24,023)
DE	35-44	398	11.2	1.75	(7.8 - 14.7)	12,457	(8,516 - 16,398)
DE	45-54	618	16.6	1.96	(12.7 - 20.4)	20,646	(15,378 - 25,915)
DE	55-64	847	13.3	1.39	(10.6 - 16.0)	16,382	(12,870 - 19,894)
DE	65+	1,531	11.1	1.07	(9.0 - 13.2)	17,702	(14,186 - 21,217)
DC	18-24	91	27.6	5.62	(16.4 - 38.8)	18,205	(9,604 - 26,805)
DC	25-34	275	15.2	2.65	(10.0 - 20.4)	23,385	(14,910 - 31,860)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
DC	35-44	433	16.2	2.81	(10.7 - 21.7)	15,322	(9,652 - 20,993)
DC	45-54	572	18.9	2.91	(13.2 - 24.6)	14,153	(9,276 - 19,030)
DC	55-64	802	15.2	1.99	(11.3 - 19.1)	10,448	(7,596 - 13,301)
DC	65+	1,708	14.2	1.30	(11.6 - 16.7)	11,669	(9,444 - 13,894)
FL	18-24	482	17.5	2.11	(13.4 - 21.6)	311,738	(230,433 - 393,043)
FL	25-34	726	12.3	1.36	(9.6 - 15.0)	312,401	(242,105 - 382,697)
FL	35-44	858	12.5	1.41	(9.8 - 15.3)	297,254	(227,105 - 367,403)
FL	45-54	1,281	11.3	1.07	(9.2 - 13.4)	301,146	(242,720 - 359,572)
FL	55-64	1,889	13.7	1.03	(11.7 - 15.8)	361,775	(305,305 - 418,245)
FL	65+	4,338	10.8	0.69	(9.4 - 12.1)	425,532	(369,479 - 481,585)
GA	18-24	218	22.9	3.19	(16.7 - 29.2)	239,219	(165,020 - 313,417)
GA	25-34	438	11.1	1.90	(7.4 - 14.9)	152,032	(97,565 - 206,499)
GA	35-44	529	12.9	1.63	(9.7 - 16.1)	174,306	(129,127 - 219,484)
GA	45-54	741	14.7	1.56	(11.6 - 17.7)	198,352	(154,000 - 242,704)
GA	55-64	1,012	14.2	1.34	(11.5 - 16.8)	170,331	(136,657 - 204,005)
GA	65+	1,674	12.4	0.97	(10.5 - 14.2)	163,463	(137,348 - 189,578)
HI	18-24	499	27.4	2.57	(22.4 - 32.5)	36,265	(28,426 - 44,105)
HI	25-34	798	18.4	1.75	(15.0 - 21.9)	37,817	(30,123 - 45,511)
HI	35-44	835	16.7	1.73	(13.3 - 20.1)	29,511	(22,977 - 36,044)
HI	45-54	1,074	13.4	1.38	(10.7 - 16.1)	23,285	(18,238 - 28,332)
HI	55-64	1,576	17.1	1.33	(14.5 - 19.7)	31,288	(26,045 - 36,531)
HI	65+	2,287	12.0	0.93	(10.2 - 13.9)	28,383	(23,890 - 32,877)
ID	18-24	299	18.3	2.80	(12.8 - 23.8)	30,046	(20,079 - 40,013)
ID	25-34	521	13.9	1.94	(10.1 - 17.7)	29,397	(20,795 - 37,999)
ID	35-44	700	13.5	1.66	(10.3 - 16.8)	27,513	(20,483 - 34,544)
ID	45-54	843	11.8	1.38	(9.1 - 14.5)	22,419	(17,025 - 27,813)
ID	55-64	1,262	15.3	1.55	(12.3 - 18.3)	30,612	(23,934 - 37,290)
ID	65+	2,099	11.0	0.82	(9.4 - 12.7)	26,894	(22,894 - 30,894)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	18-24	359	20.0	2.54	(15.0 - 25.0)	253,476	(183,101 - 323,852)
IL	25-34	556	15.8	1.71	(12.4 - 19.1)	273,022	(211,137 - 334,907)
IL	35-44	597	12.9	1.47	(10.0 - 15.8)	214,438	(164,032 - 264,844)
IL	45-54	887	12.3	1.26	(9.9 - 14.8)	211,976	(167,516 - 256,436)
IL	55-64	1,064	12.2	1.19	(9.9 - 14.6)	200,475	(160,184 - 240,767)
IL	65+	1,797	10.5	0.89	(8.8 - 12.2)	194,398	(160,883 - 227,913)
IN	18-24	277	19.6	2.85	(14.0 - 25.2)	133,870	(91,133 - 176,606)
IN	25-34	455	19.4	2.26	(14.9 - 23.8)	161,514	(120,806 - 202,222)
IN	35-44	617	11.6	1.57	(8.5 - 14.7)	93,927	(67,724 - 120,129)
IN	45-54	904	13.4	1.46	(10.6 - 16.3)	114,787	(88,685 - 140,889)
IN	55-64	1,384	14.8	1.25	(12.4 - 17.2)	124,003	(102,002 - 146,004)
IN	65+	2,349	11.8	0.94	(9.9 - 13.6)	115,865	(96,779 - 134,950)
IA	18-24	301	14.9	2.27	(10.5 - 19.4)	48,217	(32,771 - 63,662)
IA	25-34	494	15.5	1.90	(11.8 - 19.2)	59,319	(43,874 - 74,763)
IA	35-44	647	10.8	1.37	(8.2 - 13.5)	39,664	(29,427 - 49,901)
IA	45-54	984	12.6	1.30	(10.1 - 15.2)	48,022	(37,675 - 58,370)
IA	55-64	1,437	10.8	0.96	(8.9 - 12.7)	44,277	(36,207 - 52,346)
IA	65+	2,269	9.8	0.77	(8.3 - 11.3)	49,485	(41,562 - 57,408)
KS	18-24	1,400	17.4	1.12	(15.2 - 19.6)	53,233	(45,888 - 60,579)
KS	25-34	2,475	14.8	0.78	(13.2 - 16.3)	55,378	(49,238 - 61,518)
KS	35-44	2,759	12.9	0.71	(11.5 - 14.3)	45,074	(39,939 - 50,208)
KS	45-54	3,572	13.6	0.67	(12.3 - 14.9)	47,158	(42,322 - 51,993)
KS	55-64	5,064	12.6	0.54	(11.5 - 13.6)	45,221	(41,163 - 49,280)
KS	65+	7,624	11.0	0.42	(10.1 - 11.8)	47,163	(43,457 - 50,869)
KY	18-24	516	23.9	2.62	(18.8 - 29.1)	103,355	(78,082 - 128,629)
KY	25-34	759	19.0	2.11	(14.8 - 23.1)	105,990	(80,195 - 131,784)
KY	35-44	943	19.0	2.41	(14.3 - 23.7)	105,515	(75,210 - 135,821)
KY	45-54	1,447	15.4	1.36	(12.8 - 18.1)	90,676	(74,047 - 107,306)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KY	55-64	2,133	17.7	1.47	(14.8 - 20.6)		102,343	(83,709 - 120,977)
KY	65+	2,904	14.1	0.98	(12.2 - 16.0)		96,698	(82,915 - 110,481)
LA	18-24	266	21.2	2.95	(15.4 - 27.0)		98,661	(68,134 - 129,188)
LA	25-34	496	18.9	2.25	(14.5 - 23.3)		123,640	(90,934 - 156,346)
LA	35-44	511	11.5	1.64	(8.3 - 14.7)		65,298	(46,066 - 84,530)
LA	45-54	740	11.3	1.28	(8.8 - 13.8)		66,531	(51,223 - 81,840)
LA	55-64	1,067	12.8	1.21	(10.5 - 15.2)		74,945	(60,444 - 89,446)
LA	65+	1,585	13.0	1.12	(10.8 - 15.2)		86,236	(70,731 - 101,741)
ME	18-24	316	21.4	2.79	(15.9 - 26.9)		25,095	(17,886 - 32,303)
ME	25-34	626	18.7	1.91	(15.0 - 22.5)		27,912	(21,798 - 34,026)
ME	35-44	935	17.4	1.60	(14.3 - 20.6)		26,344	(21,175 - 31,513)
ME	45-54	1,481	14.7	1.18	(12.4 - 17.0)		28,133	(23,437 - 32,829)
ME	55-64	2,244	15.4	1.00	(13.4 - 17.3)		32,034	(27,617 - 36,451)
ME	65+	3,378	11.5	0.77	(10.0 - 13.0)		28,857	(24,808 - 32,905)
MD	18-24	334	13.7	2.39	(9.0 - 18.3)		76,648	(48,780 - 104,517)
MD	25-34	696	18.2	2.33	(13.7 - 22.8)		149,392	(108,131 - 190,654)
MD	35-44	1,257	12.6	1.48	(9.7 - 15.5)		96,574	(73,415 - 119,732)
MD	45-54	2,173	13.3	1.25	(10.9 - 15.8)		112,641	(90,848 - 134,434)
MD	55-64	2,823	13.4	1.22	(11.0 - 15.8)		100,848	(81,615 - 120,081)
MD	65+	5,012	12.0	0.93	(10.2 - 13.9)		104,491	(87,768 - 121,214)
MA	18-24	658	20.9	2.04	(16.9 - 24.9)		146,697	(115,886 - 177,508)
MA	25-34	1,145	17.3	1.33	(14.7 - 19.9)		155,881	(130,736 - 181,027)
MA	35-44	1,117	14.8	1.30	(12.2 - 17.3)		121,464	(99,131 - 143,796)
MA	45-54	1,644	15.9	1.18	(13.5 - 18.2)		144,434	(121,618 - 167,249)
MA	55-64	1,868	14.4	1.10	(12.2 - 16.5)		128,032	(107,516 - 148,549)
MA	65+	2,610	11.9	0.88	(10.2 - 13.7)		127,571	(108,290 - 146,851)
MI	18-24	647	21.3	1.95	(17.5 - 25.1)		214,730	(171,272 - 258,188)
MI	25-34	901	19.2	1.48	(16.3 - 22.1)		228,563	(191,001 - 266,126)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
MI	35-44	986	16.4	1.37	(13.7 - 19.1)	189,796	(156,138 - 223,454)
MI	45-54	1,498	15.5	1.11	(13.4 - 17.7)	202,861	(172,398 - 233,324)
MI	55-64	1,939	13.2	0.94	(11.3 - 15.0)	178,873	(152,175 - 205,571)
MI	65+	2,815	11.9	0.76	(10.4 - 13.4)	189,345	(164,572 - 214,118)
MN	18-24	1,060	15.3	1.24	(12.9 - 17.8)	79,919	(66,385 - 93,452)
MN	25-34	1,787	13.3	0.91	(11.5 - 15.1)	95,869	(82,344 - 109,393)
MN	35-44	2,090	11.0	0.81	(9.4 - 12.6)	74,887	(63,607 - 86,167)
MN	45-54	2,848	10.4	0.66	(9.1 - 11.7)	74,411	(64,784 - 84,038)
MN	55-64	3,720	8.7	0.55	(7.6 - 9.8)	62,383	(54,280 - 70,486)
MN	65+	5,029	9.4	0.49	(8.5 - 10.4)	77,130	(68,901 - 85,359)
MS	18-24	241	17.2	3.03	(11.3 - 23.2)	53,881	(32,980 - 74,782)
MS	25-34	497	10.1	1.63	(6.9 - 13.3)	39,010	(25,977 - 52,043)
MS	35-44	608	14.9	1.92	(11.1 - 18.6)	54,575	(39,439 - 69,712)
MS	45-54	876	12.8	1.38	(10.1 - 15.5)	47,485	(36,950 - 58,021)
MS	55-64	1,370	10.8	1.13	(8.6 - 13.0)	39,897	(31,268 - 48,527)
MS	65+	2,383	9.0	0.79	(7.5 - 10.5)	39,770	(32,713 - 46,827)
MO	18-24	420	17.4	2.28	(12.9 - 21.9)	104,510	(75,014 - 134,007)
MO	25-34	693	16.7	1.80	(13.2 - 20.2)	130,988	(101,092 - 160,883)
MO	35-44	698	17.6	1.97	(13.7 - 21.5)	128,439	(97,308 - 159,569)
MO	45-54	1,085	14.0	1.37	(11.3 - 16.7)	105,238	(83,722 - 126,755)
MO	55-64	1,513	11.5	1.01	(9.5 - 13.4)	90,173	(73,949 - 106,396)
MO	65+	2,763	11.5	0.85	(9.9 - 13.2)	111,193	(94,211 - 128,176)
MT	18-24	309	15.0	2.44	(10.2 - 19.8)	15,167	(9,954 - 20,380)
MT	25-34	507	12.7	1.86	(9.0 - 16.3)	16,171	(11,247 - 21,095)
MT	35-44	564	13.6	2.02	(9.6 - 17.5)	16,032	(10,974 - 21,091)
MT	45-54	846	13.6	1.56	(10.5 - 16.7)	16,814	(12,787 - 20,841)
MT	55-64	1,426	13.8	1.28	(11.3 - 16.3)	20,705	(16,674 - 24,735)
MT	65+	2,304	9.5	0.80	(7.9 - 11.1)	16,978	(14,066 - 19,889)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NE	18-24	1,053	17.2	1.70	(13.8 - 20.5)		32,816	(25,727 - 39,905)
NE	25-34	1,818	13.2	1.17	(10.9 - 15.5)		32,745	(26,717 - 38,773)
NE	35-44	1,934	12.2	1.13	(10.0 - 14.4)		27,993	(22,604 - 33,381)
NE	45-54	2,748	10.0	0.83	(8.4 - 11.7)		22,836	(18,930 - 26,742)
NE	55-64	3,807	11.0	0.73	(9.6 - 12.5)		25,905	(22,355 - 29,456)
NE	65+	6,004	10.2	0.54	(9.1 - 11.2)		28,742	(25,666 - 31,818)
NV	18-24	164	17.0	3.95	(9.2 - 24.8)		44,284	(22,076 - 66,492)
NV	25-34	286	14.6	2.56	(9.5 - 19.6)		58,473	(37,299 - 79,646)
NV	35-44	332	14.7	2.28	(10.2 - 19.2)		56,982	(39,073 - 74,891)
NV	45-54	447	11.4	2.26	(6.9 - 15.8)		43,540	(25,672 - 61,409)
NV	55-64	589	15.1	2.47	(10.3 - 20.0)		52,080	(33,921 - 70,239)
NV	65+	1,060	10.4	1.44	(7.6 - 13.3)		43,977	(31,741 - 56,214)
NH	18-24	213	21.2	3.21	(14.8 - 27.5)		25,095	(16,722 - 33,467)
NH	25-34	448	18.1	2.20	(13.8 - 22.4)		29,752	(21,938 - 37,566)
NH	35-44	630	18.1	1.99	(14.2 - 22.0)		27,972	(21,258 - 34,687)
NH	45-54	1,158	14.3	1.24	(11.8 - 16.7)		28,473	(23,323 - 33,623)
NH	55-64	1,720	12.3	0.92	(10.5 - 14.1)		24,623	(20,872 - 28,374)
NH	65+	2,743	11.5	0.76	(10.0 - 13.0)		25,175	(21,726 - 28,624)
NJ	18-24	590	13.2	1.88	(9.5 - 16.9)		107,572	(75,632 - 139,511)
NJ	25-34	1,062	14.2	1.51	(11.2 - 17.1)		159,619	(123,726 - 195,513)
NJ	35-44	1,456	11.8	1.17	(9.5 - 14.0)		133,569	(106,247 - 160,890)
NJ	45-54	2,187	11.5	0.97	(9.6 - 13.4)		146,642	(121,251 - 172,033)
NJ	55-64	2,492	9.7	0.87	(8.0 - 11.5)		112,509	(92,195 - 132,823)
NJ	65+	3,462	10.4	0.93	(8.6 - 12.2)		142,378	(115,861 - 168,895)
NM	18-24	314	22.0	3.11	(15.9 - 28.1)		45,489	(31,088 - 59,889)
NM	25-34	578	15.4	1.84	(11.8 - 19.0)		42,435	(31,826 - 53,044)
NM	35-44	740	13.9	1.78	(10.4 - 17.4)		34,184	(25,012 - 43,357)
NM	45-54	1,041	12.6	1.42	(9.8 - 15.3)		31,318	(24,038 - 38,598)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	55-64	1,586	14.9	1.23	(12.5 - 17.3)		39,812	(32,906 - 46,719)
NM	65+	2,394	13.2	1.06	(11.1 - 15.2)		42,737	(35,621 - 49,854)
NY	18-24	655	18.9	1.90	(15.2 - 22.6)		363,131	(282,335 - 443,927)
NY	25-34	1,270	17.1	1.22	(14.7 - 19.5)		480,853	(408,303 - 553,402)
NY	35-44	1,466	14.0	1.07	(11.9 - 16.1)		340,765	(286,732 - 394,798)
NY	45-54	2,149	13.9	0.90	(12.2 - 15.7)		371,874	(322,217 - 421,531)
NY	55-64	2,552	12.6	0.82	(11.0 - 14.2)		313,776	(271,917 - 355,635)
NY	65+	4,031	13.3	0.74	(11.8 - 14.7)		402,440	(355,813 - 449,066)
NC	18-24	449	22.7	2.30	(18.2 - 27.2)		225,837	(174,419 - 277,256)
NC	25-34	806	10.4	1.17	(8.1 - 12.7)		133,958	(103,242 - 164,673)
NC	35-44	938	12.2	1.21	(9.8 - 14.6)		157,068	(124,848 - 189,289)
NC	45-54	1,164	13.3	1.23	(10.8 - 15.7)		174,928	(140,569 - 209,287)
NC	55-64	1,336	12.0	1.09	(9.9 - 14.2)		149,807	(121,519 - 178,094)
NC	65+	1,898	12.5	0.99	(10.5 - 14.4)		191,531	(159,848 - 223,213)
ND	18-24	269	14.6	2.30	(10.1 - 19.1)		13,388	(8,974 - 17,802)
ND	25-34	506	14.0	1.81	(10.4 - 17.5)		15,081	(10,956 - 19,206)
ND	35-44	515	12.4	1.79	(8.9 - 15.9)		10,893	(7,596 - 14,190)
ND	45-54	699	11.2	1.52	(8.3 - 14.2)		9,796	(7,025 - 12,567)
ND	55-64	1,135	12.7	1.23	(10.3 - 15.1)		12,127	(9,669 - 14,585)
ND	65+	1,787	11.9	0.92	(10.2 - 13.7)		13,504	(11,390 - 15,618)
OH	18-24	437	20.5	2.63	(15.3 - 25.7)		229,459	(163,936 - 294,982)
OH	25-34	851	13.6	1.54	(10.6 - 16.7)		197,737	(151,057 - 244,418)
OH	35-44	1,165	12.9	1.39	(10.2 - 15.6)		178,979	(138,988 - 218,970)
OH	45-54	1,782	15.1	1.32	(12.6 - 17.7)		232,335	(189,168 - 275,503)
OH	55-64	2,708	13.4	1.01	(11.4 - 15.4)		207,281	(174,384 - 240,178)
OH	65+	4,778	11.3	0.68	(9.9 - 12.6)		210,099	(184,403 - 235,794)
OK	18-24	260	20.9	2.94	(15.1 - 26.7)		82,811	(57,115 - 108,508)
OK	25-34	592	14.8	1.66	(11.5 - 18.1)		77,142	(59,072 - 95,213)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	35-44	673	13.5	1.53	(10.5 - 16.5)		64,453	(49,385 - 79,521)
OK	45-54	937	15.2	1.59	(12.1 - 18.3)		71,548	(55,507 - 87,590)
OK	55-64	1,548	12.7	1.05	(10.7 - 14.8)		61,155	(50,721 - 71,590)
OK	65+	2,866	10.8	0.72	(9.4 - 12.2)		63,473	(54,941 - 72,005)
OR	18-24	298	17.8	2.48	(12.9 - 22.7)		65,857	(46,247 - 85,466)
OR	25-34	508	22.2	2.12	(18.0 - 26.3)		118,397	(93,515 - 143,279)
OR	35-44	611	19.9	1.86	(16.2 - 23.5)		102,479	(81,843 - 123,116)
OR	45-54	754	19.9	1.75	(16.5 - 23.4)		96,988	(78,420 - 115,555)
OR	55-64	1,113	15.6	1.28	(13.1 - 18.1)		84,314	(69,845 - 98,784)
OR	65+	1,970	14.1	0.91	(12.3 - 15.9)		92,667	(80,284 - 105,051)
PA	18-24	373	21.2	2.78	(15.8 - 26.7)		264,697	(188,344 - 341,051)
PA	25-34	640	17.9	1.92	(14.2 - 21.7)		284,901	(218,521 - 351,280)
PA	35-44	661	16.3	1.73	(12.9 - 19.7)		239,725	(185,968 - 293,481)
PA	45-54	935	14.2	1.55	(11.1 - 17.2)		241,330	(185,280 - 297,381)
PA	55-64	1,291	13.3	1.33	(10.7 - 15.9)		234,185	(184,777 - 283,593)
PA	65+	1,764	10.5	0.95	(8.6 - 12.3)		231,675	(188,619 - 274,731)
RI	18-24	276	17.7	2.87	(12.0 - 23.4)		19,774	(12,768 - 26,779)
RI	25-34	449	19.4	2.21	(15.0 - 23.7)		26,652	(20,201 - 33,102)
RI	35-44	633	17.8	1.95	(14.0 - 21.6)		21,959	(16,878 - 27,040)
RI	45-54	1,024	14.5	1.38	(11.8 - 17.3)		21,015	(16,844 - 25,186)
RI	55-64	1,424	15.8	1.30	(13.3 - 18.4)		22,433	(18,508 - 26,358)
RI	65+	2,285	12.4	0.87	(10.7 - 14.1)		21,506	(18,386 - 24,627)
SC	18-24	602	16.6	1.89	(12.9 - 20.3)		80,703	(60,808 - 100,598)
SC	25-34	997	13.1	1.39	(10.4 - 15.9)		82,945	(64,490 - 101,400)
SC	35-44	1,310	11.5	1.08	(9.4 - 13.6)		68,449	(55,185 - 81,714)
SC	45-54	1,803	13.2	1.01	(11.2 - 15.2)		82,545	(69,337 - 95,753)
SC	55-64	2,428	13.7	0.95	(11.8 - 15.5)		86,420	(73,854 - 98,987)
SC	65+	4,302	11.5	0.66	(10.2 - 12.8)		91,743	(80,835 - 102,650)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	18-24	330	16.0	2.77	(10.6 - 21.5)		13,947	(8,825 - 19,070)
SD	25-34	687	14.5	2.37	(9.8 - 19.1)		16,033	(10,343 - 21,724)
SD	35-44	793	12.6	2.09	(8.5 - 16.7)		12,465	(8,064 - 16,866)
SD	45-54	1,082	11.0	1.46	(8.1 - 13.9)		11,221	(8,157 - 14,285)
SD	55-64	1,583	11.6	1.36	(8.9 - 14.3)		13,135	(9,955 - 16,316)
SD	65+	2,675	10.7	1.01	(8.7 - 12.6)		14,419	(11,635 - 17,204)
TN	18-24	264	14.7	2.68	(9.5 - 20.0)		93,385	(57,613 - 129,158)
TN	25-34	479	14.9	1.93	(11.1 - 18.7)		127,543	(93,057 - 162,029)
TN	35-44	596	15.1	2.05	(11.1 - 19.2)		124,545	(88,637 - 160,452)
TN	45-54	963	15.8	1.79	(12.3 - 19.3)		137,895	(104,257 - 171,534)
TN	55-64	1,348	13.6	1.29	(11.1 - 16.2)		115,208	(92,540 - 137,876)
TN	65+	2,247	13.1	1.02	(11.1 - 15.1)		136,059	(114,129 - 157,989)
TX	18-24	768	18.0	1.90	(14.3 - 21.8)		501,896	(390,882 - 612,911)
TX	25-34	1,550	12.3	1.31	(9.7 - 14.8)		476,983	(370,973 - 582,993)
TX	35-44	1,757	8.8	0.98	(6.9 - 10.7)		316,591	(244,837 - 388,344)
TX	45-54	2,158	10.4	1.06	(8.3 - 12.5)		362,866	(288,458 - 437,274)
TX	55-64	2,843	12.1	1.00	(10.2 - 14.1)		372,601	(310,485 - 434,717)
TX	65+	5,406	11.8	0.84	(10.2 - 13.4)		386,209	(330,280 - 442,139)
UT	18-24	957	17.5	1.37	(14.8 - 20.2)		59,618	(49,656 - 69,580)
UT	25-34	1,746	13.6	0.97	(11.7 - 15.5)		59,672	(50,721 - 68,623)
UT	35-44	1,991	12.0	0.86	(10.3 - 13.6)		46,769	(39,871 - 53,667)
UT	45-54	1,755	14.4	1.01	(12.4 - 16.3)		43,684	(37,225 - 50,143)
UT	55-64	2,135	12.8	0.91	(11.0 - 14.6)		35,806	(30,492 - 41,121)
UT	65+	2,674	13.9	0.87	(12.2 - 15.6)		43,196	(37,569 - 48,823)
VT	18-24	336	20.8	2.51	(15.9 - 25.7)		13,988	(10,345 - 17,630)
VT	25-34	597	19.7	1.96	(15.9 - 23.6)		13,953	(10,949 - 16,957)
VT	35-44	720	18.4	1.82	(14.9 - 22.0)		13,033	(10,239 - 15,827)
VT	45-54	1,185	17.5	1.38	(14.8 - 20.2)		15,075	(12,506 - 17,644)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	55-64	1,587	11.9	1.00	(9.9 - 13.9)		11,424	(9,439 - 13,409)
VT	65+	1,980	12.7	0.95	(10.8 - 14.5)		13,886	(11,744 - 16,027)
VA	18-24	452	18.1	1.99	(14.2 - 22.0)		152,819	(116,668 - 188,970)
VA	25-34	908	12.3	1.18	(10.0 - 14.6)		140,250	(112,742 - 167,759)
VA	35-44	1,095	12.4	1.19	(10.0 - 14.7)		132,105	(106,204 - 158,005)
VA	45-54	1,548	9.6	0.87	(7.9 - 11.3)		109,729	(89,780 - 129,678)
VA	55-64	1,969	12.3	1.15	(10.0 - 14.5)		131,312	(105,234 - 157,389)
VA	65+	2,551	11.0	0.82	(9.4 - 12.6)		132,715	(112,755 - 152,676)
WA	18-24	871	19.0	1.55	(16.0 - 22.1)		126,526	(104,248 - 148,805)
WA	25-34	1,453	14.6	1.07	(12.5 - 16.7)		144,872	(122,835 - 166,910)
WA	35-44	1,705	13.1	1.03	(11.1 - 15.2)		121,768	(101,838 - 141,697)
WA	45-54	2,390	14.8	0.92	(13.0 - 16.6)		135,337	(117,599 - 153,075)
WA	55-64	3,525	15.1	0.78	(13.6 - 16.6)		137,871	(122,916 - 152,825)
WA	65+	5,841	13.7	0.60	(12.6 - 14.9)		143,952	(131,020 - 156,884)
WV	18-24	379	15.1	1.99	(11.2 - 19.0)		25,865	(18,654 - 33,076)
WV	25-34	594	16.4	1.68	(13.1 - 19.7)		35,211	(27,555 - 42,867)
WV	35-44	745	15.6	1.53	(12.6 - 18.6)		34,848	(27,579 - 42,116)
WV	45-54	987	14.6	1.31	(12.0 - 17.2)		35,328	(28,645 - 42,012)
WV	55-64	1,366	15.1	1.12	(12.9 - 17.3)		40,034	(33,753 - 46,315)
WV	65+	1,811	14.3	0.96	(12.4 - 16.2)		48,538	(41,725 - 55,351)
WI	18-24	380	20.3	2.67	(15.0 - 25.5)		115,215	(81,293 - 149,136)
WI	25-34	594	14.8	1.83	(11.2 - 18.3)		105,167	(78,226 - 132,107)
WI	35-44	696	13.6	1.73	(10.2 - 17.0)		94,896	(69,828 - 119,965)
WI	45-54	1,039	12.4	1.35	(9.8 - 15.1)		95,821	(74,330 - 117,312)
WI	55-64	1,421	9.7	1.01	(7.7 - 11.7)		76,141	(60,094 - 92,188)
WI	65+	1,984	9.9	0.91	(8.1 - 11.7)		90,648	(73,817 - 107,479)
WY	18-24	155	21.5	3.70	(14.2 - 28.8)		12,613	(7,817 - 17,409)
WY	25-34	400	17.7	2.36	(13.0 - 22.3)		14,065	(10,027 - 18,102)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	35-44	494	10.4	1.77	(7.0 - 13.9)		7,415	(4,825 - 10,004)
WY	45-54	691	9.7	1.33	(7.1 - 12.3)		6,732	(4,857 - 8,607)
WY	55-64	1,285	11.8	1.17	(9.5 - 14.1)		9,423	(7,511 - 11,334)
WY	65+	2,358	11.4	0.92	(9.6 - 13.2)		9,868	(8,222 - 11,514)
Territories								
GU	18-24	210	10.4	2.71	(5.0 - 15.7)		1,838	(861 - 2,815)
GU	25-34	311	13.6	2.80	(8.1 - 19.1)		2,862	(1,621 - 4,103)
GU	35-44	315	12.7	2.55	(7.7 - 17.7)		2,868	(1,661 - 4,075)
GU	45-54	317	13.8	2.92	(8.0 - 19.5)		2,761	(1,520 - 4,002)
GU	55-64	290	12.2	3.34	(5.6 - 18.8)		1,717	(717 - 2,717)
GU	65+	212	10.0	4.00	(2.1 - 17.9)		1,076	(158 - 1,995)
PR	18-24	433	22.0	2.32	(17.4 - 26.5)		81,603	(62,405 - 100,802)
PR	25-34	635	16.6	1.62	(13.4 - 19.8)		77,634	(61,629 - 93,639)
PR	35-44	683	15.4	1.63	(12.2 - 18.6)		71,849	(55,778 - 87,919)
PR	45-54	865	15.0	1.37	(12.3 - 17.7)		70,340	(56,939 - 83,740)
PR	55-64	1,016	18.6	1.50	(15.7 - 21.6)		80,268	(66,284 - 94,253)
PR	65+	1,734	13.2	0.98	(11.3 - 15.1)		76,580	(64,832 - 88,329)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.