

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	HS Nongrad	32,828	14.6	0.33	(13.9 - 15.2)		5,110,326	(4,869,080 - 5,351,572)
U.S. Total**	HS Grad	120,791	13.7	0.20	(13.3 - 14.1)		9,554,225	(9,266,087 - 9,842,363)
U.S. Total**	Some Coll	118,378	15.0	0.20	(14.6 - 15.4)		11,479,816	(11,154,276 - 11,805,355)
U.S. Total**	Coll Grad	159,169	12.2	0.15	(11.9 - 12.5)		7,939,300	(7,733,599 - 8,145,002)
AL	HS Nongrad	941	19.9	1.74	(16.5 - 23.3)		123,611	(100,454 - 146,769)
AL	HS Grad	2,526	15.1	1.06	(13.0 - 17.2)		176,126	(149,868 - 202,385)
AL	Some Coll	2,231	16.0	1.03	(14.0 - 18.0)		188,234	(162,861 - 213,608)
AL	Coll Grad	2,201	12.6	0.93	(10.8 - 14.5)		98,252	(83,311 - 113,192)
AK	HS Nongrad	239	15.2	3.85	(7.6 - 22.8)		8,192	(3,728 - 12,656)
AK	HS Grad	991	12.6	1.79	(9.1 - 16.1)		19,315	(13,633 - 24,997)
AK	Some Coll	1,044	13.1	1.93	(9.4 - 16.9)		27,272	(18,760 - 35,785)
AK	Coll Grad	1,348	13.7	1.44	(10.9 - 16.5)		18,331	(14,347 - 22,314)
AZ	HS Nongrad	579	13.6	1.80	(10.1 - 17.1)		106,344	(77,271 - 135,416)
AZ	HS Grad	1,828	15.4	1.23	(13.0 - 17.8)		201,690	(167,593 - 235,787)
AZ	Some Coll	2,400	17.9	1.13	(15.7 - 20.2)		327,689	(283,486 - 371,893)
AZ	Coll Grad	3,064	14.0	0.89	(12.3 - 15.8)		174,487	(151,385 - 197,589)
AR	HS Nongrad	585	21.8	3.12	(15.6 - 27.9)		77,767	(52,919 - 102,616)
AR	HS Grad	1,808	17.5	1.78	(14.0 - 21.0)		138,734	(108,025 - 169,444)
AR	Some Coll	1,383	14.9	1.57	(11.8 - 18.0)		101,864	(79,327 - 124,401)
AR	Coll Grad	1,438	10.7	1.33	(8.1 - 13.3)		45,369	(33,815 - 56,923)
CA	HS Nongrad	1,659	9.1	0.83	(7.5 - 10.7)		499,622	(406,482 - 592,762)
CA	HS Grad	2,501	13.3	0.83	(11.7 - 14.9)		871,279	(757,833 - 984,724)
CA	Some Coll	3,283	15.4	0.79	(13.8 - 16.9)		1,472,071	(1,313,029 - 1,631,113)
CA	Coll Grad	5,086	12.2	0.62	(11.0 - 13.5)		1,011,330	(905,594 - 1,117,066)
CO	HS Nongrad	892	11.7	1.76	(8.2 - 15.2)		50,930	(34,772 - 67,089)
CO	HS Grad	3,171	15.1	1.02	(13.1 - 17.1)		144,142	(123,392 - 164,891)
CO	Some Coll	3,742	14.4	0.91	(12.6 - 16.2)		197,330	(171,165 - 223,495)
CO	Coll Grad	5,638	13.3	0.71	(11.9 - 14.6)		186,881	(166,105 - 207,656)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
CT	HS Nongrad	777	20.1	1.91	(16.4 - 23.9)	64,085	(51,140 - 77,031)
CT	HS Grad	2,833	17.1	1.02	(15.1 - 19.1)	135,470	(118,124 - 152,817)
CT	Some Coll	2,699	16.5	1.04	(14.5 - 18.6)	127,366	(110,354 - 144,377)
CT	Coll Grad	5,491	14.5	0.65	(13.2 - 15.7)	135,520	(122,784 - 148,257)
DE	HS Nongrad	366	19.2	3.60	(12.1 - 26.2)	18,103	(10,279 - 25,928)
DE	HS Grad	1,231	13.1	1.50	(10.2 - 16.0)	30,223	(22,966 - 37,480)
DE	Some Coll	1,016	14.9	1.54	(11.8 - 17.9)	31,921	(24,973 - 38,869)
DE	Coll Grad	1,422	13.3	1.23	(10.9 - 15.7)	26,045	(21,085 - 31,005)
DC	HS Nongrad	235	20.9	4.07	(12.8 - 28.9)	13,002	(7,493 - 18,510)
DC	HS Grad	732	21.9	3.25	(15.6 - 28.3)	22,496	(15,164 - 29,827)
DC	Some Coll	575	21.3	3.39	(14.7 - 28.0)	22,910	(14,834 - 30,985)
DC	Coll Grad	2,414	12.9	1.41	(10.1 - 15.6)	35,487	(27,561 - 43,413)
FL	HS Nongrad	695	12.0	1.55	(9.0 - 15.0)	274,836	(201,581 - 348,091)
FL	HS Grad	2,413	12.8	0.90	(11.0 - 14.5)	611,969	(522,328 - 701,611)
FL	Some Coll	2,843	13.8	0.92	(12.0 - 15.7)	699,013	(601,730 - 796,296)
FL	Coll Grad	3,701	10.8	0.70	(9.4 - 12.1)	421,438	(365,669 - 477,206)
GA	HS Nongrad	510	16.4	2.27	(12.0 - 20.9)	201,366	(142,183 - 260,549)
GA	HS Grad	1,243	12.4	1.34	(9.7 - 15.0)	277,174	(214,147 - 340,201)
GA	Some Coll	1,211	16.5	1.45	(13.7 - 19.4)	379,640	(308,606 - 450,673)
GA	Coll Grad	1,683	12.4	1.02	(10.4 - 14.4)	238,304	(198,012 - 278,595)
HI	HS Nongrad	288	21.1	3.32	(14.6 - 27.7)	21,851	(14,075 - 29,627)
HI	HS Grad	1,882	16.3	1.11	(14.2 - 18.5)	53,065	(45,472 - 60,659)
HI	Some Coll	2,015	17.8	1.16	(15.6 - 20.1)	67,129	(57,875 - 76,383)
HI	Coll Grad	2,942	14.6	0.87	(12.9 - 16.3)	45,348	(39,760 - 50,936)
ID	HS Nongrad	417	13.9	2.51	(9.0 - 18.9)	19,594	(12,133 - 27,055)
ID	HS Grad	1,626	14.1	1.39	(11.4 - 16.9)	49,527	(39,206 - 59,849)
ID	Some Coll	1,865	14.1	1.11	(11.9 - 16.3)	63,253	(52,942 - 73,564)
ID	Coll Grad	1,846	12.3	1.11	(10.1 - 14.5)	34,130	(27,782 - 40,477)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	HS Nongrad	376	13.1	2.05	(9.1 - 17.1)	167,473	(112,765 - 222,181)
IL	HS Grad	1,400	13.4	1.19	(11.0 - 15.7)	361,726	(294,403 - 429,049)
IL	Some Coll	1,398	14.2	1.16	(11.9 - 16.4)	431,139	(357,582 - 504,695)
IL	Coll Grad	2,100	13.6	0.92	(11.8 - 15.4)	389,036	(334,750 - 443,323)
IN	HS Nongrad	476	19.9	2.66	(14.7 - 25.1)	133,138	(94,345 - 171,930)
IN	HS Grad	2,027	14.9	1.18	(12.5 - 17.2)	258,241	(215,160 - 301,322)
IN	Some Coll	1,525	14.3	1.30	(11.8 - 16.8)	219,869	(177,905 - 261,834)
IN	Coll Grad	1,981	12.1	1.03	(10.1 - 14.1)	129,514	(107,010 - 152,018)
IA	HS Nongrad	342	15.5	2.51	(10.6 - 20.5)	34,154	(22,471 - 45,838)
IA	HS Grad	2,104	10.9	0.98	(9.0 - 12.9)	82,814	(67,451 - 98,177)
IA	Some Coll	1,821	13.2	1.05	(11.1 - 15.2)	110,144	(91,935 - 128,354)
IA	Coll Grad	1,913	11.2	0.89	(9.4 - 12.9)	63,855	(53,526 - 74,183)
KS	HS Nongrad	1,472	14.1	1.05	(12.0 - 16.2)	33,577	(28,323 - 38,831)
KS	HS Grad	6,332	13.2	0.53	(12.2 - 14.2)	77,905	(71,340 - 84,471)
KS	Some Coll	6,606	14.7	0.54	(13.6 - 15.7)	110,237	(101,763 - 118,710)
KS	Coll Grad	8,632	12.1	0.43	(11.3 - 12.9)	72,234	(66,985 - 77,483)
KY	HS Nongrad	873	29.1	2.68	(23.8 - 34.3)	164,683	(128,050 - 201,315)
KY	HS Grad	2,858	16.4	1.12	(14.2 - 18.6)	188,589	(161,426 - 215,752)
KY	Some Coll	2,416	16.7	1.23	(14.2 - 19.1)	169,702	(142,827 - 196,577)
KY	Coll Grad	2,611	12.5	1.05	(10.4 - 14.5)	83,671	(69,115 - 98,228)
LA	HS Nongrad	585	17.8	2.15	(13.6 - 22.0)	111,897	(82,763 - 141,030)
LA	HS Grad	1,529	14.5	1.28	(12.0 - 17.0)	173,081	(140,820 - 205,342)
LA	Some Coll	1,225	15.2	1.38	(12.5 - 17.9)	154,350	(124,753 - 183,948)
LA	Coll Grad	1,355	10.9	1.10	(8.8 - 13.1)	77,982	(61,778 - 94,185)
ME	HS Nongrad	405	19.0	2.96	(13.2 - 24.8)	18,182	(11,914 - 24,450)
ME	HS Grad	2,725	13.9	0.92	(12.1 - 15.7)	50,172	(43,252 - 57,092)
ME	Some Coll	2,410	17.4	1.08	(15.3 - 19.5)	58,391	(50,725 - 66,057)
ME	Coll Grad	3,477	14.9	0.86	(13.2 - 16.6)	41,617	(36,576 - 46,657)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
MD	HS Nongrad	692	18.4	2.77	(13.0 - 23.9)	98,832	(66,452 - 131,211)
MD	HS Grad	3,309	15.0	1.37	(12.3 - 17.7)	183,637	(148,214 - 219,061)
MD	Some Coll	2,935	13.1	1.14	(10.8 - 15.3)	172,179	(141,467 - 202,890)
MD	Coll Grad	5,547	12.1	0.91	(10.3 - 13.9)	190,702	(161,069 - 220,335)
MA	HS Nongrad	649	19.8	2.13	(15.6 - 24.0)	117,713	(90,440 - 144,986)
MA	HS Grad	2,108	16.2	1.09	(14.1 - 18.3)	226,713	(194,439 - 258,987)
MA	Some Coll	2,162	15.7	1.03	(13.7 - 17.7)	224,800	(193,972 - 255,628)
MA	Coll Grad	4,260	13.7	0.66	(12.5 - 15.0)	265,625	(239,775 - 291,475)
MI	HS Nongrad	439	20.1	2.30	(15.5 - 24.6)	168,561	(126,153 - 210,968)
MI	HS Grad	2,444	15.4	0.87	(13.7 - 17.1)	353,877	(311,914 - 395,840)
MI	Some Coll	2,656	16.2	0.85	(14.5 - 17.9)	431,998	(384,586 - 479,410)
MI	Coll Grad	3,327	13.4	0.71	(12.0 - 14.8)	246,631	(219,358 - 273,903)
MN	HS Nongrad	642	13.4	1.53	(10.4 - 16.4)	48,751	(37,288 - 60,215)
MN	HS Grad	4,172	10.2	0.59	(9.0 - 11.3)	114,085	(100,597 - 127,573)
MN	Some Coll	5,295	11.9	0.55	(10.9 - 13.0)	172,807	(156,430 - 189,183)
MN	Coll Grad	6,563	10.5	0.45	(9.6 - 11.4)	133,087	(121,374 - 144,800)
MS	HS Nongrad	807	14.8	2.19	(10.5 - 19.1)	62,240	(42,190 - 82,291)
MS	HS Grad	1,903	13.4	1.22	(11.0 - 15.8)	91,025	(73,595 - 108,455)
MS	Some Coll	1,617	11.3	1.11	(9.1 - 13.4)	84,275	(67,239 - 101,312)
MS	Coll Grad	1,668	9.4	1.05	(7.4 - 11.5)	38,839	(29,978 - 47,700)
MO	HS Nongrad	683	20.7	2.52	(15.8 - 25.7)	119,001	(86,807 - 151,195)
MO	HS Grad	2,398	11.6	0.91	(9.8 - 13.3)	169,955	(142,540 - 197,370)
MO	Some Coll	1,965	15.9	1.18	(13.6 - 18.2)	236,037	(198,959 - 273,115)
MO	Coll Grad	2,200	13.4	1.02	(11.4 - 15.4)	151,264	(127,354 - 175,173)
MT	HS Nongrad	340	18.8	3.25	(12.4 - 25.2)	12,797	(7,915 - 17,680)
MT	HS Grad	1,822	10.2	1.00	(8.3 - 12.2)	24,693	(19,748 - 29,639)
MT	Some Coll	1,743	14.3	1.21	(12.0 - 16.7)	40,597	(33,452 - 47,743)
MT	Coll Grad	2,098	11.4	0.97	(9.5 - 13.3)	24,069	(19,855 - 28,282)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
NE	HS Nongrad	1,018	11.2	1.61	(8.1 - 14.4)	16,135	(11,313 - 20,956)
NE	HS Grad	5,734	11.2	0.68	(9.9 - 12.5)	44,067	(38,590 - 49,544)
NE	Some Coll	5,266	13.8	0.80	(12.3 - 15.4)	70,089	(61,561 - 78,616)
NE	Coll Grad	5,432	10.9	0.65	(9.6 - 12.2)	41,000	(35,988 - 46,011)
NV	HS Nongrad	230	9.2	2.26	(4.7 - 13.6)	32,792	(16,375 - 49,209)
NV	HS Grad	800	14.6	1.95	(10.7 - 18.4)	94,294	(67,837 - 120,751)
NV	Some Coll	906	14.3	1.78	(10.8 - 17.8)	107,813	(80,132 - 135,495)
NV	Coll Grad	965	15.0	1.83	(11.4 - 18.6)	67,149	(49,908 - 84,389)
NH	HS Nongrad	351	19.6	2.96	(13.8 - 25.4)	17,708	(11,978 - 23,437)
NH	HS Grad	1,930	14.9	1.20	(12.5 - 17.2)	46,537	(38,636 - 54,439)
NH	Some Coll	1,712	15.8	1.37	(13.1 - 18.5)	51,113	(41,529 - 60,696)
NH	Coll Grad	2,973	13.7	0.89	(11.9 - 15.4)	45,884	(39,643 - 52,125)
NJ	HS Nongrad	754	14.0	2.06	(10.0 - 18.1)	120,148	(82,444 - 157,852)
NJ	HS Grad	3,013	11.6	0.90	(9.8 - 13.3)	234,159	(196,557 - 271,760)
NJ	Some Coll	2,813	13.1	0.94	(11.2 - 14.9)	231,681	(197,559 - 265,803)
NJ	Coll Grad	4,800	9.7	0.62	(8.5 - 10.9)	220,782	(192,465 - 249,100)
NM	HS Nongrad	775	13.6	1.72	(10.2 - 17.0)	36,548	(26,898 - 46,198)
NM	HS Grad	1,835	14.8	1.54	(11.8 - 17.8)	62,733	(48,659 - 76,807)
NM	Some Coll	1,857	15.9	1.26	(13.4 - 18.4)	83,691	(69,761 - 97,620)
NM	Coll Grad	2,236	15.2	1.09	(13.0 - 17.3)	54,397	(46,325 - 62,469)
NY	HS Nongrad	1,118	15.4	1.29	(12.9 - 18.0)	356,510	(294,369 - 418,652)
NY	HS Grad	2,972	15.0	0.93	(13.2 - 16.9)	624,838	(542,621 - 707,055)
NY	Some Coll	2,881	15.4	0.92	(13.6 - 17.2)	647,514	(565,997 - 729,032)
NY	Coll Grad	5,255	13.6	0.61	(12.4 - 14.8)	647,370	(586,957 - 707,782)
NC	HS Nongrad	717	16.5	1.81	(12.9 - 20.0)	193,488	(147,576 - 239,400)
NC	HS Grad	1,862	13.7	1.00	(11.8 - 15.7)	291,778	(247,291 - 336,264)
NC	Some Coll	1,846	14.3	0.98	(12.4 - 16.2)	361,187	(309,478 - 412,896)
NC	Coll Grad	2,228	10.1	0.73	(8.7 - 11.5)	192,823	(164,327 - 221,318)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
ND	HS Nongrad	297	13.1	2.70	(7.8 - 18.4)		6,749	(3,809 - 9,688)
ND	HS Grad	1,454	12.1	1.20	(9.7 - 14.4)		19,051	(15,121 - 22,980)
ND	Some Coll	1,601	13.5	1.14	(11.2 - 15.7)		31,238	(25,723 - 36,753)
ND	Coll Grad	1,590	12.4	1.08	(10.3 - 14.5)		17,955	(14,715 - 21,196)
OH	HS Nongrad	879	19.1	2.39	(14.4 - 23.8)		203,122	(147,160 - 259,084)
OH	HS Grad	4,329	12.5	0.85	(10.8 - 14.2)		382,291	(328,878 - 435,705)
OH	Some Coll	3,095	15.8	1.12	(13.6 - 18.0)		433,934	(367,939 - 499,929)
OH	Coll Grad	3,531	11.4	0.83	(9.8 - 13.1)		238,232	(202,855 - 273,610)
OK	HS Nongrad	559	22.1	2.67	(16.8 - 27.3)		91,131	(66,297 - 115,965)
OK	HS Grad	2,184	12.7	1.03	(10.6 - 14.7)		118,746	(98,640 - 138,852)
OK	Some Coll	2,078	13.8	1.05	(11.8 - 15.9)		133,030	(112,015 - 154,046)
OK	Coll Grad	2,083	12.4	1.02	(10.4 - 14.4)		78,464	(65,167 - 91,762)
OR	HS Nongrad	277	17.6	2.65	(12.3 - 22.8)		61,871	(41,998 - 81,743)
OR	HS Grad	1,315	17.9	1.37	(15.2 - 20.6)		141,484	(117,974 - 164,995)
OR	Some Coll	1,622	19.6	1.20	(17.2 - 21.9)		222,067	(193,050 - 251,084)
OR	Coll Grad	2,092	15.9	0.99	(14.0 - 17.9)		135,137	(117,450 - 152,825)
PA	HS Nongrad	337	14.4	2.65	(9.2 - 19.6)		167,809	(102,115 - 233,503)
PA	HS Grad	1,924	15.1	1.10	(13.0 - 17.3)		549,753	(465,504 - 634,003)
PA	Some Coll	1,369	16.6	1.38	(13.9 - 19.3)		441,394	(362,395 - 520,393)
PA	Coll Grad	2,070	13.2	0.98	(11.2 - 15.1)		340,049	(287,576 - 392,522)
RI	HS Nongrad	511	19.3	2.49	(14.4 - 24.2)		23,847	(17,168 - 30,526)
RI	HS Grad	1,653	14.4	1.33	(11.8 - 17.0)		33,040	(26,590 - 39,490)
RI	Some Coll	1,522	15.7	1.29	(13.2 - 18.2)		38,798	(32,146 - 45,451)
RI	Coll Grad	2,465	16.2	1.05	(14.2 - 18.3)		38,353	(33,114 - 43,592)
SC	HS Nongrad	1,237	18.2	1.65	(14.9 - 21.4)		106,756	(85,576 - 127,936)
SC	HS Grad	3,472	12.3	0.77	(10.8 - 13.8)		140,756	(122,699 - 158,813)
SC	Some Coll	3,213	12.5	0.81	(10.9 - 14.1)		149,840	(129,673 - 170,008)
SC	Coll Grad	3,621	11.2	0.74	(9.8 - 12.7)		97,420	(84,132 - 110,709)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
SD	HS Nongrad	426	20.7	3.76	(13.3 - 28.1)	14,221	(8,344 - 20,099)
SD	HS Grad	2,182	11.0	1.10	(8.9 - 13.2)	22,429	(17,875 - 26,983)
SD	Some Coll	2,223	13.1	1.35	(10.4 - 15.7)	29,106	(22,792 - 35,419)
SD	Coll Grad	2,351	10.0	0.95	(8.2 - 11.9)	15,673	(12,663 - 18,682)
TN	HS Nongrad	667	19.1	2.27	(14.6 - 23.5)	148,126	(110,735 - 185,517)
TN	HS Grad	1,939	13.3	1.08	(11.2 - 15.4)	226,128	(188,553 - 263,704)
TN	Some Coll	1,492	15.8	1.54	(12.8 - 18.9)	235,569	(186,590 - 284,548)
TN	Coll Grad	1,840	11.7	1.10	(9.5 - 13.9)	132,732	(107,011 - 158,454)
TX	HS Nongrad	2,100	9.1	1.00	(7.2 - 11.1)	345,515	(269,862 - 421,169)
TX	HS Grad	3,688	13.3	1.08	(11.1 - 15.4)	701,375	(581,979 - 820,771)
TX	Some Coll	3,616	13.7	0.98	(11.7 - 15.6)	859,500	(732,743 - 986,258)
TX	Coll Grad	5,188	10.5	0.71	(9.2 - 11.9)	510,648	(441,674 - 579,621)
UT	HS Nongrad	557	11.7	1.57	(8.6 - 14.8)	23,536	(16,989 - 30,084)
UT	HS Grad	3,159	14.4	0.80	(12.8 - 16.0)	72,855	(64,412 - 81,297)
UT	Some Coll	3,567	15.3	0.74	(13.9 - 16.8)	125,466	(112,762 - 138,170)
UT	Coll Grad	4,044	12.4	0.62	(11.2 - 13.6)	68,212	(61,205 - 75,219)
VT	HS Nongrad	326	24.2	3.09	(18.1 - 30.3)	10,131	(7,189 - 13,073)
VT	HS Grad	1,950	14.8	1.04	(12.8 - 16.8)	22,812	(19,451 - 26,173)
VT	Some Coll	1,541	16.9	1.23	(14.5 - 19.4)	24,982	(21,130 - 28,833)
VT	Coll Grad	2,635	14.8	0.94	(12.9 - 16.6)	23,792	(20,616 - 26,968)
VA	HS Nongrad	626	16.1	1.81	(12.5 - 19.7)	130,509	(99,795 - 161,223)
VA	HS Grad	2,249	11.7	0.92	(9.9 - 13.5)	197,482	(165,683 - 229,281)
VA	Some Coll	2,234	14.3	0.98	(12.4 - 16.3)	274,252	(235,164 - 313,341)
VA	Coll Grad	3,477	9.4	0.62	(8.1 - 10.6)	196,196	(170,140 - 222,252)
WA	HS Nongrad	800	16.2	1.65	(12.9 - 19.4)	96,441	(75,593 - 117,288)
WA	HS Grad	3,435	14.0	0.79	(12.4 - 15.5)	186,056	(164,303 - 207,809)
WA	Some Coll	4,856	16.6	0.72	(15.2 - 18.0)	325,283	(295,683 - 354,883)
WA	Coll Grad	6,859	12.9	0.52	(11.9 - 13.9)	208,048	(191,041 - 225,054)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2015**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WV	HS Nongrad	703	21.6	1.78	(18.1 - 25.1)		49,754	(40,827 - 58,680)
WV	HS Grad	2,181	14.9	0.87	(13.2 - 16.6)		87,495	(76,914 - 98,076)
WV	Some Coll	1,462	13.5	1.06	(11.4 - 15.5)		53,018	(44,322 - 61,714)
WV	Coll Grad	1,568	12.0	0.94	(10.2 - 13.9)		30,232	(25,322 - 35,142)
WI	HS Nongrad	352	18.1	2.78	(12.6 - 23.6)		79,725	(53,636 - 105,813)
WI	HS Grad	1,965	10.2	0.93	(8.4 - 12.1)		148,833	(121,077 - 176,588)
WI	Some Coll	1,781	13.9	1.19	(11.6 - 16.2)		202,916	(166,657 - 239,176)
WI	Coll Grad	2,060	13.3	1.15	(11.1 - 15.6)		148,264	(121,727 - 174,801)
WY	HS Nongrad	247	19.4	4.09	(11.3 - 27.4)		7,452	(4,013 - 10,892)
WY	HS Grad	1,650	13.1	1.52	(10.1 - 16.1)		17,509	(13,208 - 21,809)
WY	Some Coll	1,744	14.1	1.24	(11.6 - 16.5)		24,116	(19,698 - 28,535)
WY	Coll Grad	1,800	11.1	1.10	(8.9 - 13.2)		11,443	(9,109 - 13,778)
Territories								
GU	HS Nongrad	131	13.1	3.59	(6.0 - 20.1)		2,962	(1,242 - 4,682)
GU	HS Grad	626	13.1	1.86	(9.5 - 16.8)		4,860	(3,425 - 6,295)
GU	Some Coll	405	9.9	1.92	(6.1 - 13.6)		2,235	(1,345 - 3,124)
GU	Coll Grad	498	12.7	2.40	(8.0 - 17.4)		3,082	(1,855 - 4,309)
PR	HS Nongrad	1,118	15.9	1.29	(13.3 - 18.4)		115,213	(95,616 - 134,811)
PR	HS Grad	1,366	15.1	1.25	(12.7 - 17.6)		114,377	(94,232 - 134,521)
PR	Some Coll	1,340	19.0	1.29	(16.5 - 21.5)		135,061	(115,294 - 154,828)
PR	Coll Grad	1,549	16.4	1.15	(14.1 - 18.6)		97,227	(82,797 - 111,658)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.