

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2015**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	10,706	5.1	0.46	(4.2 - 6.1)		572,446	(467,129 - 677,764)
Total **	5-9	11,767	9.7	0.56	(8.7 - 10.9)		1,190,010	(1,048,640 - 1,331,380)
Total **	10-14	13,816	10.0	0.48	(9.1 - 10.9)		1,139,902	(1,027,987 - 1,251,818)
Total **	15-17	11,204	10.4	0.57	(9.4 - 11.6)		832,908	(739,910 - 925,907)
CA	0-4	674	2.9	0.60	(1.9 - 4.4)		39,645	(23,574 - 55,716)
CA	5-9	701	8.5	1.27	(6.3 - 11.3)		160,875	(111,330 - 210,421)
CA	10-14	727	8.1	1.11	(6.2 - 10.6)		154,109	(111,558 - 196,659)
CA	15-17	521	9.1	1.34	(6.8 - 12.1)		134,845	(94,966 - 174,724)
CT	0-4	402	8.6	2.32	(5.0 - 14.4)		15,994	(7,034 - 24,953)
CT	5-9	515	10.1	1.60	(7.3 - 13.6)		19,600	(13,283 - 25,918)
CT	10-14	626	17.1	2.25	(13.1 - 21.9)		30,646	(21,812 - 39,481)
CT	15-17	566	10.9	1.87	(7.7 - 15.1)		13,585	(8,749 - 18,421)
DC	0-4	134	2.6				916	
DC	5-9	136	5.4	2.43	(2.2 - 12.7)		1,902	(220 - 3,585)
DC	10-14	139	23.6	6.21	(13.6 - 37.8)		5,643	(2,351 - 8,934)
DC	15-17	100	6.6	2.57	(3.0 - 13.7)		943	(258 - 1,628)
GA	0-4	137	7.4	2.95	(3.4 - 15.7)		49,736	(9,614 - 89,857)
GA	5-9	167	14.1	3.64	(8.4 - 22.9)		97,871	(44,111 - 151,631)
GA	10-14	226	11.6	2.87	(7.0 - 18.5)		54,392	(26,529 - 82,255)
GA	15-17	164	15.5	4.62	(8.4 - 26.8)		54,596	(19,048 - 90,144)
HI	0-4	319	7.3	2.80	(3.4 - 15.0)		5,834	(1,175 - 10,493)
HI	5-9	338	10.1	2.01	(6.8 - 14.8)		8,790	(5,196 - 12,383)
HI	10-14	375	11.3	1.83	(8.1 - 15.4)		6,462	(4,371 - 8,554)
HI	15-17	257	13.5	2.37	(9.5 - 18.8)		6,602	(4,242 - 8,962)
IL	0-4	208	3.8	1.43	(1.8 - 7.8)		30,044	(7,624 - 52,463)
IL	5-9	243	7.9	2.02	(4.7 - 12.9)		63,699	(30,694 - 96,704)
IL	10-14	340	7.0	1.54	(4.5 - 10.7)		46,232	(25,792 - 66,673)
IL	15-17	264	13.2	2.84	(8.6 - 19.8)		68,657	(37,422 - 99,892)
IN	0-4	221	5.2	2.30	(2.2 - 12.1)		19,760	(2,316 - 37,204)
IN	5-9	224	10.6	3.66	(5.3 - 20.2)		45,801	(12,207 - 79,394)
IN	10-14	306	7.6	1.67	(4.9 - 11.6)		25,615	(14,465 - 36,765)

**Notes:**

\* CI denotes confidence interval.

\*\* Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2015**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
IN	15-17	269	9.0	2.25	(5.5 - 14.5)		20,089	(9,964 - 30,213)
KS	0-4	1,087	5.6	0.81	(4.2 - 7.4)		8,589	(6,080 - 11,098)
KS	5-9	1,131	9.2	0.97	(7.5 - 11.3)		18,017	(14,123 - 21,910)
KS	10-14	1,283	11.6	1.06	(9.7 - 13.9)		19,829	(16,115 - 23,544)
KS	15-17	1,051	11.1	1.18	(9.0 - 13.7)		12,305	(9,618 - 14,992)
LA	0-4	190	8.8	2.26	(5.3 - 14.4)		22,376	(10,780 - 33,973)
LA	5-9	199	9.2	2.44	(5.4 - 15.2)		27,716	(12,712 - 42,721)
LA	10-14	245	8.0	1.94	(4.9 - 12.7)		19,706	(10,061 - 29,352)
LA	15-17	214	8.7	2.54	(4.9 - 15.2)		12,775	(5,166 - 20,384)
ME	0-4	187	7.8	2.61	(4.0 - 14.7)		4,915	(1,570 - 8,260)
ME	5-9	233	11.4	2.99	(6.7 - 18.7)		6,971	(3,160 - 10,783)
ME	10-14	282	10.0	1.95	(6.8 - 14.6)		6,583	(4,045 - 9,121)
ME	15-17	228	11.0	2.71	(6.7 - 17.6)		5,010	(2,453 - 7,566)
MA	0-4	105	4.1				12,129	
MA	5-9	114	18.2	5.14	(10.2 - 30.5)		59,314	(22,261 - 96,366)
MA	10-14	118	12.0	3.63	(6.5 - 21.1)		34,825	(13,354 - 56,297)
MA	15-17	126	15.9	4.10	(9.4 - 25.7)		30,823	(15,411 - 46,235)
MI	0-4	386	3.6	1.13	(1.9 - 6.6)		17,748	(6,602 - 28,893)
MI	5-9	434	9.5	1.68	(6.6 - 13.3)		51,287	(32,615 - 69,959)
MI	10-14	525	10.4	1.49	(7.9 - 13.7)		54,812	(38,897 - 70,726)
MI	15-17	464	9.2	1.51	(6.7 - 12.6)		33,245	(22,194 - 44,295)
MN	0-4	806	3.0	0.70	(1.9 - 4.7)		7,350	(3,975 - 10,725)
MN	5-9	790	6.3	1.16	(4.3 - 9.0)		21,955	(13,689 - 30,221)
MN	10-14	969	7.7	1.00	(5.9 - 9.9)		22,588	(16,676 - 28,500)
MN	15-17	813	8.7	1.19	(6.7 - 11.3)		18,661	(13,518 - 23,803)
MS	0-4	248	10.0	2.75	(5.7 - 16.8)		17,053	(7,203 - 26,903)
MS	5-9	302	6.8	1.72	(4.1 - 11.0)		11,304	(5,548 - 17,059)
MS	10-14	313	9.8	2.01	(6.5 - 14.5)		16,885	(9,795 - 23,974)
MS	15-17	237	11.2	2.72	(6.8 - 17.7)		12,858	(6,325 - 19,391)
MO	0-4	286	2.4	0.95	(1.1 - 5.2)		7,529	(1,704 - 13,353)
MO	5-9	287	9.3	2.48	(5.4 - 15.4)		30,824	(13,858 - 47,789)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2015**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
MO	10-14	341	13.1	2.38	(9.1 - 18.5)		42,481	(26,486 - 58,476)
MO	15-17	263	11.4	2.60	(7.2 - 17.5)		24,270	(12,882 - 35,658)
MT	0-4	282	1.4				759	
MT	5-9	251	7.4	2.26	(4.0 - 13.2)		4,179	(1,612 - 6,746)
MT	10-14	331	6.1	1.74	(3.5 - 10.6)		3,126	(1,341 - 4,910)
MT	15-17	219	8.8	2.53	(4.9 - 15.1)		3,307	(1,381 - 5,234)
NE	0-4	862	2.4	0.85	(1.2 - 4.8)		2,727	(833 - 4,620)
NE	5-9	917	5.6	1.05	(3.9 - 8.1)		7,080	(4,410 - 9,750)
NE	10-14	1,035	10.0	1.61	(7.3 - 13.6)		11,444	(7,617 - 15,271)
NE	15-17	903	9.2	1.56	(6.6 - 12.8)		6,886	(4,507 - 9,266)
NV	0-4	102	2.1				3,793	
NV	5-9	131	7.5	3.30	(3.1 - 17.1)		10,303	(1,095 - 19,511)
NV	10-14	142	5.5	2.35	(2.3 - 12.4)		6,726	(1,017 - 12,434)
NV	15-17	127	10.2	3.88	(4.7 - 20.7)		10,130	(2,219 - 18,042)
NH	0-4	225	2.8	1.73	(0.8 - 9.1)		1,700	(0 - 3,775)
NH	5-9	267	5.2	1.40	(3.0 - 8.7)		3,265	(1,518 - 5,012)
NH	10-14	359	10.5	1.90	(7.3 - 14.8)		7,054	(4,423 - 9,684)
NH	15-17	261	9.8	2.13	(6.3 - 14.8)		4,634	(2,591 - 6,678)
NJ	0-4	479	5.8	1.61	(3.3 - 9.9)		26,807	(11,748 - 41,866)
NJ	5-9	577	9.0	1.60	(6.3 - 12.7)		37,721	(23,935 - 51,507)
NJ	10-14	632	12.7	1.85	(9.5 - 16.8)		56,133	(39,145 - 73,122)
NJ	15-17	576	8.9	1.55	(6.3 - 12.5)		25,883	(16,789 - 34,977)
NM	0-4	268	4.2	1.50	(2.1 - 8.3)		5,682	(1,659 - 9,704)
NM	5-9	297	9.5	1.85	(6.5 - 13.8)		12,390	(7,553 - 17,228)
NM	10-14	413	14.1	2.43	(10.0 - 19.6)		14,890	(9,495 - 20,285)
NM	15-17	309	10.3	2.52	(6.3 - 16.4)		7,769	(3,815 - 11,722)
NY	0-4	243	7.8	2.16	(4.5 - 13.2)		83,520	(36,159 - 130,882)
NY	5-9	279	12.2	2.40	(8.3 - 17.8)		116,391	(69,122 - 163,660)
NY	10-14	279	10.3	2.35	(6.5 - 15.9)		85,746	(45,309 - 126,183)
NY	15-17	243	11.3	2.65	(7.0 - 17.6)		72,923	(37,100 - 108,746)
OH	0-4	235	3.3	1.17	(1.6 - 6.6)		17,457	(5,400 - 29,514)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2015**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
OH	5-9	295	8.4	3.04	(4.0 - 16.6)		52,705	(12,982 - 92,428)
OH	10-14	376	7.5	1.69	(4.8 - 11.5)		45,340	(24,949 - 65,731)
OH	15-17	338	11.1	2.96	(6.5 - 18.4)		45,242	(19,820 - 70,663)
OK	0-4	130	4.9	2.54	(1.7 - 13.0)		11,741	(0 - 24,045)
OK	5-9	176	9.7	2.58	(5.7 - 16.0)		22,020	(10,140 - 33,899)
OK	10-14	163	18.0	3.94	(11.6 - 27.1)		43,553	(22,940 - 64,165)
OK	15-17	134	4.7	1.60	(2.4 - 9.0)		6,884	(2,331 - 11,438)
OR	0-4	191	4.3	1.83	(1.8 - 9.7)		7,735	(1,164 - 14,307)
OR	5-9	195	9.6	2.69	(5.5 - 16.4)		21,376	(9,226 - 33,526)
OR	10-14	242	11.1	2.46	(7.1 - 17.0)		22,802	(12,462 - 33,142)
OR	15-17	191	12.5	2.72	(8.1 - 18.9)		15,216	(8,543 - 21,889)
PA	0-4	243	6.8	2.47	(3.2 - 13.5)		37,269	(9,351 - 65,186)
PA	5-9	238	12.3	2.82	(7.8 - 19.0)		74,163	(38,717 - 109,610)
PA	10-14	276	11.7	2.30	(7.9 - 17.0)		75,229	(45,277 - 105,180)
PA	15-17	224	13.3	2.84	(8.7 - 19.9)		53,108	(29,674 - 76,543)
RI	0-4	195	4.4	1.89	(1.8 - 10.0)		2,266	(304 - 4,229)
RI	5-9	246	11.6	2.83	(7.1 - 18.4)		5,390	(2,640 - 8,141)
RI	10-14	301	14.3	2.61	(9.9 - 20.2)		7,533	(4,673 - 10,392)
RI	15-17	269	12.5	2.93	(7.8 - 19.4)		4,200	(2,099 - 6,300)
TX	0-4	559	5.9	1.97	(3.0 - 11.2)		92,542	(29,437 - 155,647)
TX	5-9	639	9.2	1.89	(6.1 - 13.7)		155,481	(90,905 - 220,057)
TX	10-14	815	10.6	1.84	(7.5 - 14.8)		179,231	(115,313 - 243,148)
TX	15-17	531	7.4	1.56	(4.9 - 11.1)		79,189	(46,089 - 112,290)
UT	0-4	821	2.8	0.64	(1.8 - 4.4)		6,660	(3,664 - 9,656)
UT	5-9	902	7.0	1.00	(5.3 - 9.2)		14,512	(10,308 - 18,717)
UT	10-14	987	7.7	0.90	(6.1 - 9.7)		17,257	(13,225 - 21,289)
UT	15-17	731	11.1	1.70	(8.2 - 14.9)		15,056	(10,259 - 19,852)
VT	0-4	268	4.4	1.67	(2.1 - 9.1)		1,264	(309 - 2,218)
VT	5-9	281	12.3	2.39	(8.3 - 17.8)		3,715	(2,230 - 5,200)
VT	10-14	350	11.4	2.25	(7.7 - 16.6)		3,506	(2,079 - 4,933)
VT	15-17	341	13.3	2.43	(9.2 - 18.9)		2,479	(1,552 - 3,406)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2015**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
WI	0-4	213	3.3	1.63	(1.3 - 8.5)		10,908	(292 - 21,524)
WI	5-9	262	8.3	2.03	(5.1 - 13.2)		23,392	(11,930 - 34,854)
WI	10-14	300	6.4	2.12	(3.3 - 12.1)		19,526	(6,588 - 32,464)
WI	15-17	270	14.1	3.14	(9.0 - 21.5)		30,740	(16,086 - 45,394)
Territory								
PR	0-4	288	15.2	2.77	(10.5 - 21.5)		27,298	(16,805 - 37,791)
PR	5-9	270	17.1	2.62	(12.6 - 22.9)		31,608	(21,569 - 41,648)
PR	10-14	319	25.4	3.28	(19.6 - 32.4)		58,256	(40,765 - 75,747)
PR	15-17	280	16.2	2.99	(11.1 - 22.9)		21,649	(13,071 - 30,228)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.