

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	10,732	6.6	0.52	(5.7 - 7.7)		747,522	(629,026 - 866,019)
Total **	5-9	11,804	14.2	0.66	(12.9 - 15.5)		1,738,634	(1,567,928 - 1,909,339)
Total **	10-14	13,864	16.1	0.60	(15.0 - 17.3)		1,850,618	(1,706,344 - 1,994,893)
Total **	15-17	11,247	17.9	0.71	(16.6 - 19.4)		1,437,813	(1,316,473 - 1,559,154)
CA	0-4	674	4.4	0.83	(3.1 - 6.4)		60,252	(37,860 - 82,643)
CA	5-9	704	12.7	1.49	(10.1 - 15.9)		242,528	(183,135 - 301,921)
CA	10-14	727	15.5	1.50	(12.8 - 18.7)		294,786	(235,430 - 354,143)
CA	15-17	524	18.2	1.94	(14.7 - 22.3)		270,744	(209,948 - 331,539)
CT	0-4	405	9.4	2.32	(5.7 - 15.0)		17,470	(8,421 - 26,520)
CT	5-9	517	14.7	1.91	(11.3 - 18.8)		28,702	(20,959 - 36,446)
CT	10-14	629	23.8	2.38	(19.4 - 28.7)		42,875	(33,187 - 52,562)
CT	15-17	569	19.1	2.28	(15.0 - 23.9)		23,945	(17,852 - 30,038)
DC	0-4	137	6.6	3.22	(2.5 - 16.4)		2,426	(93 - 4,758)
DC	5-9	139	12.9	3.62	(7.3 - 21.7)		4,699	(2,157 - 7,241)
DC	10-14	141	30.9	6.62	(19.5 - 45.1)		7,613	(3,847 - 11,379)
DC	15-17	101	7.7	2.70	(3.8 - 14.9)		1,111	(400 - 1,823)
GA	0-4	137	8.1	3.00	(3.8 - 16.2)		53,903	(13,002 - 94,805)
GA	5-9	167	20.4	4.15	(13.4 - 29.7)		141,008	(77,013 - 205,004)
GA	10-14	228	15.7	3.14	(10.5 - 22.9)		74,735	(43,498 - 105,972)
GA	15-17	164	23.7	5.06	(15.2 - 34.9)		83,157	(42,316 - 123,999)
HI	0-4	321	12.6	3.11	(7.7 - 20.1)		10,165	(4,769 - 15,562)
HI	5-9	338	17.5	2.53	(13.1 - 23.0)		15,207	(10,548 - 19,866)
HI	10-14	377	15.4	2.06	(11.8 - 19.9)		8,883	(6,547 - 11,218)
HI	15-17	257	25.4	3.30	(19.5 - 32.4)		12,427	(8,887 - 15,966)
IL	0-4	208	6.5	2.12	(3.4 - 12.1)		51,606	(17,535 - 85,677)
IL	5-9	243	10.8	2.27	(7.1 - 16.1)		87,188	(49,587 - 124,788)
IL	10-14	340	11.6	1.97	(8.3 - 16.0)		76,523	(50,003 - 103,043)
IL	15-17	264	20.4	3.15	(14.9 - 27.3)		105,938	(70,042 - 141,834)
IN	0-4	221	6.9	2.75	(3.1 - 14.6)		25,835	(4,714 - 46,956)
IN	5-9	225	18.5	3.97	(11.9 - 27.6)		79,993	(41,633 - 118,354)
IN	10-14	306	14.2	2.40	(10.1 - 19.6)		47,627	(31,157 - 64,096)

Notes:

* CI denotes confidence interval.

** Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
IN	15-17	270	15.8	2.74	(11.1 - 21.9)		35,405	(22,837 - 47,974)
KS	0-4	1,088	6.7	0.87	(5.2 - 8.6)		10,257	(7,557 - 12,957)
KS	5-9	1,135	11.4	1.04	(9.5 - 13.6)		22,310	(18,110 - 26,510)
KS	10-14	1,287	16.1	1.20	(13.9 - 18.6)		27,503	(23,183 - 31,823)
KS	15-17	1,059	18.4	1.42	(15.8 - 21.3)		20,424	(17,058 - 23,790)
LA	0-4	190	9.4	2.32	(5.7 - 15.1)		23,814	(11,894 - 35,735)
LA	5-9	199	14.0	2.82	(9.3 - 20.5)		42,118	(24,442 - 59,793)
LA	10-14	248	15.9	2.66	(11.4 - 21.8)		39,510	(25,989 - 53,031)
LA	15-17	215	16.8	3.20	(11.4 - 24.0)		24,646	(14,619 - 34,673)
ME	0-4	187	8.6	2.66	(4.7 - 15.5)		5,413	(1,994 - 8,832)
ME	5-9	233	16.4	3.74	(10.3 - 25.0)		10,006	(5,016 - 14,996)
ME	10-14	284	17.1	2.49	(12.8 - 22.6)		11,270	(7,969 - 14,572)
ME	15-17	228	19.6	3.53	(13.6 - 27.4)		8,913	(5,385 - 12,442)
MA	0-4	106	5.2	2.31	(2.1 - 12.1)		15,453	(2,073 - 28,834)
MA	5-9	114	21.3	5.31	(12.7 - 33.5)		69,270	(30,204 - 108,337)
MA	10-14	119	19.5	4.59	(12.0 - 30.0)		57,684	(28,851 - 86,518)
MA	15-17	128	25.1	5.32	(16.1 - 36.8)		49,361	(28,428 - 70,293)
MI	0-4	387	4.2	1.21	(2.4 - 7.3)		21,045	(8,944 - 33,146)
MI	5-9	435	13.5	1.94	(10.1 - 17.8)		73,508	(51,523 - 95,492)
MI	10-14	527	15.0	1.71	(12.0 - 18.7)		79,256	(60,588 - 97,924)
MI	15-17	466	16.8	1.91	(13.3 - 20.9)		60,791	(46,359 - 75,223)
MN	0-4	807	4.6	0.89	(3.1 - 6.7)		11,196	(6,878 - 15,514)
MN	5-9	792	8.1	1.27	(5.9 - 10.9)		28,360	(19,193 - 37,528)
MN	10-14	970	11.7	1.22	(9.5 - 14.3)		34,281	(26,945 - 41,617)
MN	15-17	816	13.9	1.49	(11.2 - 17.1)		29,776	(23,100 - 36,451)
MS	0-4	249	10.9	2.78	(6.5 - 17.6)		18,699	(8,629 - 28,769)
MS	5-9	305	10.6	1.98	(7.3 - 15.1)		17,765	(11,027 - 24,503)
MS	10-14	314	17.5	2.73	(12.8 - 23.5)		30,333	(20,220 - 40,445)
MS	15-17	238	15.8	3.00	(10.8 - 22.6)		18,204	(10,863 - 25,546)
MO	0-4	287	3.7	1.21	(1.9 - 7.0)		11,548	(4,078 - 19,018)
MO	5-9	287	10.5	2.54	(6.5 - 16.6)		34,946	(17,531 - 52,361)

Notes:

* CI denotes confidence interval.

** Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
MO	10-14	341	17.1	2.61	(12.5 - 22.8)		55,455	(37,612 - 73,299)
MO	15-17	263	16.0	2.95	(11.0 - 22.7)		34,199	(21,099 - 47,299)
MT	0-4	282	2.3	1.09	(0.9 - 5.7)		1,245	(85 - 2,405)
MT	5-9	251	8.4	2.30	(4.9 - 14.2)		4,744	(2,126 - 7,363)
MT	10-14	332	13.2	2.56	(8.9 - 19.0)		6,743	(4,032 - 9,454)
MT	15-17	220	14.6	3.20	(9.4 - 22.1)		5,568	(3,048 - 8,089)
NE	0-4	862	4.2	1.17	(2.5 - 7.2)		4,781	(2,142 - 7,419)
NE	5-9	917	7.2	1.16	(5.2 - 9.8)		9,073	(6,113 - 12,033)
NE	10-14	1,037	14.0	1.79	(10.9 - 17.9)		16,045	(11,695 - 20,396)
NE	15-17	905	15.1	1.92	(11.7 - 19.2)		11,284	(8,237 - 14,331)
NV	0-4	102	2.1				3,793	
NV	5-9	134	18.3	6.06	(9.2 - 33.2)		25,966	(6,539 - 45,392)
NV	10-14	143	9.3	2.88	(5.0 - 16.7)		11,473	(4,505 - 18,442)
NV	15-17	128	13.4	4.16	(7.1 - 23.8)		13,468	(4,873 - 22,062)
NH	0-4	225	2.8	1.73	(0.8 - 9.1)		1,700	(0 - 3,775)
NH	5-9	268	11.9	2.39	(7.9 - 17.4)		7,536	(4,383 - 10,689)
NH	10-14	359	16.3	2.36	(12.1 - 21.4)		10,951	(7,573 - 14,329)
NH	15-17	261	13.4	2.32	(9.5 - 18.6)		6,346	(4,118 - 8,575)
NJ	0-4	481	7.0	1.79	(4.2 - 11.4)		32,612	(15,719 - 49,506)
NJ	5-9	577	11.9	1.75	(8.8 - 15.8)		49,819	(34,605 - 65,032)
NJ	10-14	637	18.4	2.08	(14.7 - 22.9)		82,221	(62,441 - 102,000)
NJ	15-17	578	14.8	1.90	(11.5 - 18.9)		42,971	(31,650 - 54,291)
NM	0-4	269	5.3	1.64	(2.9 - 9.6)		7,236	(2,818 - 11,654)
NM	5-9	297	11.8	2.16	(8.2 - 16.7)		15,354	(9,608 - 21,100)
NM	10-14	415	17.8	2.55	(13.4 - 23.4)		18,857	(13,133 - 24,582)
NM	15-17	309	15.2	2.80	(10.5 - 21.6)		11,489	(6,985 - 15,994)
NY	0-4	245	8.2	2.18	(4.8 - 13.6)		88,783	(40,755 - 136,811)
NY	5-9	281	17.1	2.62	(12.6 - 22.9)		164,120	(111,347 - 216,893)
NY	10-14	280	16.5	2.80	(11.7 - 22.7)		137,195	(87,182 - 187,209)
NY	15-17	244	18.3	3.15	(12.9 - 25.3)		118,960	(74,807 - 163,112)
OH	0-4	235	6.2	1.91	(3.4 - 11.2)		32,918	(12,828 - 53,007)

Notes:

* CI denotes confidence interval.

** Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
OH	5-9	295	15.2	3.64	(9.3 - 23.8)		95,543	(45,950 - 145,136)
OH	10-14	377	16.4	2.92	(11.5 - 23.0)		99,558	(61,145 - 137,971)
OH	15-17	338	17.5	3.38	(11.9 - 25.2)		71,281	(41,282 - 101,281)
OK	0-4	131	11.0	4.01	(5.2 - 21.6)		26,596	(6,291 - 46,901)
OK	5-9	178	12.7	2.96	(7.9 - 19.7)		29,165	(15,180 - 43,149)
OK	10-14	163	27.3	4.54	(19.4 - 37.1)		66,032	(40,767 - 91,296)
OK	15-17	135	10.4	2.73	(6.1 - 17.1)		15,260	(7,338 - 23,182)
OR	0-4	192	5.4	1.94	(2.6 - 10.7)		9,823	(2,809 - 16,837)
OR	5-9	197	18.5	4.80	(10.9 - 29.8)		41,518	(16,979 - 66,057)
OR	10-14	245	19.0	3.23	(13.5 - 26.2)		40,219	(25,447 - 54,991)
OR	15-17	192	22.3	3.80	(15.8 - 30.6)		27,586	(17,445 - 37,727)
PA	0-4	245	8.1	2.63	(4.2 - 15.0)		44,860	(14,740 - 74,979)
PA	5-9	240	15.8	3.09	(10.7 - 22.9)		95,577	(55,957 - 135,197)
PA	10-14	276	17.4	2.81	(12.5 - 23.6)		111,927	(74,347 - 149,508)
PA	15-17	226	21.3	3.35	(15.5 - 28.6)		85,550	(56,817 - 114,283)
RI	0-4	196	5.8	2.06	(2.9 - 11.4)		3,026	(878 - 5,175)
RI	5-9	246	14.6	3.03	(9.6 - 21.6)		6,807	(3,838 - 9,777)
RI	10-14	302	22.4	3.17	(16.8 - 29.2)		11,778	(8,143 - 15,414)
RI	15-17	269	22.7	3.36	(16.8 - 29.9)		7,632	(5,115 - 10,149)
TX	0-4	560	8.2	2.16	(4.9 - 13.5)		128,987	(58,789 - 199,186)
TX	5-9	643	14.4	2.40	(10.3 - 19.8)		242,430	(157,093 - 327,767)
TX	10-14	817	16.7	2.22	(12.8 - 21.5)		282,882	(203,493 - 362,271)
TX	15-17	532	14.9	2.22	(11.0 - 19.7)		158,518	(110,123 - 206,912)
UT	0-4	821	3.5	0.71	(2.3 - 5.2)		8,130	(4,804 - 11,456)
UT	5-9	903	10.6	1.20	(8.4 - 13.2)		22,007	(16,878 - 27,137)
UT	10-14	989	12.1	1.15	(10.0 - 14.5)		27,083	(21,857 - 32,308)
UT	15-17	732	19.0	2.40	(14.7 - 24.1)		25,660	(18,334 - 32,987)
VT	0-4	269	5.6	1.85	(2.9 - 10.5)		1,606	(541 - 2,670)
VT	5-9	281	17.2	2.91	(12.2 - 23.7)		5,189	(3,308 - 7,070)
VT	10-14	352	16.0	2.46	(11.7 - 21.4)		4,928	(3,358 - 6,499)
VT	15-17	344	23.0	3.04	(17.5 - 29.5)		4,315	(3,101 - 5,528)

Notes:

* CI denotes confidence interval.

** Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2015

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
WI	0-4	213	3.8	1.66	(1.6 - 8.8)		12,342	(1,500 - 23,185)
WI	5-9	263	9.2	2.13	(5.8 - 14.3)		26,177	(14,083 - 38,272)
WI	10-14	302	11.2	2.59	(7.1 - 17.4)		34,391	(18,275 - 50,507)
WI	15-17	272	24.1	3.63	(17.7 - 31.9)		52,885	(34,582 - 71,187)
Territory								
PR	0-4	288	19.9	3.06	(14.6 - 26.6)		35,727	(23,886 - 47,568)
PR	5-9	270	23.7	2.98	(18.3 - 30.0)		43,700	(32,068 - 55,331)
PR	10-14	319	36.4	3.46	(30.0 - 43.4)		83,433	(63,448 - 103,418)
PR	15-17	280	28.8	3.46	(22.5 - 36.0)		38,525	(27,994 - 49,056)

Notes:

* CI denotes confidence interval.

** Total includes data from 31 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.