

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	23,271	10.3	0.33	(9.7 - 11.0)		3,236,350	(3,022,250 - 3,450,450)
U.S. Total**	25-34	41,353	8.4	0.23	(7.9 - 8.8)		3,570,556	(3,372,194 - 3,768,918)
U.S. Total**	35-44	49,199	8.4	0.21	(8.0 - 8.8)		3,360,962	(3,193,827 - 3,528,098)
U.S. Total**	45-54	68,564	8.9	0.19	(8.6 - 9.3)		3,726,247	(3,569,341 - 3,883,152)
U.S. Total**	55-64	94,050	9.3	0.18	(8.9 - 9.7)		3,743,078	(3,592,366 - 3,893,790)
U.S. Total**	65+	149,473	8.3	0.14	(8.0 - 8.6)		3,984,924	(3,846,414 - 4,123,433)
AL	18-24	478	11.6	1.84	(8.0 - 15.2)		54,601	(36,483 - 72,720)
AL	25-34	752	9.1	1.37	(6.5 - 11.8)		56,389	(39,030 - 73,747)
AL	35-44	885	9.2	1.17	(6.9 - 11.5)		54,985	(40,828 - 69,141)
AL	45-54	1,308	11.6	1.08	(9.5 - 13.7)		72,396	(58,411 - 86,381)
AL	55-64	1,778	9.2	0.85	(7.6 - 10.9)		58,108	(47,320 - 68,896)
AL	65+	2,627	9.2	0.79	(7.6 - 10.7)		70,590	(58,152 - 83,028)
AK	18-24	201	10.0	3.42	(3.2 - 16.7)		7,959	(2,220 - 13,697)
AK	25-34	452	9.6	2.05	(5.6 - 13.6)		10,668	(5,955 - 15,381)
AK	35-44	488	10.7	2.54	(5.7 - 15.7)		9,671	(4,841 - 14,501)
AK	45-54	681	8.0	1.43	(5.2 - 10.9)		7,273	(4,662 - 9,884)
AK	55-64	878	8.6	1.57	(5.6 - 11.7)		8,121	(5,103 - 11,140)
AK	65+	886	9.1	1.75	(5.7 - 12.5)		6,914	(4,151 - 9,678)
AZ	18-24	299	8.3	1.73	(4.9 - 11.7)		55,776	(32,184 - 79,369)
AZ	25-34	566	9.7	1.38	(7.0 - 12.4)		86,489	(61,544 - 111,433)
AZ	35-44	865	8.7	1.16	(6.4 - 10.9)		73,140	(53,090 - 93,191)
AZ	45-54	1,074	10.4	1.19	(8.1 - 12.8)		83,068	(63,469 - 102,667)
AZ	55-64	1,523	10.8	1.01	(8.8 - 12.8)		85,425	(68,873 - 101,977)
AZ	65+	3,373	8.6	0.62	(7.4 - 9.8)		92,384	(78,814 - 105,954)
AR	18-24	156	15.0	3.40	(8.3 - 21.7)		42,917	(22,222 - 63,612)
AR	25-34	296	5.6	1.59	(2.5 - 8.7)		20,706	(8,919 - 32,492)
AR	35-44	448	8.7	1.77	(5.2 - 12.1)		31,370	(18,352 - 44,388)
AR	45-54	712	10.6	1.85	(6.9 - 14.2)		39,080	(24,813 - 53,348)
AR	55-64	1,135	13.7	1.66	(10.5 - 17.0)		50,383	(37,514 - 63,251)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	2,402	8.6	0.96	(6.7 - 10.5)		41,076	(31,664 - 50,488)
CA	18-24	1,248	8.4	0.96	(6.5 - 10.3)		329,214	(252,481 - 405,946)
CA	25-34	2,103	7.3	0.69	(5.9 - 8.6)		410,725	(331,372 - 490,079)
CA	35-44	1,948	6.8	0.67	(5.5 - 8.1)		346,727	(277,775 - 415,679)
CA	45-54	2,139	6.8	0.64	(5.5 - 8.0)		348,262	(282,675 - 413,849)
CA	55-64	2,189	8.3	0.79	(6.8 - 9.9)		387,040	(313,134 - 460,945)
CA	65+	2,798	8.9	0.72	(7.5 - 10.3)		460,178	(384,821 - 535,535)
CO	18-24	767	10.5	1.49	(7.6 - 13.5)		54,338	(38,549 - 70,126)
CO	25-34	1,409	8.7	1.06	(6.6 - 10.8)		67,331	(50,595 - 84,068)
CO	35-44	1,670	10.1	0.97	(8.2 - 12.0)		73,128	(58,743 - 87,513)
CO	45-54	2,136	8.9	0.86	(7.3 - 10.6)		62,283	(50,118 - 74,447)
CO	55-64	2,944	7.9	0.69	(6.5 - 9.2)		52,977	(43,520 - 62,433)
CO	65+	4,312	8.6	0.56	(7.5 - 9.7)		62,356	(54,083 - 70,630)
CT	18-24	494	11.1	1.69	(7.8 - 14.4)		39,043	(26,703 - 51,383)
CT	25-34	920	10.6	1.25	(8.2 - 13.1)		45,234	(34,216 - 56,253)
CT	35-44	1,292	12.1	1.10	(9.9 - 14.2)		51,991	(42,220 - 61,761)
CT	45-54	1,987	9.8	0.81	(8.2 - 11.4)		50,262	(41,838 - 58,686)
CT	55-64	2,668	9.9	0.74	(8.4 - 11.3)		47,179	(39,911 - 54,447)
CT	65+	4,251	10.1	0.64	(8.8 - 11.3)		57,767	(50,250 - 65,285)
DE	18-24	218	12.0	3.28	(5.5 - 18.4)		10,823	(4,490 - 17,157)
DE	25-34	380	7.4	1.57	(4.3 - 10.5)		8,890	(5,087 - 12,694)
DE	35-44	395	7.1	1.37	(4.4 - 9.8)		7,843	(4,838 - 10,848)
DE	45-54	614	11.8	1.72	(8.4 - 15.2)		14,640	(10,192 - 19,089)
DE	55-64	844	9.5	1.13	(7.3 - 11.7)		11,606	(8,837 - 14,376)
DE	65+	1,523	8.6	1.01	(6.6 - 10.5)		13,617	(10,343 - 16,890)
DC	18-24	89	13.4	3.96	(5.6 - 21.3)		8,661	(3,344 - 13,977)
DC	25-34	274	10.0	2.16	(5.8 - 14.3)		15,389	(8,630 - 22,147)
DC	35-44	431	8.0	1.70	(4.7 - 11.4)		7,576	(4,388 - 10,764)
DC	45-54	570	12.6	2.62	(7.4 - 17.7)		9,299	(5,142 - 13,457)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	796	11.7	1.79	(8.2 - 15.2)		7,996	(5,475 - 10,516)
DC	65+	1,700	10.0	1.18	(7.7 - 12.3)		8,223	(6,230 - 10,215)
FL	18-24	480	9.1	1.57	(6.0 - 12.2)		161,400	(104,273 - 218,527)
FL	25-34	724	5.8	0.87	(4.1 - 7.5)		147,239	(104,010 - 190,467)
FL	35-44	858	7.7	1.12	(5.5 - 9.9)		182,160	(128,052 - 236,268)
FL	45-54	1,278	6.8	0.81	(5.2 - 8.4)		181,135	(137,920 - 224,349)
FL	55-64	1,885	9.9	0.88	(8.2 - 11.6)		260,288	(213,040 - 307,536)
FL	65+	4,314	6.7	0.50	(5.7 - 7.6)		261,373	(221,806 - 300,941)
GA	18-24	215	9.6	2.28	(5.1 - 14.1)		98,486	(50,154 - 146,818)
GA	25-34	437	6.8	1.66	(3.5 - 10.0)		92,154	(45,718 - 138,590)
GA	35-44	529	8.3	1.37	(5.6 - 11.0)		112,707	(75,125 - 150,290)
GA	45-54	739	11.8	1.43	(9.0 - 14.6)		158,998	(118,809 - 199,187)
GA	55-64	1,008	10.6	1.19	(8.3 - 12.9)		126,869	(97,628 - 156,111)
GA	65+	1,667	9.0	0.85	(7.3 - 10.7)		118,423	(95,770 - 141,077)
HI	18-24	494	15.4	2.16	(11.1 - 19.6)		20,188	(14,072 - 26,305)
HI	25-34	795	10.3	1.35	(7.6 - 12.9)		21,041	(15,371 - 26,712)
HI	35-44	834	10.1	1.50	(7.1 - 13.0)		17,810	(12,305 - 23,316)
HI	45-54	1,071	8.8	1.21	(6.5 - 11.2)		15,350	(11,011 - 19,689)
HI	55-64	1,570	10.4	1.11	(8.2 - 12.5)		18,914	(14,708 - 23,121)
HI	65+	2,283	7.5	0.74	(6.0 - 8.9)		17,576	(14,062 - 21,090)
ID	18-24	297	10.0	2.20	(5.7 - 14.3)		16,228	(8,847 - 23,610)
ID	25-34	520	8.9	1.61	(5.7 - 12.0)		18,699	(11,732 - 25,667)
ID	35-44	698	8.0	1.36	(5.4 - 10.7)		16,264	(10,638 - 21,889)
ID	45-54	843	9.7	1.28	(7.2 - 12.2)		18,449	(13,485 - 23,414)
ID	55-64	1,259	10.2	1.35	(7.6 - 12.9)		20,393	(14,781 - 26,004)
ID	65+	2,094	8.2	0.71	(6.8 - 9.6)		20,018	(16,570 - 23,465)
IL	18-24	358	10.8	2.17	(6.5 - 15.1)		136,774	(78,961 - 194,587)
IL	25-34	556	8.3	1.24	(5.8 - 10.7)		143,443	(99,993 - 186,892)
IL	35-44	597	8.0	1.21	(5.6 - 10.3)		132,741	(91,954 - 173,528)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	45-54	886	7.8	0.98	(5.9 - 9.8)		134,780	(100,887 - 168,674)
IL	55-64	1,063	8.6	1.00	(6.7 - 10.6)		141,646	(108,546 - 174,747)
IL	65+	1,794	7.5	0.78	(5.9 - 9.0)		138,359	(109,123 - 167,595)
IN	18-24	276	14.8	2.67	(9.6 - 20.1)		100,743	(61,729 - 139,757)
IN	25-34	452	11.0	1.84	(7.4 - 14.6)		90,760	(59,137 - 122,383)
IN	35-44	616	7.9	1.34	(5.2 - 10.5)		63,610	(41,555 - 85,665)
IN	45-54	902	10.3	1.34	(7.6 - 12.9)		87,400	(63,796 - 111,004)
IN	55-64	1,378	10.3	1.09	(8.2 - 12.4)		85,922	(67,167 - 104,677)
IN	65+	2,341	8.6	0.84	(6.9 - 10.2)		84,123	(67,343 - 100,902)
IA	18-24	300	8.8	1.85	(5.2 - 12.5)		28,412	(16,232 - 40,591)
IA	25-34	493	6.7	1.28	(4.2 - 9.2)		25,606	(15,730 - 35,482)
IA	35-44	647	7.8	1.15	(5.5 - 10.1)		28,529	(20,027 - 37,030)
IA	45-54	981	8.8	1.06	(6.7 - 10.9)		33,456	(25,214 - 41,698)
IA	55-64	1,434	7.7	0.83	(6.1 - 9.3)		31,519	(24,594 - 38,445)
IA	65+	2,265	6.4	0.63	(5.2 - 7.7)		32,632	(26,264 - 38,999)
KS	18-24	1,394	9.8	0.90	(8.1 - 11.6)		30,017	(24,389 - 35,644)
KS	25-34	2,458	8.4	0.63	(7.2 - 9.6)		31,267	(26,511 - 36,024)
KS	35-44	2,743	7.8	0.56	(6.7 - 8.9)		27,021	(23,108 - 30,933)
KS	45-54	3,562	9.7	0.57	(8.6 - 10.8)		33,459	(29,427 - 37,492)
KS	55-64	5,042	9.0	0.47	(8.1 - 10.0)		32,364	(28,939 - 35,788)
KS	65+	7,588	7.8	0.37	(7.1 - 8.5)		33,320	(30,148 - 36,492)
KY	18-24	515	11.5	1.81	(8.0 - 15.1)		49,741	(33,754 - 65,728)
KY	25-34	749	10.2	1.63	(7.0 - 13.4)		55,781	(37,289 - 74,274)
KY	35-44	937	14.9	2.36	(10.3 - 19.5)		82,483	(53,637 - 111,330)
KY	45-54	1,445	10.8	1.14	(8.6 - 13.1)		63,562	(49,995 - 77,130)
KY	55-64	2,124	13.4	1.37	(10.7 - 16.1)		77,352	(60,428 - 94,276)
KY	65+	2,893	10.7	0.86	(9.0 - 12.4)		72,737	(60,712 - 84,762)
LA	18-24	263	11.2	2.41	(6.5 - 16.0)		51,702	(28,401 - 75,004)
LA	25-34	493	7.9	1.43	(5.1 - 10.7)		51,228	(32,310 - 70,146)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	510	6.8	1.27	(4.3 - 9.2)		38,285	(23,755 - 52,815)
LA	45-54	739	7.8	1.06	(5.8 - 9.9)		46,067	(33,560 - 58,573)
LA	55-64	1,057	7.7	0.97	(5.8 - 9.6)		44,799	(33,472 - 56,127)
LA	65+	1,573	8.2	0.91	(6.5 - 10.0)		54,133	(42,044 - 66,222)
ME	18-24	314	11.9	2.21	(7.6 - 16.3)		13,791	(8,435 - 19,147)
ME	25-34	625	12.0	1.58	(8.9 - 15.1)		17,797	(12,950 - 22,643)
ME	35-44	932	13.0	1.43	(10.2 - 15.8)		19,611	(15,102 - 24,120)
ME	45-54	1,476	12.0	1.10	(9.9 - 14.2)		22,942	(18,619 - 27,265)
ME	55-64	2,237	11.6	0.90	(9.8 - 13.4)		24,113	(20,247 - 27,979)
ME	65+	3,368	8.5	0.62	(7.3 - 9.7)		21,287	(18,159 - 24,416)
MD	18-24	331	8.7	2.05	(4.6 - 12.7)		48,361	(24,889 - 71,833)
MD	25-34	693	8.9	1.75	(5.5 - 12.4)		72,642	(43,294 - 101,990)
MD	35-44	1,256	8.4	1.25	(5.9 - 10.8)		64,168	(44,846 - 83,490)
MD	45-54	2,160	9.5	1.08	(7.4 - 11.7)		79,999	(61,518 - 98,479)
MD	55-64	2,811	9.9	1.11	(7.7 - 12.1)		74,149	(57,045 - 91,253)
MD	65+	4,981	7.7	0.61	(6.5 - 8.9)		66,726	(56,240 - 77,212)
MA	18-24	654	13.4	1.75	(9.9 - 16.8)		93,314	(67,741 - 118,887)
MA	25-34	1,138	9.9	1.02	(7.9 - 11.9)		88,416	(69,832 - 107,000)
MA	35-44	1,116	10.6	1.16	(8.3 - 12.9)		87,079	(67,345 - 106,814)
MA	45-54	1,636	11.3	1.04	(9.2 - 13.3)		101,910	(82,406 - 121,413)
MA	55-64	1,859	9.9	0.94	(8.0 - 11.7)		87,372	(70,415 - 104,328)
MA	65+	2,595	7.7	0.71	(6.3 - 9.1)		81,509	(66,333 - 96,685)
MI	18-24	638	13.3	1.64	(10.1 - 16.6)		132,870	(98,473 - 167,267)
MI	25-34	892	9.8	1.08	(7.7 - 11.9)		116,242	(90,235 - 142,249)
MI	35-44	983	9.7	1.03	(7.7 - 11.7)		112,098	(87,951 - 136,244)
MI	45-54	1,491	11.3	0.98	(9.4 - 13.2)		146,731	(120,532 - 172,930)
MI	55-64	1,935	9.4	0.80	(7.8 - 10.9)		127,145	(104,941 - 149,350)
MI	65+	2,807	9.0	0.66	(7.7 - 10.3)		142,309	(121,067 - 163,550)
MN	18-24	1,058	8.6	0.94	(6.7 - 10.4)		44,498	(34,617 - 54,379)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	1,781	8.5	0.75	(7.0 - 10.0)		60,913	(49,928 - 71,898)
MN	35-44	2,084	7.3	0.69	(5.9 - 8.6)		49,346	(39,914 - 58,777)
MN	45-54	2,841	7.3	0.55	(6.2 - 8.4)		51,950	(44,071 - 59,830)
MN	55-64	3,707	6.5	0.49	(5.5 - 7.5)		46,545	(39,421 - 53,670)
MN	65+	5,008	6.7	0.43	(5.9 - 7.5)		54,711	(47,719 - 61,704)
MS	18-24	240	7.3	1.93	(3.5 - 11.1)		22,539	(10,336 - 34,742)
MS	25-34	497	5.3	1.27	(2.8 - 7.8)		20,518	(10,583 - 30,454)
MS	35-44	608	9.6	1.52	(6.6 - 12.6)		35,222	(23,705 - 46,740)
MS	45-54	875	9.5	1.19	(7.2 - 11.9)		35,163	(26,202 - 44,124)
MS	55-64	1,366	7.9	1.01	(5.9 - 9.9)		29,034	(21,444 - 36,624)
MS	65+	2,376	7.1	0.71	(5.7 - 8.5)		31,388	(25,108 - 37,667)
MO	18-24	420	9.3	1.74	(5.8 - 12.7)		55,597	(34,085 - 77,108)
MO	25-34	692	9.3	1.39	(6.6 - 12.0)		72,749	(50,579 - 94,918)
MO	35-44	696	11.9	1.76	(8.4 - 15.3)		86,374	(59,442 - 113,307)
MO	45-54	1,079	10.3	1.20	(7.9 - 12.7)		76,912	(58,418 - 95,405)
MO	55-64	1,508	8.4	0.88	(6.7 - 10.1)		66,115	(52,168 - 80,062)
MO	65+	2,753	8.8	0.78	(7.3 - 10.4)		84,733	(69,396 - 100,071)
MT	18-24	308	9.2	2.06	(5.1 - 13.2)		9,282	(5,000 - 13,564)
MT	25-34	504	7.6	1.56	(4.5 - 10.6)		9,590	(5,583 - 13,597)
MT	35-44	562	10.3	1.84	(6.7 - 13.9)		12,116	(7,606 - 16,627)
MT	45-54	841	10.1	1.42	(7.3 - 12.9)		12,371	(8,792 - 15,951)
MT	55-64	1,420	9.7	1.08	(7.6 - 11.8)		14,443	(11,149 - 17,736)
MT	65+	2,299	7.1	0.72	(5.7 - 8.5)		12,639	(10,070 - 15,208)
NE	18-24	1,046	7.7	1.13	(5.5 - 9.9)		14,543	(10,176 - 18,910)
NE	25-34	1,808	7.4	0.88	(5.7 - 9.1)		18,240	(13,851 - 22,630)
NE	35-44	1,927	7.0	0.81	(5.4 - 8.6)		16,031	(12,307 - 19,755)
NE	45-54	2,746	6.6	0.68	(5.2 - 7.9)		14,934	(11,824 - 18,043)
NE	55-64	3,796	7.8	0.62	(6.6 - 9.0)		18,214	(15,299 - 21,130)
NE	65+	5,985	6.9	0.45	(6.0 - 7.8)		19,389	(16,818 - 21,960)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	162	9.1	2.99	(3.2 - 15.0)		23,646	(7,618 - 39,674)
NV	25-34	284	6.3	1.45	(3.5 - 9.2)		25,278	(13,908 - 36,648)
NV	35-44	331	8.4	1.71	(5.0 - 11.7)		32,354	(19,212 - 45,497)
NV	45-54	446	8.0	1.78	(4.5 - 11.5)		30,740	(17,029 - 44,451)
NV	55-64	585	10.6	2.19	(6.3 - 14.9)		36,425	(20,781 - 52,069)
NV	65+	1,053	6.8	1.16	(4.5 - 9.1)		28,294	(18,626 - 37,962)
NH	18-24	212	13.3	2.72	(8.0 - 18.7)		15,711	(8,937 - 22,486)
NH	25-34	447	9.4	1.62	(6.2 - 12.6)		15,392	(9,966 - 20,818)
NH	35-44	627	12.8	1.70	(9.5 - 16.1)		19,640	(14,148 - 25,132)
NH	45-54	1,150	10.0	1.01	(8.0 - 11.9)		19,858	(15,795 - 23,920)
NH	55-64	1,710	9.0	0.80	(7.5 - 10.6)		17,966	(14,745 - 21,187)
NH	65+	2,731	8.3	0.63	(7.0 - 9.5)		18,074	(15,296 - 20,851)
NJ	18-24	587	7.0	1.49	(4.0 - 9.9)		56,289	(31,715 - 80,863)
NJ	25-34	1,057	7.1	0.96	(5.2 - 9.0)		79,914	(58,389 - 101,439)
NJ	35-44	1,452	7.8	0.99	(5.9 - 9.8)		89,094	(66,160 - 112,029)
NJ	45-54	2,172	7.4	0.76	(5.9 - 8.9)		93,853	(74,519 - 113,188)
NJ	55-64	2,489	7.4	0.76	(5.9 - 8.9)		85,623	(68,143 - 103,103)
NJ	65+	3,448	6.6	0.77	(5.1 - 8.1)		90,323	(68,967 - 111,678)
NM	18-24	312	11.8	2.11	(7.6 - 15.9)		24,094	(15,232 - 32,955)
NM	25-34	574	8.8	1.50	(5.8 - 11.7)		23,936	(15,581 - 32,291)
NM	35-44	735	9.7	1.48	(6.7 - 12.6)		23,600	(16,180 - 31,019)
NM	45-54	1,039	9.5	1.28	(7.0 - 12.0)		23,614	(17,099 - 30,130)
NM	55-64	1,581	10.0	1.04	(7.9 - 12.0)		26,577	(20,886 - 32,267)
NM	65+	2,390	9.9	0.96	(8.0 - 11.8)		32,183	(25,785 - 38,580)
NY	18-24	652	12.7	1.69	(9.4 - 16.0)		242,946	(174,350 - 311,541)
NY	25-34	1,264	10.6	1.02	(8.6 - 12.6)		297,647	(239,003 - 356,292)
NY	35-44	1,464	8.9	0.87	(7.2 - 10.6)		217,062	(173,926 - 260,199)
NY	45-54	2,141	9.4	0.73	(8.0 - 10.8)		249,527	(210,456 - 288,598)
NY	55-64	2,544	9.3	0.73	(7.9 - 10.8)		231,074	(194,249 - 267,900)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	4,015	9.4	0.65	(8.2 - 10.7)		284,123	(244,133 - 324,113)
NC	18-24	448	10.8	1.78	(7.3 - 14.3)		107,203	(70,261 - 144,145)
NC	25-34	805	5.4	0.85	(3.8 - 7.1)		69,651	(47,774 - 91,528)
NC	35-44	936	8.1	1.02	(6.1 - 10.2)		104,836	(78,116 - 131,555)
NC	45-54	1,158	8.7	1.00	(6.7 - 10.6)		113,410	(86,651 - 140,168)
NC	55-64	1,332	8.4	0.93	(6.6 - 10.2)		103,799	(80,336 - 127,263)
NC	65+	1,895	8.4	0.87	(6.7 - 10.1)		128,291	(101,085 - 155,497)
ND	18-24	267	8.9	1.78	(5.4 - 12.5)		8,106	(4,823 - 11,389)
ND	25-34	506	9.2	1.53	(6.2 - 12.2)		9,903	(6,503 - 13,304)
ND	35-44	514	7.1	1.30	(4.6 - 9.7)		6,279	(3,967 - 8,591)
ND	45-54	699	9.2	1.45	(6.3 - 12.0)		8,010	(5,391 - 10,630)
ND	55-64	1,133	9.9	1.12	(7.7 - 12.1)		9,482	(7,280 - 11,683)
ND	65+	1,780	9.4	0.84	(7.7 - 11.0)		10,543	(8,629 - 12,457)
OH	18-24	436	13.7	2.26	(9.3 - 18.2)		153,213	(99,440 - 206,986)
OH	25-34	842	9.0	1.33	(6.4 - 11.6)		129,804	(90,515 - 169,093)
OH	35-44	1,161	8.5	1.17	(6.2 - 10.8)		118,362	(85,177 - 151,546)
OH	45-54	1,775	11.1	1.14	(8.8 - 13.3)		168,590	(132,398 - 204,783)
OH	55-64	2,700	10.1	0.91	(8.3 - 11.9)		156,085	(127,031 - 185,139)
OH	65+	4,768	8.9	0.62	(7.6 - 10.1)		164,917	(141,449 - 188,384)
OK	18-24	256	10.8	2.17	(6.5 - 15.1)		42,370	(24,716 - 60,023)
OK	25-34	589	8.1	1.28	(5.6 - 10.6)		42,115	(28,708 - 55,522)
OK	35-44	670	8.5	1.26	(6.0 - 11.0)		40,409	(28,277 - 52,541)
OK	45-54	933	12.6	1.51	(9.7 - 15.6)		59,329	(44,327 - 74,331)
OK	55-64	1,542	9.6	0.95	(7.8 - 11.5)		46,115	(36,750 - 55,481)
OK	65+	2,860	8.4	0.63	(7.1 - 9.6)		49,122	(41,723 - 56,521)
OR	18-24	297	10.1	2.10	(5.9 - 14.2)		37,144	(21,008 - 53,279)
OR	25-34	503	12.7	1.76	(9.3 - 16.2)		67,589	(47,948 - 87,230)
OR	35-44	607	12.5	1.53	(9.5 - 15.5)		64,191	(47,863 - 80,519)
OR	45-54	744	13.5	1.49	(10.6 - 16.4)		64,784	(49,851 - 79,717)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,106	10.2	1.08	(8.1 - 12.3)		54,775	(42,866 - 66,684)
OR	65+	1,960	9.4	0.79	(7.8 - 10.9)		61,298	(50,769 - 71,826)
PA	18-24	367	12.8	2.46	(8.0 - 17.7)		157,290	(93,421 - 221,159)
PA	25-34	633	10.9	1.67	(7.6 - 14.1)		170,344	(115,354 - 225,334)
PA	35-44	659	10.3	1.39	(7.6 - 13.0)		151,435	(109,827 - 193,043)
PA	45-54	933	10.2	1.31	(7.6 - 12.8)		173,611	(127,270 - 219,953)
PA	55-64	1,286	10.3	1.24	(7.8 - 12.7)		180,429	(134,954 - 225,905)
PA	65+	1,756	8.3	0.84	(6.6 - 9.9)		182,053	(144,635 - 219,470)
RI	18-24	275	11.1	2.48	(6.2 - 16.0)		12,367	(6,567 - 18,167)
RI	25-34	444	13.0	1.92	(9.2 - 16.8)		17,687	(12,265 - 23,108)
RI	35-44	631	10.6	1.49	(7.7 - 13.6)		13,127	(9,377 - 16,877)
RI	45-54	1,021	11.6	1.27	(9.1 - 14.0)		16,650	(12,887 - 20,413)
RI	55-64	1,416	11.7	1.19	(9.4 - 14.0)		16,497	(12,997 - 19,998)
RI	65+	2,269	8.7	0.73	(7.3 - 10.2)		15,053	(12,529 - 17,577)
SC	18-24	596	8.0	1.45	(5.2 - 10.9)		38,603	(24,303 - 52,902)
SC	25-34	993	7.0	1.04	(4.9 - 9.0)		43,868	(30,575 - 57,160)
SC	35-44	1,309	7.3	0.88	(5.5 - 9.0)		43,234	(32,687 - 53,780)
SC	45-54	1,796	9.7	0.88	(8.0 - 11.5)		60,617	(49,412 - 71,821)
SC	55-64	2,422	9.3	0.77	(7.8 - 10.8)		58,476	(48,508 - 68,443)
SC	65+	4,286	7.9	0.58	(6.8 - 9.1)		62,997	(53,649 - 72,345)
SD	18-24	329	8.7	2.15	(4.4 - 12.9)		7,527	(3,700 - 11,355)
SD	25-34	686	9.4	2.06	(5.4 - 13.5)		10,452	(5,665 - 15,238)
SD	35-44	789	8.7	1.89	(5.0 - 12.4)		8,623	(4,728 - 12,518)
SD	45-54	1,081	7.8	1.28	(5.3 - 10.3)		7,955	(5,302 - 10,608)
SD	55-64	1,580	7.0	0.99	(5.0 - 8.9)		7,852	(5,622 - 10,082)
SD	65+	2,672	8.7	0.94	(6.9 - 10.6)		11,790	(9,224 - 14,357)
TN	18-24	263	4.8	1.49	(1.9 - 7.7)		30,291	(11,489 - 49,092)
TN	25-34	476	6.2	1.30	(3.7 - 8.8)		53,012	(30,716 - 75,307)
TN	35-44	595	12.3	1.95	(8.4 - 16.1)		100,778	(67,058 - 134,498)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	954	10.4	1.43	(7.6 - 13.2)		89,599	(64,082 - 115,116)
TN	55-64	1,345	10.2	1.17	(7.9 - 12.5)		86,259	(65,934 - 106,585)
TN	65+	2,233	8.7	0.81	(7.1 - 10.3)		89,695	(72,731 - 106,658)
TX	18-24	763	9.6	1.45	(6.8 - 12.5)		266,231	(184,633 - 347,829)
TX	25-34	1,540	8.8	1.21	(6.5 - 11.2)		342,030	(245,363 - 438,696)
TX	35-44	1,748	5.1	0.76	(3.6 - 6.6)		183,067	(128,708 - 237,425)
TX	45-54	2,150	6.3	0.82	(4.7 - 7.9)		219,827	(163,524 - 276,130)
TX	55-64	2,826	8.6	0.88	(6.9 - 10.3)		263,301	(208,951 - 317,651)
TX	65+	5,389	7.6	0.70	(6.2 - 9.0)		247,849	(202,120 - 293,578)
UT	18-24	950	11.9	1.18	(9.6 - 14.2)		40,215	(31,889 - 48,541)
UT	25-34	1,733	6.9	0.70	(5.5 - 8.3)		30,058	(23,922 - 36,194)
UT	35-44	1,984	8.1	0.72	(6.7 - 9.6)		31,779	(26,130 - 37,428)
UT	45-54	1,749	10.1	0.88	(8.4 - 11.9)		30,768	(25,240 - 36,296)
UT	55-64	2,133	8.8	0.78	(7.2 - 10.3)		24,469	(20,028 - 28,909)
UT	65+	2,665	9.3	0.73	(7.9 - 10.7)		28,826	(24,229 - 33,423)
VT	18-24	332	11.3	1.89	(7.6 - 15.1)		7,553	(4,968 - 10,138)
VT	25-34	594	11.7	1.58	(8.6 - 14.8)		8,193	(5,898 - 10,487)
VT	35-44	716	13.0	1.61	(9.8 - 16.2)		9,147	(6,756 - 11,538)
VT	45-54	1,179	13.0	1.25	(10.5 - 15.4)		11,138	(8,879 - 13,396)
VT	55-64	1,582	9.4	0.92	(7.6 - 11.2)		8,983	(7,169 - 10,796)
VT	65+	1,968	9.3	0.85	(7.6 - 10.9)		10,120	(8,222 - 12,019)
VA	18-24	448	9.5	1.47	(6.6 - 12.4)		79,336	(54,263 - 104,410)
VA	25-34	901	6.7	0.91	(4.9 - 8.5)		75,577	(54,819 - 96,335)
VA	35-44	1,091	8.1	0.96	(6.2 - 10.0)		86,369	(65,755 - 106,982)
VA	45-54	1,543	6.9	0.75	(5.5 - 8.4)		78,811	(61,642 - 95,979)
VA	55-64	1,961	8.8	1.05	(6.7 - 10.8)		93,500	(70,194 - 116,806)
VA	65+	2,542	8.2	0.73	(6.7 - 9.6)		98,164	(80,594 - 115,734)
WA	18-24	861	9.9	1.17	(7.6 - 12.2)		64,991	(49,147 - 80,836)
WA	25-34	1,444	8.3	0.86	(6.6 - 10.0)		81,588	(64,510 - 98,665)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	1,697	7.8	0.78	(6.3 - 9.4)		72,277	(57,620 - 86,934)
WA	45-54	2,374	10.5	0.83	(8.9 - 12.1)		95,291	(79,829 - 110,754)
WA	55-64	3,506	10.9	0.68	(9.5 - 12.2)		98,799	(86,102 - 111,496)
WA	65+	5,809	9.4	0.51	(8.4 - 10.5)		98,519	(87,568 - 109,469)
WV	18-24	376	7.3	1.44	(4.5 - 10.1)		12,481	(7,493 - 17,468)
WV	25-34	591	10.7	1.38	(8.0 - 13.4)		22,735	(16,692 - 28,778)
WV	35-44	744	11.6	1.35	(9.0 - 14.3)		25,981	(19,702 - 32,260)
WV	45-54	987	11.0	1.11	(8.8 - 13.1)		26,513	(20,980 - 32,046)
WV	55-64	1,362	12.7	1.07	(10.6 - 14.8)		33,408	(27,512 - 39,303)
WV	65+	1,803	10.8	0.85	(9.1 - 12.4)		36,402	(30,530 - 42,273)
WI	18-24	377	12.7	2.36	(8.1 - 17.4)		71,822	(43,273 - 100,371)
WI	25-34	591	9.7	1.56	(6.7 - 12.8)		68,977	(46,458 - 91,496)
WI	35-44	696	11.0	1.62	(7.8 - 14.2)		76,505	(53,194 - 99,815)
WI	45-54	1,038	9.9	1.23	(7.5 - 12.3)		76,376	(56,901 - 95,850)
WI	55-64	1,417	7.8	0.89	(6.0 - 9.5)		60,790	(46,713 - 74,868)
WI	65+	1,975	7.5	0.78	(6.0 - 9.1)		68,629	(54,391 - 82,867)
WY	18-24	154	8.8	2.59	(3.7 - 13.9)		5,104	(1,997 - 8,210)
WY	25-34	397	10.9	1.92	(7.2 - 14.7)		8,663	(5,509 - 11,816)
WY	35-44	488	3.9	0.87	(2.2 - 5.6)		2,729	(1,526 - 3,931)
WY	45-54	690	7.6	1.22	(5.2 - 10.0)		5,243	(3,542 - 6,943)
WY	55-64	1,278	8.0	0.97	(6.1 - 9.9)		6,362	(4,816 - 7,909)
WY	65+	2,350	8.3	0.78	(6.8 - 9.9)		7,170	(5,803 - 8,537)
Territories								
GU	18-24	210	4.4	1.76	(1.0 - 7.9)		782	(163 - 1,400)
GU	25-34	311	7.5	2.37	(2.8 - 12.2)		1,582	(556 - 2,608)
GU	35-44	314	6.2	2.05	(2.2 - 10.3)		1,395	(462 - 2,328)
GU	45-54	317	7.4	2.19	(3.1 - 11.7)		1,479	(585 - 2,373)
GU	55-64	290	9.1	3.22	(2.8 - 15.5)		1,285	(335 - 2,235)
GU	65+	211	3.7	1.88	(0.0 - 7.4)		399	(0 - 804)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2015**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	433	10.5	1.50	(7.6 - 13.4)		38,961	(27,670 - 50,253)
PR	25-34	635	9.1	1.22	(6.7 - 11.5)		42,523	(30,959 - 54,087)
PR	35-44	683	9.5	1.28	(6.9 - 12.0)		44,051	(31,823 - 56,280)
PR	45-54	865	11.0	1.21	(8.6 - 13.4)		51,752	(40,088 - 63,416)
PR	55-64	1,016	12.6	1.31	(10.1 - 15.2)		54,384	(42,575 - 66,193)
PR	65+	1,734	8.7	0.83	(7.1 - 10.4)		50,758	(41,024 - 60,491)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.