

**Table C4**  
**Child Current Asthma Prevalence**  
**and Weighted Number by Race and State or Territory: BRFSS 2016**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White	46,966	7.0	0.21	(6.6–7.4)		2,169,222	(2,040,769–2,297,674)
Total **	Black	5,033	14.0	0.79	(12.5–15.6)		917,481	(810,107–1,024,854)
Total **	Other	8,806	8.0	0.50	(7.1–9.1)		680,866	(595,049–766,683)
AZ	White	1,248	7.4	1.09	(5.5–9.8)		76,096	(53,353–98,839)
AZ	Black	68	11.9	3.93	(6.1–22.0)		9,789	(3,387–16,190)
AZ	Other	454	8.6	1.92	(5.5–13.2)		35,834	(19,469–52,199)
CA	White	1,742	6.6	0.70	(5.3–8.1)		307,613	(242,323–372,904)
CA	Black	153	15.6	3.56	(9.8–23.9)		90,503	(46,595–134,412)
CA	Other	600	8.6	1.35	(6.3–11.7)		185,889	(126,946–244,833)
CT	White	1,570	9.5	0.91	(7.8–11.4)		44,207	(35,654–52,760)
CT	Black	196	18.3	3.29	(12.7–25.6)		17,244	(10,607–23,882)
CT	Other	308	11.5	2.27	(7.7–16.7)		14,201	(8,365–20,037)
FL	White	4,687	6.4	0.65	(5.3–7.8)		146,195	(116,928–175,462)
FL	Black	985	12.3	1.78	(9.2–16.2)		109,563	(76,685–142,442)
FL	Other	733	5.7	1.21	(3.7–8.6)		29,920	(17,289–42,550)
GA	White	501	6.3	1.38	(4.1–9.7)		74,538	(42,021–107,056)
GA	Black	296	13.7	2.37	(9.6–19.0)		109,838	(71,026–148,649)
GA	Other	99	8.4	3.16	(4.0–17.0)		22,733	(5,392–40,074)
HI	White	257	9.1	2.39	(5.4–15.0)		4,939	(2,271–7,607)
HI	Black	10	16.1				502	
HI	Other	1,355	10.5	1.11	(8.6–12.9)		25,010	(19,661–30,359)
IL	White	699	6.0	0.93	(4.5–8.1)		113,080	(79,386–146,774)
IL	Black	139	16.2	3.62	(10.3–24.6)		74,535	(40,026–109,044)
IL	Other	122	3.7				15,966	
IN	White	1,728	7.9	0.80	(6.4–9.6)		92,536	(73,837–111,236)
IN	Black	199	10.3	2.33	(6.5–15.8)		19,716	(10,746–28,686)
IN	Other	136	8.1	2.70	(4.2–15.2)		9,311	(3,093–15,530)
KS	White	2,312	8.3	0.66	(7.1–9.7)		45,473	(38,314–52,631)
KS	Black	119	14.3	3.60	(8.6–22.9)		7,953	(3,749–12,157)
KS	Other	193	12.3	2.66	(7.9–18.5)		8,304	(4,609–11,998)
KY	White	1,827	6.9	0.71	(5.6–8.4)		51,828	(41,300–62,356)

**Notes:**

\* CI denotes confidence interval.

\*\* Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4  
Child Current Asthma Prevalence  
and Weighted Number by Race and State or Territory: BRFSS 2016**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI* Weighted Number
KY	Black	174	17.9	4.51	(10.7–28.5)		17,636	(8,254–27,018)
KY	Other	145	4.5	2.09	(1.8–10.9)		3,981	(311–7,651)
ME	White	1,781	7.2	0.87	(5.7–9.1)		15,788	(12,020–19,556)
ME	Black	25	16.0				1,115	
ME	Other	91	4.7				717	
MA	White	531	10.5	1.67	(7.7–14.3)		96,316	(65,565–127,067)
MA	Black	61	9.5	5.63	(2.8–27.5)		9,864	(0–22,022)
MA	Other	87	4.8				10,996	
MI	White	2,040	7.3	0.66	(6.1–8.7)		105,044	(86,121–123,967)
MI	Black	340	16.2	2.28	(12.2–21.2)		57,024	(40,240–73,808)
MI	Other	261	8.2	1.80	(5.3–12.5)		20,519	(11,450–29,589)
MN	White	3,039	6.5	0.53	(5.5–7.6)		56,847	(47,639–66,055)
MN	Black	187	11.1	2.50	(7.0–17.0)		12,617	(6,802–18,432)
MN	Other	451	7.1	1.34	(4.9–10.2)		14,549	(9,056–20,041)
MS	White	563	5.1	0.99	(3.5–7.5)		17,041	(10,575–23,507)
MS	Black	534	8.4	1.36	(6.1–11.5)		25,775	(17,460–34,090)
MS	Other	36	2.4				789	
MO	White	1,039	7.5	1.06	(5.6–9.8)		73,140	(52,414–93,865)
MO	Black	146	14.5	3.95	(8.3–24.1)		29,092	(12,743–45,441)
MO	Other	110	9.1	2.73	(5.0–16.0)		12,025	(4,992–19,059)
MT	White	904	4.9	0.97	(3.3–7.2)		8,576	(5,201–11,950)
MT	Black	14	7.1				145	
MT	Other	370	10.1	3.02	(5.5–17.7)		4,007	(1,524–6,491)
NE	White	3,161	5.1	0.54	(4.1–6.2)		18,351	(14,551–22,151)
NE	Black	87	15.8	5.25	(7.9–28.9)		4,897	(1,420–8,373)
NE	Other	345	9.9	2.30	(6.3–15.4)		6,157	(3,244–9,071)
NV	White	573	4.2	1.25	(2.3–7.4)		12,219	(4,957–19,481)
NV	Black	43	11.2				6,049	
NV	Other	281	7.3	2.05	(4.2–12.5)		19,222	(8,369–30,075)
NJ	White	988	5.8	0.96	(4.1–7.9)		61,611	(41,464–81,759)
NJ	Black	258	19.9	3.75	(13.6–28.3)		61,269	(35,544–86,994)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Child Current Asthma Prevalence**  
**and Weighted Number by Race and State or Territory: BRFSS 2016**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
NJ	Other	251	6.7	1.99	(3.7–11.8)		27,358	(11,278–43,439)
NM	White	969	10.1	1.39	(7.7–13.2)		36,284	(26,290–46,278)
NM	Black	30	20.1	10.68	(6.4–48.1)		3,394	(0–7,521)
NM	Other	298	7.0	1.66	(4.3–11.0)		6,026	(3,212–8,841)
NY	White	1,776	8.2	1.12	(6.2–10.7)		197,003	(143,096–250,909)
NY	Black	188	15.9	3.45	(10.3–23.9)		117,862	(64,841–170,882)
NY	Other	229	6.7	2.39	(3.3–13.2)		40,796	(11,628–69,964)
OH	White	1,978	6.0	0.70	(4.7–7.5)		107,224	(82,430–132,018)
OH	Black	232	10.1	2.37	(6.3–15.7)		39,663	(20,606–58,721)
OH	Other	171	8.6	2.61	(4.7–15.3)		22,814	(8,833–36,795)
OK	White	815	8.2	1.13	(6.3–10.7)		44,815	(32,538–57,092)
OK	Black	80	15.2	4.66	(8.1–26.7)		12,542	(4,446–20,637)
OK	Other	281	11.7	2.29	(7.9–17.0)		30,111	(17,955–42,266)
OR	White	875	6.0	0.89	(4.4–7.9)		37,165	(26,281–48,048)
OR	Black	14	11.8				1,238	
OR	Other	137	5.0	1.89	(2.4–10.3)		7,141	(1,839–12,443)
PA	White	1,135	8.0	0.97	(6.3–10.2)		144,590	(110,116–179,064)
PA	Black	165	12.2	3.05	(7.4–19.5)		44,753	(21,653–67,853)
PA	Other	141	8.4	2.59	(4.5–15.1)		27,461	(10,570–44,353)
RI	White	867	8.6	1.35	(6.3–11.6)		11,935	(8,185–15,685)
RI	Black	77	7.5	3.91	(2.6–19.7)		1,640	(0–3,388)
RI	Other	142	15.9	4.40	(9.0–26.5)		4,985	(1,991–7,979)
UT	White	3,110	5.5	0.49	(4.6–6.5)		40,898	(33,742–48,054)
UT	Black	38	13.6	6.59	(5.0–32.1)		1,439	(0–2,882)
UT	Other	267	8.3	2.03	(5.1–13.3)		8,113	(4,091–12,136)
VT	White	1,156	7.9	1.29	(5.7–10.8)		7,926	(5,317–10,536)
VT	Black	19	14.8				330	
VT	Other	75	6.6				556	
WA	White	2,218	6.1	0.62	(5.0–7.4)		62,712	(50,177–75,248)
WA	Black	91	20.5	5.48	(11.8–33.3)		17,297	(7,352–27,242)
WA	Other	555	7.7	1.52	(5.2–11.3)		32,297	(19,265–45,328)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Child Current Asthma Prevalence**  
**and Weighted Number by Race and State or Territory: BRFSS 2016**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI* Weighted Number
WI	White	877	6.0	1.07	(4.2–8.5)		57,231	(36,908–77,553)
WI	Black	65	14.3	6.39	(5.7–31.7)		12,196	(785–23,607)
WI	Other	82	19.4	5.88	(10.3–33.5)		33,075	(11,160–54,989)
Territory								
PR	White	772	14.8	1.97	(11.4–19.1)		81,054	(58,442–103,667)
PR	Black	79	11.6	3.79	(6.0–21.3)		4,661	(1,641–7,681)
PR	Other	310	18.0	3.06	(12.7–24.8)		35,590	(22,525–48,656)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.