

Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White NH ***	40,947	7.0	0.22	(6.6–7.4)		1,664,885	(1,561,517–1,768,253)
Total **	Black NH	4,614	14.1	0.83	(12.6–15.8)		851,533	(747,149–955,917)
Total **	Other NH	6,419	8.0	0.58	(6.9–9.2)		474,026	(404,481–543,571)
Total **	Hispanic	9,601	7.4	0.43	(6.6–8.2)		837,490	(738,760–936,220)
AZ	White NH	902	6.4	0.94	(4.8–8.5)		37,487	(26,588–48,386)
AZ	Black NH	52	8.5				5,313	
AZ	Other NH	293	9.9	2.54	(5.9–16.1)		20,482	(9,691–31,273)
AZ	Hispanic	549	9.0	1.72	(6.1–13.0)		64,917	(39,387–90,446)
CA	White NH	751	6.4	0.97	(4.7–8.6)		130,081	(90,610–169,552)
CA	Black NH	104	17.9	4.33	(10.9–28.0)		83,084	(39,866–126,301)
CA	Other NH	347	8.7	1.68	(5.9–12.6)		128,589	(78,232–178,946)
CA	Hispanic	1,359	6.8	0.85	(5.3–8.7)		245,366	(183,947–306,785)
CT	White NH	1,405	8.7	0.91	(7.0–10.6)		32,933	(25,948–39,918)
CT	Black NH	171	18.4	3.56	(12.4–26.4)		15,274	(8,925–21,622)
CT	Other NH	203	8.3	2.41	(4.6–14.4)		5,577	(2,266–8,889)
CT	Hispanic	327	14.1	2.16	(10.4–18.9)		24,233	(16,555–31,911)
FL	White NH	3,672	7.8	0.87	(6.3–9.7)		117,858	(91,192–144,524)
FL	Black NH	895	11.8	1.83	(8.7–15.9)		97,291	(66,098–128,484)
FL	Other NH	360	7.6	2.14	(4.3–13.0)		20,074	(8,638–31,509)
FL	Hispanic	1,610	5.4	0.90	(3.9–7.5)		63,185	(42,013–84,356)
GA	White NH	445	6.2	1.46	(3.9–9.8)		61,157	(32,427–89,888)
GA	Black NH	289	13.8	2.40	(9.7–19.2)		109,137	(70,349–147,925)
GA	Other NH	66	6.9				12,320	
GA	Hispanic	112	6.8	2.76	(3.0–14.6)		24,495	(4,372–44,619)
HI	White NH	205	8.5	2.64	(4.5–15.3)		3,497	(1,259–5,735)
HI	Black NH	10	16.1				502	
HI	Other NH	1,190	9.9	1.08	(7.9–12.2)		19,376	(15,108–23,643)
HI	Hispanic	218	13.1	3.13	(8.1–20.5)		7,077	(3,474–10,679)
IL	White NH	563	7.2	1.16	(5.2–9.8)		99,780	(68,184–131,377)
IL	Black NH	128	17.4	3.91	(11.0–26.4)		73,604	(39,123–108,084)
IL	Other NH	77	3.7				10,565	

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
IL	Hispanic	209	3.3	1.23	(1.6–6.8)		23,695	(6,545–40,845)
IN	White NH	1,593	7.9	0.83	(6.4–9.6)		82,390	(65,101–99,680)
IN	Black NH	185	10.9	2.48	(6.9–16.8)		19,563	(10,598–28,528)
IN	Other NH	123	8.6	2.91	(4.3–16.2)		9,078	(2,876–15,280)
IN	Hispanic	193	7.3	2.33	(3.8–13.4)		12,530	(4,375–20,686)
KS	White NH	2,039	8.9	0.73	(7.6–10.5)		39,315	(32,868–45,762)
KS	Black NH	106	14.6	3.81	(8.6–23.7)		7,203	(3,260–11,146)
KS	Other NH	169	11.5	2.80	(7.0–18.2)		6,804	(3,378–10,229)
KS	Hispanic	346	6.3	1.42	(4.0–9.7)		8,407	(4,597–12,217)
KY	White NH	1,791	7.0	0.73	(5.7–8.6)		51,233	(40,722–61,744)
KY	Black NH	170	18.2	4.58	(10.8–28.9)		17,636	(8,254–27,018)
KY	Other NH	121	5.1	2.39	(2.0–12.4)		3,981	(311–7,651)
KY	Hispanic	72	1.4				595	
ME	White NH	1,736	7.3	0.90	(5.7–9.3)		15,374	(11,630–19,117)
ME	Black NH	24	16.0				1,115	
ME	Other NH	89	4.8				717	
ME	Hispanic	51	4.3				428	
MA	White NH	474	9.9	1.65	(7.1–13.6)		75,915	(50,736–101,093)
MA	Black NH	54	9.4	6.35	(2.4–30.9)		8,402	(0–20,218)
MA	Other NH	68	3.5				6,043	
MA	Hispanic	93	11.7	4.04	(5.8–22.2)		27,925	(7,980–47,869)
MI	White NH	1,928	7.3	0.68	(6.0–8.7)		95,988	(78,219–113,758)
MI	Black NH	335	15.8	2.28	(11.8–20.8)		55,027	(38,477–71,577)
MI	Other NH	219	9.4	2.15	(6.0–14.6)		18,893	(10,105–27,681)
MI	Hispanic	163	6.8	2.05	(3.7–12.1)		12,679	(5,007–20,351)
MN	White NH	2,873	6.5	0.54	(5.5–7.6)		53,558	(44,678–62,438)
MN	Black NH	176	11.3	2.57	(7.1–17.4)		12,452	(6,646–18,259)
MN	Other NH	317	7.3	1.57	(4.8–11.1)		11,695	(6,680–16,710)
MN	Hispanic	351	5.8	1.49	(3.5–9.5)		6,727	(3,236–10,218)
MS	White NH	549	5.2	1.01	(3.5–7.5)		16,436	(10,080–22,792)
MS	Black NH	532	8.5	1.37	(6.2–11.6)		25,775	(17,460–34,090)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
MS	Other NH	27	3.2				789	
MS	Hispanic	28	2.2				605	
MO	White NH	996	7.3	1.07	(5.5–9.7)		68,418	(48,580–88,257)
MO	Black NH	143	14.9	4.06	(8.6–24.7)		29,092	(12,743–45,441)
MO	Other NH	89	10.7	3.35	(5.6–19.2)		11,365	(4,389–18,340)
MO	Hispanic	71	6.5				5,382	
MT	White NH	874	4.7	0.97	(3.1–7.0)		7,721	(4,539–10,902)
MT	Black NH	13	7.5				145	
MT	Other NH	342	10.7	3.38	(5.7–19.4)		3,585	(1,227–5,942)
MT	Hispanic	61	7.8				1,278	
NE	White NH	2,851	5.0	0.57	(4.0–6.2)		15,682	(12,138–19,226)
NE	Black NH	77	16.5	5.51	(8.2–30.2)		4,861	(1,385–8,337)
NE	Other NH	197	12.8	3.24	(7.6–20.6)		4,378	(2,064–6,693)
NE	Hispanic	508	5.8	1.41	(3.6–9.3)		4,740	(2,438–7,041)
NV	White NH	432	4.5	1.60	(2.2–8.9)		9,420	(2,725–16,115)
NV	Black NH	38	11.8				6,049	
NV	Other NH	118	10.9	4.18	(5.0–22.1)		10,856	(2,191–19,521)
NV	Hispanic	325	5.6	1.60	(3.1–9.7)		14,656	(6,271–23,041)
NJ	White NH	807	6.0	1.18	(4.1–8.8)		49,341	(30,151–68,532)
NJ	Black NH	227	18.8	3.87	(12.4–27.6)		51,686	(28,381–74,992)
NJ	Other NH	136	5.9	2.42	(2.6–12.8)		14,761	(2,616–26,907)
NJ	Hispanic	382	7.5	1.76	(4.7–11.8)		37,900	(20,174–55,625)
NM	White NH	386	10.8	2.86	(6.4–17.8)		12,270	(5,468–19,072)
NM	Black NH	15	2.6				177	
NM	Other NH	242	4.8	1.39	(2.7–8.4)		3,182	(1,413–4,951)
NM	Hispanic	680	11.0	1.57	(8.3–14.4)		31,177	(22,151–40,202)
NY	White NH	1,590	7.8	1.16	(5.9–10.4)		142,923	(100,751–185,096)
NY	Black NH	152	16.8	3.88	(10.5–25.8)		106,115	(55,167–157,063)
NY	Other NH	184	4.6	1.62	(2.3–9.0)		21,371	(6,569–36,174)
NY	Hispanic	318	9.3	2.26	(5.7–14.8)		93,842	(47,700–139,984)
OH	White NH	1,929	5.9	0.71	(4.7–7.5)		101,964	(77,770–126,159)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
OH	Black NH	225	9.5	2.37	(5.8–15.3)		36,478	(17,954–55,001)
OH	Other NH	155	8.8	2.82	(4.7–16.1)		21,416	(7,580–35,251)
OH	Hispanic	73	9.0	3.44	(4.1–18.4)		9,843	(2,437–17,250)
OK	White NH	708	8.6	1.26	(6.4–11.4)		38,465	(27,106–49,823)
OK	Black NH	76	15.4	4.75	(8.2–27.1)		12,542	(4,446–20,637)
OK	Other NH	231	11.7	2.63	(7.4–17.9)		24,294	(12,940–35,647)
OK	Hispanic	171	8.4	2.18	(5.0–13.7)		13,420	(6,475–20,365)
OR	White NH	781	5.6	0.88	(4.1–7.6)		27,588	(19,036–36,140)
OR	Black NH	12	13.5				1,238	
OR	Other NH	113	5.6	2.26	(2.5–12.1)		6,450	(1,321–11,580)
OR	Hispanic	142	5.6	1.85	(2.9–10.5)		10,958	(3,873–18,043)
PA	White NH	1,077	7.5	0.94	(5.9–9.6)		124,549	(93,749–155,349)
PA	Black NH	156	12.3	3.17	(7.3–19.9)		41,776	(19,415–64,137)
PA	Other NH	121	7.7	2.64	(3.9–14.7)		20,727	(6,578–34,876)
PA	Hispanic	93	13.4	4.07	(7.2–23.5)		33,903	(13,112–54,694)
RI	White NH	784	7.5	1.20	(5.5–10.2)		8,684	(5,956–11,413)
RI	Black NH	57	8.3				1,360	
RI	Other NH	83	10.0	4.59	(4.0–23.2)		1,709	(93–3,325)
RI	Hispanic	185	14.3	3.52	(8.7–22.7)		7,043	(3,337–10,748)
UT	White NH	2,869	5.6	0.50	(4.7–6.7)		35,955	(29,623–42,287)
UT	Black NH	37	14.9	7.11	(5.5–34.5)		1,439	(0–2,882)
UT	Other NH	192	7.9	2.23	(4.5–13.6)		5,178	(2,270–8,085)
UT	Hispanic	371	5.8	1.48	(3.5–9.4)		9,373	(4,526–14,221)
VT	White NH	1,133	7.9	1.30	(5.7–10.9)		7,699	(5,121–10,277)
VT	Black NH	18	15.8				330	
VT	Other NH	63	6.7				509	
VT	Hispanic	37	9.6				346	
WA	White NH	1,979	6.1	0.63	(4.9–7.4)		51,149	(40,493–61,804)
WA	Black NH	75	19.8	5.85	(10.7–33.7)		14,671	(5,388–23,954)
WA	Other NH	420	7.5	1.74	(4.7–11.7)		22,449	(11,771–33,127)
WA	Hispanic	429	8.0	1.69	(5.3–12.0)		27,326	(15,619–39,034)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
WI	White NH	825	5.9	1.09	(4.1–8.4)		50,054	(31,949–68,158)
WI	Black NH	62	14.4	6.45	(5.7–32.0)		12,196	(785–23,607)
WI	Other NH	64	20.6	7.08	(10.0–37.8)		26,812	(6,215–47,408)
WI	Hispanic	74	8.7	3.96	(3.5–20.2)		13,440	(1,091–25,789)
Territory								
PR	White NH	11	6.3				570	
PR	Black NH	1	0.0				0	
PR	Other NH	3	0.0				0	
PR	Hispanic	1,156	15.7	1.60	(12.8–19.1)		122,244	(96,301–148,186)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.