

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	HS Nongrad	36,028	11.0	0.28	(10.5–11.6)	3,784,167	(3,586,844–3,981,489)
U.S. Total**	HS Grad	133,414	8.8	0.16	(8.5–9.1)	6,133,192	(5,910,666–6,355,719)
U.S. Total**	Some Coll	130,373	9.2	0.16	(8.9–9.5)	7,135,629	(6,886,016–7,385,242)
U.S. Total**	Coll Grad	173,011	7.6	0.12	(7.3–7.8)	5,066,818	(4,904,323–5,229,312)
AL	HS Nongrad	782	15.2	1.79	(11.7–18.7)	91,918	(68,846–114,989)
AL	HS Grad	2,216	10.5	0.93	(8.7–12.3)	122,447	(100,105–144,789)
AL	Some Coll	2,029	8.3	0.78	(6.8–9.8)	98,601	(79,962–117,241)
AL	Coll Grad	1,934	6.6	0.69	(5.2–7.9)	52,002	(41,091–62,913)
AK	HS Nongrad	164	8.2	2.60	(3.0–13.3)	4,265	(1,587–6,943)
AK	HS Grad	828	8.7	1.79	(5.2–12.2)	13,777	(7,949–19,605)
AK	Some Coll	876	7.7	1.13	(5.4–9.9)	15,686	(11,145–20,226)
AK	Coll Grad	1,014	10.8	2.00	(6.9–14.8)	14,622	(8,945–20,299)
AZ	HS Nongrad	705	9.9	1.70	(6.5–13.2)	75,422	(48,725–102,119)
AZ	HS Grad	2,498	8.2	0.80	(6.7–9.8)	109,392	(88,133–130,650)
AZ	Some Coll	3,318	9.9	0.80	(8.4–11.5)	183,917	(153,746–214,088)
AZ	Coll Grad	4,289	9.5	0.68	(8.2–10.8)	122,379	(104,725–140,033)
AR	HS Nongrad	520	13.7	2.43	(8.9–18.4)	47,088	(29,890–64,287)
AR	HS Grad	1,824	7.1	0.88	(5.4–8.8)	56,487	(42,622–70,352)
AR	Some Coll	1,341	9.7	1.33	(7.0–12.3)	67,197	(48,385–86,009)
AR	Coll Grad	1,558	5.3	0.98	(3.4–7.2)	23,061	(14,524–31,598)
CA	HS Nongrad	1,489	5.5	0.68	(4.1–6.8)	293,133	(220,151–366,114)
CA	HS Grad	2,115	7.9	0.67	(6.6–9.2)	519,940	(430,577–609,303)
CA	Some Coll	2,799	9.5	0.66	(8.2–10.8)	910,754	(782,591–1,038,917)
CA	Coll Grad	4,858	7.3	0.46	(6.4–8.2)	615,802	(536,967–694,637)
CO	HS Nongrad	862	6.0	1.01	(4.0–8.0)	25,854	(17,098–34,610)
CO	HS Grad	3,158	9.9	0.72	(8.5–11.3)	95,482	(81,183–109,782)
CO	Some Coll	4,085	10.2	0.63	(8.9–11.4)	141,867	(123,838–159,896)
CO	Coll Grad	6,666	7.5	0.40	(6.7–8.3)	110,152	(98,295–122,009)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
CT	HS Nongrad	534	15.7	1.96	(11.8–19.5)		48,555	(35,697–61,413)
CT	HS Grad	2,599	10.7	0.82	(9.1–12.3)		83,401	(70,233–96,569)
CT	Some Coll	2,496	11.5	0.90	(9.7–13.2)		87,721	(73,440–102,002)
CT	Coll Grad	5,297	7.9	0.50	(6.9–8.9)		75,375	(65,703–85,048)
DE	HS Nongrad	399	12.2	2.23	(7.8–16.6)		11,313	(7,020–15,606)
DE	HS Grad	1,244	8.4	0.99	(6.5–10.4)		19,557	(14,928–24,186)
DE	Some Coll	982	8.4	1.06	(6.3–10.5)		18,178	(13,572–22,785)
DE	Coll Grad	1,390	6.6	0.86	(5.0–8.3)		13,443	(9,954–16,932)
DC	HS Nongrad	216	19.7	3.58	(12.7–26.8)		11,626	(6,954–16,299)
DC	HS Grad	876	13.3	1.35	(10.7–16.0)		13,492	(10,692–16,292)
DC	Some Coll	697	9.2	1.37	(6.5–11.9)		10,041	(7,006–13,077)
DC	Coll Grad	2,012	7.0	0.72	(5.6–8.4)		20,030	(15,901–24,159)
FL	HS Nongrad	3,862	8.9	1.03	(6.9–10.9)		198,887	(151,678–246,095)
FL	HS Grad	11,021	6.7	0.46	(5.8–7.6)		327,599	(282,598–372,600)
FL	Some Coll	10,625	6.6	0.43	(5.7–7.4)		340,279	(295,522–385,035)
FL	Coll Grad	11,016	5.9	0.41	(5.1–6.7)		240,116	(206,911–273,321)
GA	HS Nongrad	614	11.9	1.69	(8.6–15.2)		142,465	(100,701–184,229)
GA	HS Grad	1,468	8.2	1.03	(6.1–10.2)		184,639	(136,801–232,476)
GA	Some Coll	1,368	8.6	0.98	(6.6–10.5)		199,727	(153,114–246,341)
GA	Coll Grad	1,871	6.9	0.71	(5.5–8.3)		137,497	(109,001–165,993)
HI	HS Nongrad	298	14.4	2.79	(8.9–19.9)		14,873	(8,703–21,042)
HI	HS Grad	2,091	11.4	0.90	(9.6–13.1)		36,813	(30,841–42,785)
HI	Some Coll	2,227	11.7	0.92	(9.9–13.5)		44,522	(37,352–51,693)
HI	Coll Grad	3,412	7.6	0.59	(6.4–8.7)		24,017	(20,277–27,757)
ID	HS Nongrad	353	11.0	2.57	(5.9–16.1)		15,134	(7,714–22,554)
ID	HS Grad	1,491	9.7	1.10	(7.6–11.9)		34,477	(26,550–42,404)
ID	Some Coll	1,643	9.9	0.97	(8.0–11.8)		45,938	(36,788–55,088)
ID	Coll Grad	1,724	6.8	0.85	(5.2–8.5)		19,349	(14,508–24,189)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
IL	HS Nongrad	351	10.0	2.03	(6.0–14.0)		125,018	(72,226–177,810)
IL	HS Grad	1,095	9.1	1.08	(7.0–11.2)		245,837	(185,765–305,908)
IL	Some Coll	1,354	9.1	0.96	(7.3–11.0)		277,971	(218,479–337,463)
IL	Coll Grad	1,948	8.0	0.70	(6.6–9.3)		230,879	(190,145–271,613)
IN	HS Nongrad	888	15.6	1.70	(12.3–19.0)		103,095	(79,392–126,798)
IN	HS Grad	3,744	9.7	0.67	(8.4–11.0)		168,106	(144,583–191,628)
IN	Some Coll	2,742	9.3	0.76	(7.8–10.8)		145,530	(121,571–169,489)
IN	Coll Grad	3,621	8.7	0.66	(7.5–10.0)		96,318	(81,663–110,973)
IA	HS Nongrad	382	12.2	2.14	(8.0–16.4)		26,164	(16,561–35,767)
IA	HS Grad	2,419	8.4	0.77	(6.9–9.9)		64,141	(52,157–76,125)
IA	Some Coll	2,094	7.5	0.71	(6.1–8.9)		63,586	(51,392–75,781)
IA	Coll Grad	2,319	5.8	0.60	(4.7–7.0)		33,981	(26,977–40,985)
KS	HS Nongrad	617	10.4	1.39	(7.7–13.2)		24,312	(17,700–30,924)
KS	HS Grad	3,366	9.5	0.64	(8.3–10.8)		55,538	(47,917–63,160)
KS	Some Coll	3,560	9.3	0.60	(8.2–10.5)		70,830	(61,506–80,155)
KS	Coll Grad	4,496	6.9	0.43	(6.1–7.8)		41,870	(36,644–47,095)
KY	HS Nongrad	923	17.9	1.63	(14.7–21.1)		98,049	(79,173–116,925)
KY	HS Grad	3,235	10.5	0.72	(9.0–11.9)		119,818	(103,210–136,427)
KY	Some Coll	2,893	11.8	0.92	(10.0–13.6)		121,285	(101,819–140,752)
KY	Coll Grad	3,113	8.0	0.74	(6.6–9.5)		55,000	(44,769–65,232)
LA	HS Nongrad	572	15.2	2.46	(10.4–20.1)		91,814	(60,245–123,384)
LA	HS Grad	1,717	7.8	0.98	(5.8–9.7)		92,726	(68,987–116,465)
LA	Some Coll	1,357	7.2	1.09	(5.1–9.4)		74,350	(51,683–97,017)
LA	Coll Grad	1,556	5.3	0.77	(3.8–6.8)		38,069	(27,014–49,124)
ME	HS Nongrad	461	20.9	2.98	(15.1–26.8)		19,395	(13,228–25,562)
ME	HS Grad	3,007	10.9	0.83	(9.3–12.6)		39,000	(32,937–45,063)
ME	Some Coll	2,679	13.2	1.00	(11.2–15.1)		44,106	(37,150–51,062)
ME	Coll Grad	3,821	9.9	0.71	(8.5–11.3)		28,439	(24,287–32,591)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
MD	HS Nongrad	1,019	10.2	1.29	(7.6–12.7)		53,586	(39,760–67,411)
MD	HS Grad	4,807	9.7	0.64	(8.4–10.9)		118,088	(102,315–133,860)
MD	Some Coll	4,212	10.8	0.73	(9.4–12.2)		141,866	(122,282–161,450)
MD	Coll Grad	8,184	7.9	0.43	(7.1–8.7)		125,924	(112,112–139,737)
MA	HS Nongrad	493	14.9	2.29	(10.4–19.4)		86,008	(57,742–114,274)
MA	HS Grad	1,856	10.0	0.95	(8.1–11.8)		139,495	(112,393–166,598)
MA	Some Coll	1,934	9.8	0.87	(8.1–11.5)		140,539	(115,227–165,850)
MA	Coll Grad	4,024	9.6	0.59	(8.4–10.7)		190,959	(167,105–214,812)
MI	HS Nongrad	633	18.8	1.86	(15.1–22.4)		156,123	(122,811–189,436)
MI	HS Grad	3,256	10.6	0.65	(9.4–11.9)		243,171	(212,934–273,408)
MI	Some Coll	3,710	10.6	0.63	(9.4–11.8)		282,746	(248,418–317,074)
MI	Coll Grad	4,301	8.3	0.50	(7.4–9.3)		156,793	(137,952–175,633)
MN	HS Nongrad	745	9.6	1.28	(7.1–12.1)		34,479	(24,961–43,997)
MN	HS Grad	4,092	7.4	0.48	(6.4–8.3)		82,463	(71,562–93,364)
MN	Some Coll	5,128	7.8	0.46	(6.9–8.7)		113,131	(99,682–126,579)
MN	Coll Grad	6,696	7.0	0.36	(6.3–7.8)		91,056	(81,704–100,408)
MS	HS Nongrad	671	13.0	1.81	(9.4–16.6)		51,780	(36,593–66,967)
MS	HS Grad	1,655	7.9	0.86	(6.2–9.6)		54,029	(42,174–65,883)
MS	Some Coll	1,315	7.1	0.85	(5.5–8.8)		54,040	(41,111–66,970)
MS	Coll Grad	1,451	5.1	0.69	(3.7–6.4)		21,195	(15,528–26,863)
MO	HS Nongrad	628	17.1	2.73	(11.7–22.4)		95,935	(62,162–129,709)
MO	HS Grad	2,314	7.9	0.80	(6.3–9.5)		115,435	(91,992–138,878)
MO	Some Coll	1,978	10.7	1.06	(8.7–12.8)		162,426	(129,611–195,241)
MO	Coll Grad	2,137	7.7	0.83	(6.1–9.4)		89,354	(69,943–108,765)
MT	HS Nongrad	375	12.5	2.44	(7.7–17.3)		8,250	(4,903–11,597)
MT	HS Grad	1,780	7.9	0.91	(6.1–9.6)		19,532	(14,976–24,089)
MT	Some Coll	1,790	8.1	0.82	(6.5–9.8)		22,978	(18,364–27,592)
MT	Coll Grad	1,966	8.8	0.91	(7.0–10.6)		18,643	(14,699–22,587)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NE	HS Nongrad	947	11.4	1.73	(8.0–14.8)		16,310	(11,101–21,519)
NE	HS Grad	5,050	8.5	0.66	(7.2–9.8)		33,302	(28,082–38,523)
NE	Some Coll	4,603	8.9	0.74	(7.4–10.3)		45,549	(37,789–53,309)
NE	Coll Grad	4,492	6.2	0.54	(5.1–7.2)		23,722	(19,544–27,899)
NV	HS Nongrad	394	9.8	2.38	(5.2–14.5)		35,351	(17,371–53,330)
NV	HS Grad	1,175	8.9	1.06	(6.8–11.0)		58,480	(44,405–72,555)
NV	Some Coll	1,290	7.3	1.05	(5.3–9.4)		56,676	(40,225–73,127)
NV	Coll Grad	1,439	6.0	0.78	(4.4–7.5)		27,862	(20,588–35,136)
NH	HS Nongrad	309	18.9	3.68	(11.7–26.2)		16,260	(9,184–23,337)
NH	HS Grad	1,720	11.5	1.23	(9.1–13.9)		35,733	(27,757–43,708)
NH	Some Coll	1,661	11.4	1.04	(9.4–13.5)		37,317	(30,362–44,273)
NH	Coll Grad	2,655	9.4	0.76	(7.9–10.9)		32,083	(26,792–37,373)
NJ	HS Nongrad	571	10.5	1.65	(7.2–13.7)		87,455	(59,479–115,431)
NJ	HS Grad	2,009	9.6	1.23	(7.1–12.0)		193,230	(141,323–245,136)
NJ	Some Coll	1,783	8.3	0.98	(6.4–10.3)		148,152	(112,575–183,730)
NJ	Coll Grad	3,212	6.2	0.65	(4.9–7.5)		143,631	(113,596–173,665)
NM	HS Nongrad	715	11.6	1.73	(8.2–14.9)		30,181	(20,710–39,653)
NM	HS Grad	1,625	10.1	1.16	(7.8–12.3)		42,357	(32,256–52,458)
NM	Some Coll	1,669	14.1	1.35	(11.5–16.8)		74,252	(59,363–89,141)
NM	Coll Grad	1,966	10.3	0.99	(8.4–12.3)		37,283	(30,014–44,553)
NY	HS Nongrad	2,929	11.9	1.00	(10.0–13.9)		270,178	(223,992–316,364)
NY	HS Grad	9,905	9.0	0.55	(8.0–10.1)		372,319	(327,341–417,298)
NY	Some Coll	8,778	9.6	0.61	(8.4–10.8)		404,758	(353,006–456,511)
NY	Coll Grad	12,246	8.7	0.51	(7.7–9.7)		422,004	(371,962–472,045)
NC	HS Nongrad	710	12.3	1.49	(9.3–15.2)		140,604	(105,184–176,024)
NC	HS Grad	1,793	7.1	0.78	(5.6–8.7)		153,267	(119,348–187,186)
NC	Some Coll	1,880	7.7	0.74	(6.3–9.2)		195,951	(158,303–233,599)
NC	Coll Grad	2,101	7.1	0.67	(5.8–8.4)		141,043	(114,291–167,795)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
ND	HS Nongrad	325	11.8	2.56	(6.7–16.8)	5,815	(3,152–8,477)
ND	HS Grad	1,644	9.1	1.00	(7.1–11.1)	14,311	(11,066–17,557)
ND	Some Coll	1,876	9.6	0.89	(7.8–11.3)	22,374	(18,111–26,636)
ND	Coll Grad	1,859	7.1	0.70	(5.8–8.5)	10,441	(8,392–12,490)
OH	HS Nongrad	849	20.5	2.18	(16.2–24.8)	208,699	(160,425–256,973)
OH	HS Grad	4,391	9.5	0.70	(8.2–10.9)	291,259	(247,728–334,790)
OH	Some Coll	3,306	7.7	0.68	(6.4–9.1)	213,592	(175,348–251,837)
OH	Coll Grad	3,745	7.5	0.62	(6.3–8.7)	159,468	(132,761–186,175)
OK	HS Nongrad	508	13.5	1.98	(9.6–17.4)	55,118	(37,957–72,280)
OK	HS Grad	2,043	10.3	0.95	(8.4–12.1)	96,214	(77,930–114,497)
OK	Some Coll	2,172	9.5	0.83	(7.8–11.1)	90,356	(74,260–106,451)
OK	Coll Grad	2,086	7.8	0.72	(6.4–9.2)	50,381	(41,181–59,581)
OR	HS Nongrad	297	13.8	2.35	(9.2–18.5)	47,925	(30,668–65,181)
OR	HS Grad	1,247	10.5	0.98	(8.6–12.4)	83,366	(67,331–99,402)
OR	Some Coll	1,675	11.6	0.87	(9.9–13.3)	134,285	(113,688–154,883)
OR	Coll Grad	2,137	7.8	0.61	(6.6–9.0)	68,910	(58,098–79,722)
PA	HS Nongrad	395	13.7	2.10	(9.6–17.9)	156,415	(106,404–206,427)
PA	HS Grad	2,084	9.3	0.77	(7.8–10.8)	336,843	(280,195–393,491)
PA	Some Coll	1,594	12.1	1.11	(9.9–14.3)	323,047	(261,346–384,747)
PA	Coll Grad	2,674	9.6	0.75	(8.1–11.1)	253,321	(212,952–293,690)
RI	HS Nongrad	407	13.1	2.22	(8.8–17.5)	15,630	(10,131–21,128)
RI	HS Grad	1,402	10.0	1.05	(8.0–12.1)	23,138	(18,265–28,010)
RI	Some Coll	1,328	10.9	1.15	(8.7–13.2)	27,170	(21,320–33,019)
RI	Coll Grad	2,258	10.1	0.80	(8.5–11.7)	24,385	(20,469–28,300)
SC	HS Nongrad	1,202	13.3	1.40	(10.5–16.0)	75,501	(58,850–92,151)
SC	HS Grad	3,374	8.3	0.67	(7.0–9.6)	96,476	(80,691–112,262)
SC	Some Coll	3,040	8.3	0.64	(7.1–9.6)	101,687	(85,869–117,506)
SC	Coll Grad	3,532	7.4	0.62	(6.2–8.6)	66,678	(55,545–77,812)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
SD	HS Nongrad	313	8.8	2.15	(4.6–13.1)	5,901	(3,035–8,768)
SD	HS Grad	1,598	5.6	0.86	(3.9–7.3)	11,489	(7,979–15,000)
SD	Some Coll	1,820	6.8	1.07	(4.7–8.9)	15,042	(10,197–19,887)
SD	Coll Grad	1,994	5.0	0.72	(3.6–6.4)	7,807	(5,571–10,044)
TN	HS Nongrad	639	19.8	2.48	(15.0–24.7)	148,427	(106,885–189,969)
TN	HS Grad	1,984	10.4	0.97	(8.5–12.3)	178,196	(144,422–211,971)
TN	Some Coll	1,601	8.9	1.00	(6.9–10.9)	133,763	(103,367–164,160)
TN	Coll Grad	1,866	8.2	0.93	(6.4–10.0)	95,733	(73,886–117,580)
TX	HS Nongrad	1,346	6.5	1.01	(4.5–8.5)	246,554	(170,497–322,611)
TX	HS Grad	2,929	7.4	1.01	(5.4–9.3)	395,367	(284,248–506,486)
TX	Some Coll	2,965	9.1	0.94	(7.2–10.9)	582,122	(460,165–704,080)
TX	Coll Grad	4,374	7.1	0.69	(5.8–8.5)	359,575	(289,345–429,805)
UT	HS Nongrad	502	7.4	1.33	(4.8–10.0)	14,877	(9,533–20,222)
UT	HS Grad	2,757	7.9	0.69	(6.5–9.2)	40,632	(33,488–47,776)
UT	Some Coll	3,637	8.9	0.63	(7.7–10.1)	74,024	(63,331–84,718)
UT	Coll Grad	3,972	8.0	0.56	(6.9–9.1)	45,550	(39,051–52,049)
VT	HS Nongrad	316	14.7	2.50	(9.8–19.6)	6,135	(3,957–8,314)
VT	HS Grad	1,848	11.4	0.91	(9.6–13.2)	17,340	(14,537–20,144)
VT	Some Coll	1,542	9.5	0.93	(7.7–11.4)	13,868	(11,146–16,591)
VT	Coll Grad	2,771	8.4	0.74	(7.0–9.9)	13,867	(11,409–16,324)
VA	HS Nongrad	725	9.9	1.33	(7.3–12.5)	76,473	(55,414–97,532)
VA	HS Grad	2,338	9.8	0.86	(8.1–11.5)	164,614	(134,693–194,535)
VA	Some Coll	2,200	8.6	0.74	(7.1–10.0)	164,502	(135,636–193,367)
VA	Coll Grad	3,629	7.2	0.60	(6.0–8.3)	153,081	(127,353–178,809)
WA	HS Nongrad	758	10.6	1.37	(7.9–13.3)	62,162	(45,481–78,843)
WA	HS Grad	3,108	9.9	0.67	(8.5–11.2)	132,346	(114,046–150,645)
WA	Some Coll	4,126	10.9	0.60	(9.8–12.1)	216,144	(191,923–240,364)
WA	Coll Grad	6,056	7.5	0.40	(6.7–8.3)	125,959	(112,536–139,381)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2016

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
WV	HS Nongrad	818	19.2	1.61	(16.1–22.4)	42,246	(34,548–49,944)
WV	HS Grad	2,621	11.5	0.76	(10.0–13.0)	67,237	(58,033–76,442)
WV	Some Coll	1,703	10.4	0.84	(8.8–12.0)	41,028	(34,245–47,812)
WV	Coll Grad	1,954	8.2	0.69	(6.8–9.6)	20,984	(17,387–24,582)
WI	HS Nongrad	269	13.3	2.79	(7.8–18.8)	57,452	(32,009–82,895)
WI	HS Grad	1,705	7.5	0.77	(6.0–9.1)	108,806	(86,562–131,050)
WI	Some Coll	1,451	8.6	0.98	(6.7–10.5)	127,390	(98,061–156,719)
WI	Coll Grad	1,815	7.7	0.82	(6.1–9.3)	87,052	(68,349–105,754)
WY	HS Nongrad	228	21.0	4.26	(12.6–29.4)	7,957	(4,331–11,582)
WY	HS Grad	1,292	9.0	1.37	(6.4–11.7)	11,989	(8,247–15,732)
WY	Some Coll	1,441	7.4	1.06	(5.3–9.5)	12,765	(9,059–16,471)
WY	Coll Grad	1,504	9.2	1.13	(7.0–11.4)	9,675	(7,250–12,099)
Territories							
GU	HS Nongrad	136	9.6	3.14	(3.4–15.9)	2,164	(710–3,619)
GU	HS Grad	527	3.9	0.90	(2.1–5.7)	1,449	(786–2,112)
GU	Some Coll	368	4.7	1.67	(1.4–8.0)	1,069	(303–1,836)
GU	Coll Grad	537	3.3	0.86	(1.7–5.0)	803	(397–1,208)
PR	HS Nongrad	1,160	13.1	1.51	(10.1–16.0)	95,594	(72,356–118,833)
PR	HS Grad	1,404	10.2	1.23	(7.8–12.6)	76,720	(57,539–95,901)
PR	Some Coll	1,470	9.8	1.10	(7.6–11.9)	69,523	(53,456–85,591)
PR	Coll Grad	1,735	9.5	0.86	(7.8–11.2)	56,299	(45,961–66,638)
VI	HS Nongrad	237	9.2	3.01	(3.2–15.1)	2,231	(714–3,748)
VI	HS Grad	391	1.9	0.87	(0.2–3.6)	467	(51–882)
VI	Some Coll	228	7.0	3.07	(0.9–13.0)	864	(81–1,648)
VI	Coll Grad	378	7.5	2.11	(3.3–11.6)	1,260	(531–1,990)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**