

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White	385,964	8.8	0.09	(8.6–9.0)		15,856,250	(15,529,577–16,182,923)
U.S. Total**	Black	40,117	11.4	0.31	(10.8–12.0)		3,545,813	(3,348,766–3,742,859)
U.S. Total**	Other	27,734	6.4	0.27	(5.9–6.9)		1,601,524	(1,464,949–1,738,098)
U.S. Total**	Multi	10,118	13.9	0.75	(12.4–15.4)		593,276	(525,874–660,679)
AL	White	4,737	9.2	0.58	(8.1–10.3)		238,122	(207,793–268,451)
AL	Black	1,882	11.4	1.12	(9.2–13.6)		107,475	(85,334–129,615)
AL	Other	205	7.6	2.29	(3.1–12.1)		11,768	(4,662–18,874)
AL	Multi	103	19.1	4.94	(9.3–28.9)		7,138	(3,190–11,085)
AK	White	2,107	8.9	0.92	(7.1–10.8)		33,117	(26,306–39,928)
AK	Black	40	7.2		(–)		2,005	(–)
AK	Other	545	10.3	2.44	(5.5–15.1)		10,837	(5,472–16,203)
AK	Multi	123	6.4	2.18	(2.1–10.8)		1,966	(688–3,243)
AZ	White	8,953	9.9	0.54	(8.9–11.0)		383,322	(341,254–425,390)
AZ	Black	261	10.0	2.41	(5.2–14.7)		24,527	(12,419–36,636)
AZ	Other	1,157	6.8	0.99	(4.9–8.8)		58,349	(41,515–75,183)
AZ	Multi	171	14.2	4.34	(5.7–22.8)		10,846	(4,210–17,481)
AR	White	4,132	8.8	0.73	(7.3–10.2)		156,417	(130,340–182,494)
AR	Black	791	9.1	2.09	(5.0–13.2)		29,478	(15,651–43,305)
AR	Other	165	3.5	1.47	(0.6–6.4)		3,264	(578–5,949)
AR	Multi	103	5.5	2.25	(1.1–10.0)		1,769	(479–3,058)
CA	White	7,992	8.4	0.38	(7.6–9.1)		1,619,580	(1,471,187–1,767,974)
CA	Black	693	11.3	1.54	(8.3–14.4)		227,851	(163,859–291,843)
CA	Other	1,982	5.3	0.61	(4.1–6.5)		387,269	(298,854–475,684)
CA	Multi	317	9.6	2.11	(5.5–13.8)		61,814	(33,898–89,731)
CO	White	12,896	8.7	0.34	(8.1–9.4)		308,800	(284,861–332,739)
CO	Black	363	9.5	1.74	(6.0–12.9)		16,407	(10,270–22,545)
CO	Other	801	9.3	1.40	(6.5–12.0)		28,523	(19,647–37,399)
CO	Multi	277	16.2	3.10	(10.1–22.3)		11,829	(6,959–16,698)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
CT	White	9,148	9.9	0.45	(9.0–10.8)	209,731	(190,270–229,191)
CT	Black	732	13.0	1.80	(9.5–16.6)	37,776	(26,692–48,860)
CT	Other	661	10.6	1.59	(7.5–13.7)	29,418	(20,306–38,530)
CT	Multi	145	19.1	5.30	(8.6–29.6)	5,997	(2,198–9,797)
DE	White	2,951	7.5	0.61	(6.3–8.6)	37,738	(31,639–43,837)
DE	Black	591	10.9	1.62	(7.7–14.0)	16,537	(11,504–21,571)
DE	Other	249	9.3	2.62	(4.1–14.5)	4,228	(1,753–6,703)
DE	Multi	73	17.3	5.88	(5.6–29.0)	2,589	(669–4,509)
DC	White	1,295	6.6	0.93	(4.8–8.4)	15,371	(10,987–19,754)
DC	Black	2,121	13.2	0.91	(11.4–14.9)	30,628	(26,312–34,945)
DC	Other	249	9.2	2.68	(3.9–14.4)	6,117	(2,374–9,861)
DC	Multi	43	13.5	5.33	(2.7–24.3)	1,153	(203–2,104)
FL	White	28,984	6.8	0.28	(6.2–7.3)	781,607	(717,571–845,643)
FL	Black	3,965	7.4	0.81	(5.9–9.0)	188,595	(147,520–229,671)
FL	Other	2,220	5.1	1.06	(3.1–7.2)	78,530	(45,805–111,255)
FL	Multi	511	10.0	3.06	(3.9–16.0)	20,894	(7,515–34,274)
GA	White	3,426	8.6	0.66	(7.4–9.9)	394,628	(333,807–455,449)
GA	Black	1,425	10.0	1.12	(7.8–12.2)	233,718	(179,742–287,693)
GA	Other	254	2.9	1.21	(0.6–5.3)	15,879	(2,963–28,796)
GA	Multi	103	10.1	3.50	(3.2–17.1)	10,544	(3,078–18,011)
HI	White	2,784	7.5	0.66	(6.2–8.8)	23,582	(19,427–27,737)
HI	Black	71	9.8	4.98	(0.0–19.7)	2,688	(0–5,588)
HI	Other	2,954	8.0	0.67	(6.6–9.3)	38,717	(32,080–45,354)
HI	Multi	2,165	18.5	1.24	(16.1–21.0)	53,212	(45,439–60,984)
ID	White	4,872	9.1	0.58	(8.0–10.3)	102,823	(89,806–115,841)
ID	Black	26	21.4	12.28	(0.0–46.6)	3,399	(0–8,145)
ID	Other	145	9.0	3.01	(3.0–14.9)	3,746	(1,190–6,302)
ID	Multi	69	5.7		(–)	1,155	(–)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
IL	White	3,639	8.3	0.60	(7.1–9.5)	599,683	(512,866–686,499)
IL	Black	631	12.3	1.58	(9.2–15.4)	169,502	(124,293–214,711)
IL	Other	311	7.0	1.74	(3.6–10.4)	61,106	(30,279–91,934)
IL	Multi	77	23.7	7.29	(9.2–38.2)	37,296	(9,842–64,750)
IN	White	9,679	9.6	0.43	(8.8–10.5)	413,953	(376,811–451,095)
IN	Black	751	16.2	2.07	(12.2–20.3)	72,457	(52,428–92,486)
IN	Other	250	7.1	1.82	(3.5–10.6)	9,926	(4,894–14,958)
IN	Multi	169	19.7	4.34	(11.1–28.2)	12,028	(6,300–17,757)
IA	White	6,796	7.8	0.44	(6.9–8.6)	169,424	(150,203–188,645)
IA	Black	129	10.3	2.93	(4.5–16.1)	6,948	(2,900–10,997)
IA	Other	158	6.6	2.28	(2.1–11.1)	6,388	(1,940–10,836)
IA	Multi	51	11.2	4.80	(1.6–20.8)	3,906	(407–7,406)
KS	White	10,923	8.6	0.34	(7.9–9.2)	159,467	(146,756–172,178)
KS	Black	482	12.1	1.86	(8.4–15.7)	15,653	(10,664–20,641)
KS	Other	301	10.5	2.02	(6.5–14.4)	9,873	(5,944–13,803)
KS	Multi	188	15.0	3.10	(8.9–21.1)	6,675	(3,775–9,575)
KY	White	8,763	11.3	0.50	(10.3–12.3)	335,831	(305,646–366,017)
KY	Black	903	13.0	1.73	(9.6–16.4)	35,341	(25,753–44,928)
KY	Other	199	11.2	3.71	(3.9–18.5)	10,507	(3,193–17,821)
KY	Multi	225	21.6	4.54	(12.7–30.6)	7,926	(4,351–11,502)
LA	White	3,653	6.8	0.68	(5.5–8.1)	151,042	(120,784–181,301)
LA	Black	1,252	12.2	1.53	(9.2–15.2)	133,580	(98,906–168,254)
LA	Other	167	6.5	2.83	(0.9–12.1)	7,529	(855–14,203)
LA	Multi	86	5.1		(–.)	3,217	(–.)
ME	White	9,550	11.9	0.53	(10.8–12.9)	120,494	(109,576–131,412)
ME	Black	40	8.3		(–.)	804	(–.)
ME	Other	154	18.2	4.63	(9.1–27.4)	3,517	(1,586–5,447)
ME	Multi	139	28.7	6.74	(15.3–42.0)	5,284	(2,154–8,415)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
MD	White	12,727	9.0	0.41	(8.2–9.8)	235,915	(214,283–257,547)
MD	Black	3,967	11.9	0.74	(10.5–13.4)	160,822	(140,168–181,477)
MD	Other	906	6.0	0.98	(4.1–7.9)	30,024	(20,309–39,739)
MD	Multi	296	12.8	2.59	(7.7–17.9)	7,454	(4,388–10,521)
MA	White	6,914	10.1	0.49	(9.1–11.0)	426,719	(385,699–467,738)
MA	Black	503	15.1	2.61	(9.9–20.2)	58,419	(36,403–80,434)
MA	Other	484	8.5	1.86	(4.9–12.2)	43,614	(24,011–63,217)
MA	Multi	142	11.2	3.14	(5.0–17.4)	9,337	(3,935–14,738)
MI	White	9,783	10.5	0.41	(9.7–11.3)	639,618	(589,066–690,169)
MI	Black	1,234	14.2	1.26	(11.8–16.7)	144,903	(117,946–171,859)
MI	Other	417	6.0	1.20	(3.6–8.3)	20,485	(12,336–28,633)
MI	Multi	285	16.7	2.65	(11.5–21.9)	18,842	(12,498–25,185)
MN	White	14,926	7.5	0.27	(7.0–8.0)	267,810	(248,783–286,836)
MN	Black	488	9.8	1.52	(6.8–12.8)	21,261	(14,473–28,049)
MN	Other	836	5.9	1.00	(3.9–7.8)	19,042	(12,508–25,577)
MN	Multi	169	18.8	3.47	(11.9–25.6)	8,277	(4,952–11,602)
MS	White	3,037	7.4	0.63	(6.1–8.6)	99,546	(82,568–116,523)
MS	Black	1,895	8.7	0.96	(6.8–10.6)	69,697	(54,044–85,350)
MS	Other	91	9.0	3.07	(2.9–15.1)	5,827	(1,927–9,727)
MS	Multi	31	16.9	7.43	(1.7–32.1)	3,953	(527–7,379)
MO	White	5,963	9.4	0.63	(8.2–10.7)	368,950	(319,425–418,476)
MO	Black	670	13.9	2.09	(9.8–18.0)	71,790	(49,528–94,051)
MO	Other	211	8.2	2.83	(2.6–13.8)	13,553	(4,014–23,092)
MO	Multi	160	10.5	2.48	(5.6–15.4)	6,492	(3,683–9,301)
MT	White	4,984	8.3	0.53	(7.3–9.3)	60,115	(52,460–67,769)
MT	Black	13	0.0		(–)	0	(–)
MT	Other	738	11.9	1.98	(8.0–15.8)	7,402	(4,892–9,911)
MT	Multi	130	15.2	4.82	(5.7–24.8)	1,637	(516–2,759)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
NE	White	13,990	8.0	0.40	(7.2–8.8)	99,154	(89,315–108,993)
NE	Black	231	16.5	3.59	(9.5–23.6)	9,897	(5,197–14,596)
NE	Other	565	4.7	1.08	(2.6–6.8)	4,299	(2,334–6,265)
NE	Multi	135	18.2	4.60	(9.1–27.3)	3,913	(1,779–6,046)
NV	White	3,157	8.1	0.73	(6.7–9.5)	108,150	(88,566–127,734)
NV	Black	194	11.7	2.84	(6.1–17.3)	22,810	(11,203–34,418)
NV	Other	666	6.1	1.42	(3.3–8.9)	35,724	(18,920–52,527)
NV	Multi	150	13.1	4.16	(4.9–21.3)	7,284	(2,374–12,195)
NH	White	5,943	11.4	0.63	(10.1–12.6)	111,436	(98,783–124,089)
NH	Black	38	8.6		(–)	906	(–)
NH	Other	192	8.6	2.57	(3.6–13.7)	3,953	(1,562–6,344)
NH	Multi	79	15.1	6.32	(2.5–27.6)	1,990	(204–3,775)
NJ	White	5,486	7.7	0.61	(6.5–8.9)	336,859	(282,666–391,053)
NJ	Black	969	11.5	1.59	(8.4–14.6)	108,060	(77,040–139,080)
NJ	Other	700	7.7	1.57	(4.6–10.7)	87,506	(50,652–124,360)
NJ	Multi	97	10.8	4.14	(2.6–19.0)	14,032	(3,185–24,880)
NM	White	4,699	11.4	0.74	(10.0–12.9)	137,194	(119,177–155,212)
NM	Black	78	9.3	4.09	(1.2–17.5)	3,199	(320–6,078)
NM	Other	878	12.9	1.92	(9.2–16.7)	29,520	(20,197–38,844)
NM	Multi	87	18.0	5.85	(6.4–29.7)	5,567	(1,591–9,543)
NY	White	28,998	9.6	0.35	(8.9–10.2)	950,701	(882,050–1,019,352)
NY	Black	1,986	11.2	0.94	(9.3–13.0)	276,430	(229,290–323,570)
NY	Other	1,307	6.5	1.05	(4.4–8.6)	117,622	(79,035–156,210)
NY	Multi	498	16.2	3.19	(9.9–22.4)	42,917	(25,059–60,776)
NC	White	4,558	7.6	0.49	(6.7–8.6)	414,230	(361,005–467,454)
NC	Black	1,302	9.6	1.04	(7.6–11.7)	158,762	(123,272–194,251)
NC	Other	428	5.8	1.21	(3.4–8.1)	31,477	(18,265–44,689)
NC	Multi	102	12.5	4.38	(3.9–21.2)	10,489	(2,694–18,285)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
ND	White	5,311	8.7	0.54	(7.6–9.7)	45,140	(39,474–50,806)
ND	Black	59	4.3		(.–)	590	(.–)
ND	Other	233	9.8	2.19	(5.5–14.1)	3,573	(1,953–5,194)
ND	Multi	59	25.0	6.90	(11.2–38.8)	2,874	(1,065–4,683)
OH	White	10,841	9.0	0.44	(8.1–9.9)	661,384	(595,784–726,983)
OH	Black	854	13.7	1.62	(10.5–16.9)	146,803	(110,283–183,322)
OH	Other	310	10.6	3.10	(4.5–16.7)	31,288	(11,947–50,629)
OH	Multi	161	18.1	4.64	(8.9–27.2)	24,314	(10,573–38,054)
OK	White	5,464	9.3	0.56	(8.2–10.4)	205,677	(180,579–230,776)
OK	Black	381	13.9	2.58	(8.9–19.0)	30,660	(18,520–42,800)
OK	Other	582	10.5	1.49	(7.5–13.4)	37,160	(26,429–47,891)
OK	Multi	337	12.6	2.83	(7.0–18.2)	16,328	(8,504–24,153)
OR	White	4,597	10.6	0.55	(9.5–11.6)	279,824	(250,609–309,040)
OR	Black	43	11.1		(.–)	6,620	(.–)
OR	Other	258	9.7	2.20	(5.4–14.1)	23,872	(12,698–35,046)
OR	Multi	304	13.6	2.13	(9.4–17.8)	12,937	(8,798–17,077)
PA	White	5,692	9.4	0.51	(8.4–10.4)	776,834	(692,943–860,725)
PA	Black	600	18.2	2.11	(14.0–22.3)	195,396	(146,305–244,488)
PA	Other	294	10.4	2.37	(5.8–15.1)	52,094	(27,546–76,642)
PA	Multi	99	13.4	4.28	(4.9–21.9)	14,881	(4,813–24,949)
RI	White	4,639	11.0	0.64	(9.8–12.3)	73,661	(65,158–82,165)
RI	Black	223	7.8	2.06	(3.8–11.9)	4,010	(1,879–6,140)
RI	Other	335	8.9	2.43	(4.1–13.7)	7,227	(3,112–11,342)
RI	Multi	81	21.5	6.17	(9.2–33.8)	3,180	(1,161–5,199)
SC	White	7,415	8.6	0.46	(7.7–9.5)	221,692	(197,661–245,723)
SC	Black	3,067	10.0	0.80	(8.5–11.6)	101,026	(84,523–117,530)
SC	Other	297	4.3	1.11	(2.1–6.5)	6,386	(3,216–9,555)
SC	Multi	245	16.2	3.34	(9.7–22.8)	7,072	(3,978–10,167)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
SD	White	4,995	5.8	0.53	(4.8–6.8)	32,521	(26,675–38,367)
SD	Black	34	1.3		(.–.)	186	(.–.)
SD	Other	564	10.9	3.03	(5.0–16.9)	6,182	(2,592–9,772)
SD	Multi	106	7.4	3.66	(0.2–14.7)	846	(11–1,682)
TN	White	5,017	10.6	0.67	(9.3–11.9)	425,714	(371,536–479,892)
TN	Black	764	12.5	1.87	(8.8–16.2)	102,939	(70,792–135,086)
TN	Other	154	9.0	3.02	(3.1–15.0)	15,946	(5,100–26,791)
TN	Multi	108	16.2	5.99	(4.3–28.1)	9,269	(1,661–16,876)
TX	White	9,352	7.7	0.49	(6.7–8.6)	1,116,413	(974,241–1,258,585)
TX	Black	986	11.3	2.04	(7.2–15.3)	288,678	(178,763–398,593)
TX	Other	502	3.9	1.37	(1.2–6.6)	59,040	(16,957–101,123)
TX	Multi	160	12.4	5.36	(1.8–23.0)	39,850	(3,210–76,490)
UT	White	9,970	8.5	0.38	(7.7–9.2)	155,258	(141,439–169,077)
UT	Black	71	19.8	6.83	(6.2–33.4)	4,018	(815–7,220)
UT	Other	495	6.1	1.37	(3.4–8.7)	9,609	(5,215–14,004)
UT	Multi	109	12.4	3.72	(5.0–19.8)	4,004	(1,500–6,508)
VT	White	6,063	10.2	0.52	(9.2–11.2)	48,307	(43,417–53,196)
VT	Black	46	9.4		(.–.)	434	(.–.)
VT	Other	187	8.0	2.35	(3.4–12.6)	1,208	(507–1,908)
VT	Multi	107	13.3	3.90	(5.6–21.1)	718	(307–1,129)
VA	White	6,660	8.5	0.47	(7.5–9.4)	366,710	(326,033–407,388)
VA	Black	1,459	11.2	1.07	(9.1–13.3)	137,572	(110,419–164,725)
VA	Other	450	5.0	1.32	(2.4–7.6)	32,670	(15,433–49,907)
VA	Multi	136	11.6	3.46	(4.8–18.5)	12,680	(4,806–20,554)
WA	White	12,042	9.8	0.35	(9.1–10.5)	421,218	(390,879–451,556)
WA	Black	299	15.4	2.54	(10.4–20.4)	29,379	(18,885–39,873)
WA	Other	1,083	6.3	0.92	(4.5–8.1)	52,248	(36,688–67,808)
WA	Multi	389	15.6	2.13	(11.4–19.8)	23,191	(16,481–29,901)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Self-Reported Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2016

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
WV	White	6,678	11.5	0.47	(10.6–12.5)		156,842	(143,932–169,751)
WV	Black	189	16.3	3.82	(8.7–23.8)		8,326	(3,972–12,680)
WV	Other	99	15.4	4.78	(5.9–24.8)		3,900	(1,224–6,577)
WV	Multi	96	12.8	3.40	(6.0–19.5)		1,740	(804–2,677)
WI	White	4,616	8.3	0.56	(7.2–9.4)		323,152	(279,176–367,128)
WI	Black	301	10.5	2.41	(5.8–15.2)		26,821	(14,636–39,007)
WI	Other	220	7.9	2.18	(3.6–12.2)		19,953	(8,892–31,014)
WI	Multi	56	21.4	8.06	(5.3–37.6)		6,756	(914–12,599)
WY	White	4,167	8.7	0.72	(7.3–10.1)		34,774	(29,038–40,510)
WY	Black	24	0.8		(–)		30	(–)
WY	Other	125	16.1	4.89	(6.5–25.8)		3,628	(1,227–6,029)
WY	Multi	66	25.7	8.59	(8.6–42.9)		3,211	(627–5,795)
Territories								
GU	White	153	2.1		(–)		166	(–)
GU	Black	14	0.0		(–)		0	(–)
GU	Other	1,154	6.1	1.07	(4.0–8.2)		5,019	(3,254–6,784)
GU	Multi	245	1.9		(–)		300	(–)
PR	White	3,395	10.9	0.78	(9.4–12.5)		161,681	(137,904–185,458)
PR	Black	430	11.0	1.91	(7.2–14.8)		25,058	(16,103–34,012)
PR	Other	1,886	10.5	1.12	(8.3–12.7)		109,530	(85,043–134,017)
PR	Multi	24	15.9		(–)		2,360	(–)
VI	White	188	9.4	4.51	(0.5–18.3)		889	(0–1,794)
VI	Black	929	5.9	1.34	(3.2–8.5)		3,568	(1,928–5,208)
VI	Other	66	5.4		(–)		251	(–)
VI	Multi	22	3.1		(–)		46	(–)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported current asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**