

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White	355,539	14.0	0.12	(13.8–14.3)		25,264,425	(24,805,273–25,723,578)
U.S. Total**	Black	37,234	16.5	0.37	(15.8–17.2)		5,174,363	(4,930,777–5,417,950)
U.S. Total**	Other	28,842	11.7	0.41	(10.9–12.6)		3,129,254	(2,903,644–3,354,863)
U.S. Total**	Multi	9,983	23.0	0.88	(21.3–24.8)		989,148	(906,371–1,071,926)
AL	White	4,613	15.4	0.73	(14.0–16.8)		397,174	(358,645–435,702)
AL	Black	1,723	19.2	1.38	(16.5–21.9)		181,973	(153,670–210,276)
AL	Other	211	13.8	3.02	(7.9–19.8)		21,160	(11,946–30,374)
AL	Multi	119	19.0	4.53	(10.0–28.0)		8,522	(4,188–12,856)
AK	White	2,324	12.7	1.10	(10.6–14.9)		47,727	(39,391–56,064)
AK	Black	53	20.0	7.27	(5.4–34.6)		6,240	(1,176–11,304)
AK	Other	602	14.6	3.32	(8.1–21.1)		15,348	(7,840–22,857)
AK	Multi	139	18.0	6.29	(5.6–30.5)		5,226	(1,143–9,310)
AZ	White	12,314	16.3	0.45	(15.4–17.2)		636,991	(600,606–673,376)
AZ	Black	503	20.6	2.23	(16.2–24.9)		52,149	(39,743–64,555)
AZ	Other	1,880	12.9	0.96	(11.1–14.8)		119,730	(101,319–138,141)
AZ	Multi	268	21.5	3.09	(15.5–27.6)		18,339	(12,672–24,007)
AR	White	4,175	15.0	0.98	(13.0–16.9)		264,240	(228,506–299,975)
AR	Black	791	18.2	2.98	(12.3–24.0)		59,883	(38,599–81,167)
AR	Other	162	21.0	6.97	(7.2–34.7)		26,449	(6,126–46,772)
AR	Multi	130	22.6	5.93	(10.9–34.3)		8,679	(4,213–13,145)
CA	White	6,499	14.5	0.59	(13.3–15.6)		2,715,942	(2,488,999–2,942,884)
CA	Black	493	19.1	2.21	(14.8–23.5)		372,740	(280,822–464,659)
CA	Other	1,698	12.4	1.04	(10.3–14.4)		975,091	(806,000–1,144,181)
CA	Multi	292	22.8	3.25	(16.3–29.2)		133,897	(91,542–176,252)
CO	White	8,167	14.3	0.50	(13.3–15.3)		494,390	(459,113–529,667)
CO	Black	282	24.0	3.29	(17.5–30.5)		42,543	(29,134–55,951)
CO	Other	750	12.1	1.38	(9.4–14.8)		55,502	(42,487–68,517)
CO	Multi	180	23.9	3.96	(16.1–31.7)		16,924	(10,574–23,274)
CT	White	8,687	16.7	0.60	(15.5–17.9)		352,219	(325,628–378,811)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CT	Black	749	18.0	1.78	(14.5–21.5)		53,623	(42,302–64,945)
CT	Other	703	16.3	2.03	(12.4–20.3)		48,001	(35,123–60,879)
CT	Multi	142	25.6	5.29	(15.2–36.1)		7,682	(4,053–11,311)
DE	White	2,918	15.6	1.07	(13.5–17.7)		79,037	(67,521–90,553)
DE	Black	613	19.9	2.18	(15.6–24.1)		30,847	(23,645–38,050)
DE	Other	325	10.2	2.45	(5.3–15.0)		5,469	(2,726–8,212)
DE	Multi	57	8.6		(–)		722	(–)
DC	White	1,246	10.9	1.31	(8.4–13.5)		26,669	(20,029–33,308)
DC	Black	2,224	19.5	1.16	(17.2–21.8)		47,564	(41,449–53,678)
DC	Other	250	7.9	1.68	(4.6–11.2)		4,847	(2,814–6,880)
DC	Multi	63	22.2	7.53	(7.2–37.3)		1,699	(371–3,027)
FL	White	17,127	12.1	0.58	(11.0–13.3)		1,425,764	(1,286,401–1,565,126)
FL	Black	2,374	10.9	1.17	(8.6–13.2)		280,292	(219,668–340,916)
FL	Other	1,327	13.6	2.24	(9.2–18.0)		204,530	(133,628–275,433)
FL	Multi	364	16.7	4.28	(8.3–25.1)		38,915	(18,676–59,155)
GA	White	3,667	12.8	0.73	(11.4–14.2)		576,070	(507,936–644,205)
GA	Black	1,620	13.7	1.09	(11.5–15.8)		328,772	(274,300–383,245)
GA	Other	372	6.3	1.49	(3.4–9.3)		35,566	(18,786–52,345)
GA	Multi	113	25.2	4.89	(15.5–34.9)		30,052	(16,948–43,155)
HI	White	2,678	14.2	1.11	(12.1–16.4)		45,631	(38,040–53,222)
HI	Black	73	18.9	7.20	(4.5–33.2)		5,173	(646–9,699)
HI	Other	2,779	14.2	0.85	(12.5–15.8)		68,831	(60,303–77,360)
HI	Multi	2,130	25.6	1.31	(23.1–28.2)		70,914	(62,761–79,067)
ID	White	4,543	13.5	0.69	(12.2–14.9)		154,947	(139,261–170,633)
ID	Black	18	0.0		(–)		0	(–)
ID	Other	92	11.2	3.75	(3.7–18.6)		4,527	(1,404–7,649)
ID	Multi	78	31.2	7.73	(15.8–46.6)		9,205	(3,481–14,929)
IL	White	4,276	13.4	0.67	(12.1–14.7)		974,096	(874,685–1,073,507)
IL	Black	752	15.7	1.64	(12.5–18.9)		217,312	(170,122–264,502)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
IL	Other	365	10.9	2.02	(6.9–14.8)		97,416	(59,648–135,183)
IL	Multi	75	20.3	6.72	(6.9–33.7)		28,767	(6,908–50,625)
IN	White	11,955	14.4	0.44	(13.5–15.2)		615,854	(576,977–654,731)
IN	Black	959	18.4	1.74	(15.0–21.8)		83,401	(66,179–100,624)
IN	Other	344	11.8	2.56	(6.7–16.8)		18,468	(9,941–26,996)
IN	Multi	217	26.4	3.79	(18.9–33.8)		17,498	(11,829–23,168)
IA	White	7,103	12.9	0.50	(11.9–13.9)		279,233	(257,153–301,312)
IA	Black	126	18.0	4.17	(9.7–26.2)		13,082	(6,394–19,771)
IA	Other	236	13.7	2.74	(8.3–19.1)		15,491	(8,925–22,057)
IA	Multi	85	18.6	4.48	(9.7–27.5)		4,533	(2,287–6,779)
KS	White	19,457	13.4	0.32	(12.8–14.0)		251,346	(239,266–263,426)
KS	Black	937	17.0	1.61	(13.9–20.2)		21,977	(17,502–26,453)
KS	Other	668	11.8	1.52	(8.8–14.8)		12,861	(9,467–16,255)
KS	Multi	384	24.5	2.78	(19.0–30.0)		9,387	(6,962–11,812)
KY	White	7,192	14.7	0.68	(13.4–16.1)		439,414	(397,629–481,199)
KY	Black	947	23.5	3.44	(16.8–30.3)		62,911	(42,187–83,634)
KY	Other	173	12.6	3.48	(5.7–19.5)		11,643	(5,152–18,133)
KY	Multi	193	37.1	6.39	(24.5–49.7)		13,916	(7,472–20,360)
LA	White	3,270	14.6	0.81	(13.0–16.2)		327,303	(289,489–365,117)
LA	Black	1,187	17.1	1.45	(14.2–19.9)		186,539	(153,024–220,054)
LA	Other	170	16.8	4.75	(7.4–26.1)		27,995	(10,332–45,659)
LA	Multi	97	16.1	4.43	(7.3–24.9)		6,367	(2,660–10,073)
ME	White	9,209	15.7	0.59	(14.6–16.9)		159,503	(147,432–171,575)
ME	Black	57	23.8	10.90	(2.0–45.6)		3,386	(0–7,215)
ME	Other	146	21.7	5.30	(11.2–32.2)		4,598	(2,188–7,009)
ME	Multi	149	31.4	5.88	(19.8–43.0)		5,256	(2,849–7,664)
MD	White	9,742	13.9	0.57	(12.8–15.0)		366,335	(335,064–397,607)
MD	Black	2,673	18.9	1.19	(16.5–21.2)		256,086	(220,660–291,513)
MD	Other	622	9.6	1.51	(6.6–12.6)		47,998	(32,652–63,344)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MD	Multi	214	34.3	4.77	(24.9–43.8)		23,165	(15,320–31,009)
MA	White	5,631	17.6	0.87	(15.9–19.3)		726,941	(652,154–801,729)
MA	Black	377	17.5	3.92	(9.8–25.2)		69,298	(34,525–104,070)
MA	Other	426	10.8	1.96	(7.0–14.7)		59,728	(37,643–81,813)
MA	Multi	159	19.6	4.84	(10.0–29.1)		19,479	(9,026–29,932)
MI	White	8,889	15.3	0.51	(14.3–16.3)		923,601	(860,046–987,156)
MI	Black	1,109	21.7	1.52	(18.7–24.7)		223,509	(189,276–257,742)
MI	Other	373	12.3	2.12	(8.1–16.4)		49,617	(31,623–67,611)
MI	Multi	258	26.6	3.52	(19.6–33.5)		32,719	(22,911–42,526)
MN	White	15,191	11.0	0.34	(10.3–11.6)		391,296	(366,775–415,816)
MN	Black	486	11.2	1.69	(7.9–14.6)		25,029	(17,214–32,843)
MN	Other	791	6.4	0.98	(4.5–8.4)		20,398	(14,193–26,604)
MN	Multi	185	16.9	3.42	(10.2–23.6)		7,881	(4,502–11,261)
MS	White	3,284	11.9	0.80	(10.3–13.5)		159,554	(137,716–181,392)
MS	Black	1,520	14.2	1.42	(11.4–17.0)		114,258	(90,375–138,141)
MS	Other	97	14.5	6.54	(1.5–27.5)		7,434	(2–14,865)
MS	Multi	91	21.4	6.09	(9.3–33.5)		7,246	(2,738–11,753)
MO	White	6,380	13.4	0.62	(12.2–14.6)		517,746	(468,926–566,567)
MO	Black	735	18.8	2.00	(14.9–22.7)		98,279	(76,057–120,501)
MO	Other	224	12.6	2.78	(7.1–18.1)		23,606	(12,785–34,428)
MO	Multi	129	26.6	6.18	(14.4–38.9)		19,712	(9,393–30,031)
MT	White	4,907	12.9	0.65	(11.7–14.2)		94,626	(85,135–104,117)
MT	Black	21	14.3		(–)		870	(–)
MT	Other	786	21.6	2.70	(16.3–26.9)		14,231	(10,262–18,201)
MT	Multi	115	31.8	7.07	(17.8–45.8)		4,141	(1,817–6,464)
NE	White	14,019	12.1	0.45	(11.2–13.0)		150,264	(139,037–161,492)
NE	Black	279	17.9	2.99	(12.0–23.8)		11,360	(7,248–15,473)
NE	Other	652	7.1	1.13	(4.9–9.4)		6,075	(4,179–7,972)
NE	Multi	168	16.9	3.80	(9.4–24.4)		4,988	(2,690–7,287)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	White	2,813	14.0	0.99	(12.1–15.9)		191,940	(164,386–219,495)
NV	Black	189	24.5	3.88	(16.9–32.2)		50,869	(32,537–69,202)
NV	Other	495	9.3	1.78	(5.8–12.8)		54,257	(32,884–75,630)
NV	Multi	136	30.9	6.66	(17.8–44.1)		19,294	(9,684–28,904)
NH	White	5,396	18.1	0.83	(16.5–19.7)		180,259	(163,070–197,448)
NH	Black	22	16.3		(–)		1,540	(–)
NH	Other	169	16.1	4.14	(7.9–24.2)		7,877	(3,524–12,229)
NH	Multi	73	33.4	8.34	(16.7–50.0)		4,773	(1,800–7,747)
NJ	White	8,572	12.0	0.62	(10.7–13.2)		528,563	(472,071–585,055)
NJ	Black	1,463	16.5	1.59	(13.4–19.7)		157,151	(125,155–189,146)
NJ	Other	990	9.3	1.22	(6.9–11.6)		108,606	(79,771–137,441)
NJ	Multi	151	18.2	4.77	(8.8–27.6)		14,013	(5,917–22,110)
NM	White	4,905	16.0	0.77	(14.4–17.5)		187,093	(168,426–205,760)
NM	Black	81	12.1	4.68	(2.8–21.4)		3,111	(556–5,665)
NM	Other	1,045	14.6	1.61	(11.4–17.7)		35,207	(27,067–43,346)
NM	Multi	90	19.9	5.23	(9.6–30.3)		6,967	(3,051–10,884)
NY	White	8,937	13.4	0.51	(12.4–14.4)		1,322,198	(1,219,669–1,424,727)
NY	Black	1,452	17.0	1.23	(14.6–19.4)		426,986	(361,850–492,122)
NY	Other	871	10.6	1.41	(7.8–13.4)		202,438	(146,607–258,269)
NY	Multi	196	29.6	4.43	(20.8–38.3)		68,724	(44,214–93,235)
NC	White	3,310	13.4	0.79	(11.9–15.0)		716,205	(630,489–801,922)
NC	Black	968	16.3	1.62	(13.1–19.5)		270,981	(213,653–328,309)
NC	Other	461	9.6	1.58	(6.5–12.7)		60,528	(40,562–80,495)
NC	Multi	82	14.7	4.63	(5.5–23.9)		24,172	(8,053–40,290)
ND	White	6,442	12.6	0.61	(11.4–13.8)		64,582	(58,192–70,972)
ND	Black	73	11.5	4.59	(2.4–20.7)		2,031	(307–3,756)
ND	Other	320	15.5	2.46	(10.7–20.3)		5,846	(3,916–7,776)
ND	Multi	65	23.3	6.74	(9.8–36.7)		2,483	(817–4,148)
OH	White	10,594	13.1	0.53	(12.1–14.2)		964,034	(883,717–1,044,351)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
OH	Black	942	17.7	1.67	(14.4–21.0)		190,089	(151,521–228,657)
OH	Other	313	13.4	2.84	(7.8–18.9)		39,965	(22,066–57,864)
OH	Multi	206	21.1	4.54	(12.2–30.1)		31,118	(16,200–46,035)
OK	White	5,224	14.4	0.65	(13.2–15.7)		319,983	(290,909–349,058)
OK	Black	368	18.7	2.60	(13.6–23.8)		40,215	(28,025–52,404)
OK	Other	580	14.3	1.68	(11.0–17.6)		50,952	(38,644–63,260)
OK	Multi	342	21.4	2.93	(15.7–27.2)		28,917	(20,231–37,604)
OR	White	4,551	17.3	0.66	(16.0–18.6)		468,708	(432,032–505,385)
OR	Black	74	16.6	4.80	(7.0–26.2)		13,384	(4,951–21,818)
OR	Other	270	11.4	2.28	(6.9–15.9)		28,599	(16,778–40,419)
OR	Multi	284	23.8	2.91	(18.0–29.5)		21,705	(15,982–27,428)
PA	White	5,422	15.5	0.70	(14.1–16.8)		1,260,865	(1,143,549–1,378,180)
PA	Black	590	14.9	1.69	(11.5–18.2)		161,384	(123,554–199,214)
PA	Other	301	15.9	3.03	(9.9–21.8)		88,879	(52,367–125,392)
PA	Multi	96	27.1	6.06	(15.1–39.1)		30,400	(14,310–46,489)
RI	White	4,754	17.1	0.83	(15.5–18.7)		115,010	(103,391–126,629)
RI	Black	241	18.2	2.96	(12.4–24.1)		9,082	(6,021–12,143)
RI	Other	387	13.8	2.62	(8.6–18.9)		11,961	(7,122–16,799)
RI	Multi	93	38.2	7.88	(22.6–53.9)		5,364	(2,427–8,300)
SC	White	7,505	14.1	0.58	(12.9–15.2)		369,914	(338,390–401,439)
SC	Black	2,996	14.7	1.01	(12.7–16.7)		149,266	(127,693–170,838)
SC	Other	324	11.8	2.49	(6.9–16.7)		14,543	(8,167–20,919)
SC	Multi	217	20.5	3.94	(12.7–28.3)		11,823	(6,963–16,683)
SD	White	5,366	11.5	0.80	(9.9–13.0)		64,992	(55,848–74,135)
SD	Black	34	1.5		(–)		202	(–)
SD	Other	1,420	16.5	2.87	(10.9–22.2)		10,347	(6,449–14,245)
SD	Multi	121	12.0	4.77	(2.6–21.5)		1,303	(280–2,325)
TN	White	4,801	16.5	0.78	(14.9–18.0)		661,510	(597,122–725,898)
TN	Black	656	14.0	1.94	(10.1–17.8)		115,052	(81,599–148,504)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
TN	Other	176	22.6	6.47	(9.9–35.4)		44,778	(13,862–75,694)
TN	Multi	98	24.8	6.02	(12.9–36.8)		18,910	(9,320–28,500)
TX	White	9,730	11.7	0.67	(10.4–13.0)		1,739,481	(1,537,756–1,941,205)
TX	Black	1,042	16.6	2.37	(11.9–21.2)		437,859	(303,396–572,322)
TX	Other	573	6.7	1.72	(3.3–10.1)		113,108	(55,015–171,202)
TX	Multi	186	19.2	5.97	(7.4–30.9)		51,280	(15,833–86,727)
UT	White	9,197	14.4	0.48	(13.5–15.3)		268,255	(250,234–286,277)
UT	Black	71	16.2	4.97	(6.3–26.1)		4,789	(1,641–7,938)
UT	Other	521	11.7	1.71	(8.4–15.1)		19,683	(13,774–25,592)
UT	Multi	113	29.2	5.72	(17.9–40.5)		11,029	(5,764–16,295)
VT	White	6,042	17.3	0.70	(15.9–18.7)		80,959	(74,137–87,782)
VT	Black	45	39.4	10.39	(18.4–60.3)		2,572	(799–4,345)
VT	Other	178	18.3	4.90	(8.6–28.0)		3,013	(1,252–4,775)
VT	Multi	110	25.3	6.96	(11.5–39.1)		1,209	(422–1,996)
VA	White	7,110	14.5	0.61	(13.3–15.7)		638,002	(582,346–693,657)
VA	Black	1,584	15.7	1.27	(13.2–18.2)		194,195	(160,899–227,492)
VA	Other	496	8.7	1.64	(5.5–12.0)		55,297	(34,259–76,334)
VA	Multi	168	16.7	3.74	(9.3–24.1)		20,116	(10,678–29,555)
WA	White	11,063	16.9	0.49	(15.9–17.9)		729,062	(684,593–773,531)
WA	Black	262	16.0	2.55	(11.0–21.0)		33,580	(22,108–45,052)
WA	Other	1,184	14.4	1.37	(11.7–17.1)		129,728	(103,535–155,921)
WA	Multi	360	29.0	3.22	(22.7–35.3)		43,387	(31,919–54,855)
WV	White	5,125	18.7	0.70	(17.3–20.1)		251,449	(231,939–270,959)
WV	Black	123	24.1	5.11	(14.0–34.2)		11,446	(5,855–17,036)
WV	Other	82	27.5	5.96	(15.6–39.4)		6,526	(3,190–9,862)
WV	Multi	76	14.9	4.87	(5.2–24.6)		2,531	(780–4,281)
WI	White	5,105	12.8	0.62	(11.5–14.0)		495,717	(447,779–543,656)
WI	Black	241	18.5	4.38	(9.9–27.2)		48,217	(23,263–73,171)
WI	Other	315	11.6	2.64	(6.3–16.8)		30,612	(16,384–44,841)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2017

State	Race	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
WI	Multi	61	34.0	9.90	(14.2–53.8)		10,821	(2,849–18,793)
WY	White	4,112	13.0	0.67	(11.7–14.3)		51,729	(46,363–57,095)
WY	Black	36	25.2	10.15	(4.6–45.8)		1,265	(45–2,486)
WY	Other	147	16.5	3.57	(9.5–23.6)		3,892	(2,106–5,677)
WY	Multi	65	27.5	7.28	(12.9–42.0)		2,981	(1,030–4,932)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered lifetime asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.