

**Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White NH ***	33,698	6.7	0.29	(6.2–7.3)		1,406,345	(1,285,441–1,527,249)
Total **	Black NH	4,320	12.8	0.82	(11.3–14.5)		721,972	(626,263–817,680)
Total **	Other NH	5,597	7.6	0.81	(6.2–9.3)		395,043	(310,312–479,773)
Total **	Hispanic	7,950	7.7	0.51	(6.8–8.8)		853,271	(740,382–966,159)
CA	White NH	527	4.6	1.11	(2.9–7.4)		94,966	(49,376–140,555)
CA	Black NH	62	9.4	3.78	(4.2–19.9)		35,290	(6,902–63,678)
CA	Other NH	253	5.8	1.86	(3.1–10.7)		95,964	(34,235–157,694)
CA	Hispanic	887	6.9	0.97	(5.2–9.1)		294,952	(212,457–377,448)
CT	White NH	1,249	9.0	1.01	(7.2–11.2)		32,334	(25,098–39,570)
CT	Black NH	146	11.8	3.79	(6.2–21.5)		9,556	(3,096–16,016)
CT	Other NH	171	7.4	2.12	(4.2–12.8)		5,452	(2,402–8,502)
CT	Hispanic	337	23.4	3.44	(17.3–30.8)		41,509	(27,497–55,521)
DC	White NH	174	5.0	1.56	(2.7–9.1)		1,292	(494–2,091)
DC	Black NH	492	15.2	1.91	(11.9–19.3)		9,752	(7,244–12,260)
DC	Other NH	42	1.9				215	
DC	Hispanic	59	14.7	5.09	(7.2–27.6)		2,600	(714–4,485)
FL	White NH	2,379	7.7	1.19	(5.7–10.4)		113,742	(78,362–149,122)
FL	Black NH	537	10.4	2.20	(6.8–15.5)		87,695	(49,652–125,738)
FL	Other NH	278	5.0	1.62	(2.6–9.3)		14,203	(5,267–23,140)
FL	Hispanic	954	5.7	1.25	(3.6–8.7)		70,121	(39,306–100,937)
GA	White NH	504	5.5	1.10	(3.7–8.1)		51,972	(31,081–72,864)
GA	Black NH	289	14.7	2.56	(10.4–20.5)		116,051	(73,629–158,473)
GA	Other NH	76	11.3	4.07	(5.4–22.0)		14,391	(3,654–25,127)
GA	Hispanic	213	4.1	1.57	(1.9–8.6)		17,543	(4,194–30,891)
HI	White NH	217	5.0	1.62	(2.6–9.3)		2,258	(820–3,695)
HI	Black NH	13	0.0				0	
HI	Other NH	1,299	9.7	1.21	(7.6–12.4)		18,482	(13,766–23,198)
HI	Hispanic	301	14.9	2.82	(10.2–21.3)		8,633	(5,158–12,108)
IL	White NH	596	5.3	1.07	(3.6–7.8)		73,045	(43,855–102,235)
IL	Black NH	145	7.4	2.36	(3.9–13.5)		31,693	(11,471–51,915)
IL	Other NH	86	5.7				14,642	

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
IL	Hispanic	279	5.6	1.44	(3.4–9.2)		39,817	(19,577–60,057)
IN	White NH	1,994	6.3	0.59	(5.2–7.5)		64,624	(52,665–76,583)
IN	Black NH	236	9.2	2.03	(6.0–14.0)		16,185	(9,018–23,353)
IN	Other NH	158	6.9	2.04	(3.8–12.1)		7,422	(2,988–11,857)
IN	Hispanic	326	7.5	1.62	(4.8–11.3)		12,917	(7,265–18,569)
KS	White NH	3,576	8.0	0.58	(6.9–9.2)		33,938	(29,003–38,873)
KS	Black NH	234	12.9	2.68	(8.5–19.1)		5,789	(3,289–8,288)
KS	Other NH	351	9.5	1.69	(6.7–13.4)		6,142	(3,942–8,342)
KS	Hispanic	529	12.4	2.24	(8.6–17.5)		16,505	(10,098–22,912)
ME	White NH	1,554	7.2	0.87	(5.7–9.1)		15,151	(11,528–18,773)
ME	Black NH	32	7.4				624	
ME	Other NH	106	19.0	5.93	(9.9–33.3)		3,265	(1,017–5,512)
ME	Hispanic	46	10.0				696	
MA	White NH	334	16.3	4.23	(9.6–26.4)		112,285	(47,970–176,601)
MA	Black NH	35	13.1				12,245	
MA	Other NH	62	16.8	8.73	(5.6–40.7)		28,856	(0–62,375)
MA	Hispanic	80	10.0	5.58	(3.2–27.2)		22,676	(0–49,081)
MI	White NH	1,655	6.5	0.71	(5.2–8.0)		86,401	(67,806–104,996)
MI	Black NH	283	17.4	2.57	(12.9–23.0)		59,719	(41,054–78,385)
MI	Other NH	210	8.2	2.17	(4.8–13.5)		16,688	(7,685–25,692)
MI	Hispanic	149	10.2	2.78	(5.9–17.0)		18,820	(8,271–29,369)
MN	White NH	2,551	4.5	0.49	(3.7–5.6)		37,142	(29,290–44,994)
MN	Black NH	168	4.6	1.46	(2.4–8.5)		5,234	(1,970–8,498)
MN	Other NH	338	5.3	1.61	(2.9–9.5)		9,064	(3,511–14,616)
MN	Hispanic	322	4.1	1.26	(2.2–7.4)		4,853	(1,875–7,831)
MS	White NH	533	6.3	1.23	(4.3–9.2)		20,143	(12,347–27,940)
MS	Black NH	332	17.2	3.00	(12.1–23.9)		50,472	(31,797–69,147)
MS	Other NH	45	12.3	6.02	(4.5–29.5)		4,750	(0–9,614)
MS	Hispanic	29	6.0				1,843	
MO	White NH	1,058	7.7	1.05	(5.9–10.0)		69,354	(50,421–88,286)
MO	Black NH	167	13.6	3.06	(8.6–20.8)		26,415	(14,367–38,464)

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
MO	Other NH	94	16.9	5.89	(8.2–31.6)		19,846	(4,464–35,229)
MO	Hispanic	66	12.1	5.03	(5.2–25.8)		10,598	(1,419–19,776)
MT	White NH	847	7.7	1.32	(5.5–10.8)		12,766	(8,440–17,091)
MT	Black NH	8	0.0				0	
MT	Other NH	341	10.9	3.05	(6.2–18.5)		3,807	(1,574–6,041)
MT	Hispanic	65	16.2	7.46	(6.2–36.2)		2,253	(0–4,564)
NE	White NH	2,675	5.5	0.64	(4.4–6.9)		17,233	(13,277–21,189)
NE	Black NH	90	12.2	4.52	(5.8–24.1)		3,751	(866–6,637)
NE	Other NH	184	6.1	2.26	(2.9–12.3)		1,913	(492–3,335)
NE	Hispanic	527	6.5	2.09	(3.4–12.0)		5,338	(1,798–8,878)
NV	White NH	361	4.5	1.50	(2.3–8.5)		9,185	(3,145–15,225)
NV	Black NH	33	19.8	9.49	(7.1–44.3)		11,769	(0–24,376)
NV	Other NH	95	8.3	4.37	(2.9–21.8)		8,093	(0–16,797)
NV	Hispanic	241	7.0	1.90	(4.1–11.7)		18,558	(8,656–28,459)
NJ	White NH	1,205	6.8	1.17	(4.8–9.5)		54,468	(35,542–73,394)
NJ	Black NH	325	14.6	2.83	(9.8–21.0)		37,717	(22,518–52,915)
NJ	Other NH	195	5.9	1.98	(3.0–11.2)		14,641	(4,841–24,441)
NJ	Hispanic	526	7.8	1.32	(5.6–10.8)		38,139	(25,489–50,788)
NM	White NH	389	6.2	1.42	(3.9–9.6)		6,438	(3,524–9,352)
NM	Black NH	21	18.6				1,725	
NM	Other NH	265	6.1	2.06	(3.1–11.6)		3,720	(1,223–6,218)
NM	Hispanic	673	11.1	1.97	(7.8–15.6)		31,460	(19,934–42,986)
NY	White NH	661	6.3	1.17	(4.3–9.0)		115,325	(72,719–157,931)
NY	Black NH	170	13.2	3.48	(7.7–21.6)		77,818	(34,544–121,092)
NY	Other NH	117	8.7	2.82	(4.6–16.0)		39,642	(13,908–65,376)
NY	Hispanic	285	11.5	2.29	(7.7–16.8)		114,323	(68,037–160,609)
OH	White NH	1,727	6.3	0.77	(4.9–7.9)		105,225	(79,642–130,808)
OH	Black NH	203	17.2	3.23	(11.8–24.5)		63,936	(38,350–89,522)
OH	Other NH	142	11.8	3.74	(6.2–21.3)		22,811	(7,530–38,092)
OH	Hispanic	111	8.4	3.54	(3.6–18.4)		13,694	(1,832–25,556)
OR	White NH	737	6.4	1.01	(4.7–8.7)		31,763	(21,883–41,642)

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
OR	Black NH	18	13.2				1,621	
OR	Other NH	98	6.9	2.96	(2.9–15.5)		7,271	(1,010–13,532)
OR	Hispanic	167	3.5	1.28	(1.7–7.1)		6,784	(1,898–11,670)
PA	White NH	967	8.1	1.13	(6.1–10.6)		131,642	(94,775–168,509)
PA	Black NH	123	9.1	2.52	(5.2–15.4)		30,217	(13,799–46,635)
PA	Other NH	114	11.8	3.83	(6.1–21.6)		25,663	(8,333–42,992)
PA	Hispanic	107	10.2	3.03	(5.6–17.9)		32,520	(13,435–51,605)
RI	White NH	639	9.6	1.56	(6.9–13.1)		10,447	(7,022–13,871)
RI	Black NH	53	6.8				824	
RI	Other NH	98	11.5	3.95	(5.7–21.7)		2,633	(795–4,470)
RI	Hispanic	163	12.8	3.28	(7.6–20.7)		6,558	(3,070–10,046)
UT	White NH	2,738	5.8	0.55	(4.8–7.0)		37,376	(30,319–44,434)
UT	Black NH	30	30.1	12.64	(11.7–58.3)		4,383	(0–9,115)
UT	Other NH	194	4.9	1.63	(2.5–9.3)		3,184	(1,083–5,285)
UT	Hispanic	409	6.1	1.28	(4.1–9.2)		10,073	(5,868–14,277)
VT	White NH	1,035	7.2	0.90	(5.6–9.1)		6,884	(5,226–8,543)
VT	Black NH	21	10.6				253	
VT	Other NH	67	6.0				488	
VT	Hispanic	25	4.2				128	
WI	White NH	816	7.1	1.17	(5.1–9.8)		58,947	(39,659–78,235)
WI	Black NH	54	25.2	9.46	(11.2–47.4)		21,238	(2,380–40,097)
WI	Other NH	118	1.1				1,793	
WI	Hispanic	74	6.6				9,362	
Territory								

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.