

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White NH	334,697	9.3	0.11	(9.1–9.5)		14,538,174	(14,202,029–14,874,319)
U.S. Total**	Black NH	35,481	11.6	0.33	(10.9–12.2)		3,399,798	(3,197,614–3,601,982)
U.S. Total**	Other NH	20,910	6.5	0.38	(5.8–7.3)		1,148,616	(1,015,201–1,282,031)
U.S. Total**	Multirace NH	8,886	15.6	0.80	(14.0–17.2)		543,563	(483,639–603,486)
U.S. Total**	Hispanic	32,285	6.7	0.24	(6.2–7.2)		2,656,716	(2,464,997–2,848,436)
AL	White NH	4,518	10.5	0.62	(9.3–11.7)		262,352	(230,983–293,722)
AL	Black NH	1,689	11.4	1.12	(9.2–13.6)		106,386	(84,772–127,999)
AL	Other NH	169	12.3	3.64	(5.1–19.5)		10,948	(4,096–17,799)
AL	Multirace NH	113	12.6	3.94	(4.8–20.4)		5,381	(1,902–8,861)
AL	Hispanic	84	12.3	4.03	(4.2–20.3)		15,153	(4,911–25,395)
AK	White NH	2,240	7.6	0.82	(6.0–9.2)		26,191	(20,531–31,850)
AK	Black NH	50	13.6	6.27	(1.0–26.2)		3,903	(63–7,743)
AK	Other NH	586	9.5	2.72	(4.1–14.8)		9,698	(3,927–15,468)
AK	Multirace NH	134	12.9	5.87	(1.3–24.6)		3,676	(69–7,282)
AK	Hispanic	88	5.7	2.81	(0.1–11.3)		2,068	(26–4,111)
AZ	White NH	10,882	10.6	0.39	(9.8–11.4)		329,831	(305,097–354,564)
AZ	Black NH	458	13.3	1.95	(9.5–17.1)		29,347	(20,273–38,420)
AZ	Other NH	1,059	8.1	1.03	(6.1–10.1)		33,797	(25,076–42,517)
AZ	Multirace NH	211	16.2	3.00	(10.3–22.1)		9,004	(5,510–12,498)
AZ	Hispanic	2,383	8.0	0.65	(6.7–9.2)		115,489	(96,379–134,599)
AR	White NH	4,080	8.9	0.75	(7.5–10.4)		150,219	(125,079–175,358)
AR	Black NH	778	14.4	2.58	(9.4–19.5)		47,095	(29,466–64,723)
AR	Other NH	134	8.7	4.37	(0.0–17.3)		7,141	(0–14,496)
AR	Multirace NH	128	16.4	5.09	(6.3–26.5)		6,270	(2,435–10,105)
AR	Hispanic	89	5.7	4.42	(0.0–14.5)		6,401	(0–16,676)
CA	White NH	4,740	9.7	0.63	(8.4–10.9)		1,169,697	(1,013,111–1,326,283)
CA	Black NH	416	13.8	2.24	(9.4–18.2)		227,557	(149,916–305,199)
CA	Other NH	972	6.1	1.02	(4.1–8.1)		317,103	(209,867–424,339)
CA	Multirace NH	236	10.6	2.58	(5.5–15.7)		47,062	(23,395–70,730)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CA	Hispanic	2,778	5.8	0.53	(4.8–6.8)		613,882	(502,100–725,664)
CO	White NH	7,376	9.3	0.43	(8.5–10.2)		279,749	(253,787–305,710)
CO	Black NH	261	14.1	2.89	(8.4–19.8)		22,470	(12,535–32,404)
CO	Other NH	330	9.7	1.90	(6.0–13.5)		18,391	(11,055–25,727)
CO	Multirace NH	147	14.4	3.59	(7.3–21.4)		7,633	(3,554–11,713)
CO	Hispanic	1,272	7.2	0.82	(5.6–8.8)		58,178	(44,778–71,578)
CT	White NH	8,208	9.9	0.48	(8.9–10.8)		188,062	(169,372–206,751)
CT	Black NH	674	10.7	1.39	(8.0–13.4)		28,373	(20,907–35,840)
CT	Other NH	439	8.7	1.87	(5.0–12.4)		13,768	(7,733–19,802)
CT	Multirace NH	128	18.3	4.62	(9.1–27.4)		4,472	(2,066–6,878)
CT	Hispanic	829	14.4	1.46	(11.6–17.3)		57,852	(45,662–70,042)
DE	White NH	2,729	10.1	0.86	(8.4–11.8)		48,397	(39,959–56,836)
DE	Black NH	579	14.9	1.99	(11.0–18.8)		22,633	(16,303–28,962)
DE	Other NH	189	5.6	2.41	(0.9–10.4)		2,050	(261–3,839)
DE	Multirace NH	48	3.0		(–)		202	(–)
DE	Hispanic	445	7.2	1.97	(3.3–11.0)		4,088	(1,774–6,401)
DC	White NH	1,191	5.9	1.09	(3.8–8.0)		13,340	(8,344–18,335)
DC	Black NH	2,182	14.2	0.94	(12.4–16.1)		32,712	(28,221–37,203)
DC	Other NH	172	6.9	2.08	(2.8–11.0)		2,352	(936–3,767)
DC	Multirace NH	61	18.6	7.71	(3.2–34.0)		1,284	(52–2,516)
DC	Hispanic	158	4.2	1.63	(0.9–7.4)		2,400	(525–4,275)
FL	White NH	15,598	7.6	0.47	(6.7–8.5)		700,716	(613,920–787,512)
FL	Black NH	2,234	7.9	1.08	(5.8–10.0)		186,712	(135,413–238,012)
FL	Other NH	684	3.7	0.99	(1.7–5.6)		22,951	(11,011–34,891)
FL	Multirace NH	307	8.7	2.59	(3.6–13.8)		12,437	(5,125–19,750)
FL	Hispanic	2,535	7.3	1.03	(5.2–9.3)		287,764	(205,568–369,960)
GA	White NH	3,420	8.3	0.63	(7.1–9.6)		351,499	(297,984–405,014)
GA	Black NH	1,564	10.1	0.98	(8.1–12.0)		235,721	(188,872–282,571)
GA	Other NH	218	3.5	1.46	(0.6–6.4)		12,954	(2,223–23,685)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
GA	Multirace NH	98	17.3	4.80	(7.8–26.9)		17,574	(6,973–28,176)
GA	Hispanic	534	3.1	0.79	(1.6–4.7)		20,227	(10,102–30,352)
HI	White NH	2,415	7.3	0.82	(5.7–8.9)		20,562	(15,865–25,259)
HI	Black NH	70	15.7	7.35	(1.0–30.3)		4,163	(0–8,568)
HI	Other NH	2,707	8.0	0.69	(6.7–9.4)		38,104	(31,523–44,686)
HI	Multirace NH	1,775	14.2	1.11	(12.0–16.4)		30,840	(25,740–35,939)
HI	Hispanic	660	13.9	1.76	(10.5–17.4)		14,467	(10,644–18,289)
ID	White NH	4,322	9.3	0.59	(8.1–10.4)		97,636	(85,345–109,927)
ID	Black NH	13	0.0		(–)		0	(–)
ID	Other NH	67	10.0	4.06	(1.9–18.1)		2,901	(479–5,323)
ID	Multirace NH	70	17.0	6.52	(4.0–30.0)		4,570	(699–8,441)
ID	Hispanic	311	5.4	1.59	(2.3–8.5)		7,256	(2,966–11,546)
IL	White NH	3,835	8.5	0.57	(7.4–9.6)		532,270	(461,095–603,445)
IL	Black NH	717	10.8	1.44	(8.0–13.6)		142,403	(103,573–181,233)
IL	Other NH	233	6.2	1.98	(2.3–10.1)		36,876	(13,011–60,740)
IL	Multirace NH	59	15.1	7.05	(1.0–29.3)		17,920	(0–36,475)
IL	Hispanic	645	5.0	0.91	(3.2–6.8)		74,132	(47,151–101,112)
IN	White NH	11,501	9.7	0.38	(9.0–10.5)		396,059	(364,522–427,595)
IN	Black NH	930	13.3	1.55	(10.3–16.3)		58,203	(43,961–72,445)
IN	Other NH	285	8.0	2.53	(3.1–13.0)		10,246	(3,543–16,948)
IN	Multirace NH	206	20.6	3.71	(13.3–28.0)		12,360	(7,386–17,334)
IN	Hispanic	584	8.3	1.38	(5.5–11.0)		23,910	(15,732–32,087)
IA	White NH	6,909	9.2	0.43	(8.4–10.0)		192,811	(174,976–210,647)
IA	Black NH	122	13.9	3.90	(6.1–21.6)		9,835	(3,875–15,795)
IA	Other NH	141	8.6	2.66	(3.3–13.8)		6,134	(2,230–10,037)
IA	Multirace NH	81	13.7	3.94	(5.9–21.5)		3,200	(1,331–5,069)
IA	Hispanic	291	7.3	2.08	(3.2–11.4)		8,372	(3,449–13,294)
KS	White NH	18,574	9.1	0.27	(8.5–9.6)		153,895	(144,595–163,195)
KS	Black NH	905	12.5	1.45	(9.7–15.3)		15,419	(11,686–19,153)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
KS	Other NH	571	6.4	1.33	(3.8–9.0)		5,586	(3,244–7,928)
KS	Multirace NH	362	16.8	2.51	(11.8–21.7)		5,813	(3,928–7,699)
KS	Hispanic	946	7.5	0.92	(5.7–9.3)		15,849	(11,896–19,801)
KY	White NH	7,088	10.2	0.58	(9.1–11.3)		297,862	(263,862–331,861)
KY	Black NH	935	15.9	3.02	(10.0–21.9)		41,120	(24,425–57,815)
KY	Other NH	153	9.4	3.85	(1.8–17.0)		6,261	(977–11,545)
KY	Multirace NH	184	29.2	6.09	(17.2–41.2)		9,897	(4,851–14,943)
KY	Hispanic	106	8.5	3.38	(1.8–15.2)		8,545	(1,569–15,522)
LA	White NH	3,168	8.1	0.62	(6.9–9.4)		172,579	(146,021–199,136)
LA	Black NH	1,165	10.2	1.20	(7.8–12.5)		109,125	(82,745–135,505)
LA	Other NH	132	13.2	5.46	(2.4–24.0)		16,804	(1,595–32,012)
LA	Multirace NH	88	8.0	2.86	(2.3–13.7)		2,555	(704–4,406)
LA	Hispanic	114	5.3	2.92	(0.0–11.1)		8,215	(0–17,521)
ME	White NH	9,096	11.0	0.50	(10.0–12.0)		109,722	(99,788–119,656)
ME	Black NH	51	4.6		(–)		547	(–)
ME	Other NH	140	18.8	5.31	(8.4–29.3)		3,795	(1,503–6,086)
ME	Multirace NH	144	19.7	5.19	(9.4–29.9)		3,107	(1,286–4,929)
ME	Hispanic	67	8.3	4.03	(0.3–16.4)		837	(20–1,655)
MD	White NH	9,464	8.9	0.48	(8.0–9.9)		217,996	(194,309–241,683)
MD	Black NH	2,614	12.0	0.98	(10.1–14.0)		158,431	(131,409–185,453)
MD	Other NH	500	6.1	1.36	(3.4–8.7)		21,915	(12,015–31,815)
MD	Multirace NH	192	16.6	3.66	(9.4–23.8)		8,373	(4,365–12,382)
MD	Hispanic	418	6.3	1.37	(3.6–8.9)		26,265	(14,742–37,788)
MA	White NH	5,358	11.5	0.79	(10.0–13.1)		446,968	(384,283–509,654)
MA	Black NH	324	13.5	4.30	(5.0–22.0)		45,333	(13,727–76,938)
MA	Other NH	302	7.3	1.96	(3.4–11.1)		29,847	(13,509–46,186)
MA	Multirace NH	144	18.1	5.22	(7.8–28.4)		15,778	(5,827–25,728)
MA	Hispanic	506	11.2	1.80	(7.7–14.7)		62,491	(41,852–83,129)
MI	White NH	8,636	10.3	0.44	(9.5–11.2)		602,270	(549,957–654,583)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MI	Black NH	1,083	15.1	1.33	(12.5–17.8)		152,144	(123,964–180,324)
MI	Other NH	282	7.5	1.78	(4.0–11.0)		21,717	(11,251–32,182)
MI	Multirace NH	240	20.6	3.12	(14.4–26.7)		21,631	(14,541–28,720)
MI	Hispanic	300	9.0	2.04	(5.0–13.0)		29,187	(15,576–42,799)
MN	White NH	14,832	7.5	0.29	(6.9–8.0)		259,570	(239,554–279,585)
MN	Black NH	466	8.4	1.57	(5.3–11.4)		18,063	(11,094–25,032)
MN	Other NH	590	3.5	0.85	(1.8–5.1)		8,806	(4,545–13,067)
MN	Multirace NH	175	15.3	3.44	(8.5–22.1)		6,703	(3,493–9,914)
MN	Hispanic	641	4.1	0.85	(2.5–5.8)		7,539	(4,480–10,597)
MS	White NH	3,224	7.5	0.61	(6.3–8.7)		97,712	(81,797–113,626)
MS	Black NH	1,484	8.9	0.96	(7.0–10.8)		69,388	(54,397–84,380)
MS	Other NH	92	7.2	3.16	(0.9–13.4)		3,469	(414–6,523)
MS	Multirace NH	87	18.7	5.99	(6.8–30.6)		6,115	(1,876–10,353)
MS	Hispanic	49	13.9	7.74	(0.0–29.5)		5,717	(0–12,760)
MO	White NH	6,260	8.5	0.49	(7.6–9.5)		320,742	(283,777–357,708)
MO	Black NH	721	15.2	1.85	(11.6–18.9)		77,042	(57,430–96,654)
MO	Other NH	184	10.1	2.97	(4.2–15.9)		14,169	(5,513–22,826)
MO	Multirace NH	124	20.2	6.02	(8.3–32.1)		13,273	(4,329–22,217)
MO	Hispanic	146	8.6	2.95	(2.8–14.4)		13,308	(3,936–22,679)
MT	White NH	4,844	8.3	0.53	(7.3–9.4)		59,992	(52,407–67,576)
MT	Black NH	20	1.6		(–)		94	(–)
MT	Other NH	724	12.9	2.21	(8.5–17.2)		7,016	(4,489–9,543)
MT	Multirace NH	108	21.4	6.58	(8.4–34.4)		2,439	(716–4,163)
MT	Hispanic	112	18.9	4.77	(9.4–28.3)		4,298	(1,997–6,600)
NE	White NH	13,442	8.4	0.39	(7.6–9.1)		98,480	(89,270–107,689)
NE	Black NH	266	11.2	2.40	(6.4–15.9)		6,795	(3,771–9,818)
NE	Other NH	306	6.6	1.58	(3.5–9.7)		2,383	(1,262–3,503)
NE	Multirace NH	149	16.7	4.09	(8.6–24.8)		4,463	(2,206–6,720)
NE	Hispanic	981	4.2	0.71	(2.8–5.6)		5,304	(3,515–7,093)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	White NH	2,585	10.3	0.94	(8.5–12.2)		124,305	(101,337–147,274)
NV	Black NH	176	21.1	3.76	(13.7–28.5)		41,523	(25,102–57,943)
NV	Other NH	224	10.3	2.80	(4.8–15.8)		27,055	(11,959–42,150)
NV	Multirace NH	117	29.9	7.21	(15.6–44.2)		13,261	(5,742–20,780)
NV	Hispanic	574	5.6	1.22	(3.2–8.0)		32,396	(18,276–46,516)
NH	White NH	5,314	13.2	0.71	(11.8–14.6)		128,580	(114,524–142,637)
NH	Black NH	20	0.0		(–)		0	(–)
NH	Other NH	150	11.6	3.76	(4.1–19.0)		4,690	(1,498–7,882)
NH	Multirace NH	71	20.5	7.05	(6.4–34.5)		2,883	(666–5,100)
NH	Hispanic	68	18.1	7.28	(3.6–32.6)		4,768	(479–9,057)
NJ	White NH	7,906	8.3	0.56	(7.2–9.4)		323,113	(279,154–367,071)
NJ	Black NH	1,343	13.4	1.60	(10.3–16.6)		114,065	(85,471–142,660)
NJ	Other NH	576	4.3	0.96	(2.5–6.2)		32,294	(18,253–46,335)
NJ	Multirace NH	127	15.7	4.49	(6.8–24.6)		8,824	(3,427–14,220)
NJ	Hispanic	1,408	8.6	1.21	(6.2–11.0)		111,877	(79,666–144,088)
NM	White NH	3,327	11.3	0.83	(9.7–13.0)		70,310	(59,665–80,955)
NM	Black NH	66	7.7	4.22	(0.0–16.2)		1,575	(0–3,358)
NM	Other NH	779	10.5	1.63	(7.3–13.7)		16,034	(10,967–21,101)
NM	Multirace NH	72	16.4	5.13	(6.1–26.6)		4,195	(1,440–6,949)
NM	Hispanic	2,041	9.8	0.89	(8.1–11.6)		69,974	(57,005–82,943)
NY	White NH	8,008	8.8	0.47	(7.9–9.7)		750,989	(670,508–831,471)
NY	Black NH	1,223	11.9	1.09	(9.8–14.1)		253,882	(206,265–301,500)
NY	Other NH	654	5.5	1.12	(3.3–7.7)		83,576	(49,383–117,770)
NY	Multirace NH	162	23.8	4.84	(14.2–33.3)		42,648	(22,471–62,825)
NY	Hispanic	1,758	9.3	0.93	(7.5–11.2)		251,395	(199,877–302,912)
NC	White NH	3,187	9.1	0.67	(7.8–10.5)		471,547	(402,108–540,987)
NC	Black NH	946	10.7	1.29	(8.1–13.2)		174,194	(131,121–217,266)
NC	Other NH	263	7.1	1.98	(3.2–11.0)		19,901	(8,801–31,001)
NC	Multirace NH	71	10.3	4.58	(1.2–19.4)		14,449	(931–27,967)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NC	Hispanic	354	6.2	1.58	(3.1–9.3)		38,339	(18,792–57,886)
ND	White NH	6,371	8.4	0.50	(7.4–9.4)		42,064	(36,989–47,138)
ND	Black NH	69	7.6	4.22	(0.0–16.1)		1,267	(0–2,729)
ND	Other NH	305	9.6	1.89	(5.9–13.3)		3,311	(1,999–4,623)
ND	Multirace NH	62	14.6	5.84	(3.0–26.3)		1,495	(193–2,797)
ND	Hispanic	65	8.9	3.63	(1.6–16.2)		1,200	(188–2,213)
OH	White NH	10,426	9.2	0.47	(8.3–10.1)		661,482	(593,371–729,592)
OH	Black NH	919	14.2	1.55	(11.2–17.2)		147,661	(113,718–181,604)
OH	Other NH	259	9.3	2.58	(4.3–14.4)		21,136	(9,171–33,101)
OH	Multirace NH	192	15.6	4.31	(7.1–24.1)		20,880	(8,326–33,434)
OH	Hispanic	204	10.3	2.69	(5.0–15.6)		26,571	(12,298–40,844)
OK	White NH	5,007	9.7	0.54	(8.6–10.7)		197,572	(175,499–219,644)
OK	Black NH	359	11.4	2.18	(7.1–15.6)		23,664	(14,201–33,128)
OK	Other NH	493	10.1	1.54	(7.0–13.1)		28,453	(19,571–37,335)
OK	Multirace NH	323	15.5	2.65	(10.3–20.8)		18,964	(12,086–25,843)
OK	Hispanic	295	4.4	1.38	(1.7–7.1)		11,859	(4,362–19,356)
OR	White NH	4,332	11.7	0.57	(10.5–12.8)		293,428	(264,300–322,556)
OR	Black NH	67	9.9	3.90	(2.1–17.7)		7,320	(1,292–13,348)
OR	Other NH	187	8.0	2.30	(3.5–12.5)		14,101	(5,924–22,279)
OR	Multirace NH	264	19.4	2.85	(13.8–25.0)		14,948	(10,173–19,723)
OR	Hispanic	334	4.7	1.05	(2.6–6.7)		15,882	(8,876–22,889)
PA	White NH	5,243	9.7	0.58	(8.5–10.8)		752,247	(660,115–844,379)
PA	Black NH	550	11.0	1.57	(7.9–14.1)		110,601	(78,395–142,807)
PA	Other NH	228	5.3	1.93	(1.5–9.1)		20,523	(5,594–35,453)
PA	Multirace NH	89	19.1	4.88	(9.4–28.8)		19,277	(8,836–29,718)
PA	Hispanic	269	15.8	2.85	(10.1–21.4)		99,038	(60,456–137,620)
RI	White NH	4,535	12.1	0.73	(10.7–13.6)		75,737	(66,375–85,100)
RI	Black NH	199	15.2	3.06	(9.1–21.2)		6,211	(3,607–8,814)
RI	Other NH	231	7.2	2.24	(2.8–11.6)		3,145	(1,169–5,121)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
RI	Multirace NH	83	19.5	5.13	(9.3–29.7)		2,114	(951–3,277)
RI	Hispanic	426	13.4	2.47	(8.6–18.3)		14,663	(8,882–20,445)
SC	White NH	7,263	9.0	0.48	(8.1–10.0)		227,730	(203,065–252,394)
SC	Black NH	2,864	9.8	0.87	(8.1–11.5)		94,641	(77,435–111,846)
SC	Other NH	238	9.9	2.61	(4.7–15.0)		6,968	(3,162–10,774)
SC	Multirace NH	203	8.2	2.01	(4.2–12.2)		4,281	(2,255–6,307)
SC	Hispanic	323	6.8	1.76	(3.3–10.2)		12,949	(6,103–19,795)
SD	White NH	5,313	7.2	0.61	(6.0–8.4)		40,034	(33,234–46,834)
SD	Black NH	31	1.0		(–)		139	(–)
SD	Other NH	1,365	10.6	1.89	(6.9–14.3)		5,946	(3,835–8,057)
SD	Multirace NH	114	5.4	2.04	(1.3–9.4)		526	(175–876)
SD	Hispanic	87	8.9	5.87	(0.0–20.6)		1,417	(0–3,386)
TN	White NH	4,681	9.8	0.59	(8.6–10.9)		379,402	(333,650–425,154)
TN	Black NH	648	8.2	1.50	(5.3–11.2)		67,576	(42,594–92,558)
TN	Other NH	145	18.6	8.07	(2.7–34.6)		29,040	(0–58,715)
TN	Multirace NH	91	17.6	5.77	(6.1–29.1)		11,039	(3,216–18,862)
TN	Hispanic	116	11.2	4.42	(2.4–19.9)		20,765	(3,389–38,141)
TX	White NH	7,194	8.7	0.75	(7.2–10.1)		806,108	(664,368–947,847)
TX	Black NH	985	13.4	2.26	(9.0–17.8)		327,257	(211,067–443,447)
TX	Other NH	398	2.6	0.93	(0.8–4.4)		32,393	(9,964–54,823)
TX	Multirace NH	163	14.9	7.19	(0.7–29.1)		27,402	(0–56,866)
TX	Hispanic	3,167	4.4	0.59	(3.3–5.6)		327,711	(241,043–414,379)
UT	White NH	8,680	9.3	0.40	(8.5–10.0)		158,821	(145,240–172,403)
UT	Black NH	51	11.6	5.18	(1.2–22.0)		2,534	(148–4,920)
UT	Other NH	297	6.5	1.59	(3.4–9.7)		6,209	(3,201–9,218)
UT	Multirace NH	97	19.8	5.72	(8.5–31.2)		6,723	(2,292–11,154)
UT	Hispanic	868	5.9	0.94	(4.0–7.7)		15,853	(10,766–20,941)
VT	White NH	5,958	11.7	0.60	(10.5–12.9)		53,900	(48,264–59,536)
VT	Black NH	43	23.9	9.57	(4.6–43.2)		1,516	(92–2,940)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2017

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
VT	Other NH	163	10.3	2.99	(4.4–16.2)		1,492	(642–2,342)
VT	Multirace NH	107	12.0	3.78	(4.5–19.5)		560	(209–912)
VT	Hispanic	54	12.3	6.08	(0.1–24.5)		754	(0–1,555)
VA	White NH	6,850	9.5	0.53	(8.5–10.6)		392,669	(348,377–436,961)
VA	Black NH	1,529	9.6	1.02	(7.6–11.6)		114,732	(89,870–139,594)
VA	Other NH	378	4.5	1.25	(2.0–7.0)		21,178	(9,522–32,834)
VA	Multirace NH	157	11.9	3.41	(5.2–18.7)		12,753	(5,154–20,351)
VA	Hispanic	431	6.2	1.33	(3.6–8.8)		33,690	(19,193–48,187)
WA	White NH	10,554	10.9	0.42	(10.1–11.8)		440,762	(406,243–475,282)
WA	Black NH	236	9.1	1.97	(5.3–13.0)		17,384	(9,722–25,046)
WA	Other NH	815	9.3	1.39	(6.6–12.1)		61,691	(42,672–80,711)
WA	Multirace NH	333	19.0	2.80	(13.5–24.6)		24,673	(16,738–32,607)
WA	Hispanic	912	7.8	1.07	(5.8–9.9)		46,172	(33,404–58,940)
WV	White NH	5,075	12.6	0.58	(11.5–13.7)		167,110	(151,588–182,632)
WV	Black NH	122	13.3	3.92	(5.5–21.0)		6,252	(2,332–10,172)
WV	Other NH	74	25.4	6.09	(13.3–37.5)		5,185	(2,303–8,067)
WV	Multirace NH	74	8.3	3.28	(1.8–14.8)		1,328	(263–2,393)
WV	Hispanic	40	7.7		(–)		1,430	(–)
WI	White NH	4,995	9.4	0.54	(8.3–10.4)		351,266	(310,707–391,824)
WI	Black NH	231	13.7	4.03	(5.8–21.6)		34,239	(12,744–55,734)
WI	Other NH	248	9.0	2.89	(3.3–14.7)		15,039	(5,287–24,791)
WI	Multirace NH	57	18.2	7.58	(3.0–33.4)		5,083	(497–9,669)
WI	Hispanic	177	6.1	2.03	(2.1–10.1)		15,164	(5,116–25,212)
WY	White NH	3,943	8.5	0.56	(7.4–9.6)		31,821	(27,680–35,961)
WY	Black NH	33	12.1		(–)		551	(–)
WY	Other NH	79	17.1	5.26	(6.6–27.6)		2,075	(684–3,467)
WY	Multirace NH	58	13.1	5.43	(2.3–24.0)		1,224	(135–2,314)
WY	Hispanic	242	9.3	2.19	(5.0–13.6)		3,655	(1,881–5,428)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.