

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	HS Nongrad	31,337	11.2	0.33	(10.6–11.9)		3,688,026	(3,463,728–3,912,324)
U.S. Total**	HS Grad	116,288	9.2	0.17	(8.9–9.6)		6,486,025	(6,243,331–6,728,720)
U.S. Total**	Some Coll	117,425	9.8	0.17	(9.5–10.2)		7,708,660	(7,442,945–7,974,375)
U.S. Total**	Coll Grad	161,108	7.7	0.13	(7.5–8.0)		5,463,940	(5,280,030–5,647,849)
AL	HS Nongrad	695	16.4	1.87	(12.7–20.1)		91,769	(69,448–114,091)
AL	HS Grad	1,991	10.5	0.90	(8.8–12.3)		123,329	(101,706–144,953)
AL	Some Coll	1,820	10.1	0.98	(8.2–12.1)		121,547	(97,498–145,597)
AL	Coll Grad	2,017	6.9	0.65	(5.6–8.1)		56,966	(46,237–67,695)
AK	HS Nongrad	171	7.8	2.64	(2.6–13.0)		4,005	(1,230–6,781)
AK	HS Grad	785	9.5	1.49	(6.5–12.4)		14,596	(9,893–19,299)
AK	Some Coll	782	10.0	1.40	(7.3–12.8)		20,078	(14,425–25,731)
AK	Coll Grad	985	7.9	1.25	(5.5–10.4)		11,252	(7,651–14,853)
AZ	HS Nongrad	573	12.2	2.12	(8.0–16.3)		93,204	(59,438–126,970)
AZ	HS Grad	1,996	7.8	0.87	(6.1–9.5)		107,303	(83,484–131,122)
AZ	Some Coll	2,541	11.7	0.99	(9.8–13.6)		224,147	(185,374–262,921)
AZ	Coll Grad	2,896	8.7	0.71	(7.3–10.1)		120,203	(100,559–139,847)
AR	HS Nongrad	527	10.9	2.13	(6.7–15.1)		36,356	(21,576–51,135)
AR	HS Grad	1,852	9.3	0.99	(7.4–11.3)		73,812	(57,875–89,749)
AR	Some Coll	1,362	11.7	1.25	(9.2–14.1)		83,283	(64,910–101,656)
AR	Coll Grad	1,567	7.1	0.86	(5.4–8.8)		32,403	(24,496–40,310)
CA	HS Nongrad	1,677	6.4	0.71	(5.0–7.8)		337,537	(262,631–412,442)
CA	HS Grad	2,291	7.0	0.67	(5.6–8.3)		466,055	(375,054–557,057)
CA	Some Coll	2,910	10.5	0.71	(9.1–11.9)		1,011,242	(871,194–1,151,291)
CA	Coll Grad	4,957	8.8	0.58	(7.7–9.9)		786,876	(681,399–892,352)
CO	HS Nongrad	650	8.5	1.33	(5.9–11.1)		35,330	(23,921–46,740)
CO	HS Grad	1,864	8.3	0.73	(6.9–9.7)		82,758	(67,928–97,588)
CO	Some Coll	2,275	9.8	0.73	(8.4–11.2)		137,369	(116,704–158,033)
CO	Coll Grad	3,982	9.1	0.55	(8.0–10.2)		142,956	(125,401–160,510)
CT	HS Nongrad	525	13.1	1.73	(9.7–16.5)		38,095	(27,671–48,519)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CT	HS Grad	2,486	12.7	0.90	(11.0–14.5)		98,977	(84,553–113,402)
CT	Some Coll	2,554	9.6	0.73	(8.2–11.1)		73,611	(62,343–84,879)
CT	Coll Grad	5,008	8.1	0.49	(7.1–9.0)		78,868	(69,226–88,511)
DE	HS Nongrad	524	10.7	2.06	(6.7–14.8)		9,156	(5,477–12,836)
DE	HS Grad	1,474	11.8	1.29	(9.3–14.3)		28,322	(21,799–34,846)
DE	Some Coll	1,350	9.6	1.12	(7.4–11.8)		20,980	(15,924–26,036)
DE	Coll Grad	1,820	8.3	0.82	(6.7–10.0)		18,059	(14,486–21,632)
DC	HS Nongrad	242	23.4	3.50	(16.5–30.3)		12,957	(8,661–17,253)
DC	HS Grad	733	11.8	1.34	(9.2–14.5)		12,085	(9,328–14,842)
DC	Some Coll	648	12.5	1.95	(8.7–16.4)		13,674	(9,174–18,174)
DC	Coll Grad	2,705	9.1	0.78	(7.6–10.6)		27,503	(22,734–32,273)
FL	HS Nongrad	1,493	13.2	2.10	(9.0–17.3)		291,527	(192,491–390,564)
FL	HS Grad	4,559	9.9	0.93	(8.1–11.7)		495,599	(401,153–590,044)
FL	Some Coll	4,472	8.3	0.73	(6.9–9.7)		447,266	(368,386–526,147)
FL	Coll Grad	4,570	5.7	0.56	(4.6–6.8)		254,804	(205,318–304,289)
GA	HS Nongrad	984	13.2	1.34	(10.6–15.8)		150,655	(118,585–182,726)
GA	HS Grad	2,362	8.9	0.70	(7.5–10.2)		202,935	(170,251–235,619)
GA	Some Coll	2,352	8.5	0.68	(7.1–9.8)		202,722	(169,468–235,977)
GA	Coll Grad	3,477	7.3	0.55	(6.3–8.4)		156,023	(132,336–179,710)
HI	HS Nongrad	336	16.8	2.91	(11.1–22.5)		15,808	(9,882–21,734)
HI	HS Grad	2,025	9.1	0.80	(7.5–10.6)		29,241	(23,983–34,499)
HI	Some Coll	2,194	9.2	0.77	(7.7–10.7)		33,954	(28,224–39,684)
HI	Coll Grad	3,301	7.7	0.59	(6.5–8.9)		25,287	(21,387–29,187)
ID	HS Nongrad	285	13.5	2.79	(8.0–19.0)		18,084	(10,213–25,956)
ID	HS Grad	975	9.2	1.20	(6.8–11.5)		34,205	(25,138–43,272)
ID	Some Coll	1,117	8.0	0.99	(6.0–9.9)		38,411	(28,808–48,015)
ID	Coll Grad	1,267	6.9	1.00	(5.0–8.9)		21,254	(15,082–27,426)
IL	HS Nongrad	432	10.0	1.77	(6.5–13.5)		116,337	(73,892–158,781)
IL	HS Grad	1,262	8.6	0.90	(6.9–10.4)		228,006	(179,707–276,304)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
IL	Some Coll	1,337	8.8	0.89	(7.1–10.5)		266,457	(212,036–320,878)
IL	Coll Grad	2,230	8.3	0.69	(6.9–9.6)		248,335	(206,680–289,990)
IN	HS Nongrad	595	15.4	1.79	(11.9–18.9)		96,611	(73,140–120,081)
IN	HS Grad	2,549	10.0	0.77	(8.5–11.5)		170,190	(143,536–196,845)
IN	Some Coll	1,949	10.0	0.82	(8.4–11.6)		157,973	(132,000–183,947)
IN	Coll Grad	2,417	6.7	0.61	(5.5–7.9)		78,131	(63,774–92,488)
IA	HS Nongrad	486	13.5	1.91	(9.7–17.2)		27,777	(19,400–36,155)
IA	HS Grad	2,898	7.3	0.55	(6.2–8.4)		54,760	(46,459–63,061)
IA	Some Coll	2,703	7.4	0.55	(6.3–8.4)		62,289	(52,955–71,624)
IA	Coll Grad	2,968	7.5	0.54	(6.5–8.6)		46,133	(39,501–52,766)
KS	HS Nongrad	535	13.4	1.76	(10.0–16.9)		29,333	(21,301–37,364)
KS	HS Grad	2,828	9.2	0.67	(7.9–10.6)		53,709	(45,791–61,628)
KS	Some Coll	3,208	11.1	0.71	(9.7–12.5)		82,827	(71,816–93,837)
KS	Coll Grad	4,133	7.6	0.48	(6.7–8.6)		48,829	(42,609–55,050)
KY	HS Nongrad	768	17.9	2.04	(13.9–21.9)		91,777	(70,099–113,456)
KY	HS Grad	2,600	11.5	1.07	(9.4–13.6)		131,313	(105,796–156,831)
KY	Some Coll	2,456	10.2	0.99	(8.3–12.2)		107,792	(86,319–129,265)
KY	Coll Grad	2,640	8.1	0.84	(6.5–9.7)		58,848	(46,595–71,100)
LA	HS Nongrad	469	15.5	2.91	(9.8–21.3)		88,484	(51,877–125,092)
LA	HS Grad	1,618	7.4	0.81	(5.8–9.0)		88,125	(68,617–107,632)
LA	Some Coll	1,277	9.1	0.98	(7.1–11.0)		92,949	(72,395–113,503)
LA	Coll Grad	1,698	6.3	0.71	(4.9–7.6)		46,865	(36,234–57,496)
ME	HS Nongrad	559	22.4	3.19	(16.1–28.6)		19,022	(12,769–25,276)
ME	HS Grad	3,164	12.0	1.00	(10.1–14.0)		41,813	(34,561–49,065)
ME	Some Coll	2,852	11.9	1.02	(9.9–13.9)		40,050	(32,916–47,183)
ME	Coll Grad	4,245	10.2	0.73	(8.7–11.6)		31,036	(26,463–35,610)
MD	HS Nongrad	923	10.0	1.37	(7.4–12.7)		50,023	(36,045–64,000)
MD	HS Grad	4,401	9.4	0.71	(8.0–10.8)		114,373	(96,581–132,165)
MD	Some Coll	3,926	10.9	0.84	(9.3–12.6)		143,551	(120,496–166,605)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MD	Coll Grad	8,072	7.9	0.43	(7.1–8.8)		131,394	(117,215–145,573)
MA	HS Nongrad	322	14.3	2.47	(9.5–19.2)		80,220	(50,916–109,524)
MA	HS Grad	1,241	9.9	1.01	(7.9–11.9)		135,826	(107,286–164,366)
MA	Some Coll	1,483	11.0	1.01	(9.0–13.0)		158,080	(128,147–188,012)
MA	Coll Grad	3,523	8.8	0.55	(7.7–9.9)		183,526	(160,480–206,573)
MI	HS Nongrad	482	17.3	2.11	(13.2–21.5)		137,071	(101,072–173,070)
MI	HS Grad	2,630	10.6	0.72	(9.2–12.0)		240,956	(207,820–274,091)
MI	Some Coll	3,164	12.1	0.70	(10.7–13.4)		326,043	(287,322–364,763)
MI	Coll Grad	3,935	7.9	0.50	(6.9–8.9)		157,063	(137,073–177,053)
MN	HS Nongrad	727	10.2	1.25	(7.7–12.6)		35,660	(26,712–44,608)
MN	HS Grad	4,024	8.3	0.53	(7.3–9.4)		92,772	(80,638–104,906)
MN	Some Coll	5,110	8.9	0.49	(8.0–9.9)		131,863	(117,112–146,615)
MN	Coll Grad	6,995	7.1	0.36	(6.4–7.8)		96,744	(87,039–106,449)
MS	HS Nongrad	742	12.1	1.39	(9.4–14.8)		45,059	(34,504–55,613)
MS	HS Grad	1,774	10.2	0.98	(8.3–12.2)		70,053	(56,311–83,795)
MS	Some Coll	1,705	9.6	0.90	(7.8–11.3)		73,226	(59,222–87,231)
MS	Coll Grad	1,564	6.8	0.78	(5.3–8.3)		29,384	(22,630–36,138)
MO	HS Nongrad	479	11.2	2.01	(7.3–15.2)		57,023	(35,988–78,059)
MO	HS Grad	1,974	8.5	0.92	(6.7–10.3)		125,212	(97,837–152,587)
MO	Some Coll	1,718	11.0	1.05	(9.0–13.1)		166,408	(133,962–198,854)
MO	Coll Grad	1,995	7.5	0.81	(5.9–9.1)		90,664	(71,017–110,311)
MT	HS Nongrad	315	16.2	3.02	(10.2–22.1)		10,882	(6,500–15,263)
MT	HS Grad	1,489	10.1	1.08	(8.0–12.2)		24,984	(19,510–30,457)
MT	Some Coll	1,578	9.5	0.98	(7.6–11.4)		27,278	(21,567–32,990)
MT	Coll Grad	1,756	8.6	0.87	(6.9–10.4)		19,516	(15,540–23,492)
NE	HS Nongrad	1,012	9.6	1.53	(6.6–12.6)		13,312	(8,910–17,714)
NE	HS Grad	4,614	9.1	0.70	(7.7–10.4)		35,590	(29,931–41,250)
NE	Some Coll	4,477	9.5	0.69	(8.1–10.8)		48,508	(41,247–55,768)
NE	Coll Grad	4,426	7.6	0.57	(6.5–8.7)		30,739	(26,063–35,416)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	HS Nongrad	284	11.4	3.04	(5.4–17.4)		39,980	(17,287–62,672)
NV	HS Grad	848	7.4	1.24	(4.9–9.8)		50,589	(33,308–67,870)
NV	Some Coll	1,012	7.8	1.26	(5.3–10.3)		62,335	(41,897–82,772)
NV	Coll Grad	1,042	6.8	1.00	(4.8–8.8)		33,884	(23,933–43,835)
NH	HS Nongrad	246	18.1	3.32	(11.6–24.7)		14,936	(9,095–20,776)
NH	HS Grad	1,549	12.1	1.29	(9.5–14.6)		37,352	(28,979–45,725)
NH	Some Coll	1,434	14.3	1.34	(11.7–16.9)		47,790	(38,340–57,239)
NH	Coll Grad	2,442	7.8	0.69	(6.5–9.2)		27,988	(23,032–32,945)
NJ	HS Nongrad	193	9.4	2.68	(4.1–14.7)		72,624	(31,033–114,215)
NJ	HS Grad	760	7.8	1.21	(5.4–10.2)		154,597	(107,143–202,051)
NJ	Some Coll	720	9.0	1.56	(6.0–12.1)		161,420	(105,473–217,366)
NJ	Coll Grad	1,385	8.4	1.16	(6.1–10.6)		204,601	(147,642–261,561)
NM	HS Nongrad	810	8.7	1.15	(6.4–11.0)		21,674	(15,903–27,445)
NM	HS Grad	1,776	7.9	0.90	(6.1–9.7)		33,782	(25,914–41,651)
NM	Some Coll	1,730	11.8	1.06	(9.7–13.9)		62,886	(51,319–74,454)
NM	Coll Grad	2,338	10.2	0.84	(8.6–11.9)		38,752	(32,308–45,195)
NY	HS Nongrad	2,662	13.5	1.09	(11.3–15.6)		291,084	(241,901–340,266)
NY	HS Grad	9,769	10.0	0.58	(8.8–11.1)		409,640	(360,831–458,448)
NY	Some Coll	9,373	10.8	0.58	(9.7–12.0)		450,636	(400,884–500,388)
NY	Coll Grad	13,387	8.4	0.40	(7.6–9.1)		420,753	(380,422–461,084)
NC	HS Nongrad	509	11.8	1.97	(7.9–15.6)		128,207	(83,126–173,289)
NC	HS Grad	1,184	10.3	1.10	(8.2–12.5)		223,989	(175,022–272,957)
NC	Some Coll	1,340	9.8	1.09	(7.6–11.9)		257,244	(197,825–316,663)
NC	Coll Grad	1,664	6.8	0.76	(5.3–8.3)		148,350	(114,917–181,783)
ND	HS Nongrad	290	6.5	1.57	(3.4–9.6)		3,041	(1,608–4,474)
ND	HS Grad	1,527	8.8	1.05	(6.7–10.8)		13,434	(10,122–16,746)
ND	Some Coll	1,761	8.9	1.01	(6.9–10.9)		19,926	(15,262–24,590)
ND	Coll Grad	1,991	7.0	0.71	(5.6–8.4)		10,594	(8,440–12,749)
OH	HS Nongrad	848	14.7	1.77	(11.2–18.2)		140,868	(105,409–176,328)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
OH	HS Grad	4,572	10.9	0.73	(9.4–12.3)		330,596	(284,667–376,526)
OH	Some Coll	3,477	8.3	0.67	(7.0–9.6)		230,085	(192,217–267,953)
OH	Coll Grad	3,748	6.7	0.59	(5.5–7.8)		150,213	(123,814–176,612)
OK	HS Nongrad	396	10.3	1.84	(6.7–13.9)		40,155	(25,298–55,012)
OK	HS Grad	1,505	9.8	1.02	(7.8–11.8)		92,732	(73,018–112,445)
OK	Some Coll	1,617	11.7	1.01	(9.7–13.6)		113,474	(93,311–133,637)
OK	Coll Grad	1,693	9.2	0.85	(7.5–10.8)		61,221	(49,763–72,678)
OR	HS Nongrad	370	17.6	2.58	(12.5–22.7)		59,299	(40,278–78,320)
OR	HS Grad	1,398	10.9	1.00	(8.9–12.9)		87,455	(70,895–104,014)
OR	Some Coll	1,846	11.3	0.82	(9.7–12.9)		133,976	(114,179–153,773)
OR	Coll Grad	2,250	10.1	0.81	(8.5–11.7)		96,590	(80,667–112,513)
PA	HS Nongrad	338	12.4	2.12	(8.3–16.6)		134,000	(87,092–180,908)
PA	HS Grad	1,853	9.8	0.83	(8.2–11.5)		350,675	(290,410–410,941)
PA	Some Coll	1,438	11.0	0.98	(9.1–12.9)		292,874	(239,441–346,306)
PA	Coll Grad	2,525	8.5	0.70	(7.1–9.8)		235,039	(195,947–274,131)
RI	HS Nongrad	392	16.1	2.41	(11.4–20.8)		17,216	(11,695–22,737)
RI	HS Grad	1,330	12.0	1.21	(9.7–14.4)		28,347	(22,518–34,177)
RI	Some Coll	1,438	11.7	1.23	(9.3–14.1)		29,193	(22,868–35,517)
RI	Coll Grad	2,374	10.5	0.89	(8.7–12.2)		26,479	(21,853–31,106)
SC	HS Nongrad	1,100	14.1	1.52	(11.1–17.1)		76,251	(58,878–93,624)
SC	HS Grad	3,170	9.0	0.74	(7.6–10.5)		107,094	(89,318–124,871)
SC	Some Coll	2,948	9.5	0.73	(8.0–10.9)		119,590	(100,922–138,257)
SC	Coll Grad	3,528	5.7	0.48	(4.7–6.6)		55,190	(45,896–64,485)
SD	HS Nongrad	413	13.7	3.46	(6.9–20.5)		8,601	(3,968–13,234)
SD	HS Grad	2,055	7.4	1.05	(5.4–9.5)		14,904	(10,683–19,124)
SD	Some Coll	2,169	6.5	0.83	(4.8–8.1)		14,717	(10,956–18,479)
SD	Coll Grad	2,402	8.1	1.00	(6.1–10.1)		13,413	(10,052–16,775)
TN	HS Nongrad	484	16.5	2.19	(12.2–20.8)		117,987	(84,686–151,287)
TN	HS Grad	1,587	8.9	0.88	(7.1–10.6)		152,266	(121,942–182,591)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
TN	Some Coll	1,341	8.2	1.00	(6.3–10.2)		127,157	(95,947–158,366)
TN	Coll Grad	1,689	9.2	1.02	(7.2–11.2)		114,618	(88,828–140,407)
TX	HS Nongrad	1,190	7.5	1.44	(4.6–10.3)		272,486	(166,376–378,596)
TX	HS Grad	2,666	8.1	1.04	(6.1–10.2)		452,076	(334,958–569,194)
TX	Some Coll	2,998	8.2	0.84	(6.5–9.8)		533,407	(424,615–642,199)
TX	Coll Grad	4,214	5.8	0.58	(4.7–6.9)		313,111	(251,237–374,985)
UT	HS Nongrad	536	7.1	1.52	(4.1–10.1)		13,900	(7,772–20,028)
UT	HS Grad	2,635	10.3	0.78	(8.8–11.8)		54,855	(46,295–63,415)
UT	Some Coll	3,249	10.2	0.64	(8.9–11.4)		86,972	(75,842–98,103)
UT	Coll Grad	4,016	8.2	0.52	(7.2–9.2)		50,632	(44,140–57,124)
VT	HS Nongrad	291	17.2	3.02	(11.2–23.1)		7,048	(4,389–9,707)
VT	HS Grad	1,758	13.2	1.08	(11.1–15.3)		19,767	(16,459–23,074)
VT	Some Coll	1,506	12.4	1.31	(9.8–14.9)		17,814	(13,875–21,753)
VT	Coll Grad	2,918	9.2	0.76	(7.8–10.7)		15,398	(12,843–17,954)
VA	HS Nongrad	784	7.5	1.02	(5.5–9.5)		55,117	(40,495–69,739)
VA	HS Grad	2,499	9.1	0.81	(7.5–10.7)		152,798	(125,199–180,398)
VA	Some Coll	2,588	10.6	0.86	(9.0–12.3)		207,173	(172,727–241,619)
VA	Coll Grad	4,347	6.6	0.51	(5.6–7.6)		147,782	(125,155–170,409)
WA	HS Nongrad	743	9.4	1.27	(6.9–11.9)		54,397	(39,369–69,425)
WA	HS Grad	2,855	9.8	0.73	(8.4–11.3)		135,391	(114,805–155,977)
WA	Some Coll	3,974	11.0	0.67	(9.7–12.3)		222,730	(194,823–250,636)
WA	Coll Grad	5,358	7.9	0.45	(7.1–8.8)		144,859	(128,457–161,261)
WV	HS Nongrad	470	23.7	2.34	(19.1–28.3)		47,223	(36,974–57,473)
WV	HS Grad	1,716	9.9	0.83	(8.3–11.5)		56,560	(46,915–66,206)
WV	Some Coll	1,265	12.6	1.14	(10.3–14.8)		48,952	(39,696–58,207)
WV	Coll Grad	1,416	8.4	0.83	(6.7–10.0)		22,205	(17,749–26,661)
WI	HS Nongrad	247	9.2	2.21	(4.8–13.5)		36,448	(18,606–54,290)
WI	HS Grad	1,542	9.8	1.03	(7.7–11.8)		139,643	(109,481–169,806)
WI	Some Coll	1,419	9.3	1.04	(7.2–11.3)		137,858	(106,131–169,586)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult* Self-Reported Current Asthma Prevalence
and Number by Education and State or Territory, BRFSS 2018

State	Education	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
WI	Coll Grad	1,748	7.9	0.84	(6.3–9.6)		94,368	(74,147–114,589)
WY	HS Nongrad	213	6.9	2.00	(3.0–10.9)		2,410	(998–3,823)
WY	HS Grad	1,275	8.2	0.96	(6.3–10.1)		10,582	(8,075–13,089)
WY	Some Coll	1,462	10.0	0.96	(8.1–11.9)		16,872	(13,571–20,173)
WY	Coll Grad	1,484	7.7	0.93	(5.9–9.6)		8,235	(6,208–10,261)
Territories								
GU	HS Nongrad	151	5.7	1.97	(1.8–9.5)		1,283	(395–2,170)
GU	HS Grad	570	5.2	1.13	(3.0–7.4)		1,937	(1,098–2,776)
GU	Some Coll	378	5.4	1.25	(3.0–7.9)		1,223	(670–1,776)
GU	Coll Grad	533	3.4	0.93	(1.6–5.3)		830	(387–1,273)
PR	HS Nongrad	722	12.2	1.43	(9.4–15.0)		78,257	(59,267–97,247)
PR	HS Grad	1,245	10.9	1.03	(8.9–12.9)		82,486	(66,646–98,326)
PR	Some Coll	1,286	10.6	1.08	(8.4–12.7)		47,683	(37,672–57,693)
PR	Coll Grad	1,570	10.8	0.93	(9.0–12.6)		95,197	(78,424–111,971)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.