

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
U.S. Total**	White	327,418	14.5	0.12	(14.3–14.8)		25,516,743	(25,078,365–25,955,122)
U.S. Total**	Black	32,765	16.7	0.36	(16.0–17.4)		5,208,710	(4,969,022–5,448,399)
U.S. Total**	Other	28,488	11.9	0.40	(11.1–12.7)		3,461,109	(3,222,049–3,700,168)
U.S. Total**	Multirace	9,162	22.6	0.88	(20.9–24.4)		960,362	(879,281–1,041,443)
AL	White	4,836	14.7	0.72	(13.3–16.1)		382,879	(344,073–421,685)
AL	Black	1,828	16.8	1.29	(14.3–19.4)		164,217	(137,054–191,380)
AL	Other	207	17.1	3.52	(10.1–24.0)		23,593	(13,184–34,001)
AL	Multirace	89	20.1	5.85	(8.5–31.8)		7,298	(2,517–12,078)
AK	White	2,224	15.4	1.18	(13.1–17.7)		55,586	(46,850–64,321)
AK	Black	58	14.4	8.38	(0.0–31.1)		4,324	(0–9,999)
AK	Other	479	13.3	2.26	(8.9–17.8)		17,103	(11,145–23,062)
AK	Multirace	140	14.2	3.78	(6.8–21.7)		3,486	(1,632–5,339)
AZ	White	6,935	15.7	0.73	(14.3–17.1)		632,163	(572,333–691,993)
AZ	Black	217	17.2	3.59	(10.2–24.3)		48,483	(26,460–70,506)
AZ	Other	1,330	11.8	1.42	(9.0–14.6)		120,624	(91,415–149,832)
AZ	Multirace	164	41.7	7.37	(27.2–56.3)		38,070	(18,558–57,582)
AR	White	4,125	15.2	0.80	(13.6–16.8)		267,607	(238,535–296,678)
AR	Black	757	16.2	2.29	(11.7–20.7)		54,023	(37,623–70,423)
AR	Other	225	6.8	1.82	(3.2–10.4)		8,782	(4,159–13,406)
AR	Multirace	134	15.6	4.09	(7.5–23.7)		4,917	(2,277–7,557)
CA	White	7,846	15.5	0.51	(14.5–16.5)		2,898,969	(2,705,148–3,092,790)
CA	Black	739	17.5	1.66	(14.3–20.8)		371,045	(296,770–445,320)
CA	Other	2,195	11.4	0.92	(9.6–13.3)		923,238	(768,753–1,077,723)
CA	Multirace	321	23.2	2.82	(17.7–28.7)		134,255	(98,304–170,205)
CO	White	7,724	15.4	0.51	(14.4–16.4)		554,092	(516,496–591,688)
CO	Black	272	19.9	2.82	(14.4–25.5)		38,087	(26,346–49,827)
CO	Other	712	13.3	1.54	(10.3–16.3)		58,661	(44,371–72,950)
CO	Multirace	165	18.2	3.51	(11.3–25.1)		14,358	(8,345–20,370)
CT	White	7,381	16.4	0.67	(15.1–17.7)		338,599	(309,207–367,991)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
CT	Black	693	19.9	1.95	(16.0–23.7)		61,099	(47,805–74,393)
CT	Other	644	16.5	1.89	(12.8–20.2)		51,731	(39,051–64,411)
CT	Multirace	133	25.0	5.73	(13.6–36.3)		7,726	(3,710–11,742)
DE	White	2,791	15.8	1.04	(13.8–17.8)		81,383	(70,145–92,620)
DE	Black	525	17.9	2.42	(13.2–22.7)		29,210	(20,645–37,775)
DE	Other	303	8.9	2.22	(4.5–13.3)		5,367	(2,667–8,066)
DE	Multirace	87	17.2	4.97	(7.4–27.1)		1,554	(618–2,490)
DC	White	1,047	16.2	1.54	(13.2–19.3)		42,848	(34,209–51,486)
DC	Black	1,284	20.9	1.53	(17.9–23.9)		50,352	(42,302–58,403)
DC	Other	159	11.3	3.20	(5.0–17.7)		5,586	(2,292–8,879)
DC	Multirace	55	34.8	8.03	(18.7–50.9)		3,513	(1,691–5,336)
FL	White	13,097	12.6	0.62	(11.4–13.8)		1,503,167	(1,353,191–1,653,143)
FL	Black	1,747	14.5	1.60	(11.4–17.6)		384,152	(296,754–471,550)
FL	Other	1,042	9.5	1.56	(6.5–12.6)		167,927	(112,973–222,881)
FL	Multirace	532	16.8	4.28	(8.4–25.2)		59,705	(26,611–92,799)
GA	White	4,818	12.8	0.73	(11.4–14.3)		595,093	(526,794–663,392)
GA	Black	1,669	13.3	1.29	(10.7–15.8)		332,070	(265,701–398,439)
GA	Other	455	11.5	2.17	(7.2–15.8)		69,689	(43,108–96,269)
GA	Multirace	157	19.0	4.96	(9.2–28.8)		31,981	(14,487–49,475)
HI	White	2,728	13.2	0.98	(11.2–15.1)		37,357	(31,493–43,221)
HI	Black	79	19.4	6.09	(7.2–31.5)		4,941	(1,487–8,395)
HI	Other	3,380	15.1	0.77	(13.6–16.6)		90,157	(80,681–99,633)
HI	Multirace	1,383	24.9	1.56	(21.8–27.9)		47,563	(40,758–54,369)
ID	White	4,940	14.3	0.79	(12.8–15.9)		167,355	(148,631–186,078)
ID	Black	23	20.7		(–)		2,041	(–)
ID	Other	187	13.3	3.65	(6.1–20.5)		10,386	(4,355–16,418)
ID	Multirace	114	14.5	4.90	(4.8–24.2)		4,350	(1,427–7,272)
IL	White	4,191	12.3	0.61	(11.1–13.5)		888,323	(800,226–976,420)
IL	Black	702	21.5	2.12	(17.4–25.7)		301,823	(234,561–369,084)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
IL	Other	404	9.9	1.85	(6.2–13.5)		89,668	(54,884–124,451)
IL	Multirace	87	31.9	5.69	(20.5–43.2)		38,090	(21,614–54,566)
IN	White	7,567	14.5	0.53	(13.4–15.5)		615,442	(569,574–661,310)
IN	Black	616	17.6	1.95	(13.7–21.4)		81,674	(62,225–101,124)
IN	Other	336	11.3	2.22	(6.9–15.7)		27,710	(16,385–39,035)
IN	Multirace	137	17.8	3.79	(10.3–25.2)		9,835	(5,453–14,217)
IA	White	9,022	11.8	0.41	(11.0–12.6)		255,253	(237,174–273,333)
IA	Black	191	15.1	2.65	(9.8–20.3)		12,681	(8,002–17,360)
IA	Other	204	13.7	2.89	(8.0–19.4)		12,173	(6,697–17,649)
IA	Multirace	102	32.3	5.91	(20.6–44.0)		10,327	(5,631–15,024)
KS	White	10,060	14.5	0.45	(13.6–15.4)		267,802	(250,811–284,793)
KS	Black	437	16.7	2.09	(12.6–20.8)		20,701	(15,114–26,287)
KS	Other	397	13.4	2.05	(9.4–17.5)		17,303	(11,737–22,869)
KS	Multirace	200	28.0	3.73	(20.6–35.3)		15,267	(10,598–19,936)
KY	White	6,908	14.1	0.65	(12.9–15.4)		423,281	(383,526–463,035)
KY	Black	661	9.8	1.75	(6.3–13.2)		26,019	(16,833–35,205)
KY	Other	145	13.7	3.99	(5.8–21.6)		12,446	(4,931–19,961)
KY	Multirace	130	28.9	8.13	(12.8–45.0)		13,318	(3,846–22,791)
LA	White	3,162	14.8	0.77	(13.3–16.4)		327,162	(292,256–362,068)
LA	Black	1,183	14.5	1.21	(12.2–16.9)		158,795	(131,703–185,886)
LA	Other	185	17.5	3.58	(10.5–24.6)		26,529	(14,856–38,202)
LA	Multirace	91	23.4	7.30	(8.9–37.9)		9,398	(2,374–16,423)
ME	White	10,719	15.9	0.63	(14.6–17.1)		161,660	(148,183–175,137)
ME	Black	61	9.7	5.13	(0.0–20.0)		1,135	(0–2,348)
ME	Other	180	28.9	7.31	(14.4–43.3)		7,092	(2,557–11,627)
ME	Multirace	150	34.2	7.61	(19.2–49.3)		5,575	(2,311–8,838)
MD	White	12,157	14.0	0.50	(13.1–15.0)		362,718	(335,928–389,508)
MD	Black	3,508	17.3	0.91	(15.5–19.0)		240,698	(213,564–267,831)
MD	Other	937	9.8	1.33	(7.1–12.4)		52,227	(37,595–66,859)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
MD	Multirace	300	24.4	3.32	(17.8–30.9)		14,914	(10,320–19,507)
MA	White	6,187	15.7	0.61	(14.5–16.9)		655,652	(603,127–708,178)
MA	Black	460	16.5	2.34	(11.9–21.1)		66,419	(46,019–86,819)
MA	Other	504	11.0	1.56	(7.9–14.1)		62,894	(44,719–81,070)
MA	Multirace	154	27.3	4.53	(18.4–36.3)		30,238	(18,498–41,977)
MI	White	8,746	15.8	0.54	(14.7–16.9)		964,418	(896,666–1,032,170)
MI	Black	887	19.9	1.70	(16.6–23.2)		205,933	(167,460–244,406)
MI	Other	433	15.7	2.74	(10.4–21.1)		70,995	(43,869–98,121)
MI	Multirace	228	20.7	3.38	(14.1–27.4)		20,981	(13,412–28,549)
MN	White	13,567	12.9	0.34	(12.2–13.6)		462,308	(437,522–487,095)
MN	Black	529	13.4	1.64	(10.2–16.7)		33,550	(24,926–42,174)
MN	Other	828	11.5	1.31	(8.9–14.1)		41,160	(31,503–50,816)
MN	Multirace	234	26.8	3.67	(19.5–34.0)		14,038	(9,541–18,535)
MS	White	2,956	14.2	0.86	(12.5–15.9)		188,501	(164,772–212,231)
MS	Black	1,967	14.2	1.11	(12.1–16.4)		115,113	(96,410–133,816)
MS	Other	109	11.7	4.38	(3.0–20.4)		10,233	(2,193–18,273)
MS	Multirace	35	28.2	11.99	(3.8–52.6)		7,452	(0–15,384)
MO	White	6,183	14.8	0.66	(13.5–16.1)		579,085	(526,108–632,062)
MO	Black	683	15.6	1.86	(11.9–19.2)		80,218	(60,154–100,282)
MO	Other	201	16.3	3.72	(9.0–23.7)		31,987	(15,999–47,975)
MO	Multirace	104	25.2	5.71	(13.8–36.5)		17,673	(8,476–26,869)
MT	White	5,574	14.8	0.58	(13.6–15.9)		111,149	(102,328–119,970)
MT	Black	16	15.7		(–)		588	(–)
MT	Other	630	14.9	1.89	(11.2–18.6)		9,054	(6,676–11,431)
MT	Multirace	185	23.2	4.19	(14.9–31.4)		3,522	(2,085–4,960)
NE	White	14,296	12.4	0.42	(11.6–13.2)		154,148	(143,651–164,646)
NE	Black	335	18.2	2.67	(13.0–23.5)		12,068	(8,250–15,887)
NE	Other	758	10.3	1.56	(7.3–13.4)		10,944	(7,522–14,366)
NE	Multirace	150	11.3	3.64	(4.1–18.5)		2,090	(685–3,495)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
NV	White	1,976	13.5	1.04	(11.4–15.5)		188,899	(159,140–218,658)
NV	Black	171	19.0	3.20	(12.7–25.3)		43,523	(27,862–59,183)
NV	Other	424	14.7	2.17	(10.5–19.0)		90,613	(62,858–118,368)
NV	Multirace	115	21.2	5.72	(9.9–32.6)		12,729	(5,045–20,413)
NH	White	5,458	15.9	0.72	(14.5–17.3)		159,507	(144,795–174,219)
NH	Black	47	21.0	8.79	(3.3–38.7)		3,392	(92–6,691)
NH	Other	176	11.4	2.92	(5.7–17.2)		6,103	(2,903–9,303)
NH	Multirace	50	37.8	8.97	(19.8–55.9)		5,389	(2,229–8,548)
NM	White	4,586	13.3	0.70	(11.9–14.7)		157,831	(141,032–174,630)
NM	Black	100	14.5	4.40	(5.8–23.2)		6,422	(2,303–10,542)
NM	Other	828	11.0	1.55	(8.0–14.1)		26,294	(18,669–33,918)
NM	Multirace	104	19.5	5.07	(9.5–29.6)		6,765	(2,899–10,632)
NY	White	10,369	14.6	0.51	(13.6–15.7)		1,359,944	(1,262,357–1,457,532)
NY	Black	1,463	18.6	1.34	(16.0–21.3)		448,707	(379,285–518,129)
NY	Other	1,471	11.4	1.07	(9.3–13.5)		297,188	(240,018–354,358)
NY	Multirace	240	30.8	4.56	(21.9–39.8)		55,098	(35,504–74,693)
NC	White	2,822	13.4	0.73	(11.9–14.8)		732,283	(650,827–813,738)
NC	Black	888	13.7	1.32	(11.1–16.3)		237,010	(189,815–284,206)
NC	Other	370	6.0	1.22	(3.6–8.4)		34,178	(20,352–48,004)
NC	Multirace	77	26.1	6.61	(12.9–39.2)		45,858	(17,897–73,819)
ND	White	5,057	12.0	0.70	(10.6–13.4)		61,106	(53,791–68,420)
ND	Black	52	5.0		(–)		778	(–)
ND	Other	285	15.6	3.07	(9.6–21.7)		6,841	(3,964–9,718)
ND	Multirace	67	26.0	7.78	(10.5–41.6)		2,393	(886–3,899)
OH	White	11,880	15.4	0.53	(14.3–16.4)		1,129,693	(1,049,820–1,209,566)
OH	Black	812	18.6	1.95	(14.8–22.4)		203,219	(156,733–249,705)
OH	Other	317	13.9	3.42	(7.1–20.6)		56,176	(26,335–86,017)
OH	Multirace	243	25.8	4.47	(17.0–34.6)		30,782	(18,349–43,216)
OK	White	4,856	15.1	0.68	(13.8–16.5)		330,020	(299,198–360,842)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
OK	Black	334	17.0	2.35	(12.4–21.6)		37,403	(26,409–48,398)
OK	Other	613	16.8	1.87	(13.1–20.5)		60,260	(46,047–74,473)
OK	Multirace	345	25.1	3.03	(19.1–31.0)		34,522	(24,946–44,098)
OR	White	5,169	16.9	0.65	(15.6–18.2)		459,249	(423,113–495,386)
OR	Black	79	13.4	4.48	(4.5–22.3)		11,256	(3,158–19,353)
OR	Other	346	17.5	2.64	(12.3–22.7)		51,226	(34,624–67,828)
OR	Multirace	204	22.2	3.45	(15.4–29.0)		19,663	(12,860–26,466)
PA	White	5,311	15.1	0.65	(13.9–16.4)		1,227,385	(1,120,320–1,334,449)
PA	Black	720	20.7	1.99	(16.8–24.6)		223,896	(176,802–270,990)
PA	Other	312	16.3	2.69	(11.0–21.6)		99,712	(64,634–134,789)
PA	Multirace	111	16.8	4.77	(7.4–26.3)		24,428	(11,367–37,489)
RI	White	5,122	17.0	0.83	(15.4–18.7)		112,533	(101,089–123,977)
RI	Black	270	14.7	2.57	(9.6–19.7)		8,074	(5,124–11,024)
RI	Other	426	12.9	1.99	(8.9–16.8)		11,797	(8,073–15,522)
RI	Multirace	104	18.8	5.02	(8.8–28.8)		2,779	(1,219–4,340)
SC	White	5,049	14.9	0.67	(13.6–16.2)		402,865	(365,602–440,128)
SC	Black	1,562	17.5	1.46	(14.6–20.4)		179,518	(146,946–212,091)
SC	Other	216	9.7	2.37	(5.0–14.4)		15,478	(7,925–23,030)
SC	Multirace	170	23.6	4.42	(14.9–32.3)		11,078	(6,866–15,291)
SD	White	5,426	12.1	0.94	(10.2–13.9)		70,101	(59,007–81,196)
SD	Black	35	5.6		(–)		679	(–)
SD	Other	921	10.3	1.80	(6.8–13.9)		5,830	(3,983–7,678)
SD	Multirace	137	16.2	6.56	(3.2–29.2)		2,181	(323–4,040)
TN	White	5,076	15.1	0.69	(13.7–16.4)		617,789	(560,462–675,115)
TN	Black	730	15.1	1.70	(11.7–18.4)		126,311	(96,924–155,698)
TN	Other	215	17.5	3.34	(10.9–24.1)		40,294	(24,539–56,049)
TN	Multirace	107	15.6	4.41	(6.9–24.4)		8,392	(3,605–13,179)
TX	White	9,158	13.7	0.70	(12.3–15.1)		1,963,021	(1,757,494–2,168,548)
TX	Black	1,061	15.4	1.96	(11.6–19.3)		420,674	(308,495–532,854)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
TX	Other	1,244	12.3	1.94	(8.5–16.2)		386,743	(258,749–514,737)
TX	Multirace	245	14.0	4.01	(6.2–21.9)		41,759	(18,105–65,412)
UT	White	10,607	16.4	0.47	(15.5–17.3)		317,139	(298,566–335,711)
UT	Black	80	7.7	3.08	(1.6–13.9)		1,879	(335–3,424)
UT	Other	507	11.0	1.64	(7.7–14.2)		17,756	(12,296–23,217)
UT	Multirace	117	19.5	4.73	(10.2–28.9)		7,820	(3,585–12,055)
VT	White	6,001	18.0	0.79	(16.4–19.5)		85,340	(77,531–93,150)
VT	Black	30	14.0		(–)		595	(–)
VT	Other	168	11.9	3.41	(5.2–18.6)		1,970	(861–3,078)
VT	Multirace	124	32.2	6.99	(18.3–46.0)		1,905	(945–2,864)
VA	White	7,341	14.0	0.54	(12.9–15.0)		614,526	(566,244–662,807)
VA	Black	1,574	16.6	1.27	(14.1–19.1)		209,937	(175,633–244,242)
VA	Other	530	10.3	1.57	(7.2–13.4)		77,924	(53,983–101,866)
VA	Multirace	236	17.1	3.34	(10.5–23.7)		19,197	(11,148–27,246)
WA	White	10,775	17.2	0.49	(16.2–18.1)		766,806	(722,196–811,415)
WA	Black	271	20.4	2.81	(14.9–26.0)		44,797	(31,103–58,490)
WA	Other	1,128	11.7	1.14	(9.4–13.9)		108,737	(86,667–130,808)
WA	Multirace	384	23.7	2.75	(18.3–29.1)		38,549	(28,381–48,718)
WV	White	4,971	16.3	0.70	(14.9–17.6)		215,196	(196,166–234,225)
WV	Black	96	18.6	4.68	(9.3–27.8)		8,162	(3,823–12,501)
WV	Other	79	25.9	6.47	(13.0–38.8)		7,455	(3,263–11,646)
WV	Multirace	81	28.3	7.14	(14.0–42.5)		5,120	(2,055–8,184)
WI	White	4,372	13.3	0.69	(11.9–14.6)		517,921	(463,588–572,253)
WI	Black	234	34.4	4.99	(24.6–44.3)		90,514	(58,751–122,277)
WI	Other	204	8.5	2.21	(4.1–12.9)		21,218	(10,431–32,005)
WI	Multirace	65	21.0	6.89	(7.2–34.7)		10,433	(2,825–18,041)
WY	White	4,249	13.6	0.80	(12.1–15.2)		53,592	(47,223–59,961)
WY	Black	29	9.5		(–)		505	(–)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult* Lifetime Asthma Prevalence
and Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
WY	Other	139	10.0	3.90	(2.3–17.7)		2,059	(361–3,756)
WY	Multirace	75	21.5	6.86	(7.8–35.1)		2,029	(529–3,530)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.