

**Table C5**  
**Child<sup>§</sup> Current Asthma Prevalence**  
**and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI <sup>¶</sup> (Percent)		Weighted Number	95% CI <sup>¶</sup> Weighted Number
Total *	White NH ***	30,041	6.0	0.26	(5.5–6.6)		1,303,935	(1,191,066–1,416,804)
Total *	Black NH	3,505	12.2	1.01	(10.4–14.3)		793,805	(657,218–930,393)
Total *	Other NH	5,064	7.7	0.80	(6.3–9.4)		408,419	(322,926–493,911)
Total *	Hispanic	8,367	7.0	0.54	(6.0–8.1)		1,040,346	(876,541–1,204,152)
CA	White NH	692	6.4	1.08	(4.6–8.9)		127,957	(84,775–171,138)
CA	Black NH	110	11.9	3.49	(6.5–20.6)		50,602	(19,903–81,302)
CA	Other NH	355	9.3	1.94	(6.1–13.9)		138,800	(79,041–198,558)
CA	Hispanic	1,478	6.7	0.81	(5.2–8.4)		316,334	(239,020–393,649)
CT	White NH	871	6.8	1.19	(4.8–9.5)		23,035	(15,048–31,021)
CT	Black NH	155	9.6	2.52	(5.7–15.8)		8,200	(3,873–12,527)
CT	Other NH	139	4.9	1.67	(2.5–9.5)		3,550	(1,226–5,874)
CT	Hispanic	283	12.9	2.40	(8.9–18.4)		23,280	(14,345–32,214)
DC	White NH	131	6.9	3.20	(2.8–16.5)		1,973	(114–3,832)
DC	Black NH	221	12.3	2.41	(8.3–17.8)		8,298	(5,071–11,525)
DC	Other NH	38	28.8	13.21	(10.3–58.9)		3,539	(0–7,384)
DC	Hispanic	41	6.4				1,013	
FL	White NH	1,484	4.5	0.86	(3.1–6.5)		66,168	(41,477–90,859)
FL	Black NH	280	8.9	2.32	(5.3–14.6)		73,746	(35,170–112,322)
FL	Other NH	186	6.3	2.24	(3.1–12.4)		16,987	(5,100–28,874)
FL	Hispanic	574	8.1	1.93	(5.0–12.8)		111,629	(57,986–165,272)
GA	White NH	680	8.0	1.97	(4.9–12.8)		72,930	(36,035–109,824)
GA	Black NH	318	16.7	3.23	(11.3–24.0)		143,502	(83,715–203,289)
GA	Other NH	100	1.5				2,981	
GA	Hispanic	219	5.5	2.06	(2.6–11.2)		20,642	(5,226–36,059)
HI	White NH	245	3.0	1.26	(1.3–6.8)		1,109	(184–2,034)
HI	Black NH	6	0.0				0	
HI	Other NH	1,161	7.3	0.85	(5.8–9.1)		13,892	(10,690–17,093)
HI	Hispanic	252	11.5	2.52	(7.4–17.4)		6,276	(3,430–9,121)
IL	White NH	631	5.9	1.19	(4.0–8.7)		75,728	(45,253–106,202)
IL	Black NH	148	14.8	3.67	(9.0–23.5)		64,749	(31,049–98,449)
IL	Other NH	99	10.0	4.24	(4.2–21.8)		24,549	(2,676–46,421)

Notes:

<sup>§</sup>Aged 0-17

<sup>¶</sup>CI denotes confidence interval.

\* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health  
Centers for Disease Control and Prevention**

**Table C5**  
**Child<sup>§</sup> Current Asthma Prevalence**  
**and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI <sup>¶</sup> (Percent)		Weighted Number	95% CI <sup>¶</sup> Weighted Number
IL	Hispanic	373	3.2	0.95	(1.8–5.7)		23,494	(9,795–37,192)
IN	White NH	1,185	6.3	0.82	(4.9–8.1)		62,213	(46,142–78,284)
IN	Black NH	125	12.3	2.83	(7.7–19.0)		21,497	(11,564–31,430)
IN	Other NH	121	7.1	2.47	(3.5–13.7)		8,065	(2,399–13,731)
IN	Hispanic	198	4.2	1.40	(2.2–7.9)		7,833	(2,662–13,004)
KS	White NH	1,907	7.3	0.69	(6.0–8.7)		30,276	(24,535–36,018)
KS	Black NH	109	14.6	3.87	(8.5–23.9)		6,659	(2,963–10,356)
KS	Other NH	193	13.2	4.33	(6.8–24.2)		8,880	(2,622–15,138)
KS	Hispanic	281	9.2	1.93	(6.0–13.7)		12,692	(7,284–18,100)
ME	White NH	1,329	8.9	1.20	(6.8–11.6)		16,878	(12,334–21,421)
ME	Black NH	16	0.0				0	
ME	Other NH	68	15.7	6.02	(7.1–31.2)		2,473	(454–4,492)
ME	Hispanic	47	5.3				599	
MA	White NH	409	7.0	1.97	(4.0–12.0)		46,830	(19,818–73,843)
MA	Black NH	52	10.5	5.03	(4.0–25.1)		14,033	(338–27,729)
MA	Other NH	70	17.3	6.95	(7.5–35.1)		25,782	(2,503–49,061)
MA	Hispanic	111	11.4	4.03	(5.5–21.9)		30,640	(7,752–53,529)
MI	White NH	1,488	7.3	0.98	(5.6–9.4)		92,574	(67,331–117,817)
MI	Black NH	243	9.1	1.93	(5.9–13.6)		31,446	(17,992–44,901)
MI	Other NH	205	7.6	1.95	(4.5–12.4)		16,164	(7,849–24,480)
MI	Hispanic	156	9.3	3.31	(4.6–18.1)		18,285	(4,807–31,763)
MN	White NH	2,457	5.0	0.59	(4.0–6.3)		40,305	(30,866–49,743)
MN	Black NH	147	6.8	2.20	(3.5–12.6)		8,186	(2,861–13,511)
MN	Other NH	323	6.0	1.38	(3.8–9.4)		10,914	(6,032–15,796)
MN	Hispanic	341	3.1	0.85	(1.8–5.3)		3,975	(1,863–6,086)
MS	White NH	524	6.1	1.47	(3.8–9.7)		18,701	(9,670–27,732)
MS	Black NH	476	8.4	1.42	(6.0–11.6)		24,148	(15,969–32,327)
MS	Other NH	46	9.0				3,494	
MS	Hispanic	23	22.2	13.05	(6.1–55.7)		4,243	(0–10,157)
MO	White NH	1,050	5.3	0.86	(3.8–7.2)		48,111	(32,677–63,545)
MO	Black NH	141	17.0	4.23	(10.2–26.9)		30,787	(14,674–46,901)

Notes:

<sup>§</sup>Aged 0-17

<sup>¶</sup>CI denotes confidence interval.

\* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health  
Centers for Disease Control and Prevention**

**Table C5**  
**Child<sup>§</sup> Current Asthma Prevalence**  
**and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI <sup>¶</sup> (Percent)	Weighted Number	95% CI <sup>¶</sup> Weighted Number
MO	Other NH	59	3.0			3,332	
MO	Hispanic	52	10.0	4.91	(3.7–24.4)	9,271	(170–18,373)
MT	White NH	1,040	6.2	0.83	(4.8–8.1)	10,501	(7,728–13,274)
MT	Black NH	10	14.0			297	
MT	Other NH	280	10.5	3.04	(5.9–18.1)	3,946	(1,575–6,317)
MT	Hispanic	76	2.1			272	
NE	White NH	2,520	4.7	0.53	(3.8–5.9)	14,555	(11,347–17,763)
NE	Black NH	110	16.3	4.54	(9.2–27.2)	4,569	(1,826–7,311)
NE	Other NH	241	9.9	2.64	(5.8–16.4)	3,830	(1,735–5,925)
NE	Hispanic	596	6.6	1.47	(4.3–10.2)	5,952	(3,286–8,619)
NV	White NH	296	9.2	2.57	(5.3–15.7)	18,446	(8,002–28,889)
NV	Black NH	40	10.1			7,598	
NV	Other NH	84	2.9			2,757	
NV	Hispanic	232	8.3	3.25	(3.8–17.3)	21,633	(4,162–39,105)
NH	White NH	753	6.2	0.99	(4.5–8.4)	12,173	(8,350–15,996)
NH	Black NH	12	0.0			0	
NH	Other NH	71	16.0	6.19	(7.2–31.9)	3,804	(548–7,061)
NH	Hispanic	26	12.0			1,257	
NM	White NH	353	5.1	1.27	(3.1–8.2)	5,094	(2,593–7,594)
NM	Black NH	15	18.5			1,573	
NM	Other NH	202	3.1	2.12	(0.8–11.3)	1,973	(0–4,631)
NM	Hispanic	629	5.5	1.41	(3.3–9.0)	16,153	(7,895–24,410)
NY	White NH	445	4.4	1.10	(2.7–7.2)	77,111	(39,219–115,003)
NY	Black NH	87	17.3	6.18	(8.3–32.8)	107,743	(21,915–193,571)
NY	Other NH	75	8.1	4.46	(2.6–22.2)	33,284	(0–70,797)
NY	Hispanic	171	7.4	2.13	(4.2–12.8)	72,875	(31,030–114,721)
OH	White NH	1,738	6.6	0.90	(5.0–8.6)	108,526	(79,015–138,038)
OH	Black NH	153	17.0	3.78	(10.8–25.7)	67,927	(35,855–99,999)
OH	Other NH	146	3.5	1.42	(1.5–7.6)	6,976	(1,373–12,579)
OH	Hispanic	87	3.7			6,859	
OR	White NH	830	5.6	1.05	(3.9–8.1)	24,767	(15,605–33,929)

Notes:

<sup>§</sup>Aged 0-17

<sup>¶</sup>CI denotes confidence interval.

\* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health  
Centers for Disease Control and Prevention**

**Table C5**  
**Child<sup>§</sup> Current Asthma Prevalence**  
**and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI <sup>¶</sup> (Percent)	Weighted Number	95% CI <sup>¶</sup> Weighted Number
OR	Black NH	17	2.2			331	
OR	Other NH	108	19.3	7.71	(8.3–38.7)	21,202	(1,554–40,850)
OR	Hispanic	218	3.9	2.20	(1.2–11.4)	8,265	(0–17,762)
PA	White NH	931	6.7	1.00	(5.0–9.0)	103,242	(72,452–134,032)
PA	Black NH	186	11.7	2.45	(7.7–17.5)	40,098	(23,511–56,684)
PA	Other NH	122	4.7	1.62	(2.4–9.1)	10,504	(3,553–17,456)
PA	Hispanic	115	12.1	3.08	(7.2–19.5)	41,265	(20,415–62,116)
RI	White NH	596	5.3	1.13	(3.5–8.0)	5,490	(3,176–7,803)
RI	Black NH	53	6.9			954	
RI	Other NH	73	13.9	5.68	(6.0–29.1)	2,856	(437–5,275)
RI	Hispanic	155	13.7	3.62	(8.0–22.4)	7,539	(3,354–11,725)
TX	White NH	939	5.8	1.07	(4.0–8.3)	118,576	(75,420–161,731)
TX	Black NH	187	8.0	2.53	(4.2–14.5)	69,435	(26,319–112,550)
TX	Other NH	165	4.7	2.07	(1.9–10.8)	21,994	(2,992–40,996)
TX	Hispanic	1,040	7.0	1.59	(4.5–10.8)	255,654	(138,167–373,142)
UT	White NH	2,965	5.5	0.48	(4.7–6.6)	35,830	(29,658–42,002)
UT	Black NH	38	30.4	8.62	(16.4–49.2)	4,518	(1,531–7,505)
UT	Other NH	204	6.1	1.72	(3.5–10.5)	4,192	(1,836–6,547)
UT	Hispanic	501	4.6	0.97	(3.0–6.9)	8,001	(4,645–11,356)
VT	White NH	955	7.2	1.10	(5.3–9.7)	6,997	(4,880–9,113)
VT	Black NH	10	0.0			0	
VT	Other NH	61	6.7			641	
VT	Hispanic	30	39.9	11.99	(20.0–63.9)	1,492	(243–2,742)
WI	White NH	597	4.7	1.28	(2.8–8.0)	37,840	(17,243–58,437)
WI	Black NH	40	3.0			2,907	
WI	Other NH	69	5.0			7,057	
WI	Hispanic	62	2.0			2,920	
Territory							

Notes:

<sup>§</sup>Aged 0-17

<sup>¶</sup>CI denotes confidence interval.

\* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health  
Centers for Disease Control and Prevention**