

Table L3
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Age and State or Territory: BRFSS 2019

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
Total *	0-4	9,592	4.8	0.42	(4.1–5.7)		574,746	(475,557–673,934)
Total *	5-9	9,971	12.3	0.72	(10.9–13.7)		1,567,989	(1,374,448–1,761,530)
Total *	10-14	12,518	14.3	0.69	(13.0–15.7)		1,574,525	(1,415,484–1,733,566)
Total *	15-17	10,084	16.3	0.78	(14.8–17.8)		1,317,884	(1,183,360–1,452,407)
CA	0-4	607	5.3	1.17	(3.4–8.1)		103,805	(57,305–150,305)
CA	5-9	592	11.8	1.66	(8.9–15.5)		273,906	(193,879–353,933)
CA	10-14	678	16.5	1.81	(13.2–20.4)		337,707	(258,573–416,842)
CA	15-17	508	18.3	2.18	(14.4–23.0)		280,536	(208,604–352,468)
CT	0-4	245	6.1	1.72	(3.5–10.4)		10,829	(4,752–16,906)
CT	5-9	284	14.6	2.55	(10.3–20.3)		24,188	(15,375–33,001)
CT	10-14	412	16.7	2.82	(11.9–22.9)		25,900	(16,357–35,444)
CT	15-17	371	20.9	3.19	(15.4–27.9)		25,912	(17,043–34,781)
DC	0-4	85	10.6	4.86	(4.2–24.5)		4,494	(200–8,789)
DC	5-9	106	14.0	3.45	(8.5–22.2)		5,526	(2,749–8,302)
DC	10-14	126	21.7	4.20	(14.6–31.0)		5,085	(2,945–7,225)
DC	15-17	73	19.7	5.45	(11.1–32.5)		2,275	(926–3,624)
FL	0-4	493	4.8	1.35	(2.8–8.3)		54,972	(24,512–85,431)
FL	5-9	581	9.3	1.88	(6.2–13.7)		87,200	(52,377–122,023)
FL	10-14	690	14.5	2.62	(10.1–20.4)		107,002	(66,414–147,590)
FL	15-17	432	19.7	3.32	(14.0–27.0)		141,715	(91,438–191,993)
GA	0-4	268	11.1	3.43	(5.9–19.8)		69,003	(23,936–114,069)
GA	5-9	297	16.9	3.88	(10.5–25.9)		97,426	(48,093–146,759)
GA	10-14	318	12.8	2.41	(8.8–18.3)		69,279	(42,745–95,813)
GA	15-17	289	21.0	4.70	(13.2–31.6)		75,586	(37,377–113,796)
HI	0-4	371	4.9	1.41	(2.8–8.5)		2,901	(1,235–4,566)
HI	5-9	362	14.3	2.33	(10.3–19.5)		10,615	(6,957–14,273)
HI	10-14	397	16.7	2.19	(12.9–21.5)		11,569	(8,392–14,746)
HI	15-17	320	23.1	2.89	(17.9–29.2)		10,500	(7,583–13,417)
IL	0-4	248	5.2	1.76	(2.7–10.0)		39,626	(12,732–66,520)
IL	5-9	248	9.9	2.59	(5.9–16.3)		76,324	(34,758–117,890)
IL	10-14	350	13.0	2.03	(9.5–17.5)		76,017	(51,581–100,453)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L3
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Age and State or Territory: BRFSS 2019

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
IL	15-17	290	14.0	2.58	(9.6–19.8)		57,840	(35,407–80,273)
IN	0-4	300	3.9	1.14	(2.2–6.9)		14,690	(6,252–23,128)
IN	5-9	356	9.7	1.74	(6.8–13.7)		35,808	(22,741–48,876)
IN	10-14	429	10.9	1.65	(8.0–14.6)		34,672	(23,893–45,450)
IN	15-17	362	18.1	2.49	(13.7–23.5)		43,367	(30,412–56,321)
KS	0-4	530	5.3	1.15	(3.4–8.0)		9,621	(5,432–13,811)
KS	5-9	555	10.0	1.49	(7.4–13.4)		18,207	(12,643–23,772)
KS	10-14	671	15.9	1.85	(12.6–19.9)		24,033	(18,060–30,006)
KS	15-17	545	18.0	2.80	(13.2–24.2)		20,501	(13,411–27,590)
ME	0-4	297	4.4	1.68	(2.1–9.1)		2,194	(520–3,868)
ME	5-9	274	18.5	3.34	(12.8–25.9)		11,143	(6,752–15,534)
ME	10-14	435	18.0	2.56	(13.5–23.6)		9,509	(6,652–12,366)
ME	15-17	321	13.4	2.46	(9.2–18.9)		5,418	(3,387–7,449)
MA	0-4	118	5.5	3.53	(1.5–18.0)		17,291	(0–39,843)
MA	5-9	146	16.5	3.53	(10.7–24.6)		38,091	(20,793–55,389)
MA	10-14	148	16.0	3.60	(10.1–24.4)		45,789	(23,806–67,772)
MA	15-17	142	20.1	5.06	(11.9–31.8)		49,701	(21,426–77,976)
MI	0-4	430	4.4	1.08	(2.7–7.0)		21,919	(11,202–32,635)
MI	5-9	433	11.7	2.09	(8.2–16.4)		62,679	(39,589–85,769)
MI	10-14	553	15.9	2.12	(12.1–20.5)		81,237	(58,130–104,344)
MI	15-17	534	14.0	1.81	(10.8–17.9)		47,322	(34,903–59,741)
MN	0-4	675	1.9	0.55	(1.0–3.3)		6,631	(2,796–10,466)
MN	5-9	691	8.0	1.42	(5.6–11.3)		28,385	(18,080–38,691)
MN	10-14	856	10.4	1.18	(8.3–12.9)		23,603	(18,201–29,006)
MN	15-17	727	14.8	1.73	(11.7–18.5)		32,056	(24,141–39,971)
MS	0-4	240	3.7	1.54	(1.6–8.2)		4,976	(881–9,071)
MS	5-9	229	13.1	3.01	(8.2–20.2)		23,070	(11,880–34,260)
MS	10-14	282	13.7	2.60	(9.4–19.6)		21,803	(13,245–30,361)
MS	15-17	181	17.0	3.85	(10.7–25.9)		18,498	(9,406–27,591)
MO	0-4	259	4.1	1.34	(2.2–7.7)		14,641	(5,235–24,047)
MO	5-9	271	10.5	2.36	(6.7–16.2)		34,020	(18,383–49,657)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L3
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Age and State or Territory: BRFSS 2019

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
MO	10-14	353	13.8	2.70	(9.3–19.9)		35,888	(21,024–50,751)
MO	15-17	274	14.1	2.58	(9.7–19.9)		31,760	(19,770–43,749)
MT	0-4	302	3.1	1.39	(1.3–7.4)		1,777	(203–3,351)
MT	5-9	312	9.0	1.92	(5.9–13.6)		5,489	(3,097–7,881)
MT	10-14	368	14.6	2.34	(10.6–19.8)		7,144	(4,743–9,546)
MT	15-17	288	10.2	2.39	(6.4–15.9)		3,752	(1,926–5,578)
NE	0-4	742	3.9	0.97	(2.4–6.3)		4,313	(2,164–6,461)
NE	5-9	746	8.5	1.47	(6.0–11.8)		10,724	(6,894–14,554)
NE	10-14	943	11.8	1.79	(8.8–15.8)		13,671	(9,322–18,020)
NE	15-17	759	13.8	1.73	(10.7–17.6)		9,958	(7,351–12,565)
NV	0-4	125	5.1	2.53	(1.9–13.0)		9,719	(170–19,268)
NV	5-9	133	15.2	4.58	(8.2–26.4)		28,336	(9,988–46,684)
NV	10-14	178	14.5	4.32	(7.9–25.1)		15,994	(5,696–26,292)
NV	15-17	136	10.5	3.56	(5.3–19.8)		9,039	(2,819–15,258)
NH	0-4	156	2.9				1,832	
NH	5-9	192	13.1	3.35	(7.8–21.2)		8,170	(3,762–12,579)
NH	10-14	245	17.7	3.00	(12.5–24.4)		10,789	(6,919–14,660)
NH	15-17	218	14.1	2.82	(9.5–20.6)		6,169	(3,633–8,705)
NM	0-4	228	1.3				1,503	
NM	5-9	251	9.2	3.17	(4.6–17.6)		11,826	(3,382–20,270)
NM	10-14	327	11.5	2.71	(7.2–18.0)		10,341	(5,274–15,407)
NM	15-17	240	13.1	3.13	(8.1–20.6)		9,997	(5,015–14,979)
NY	0-4	146	6.6	2.57	(3.0–13.8)		50,585	(10,638–90,531)
NY	5-9	166	19.8	4.42	(12.5–29.8)		205,314	(103,273–307,356)
NY	10-14	206	13.2	2.79	(8.6–19.7)		119,503	(67,048–171,958)
NY	15-17	167	13.4	3.77	(7.6–22.6)		81,597	(33,311–129,882)
OH	0-4	418	5.3	1.99	(2.5–10.8)		27,319	(6,375–48,263)
OH	5-9	436	14.6	2.59	(10.2–20.4)		99,313	(61,761–136,864)
OH	10-14	581	12.0	1.99	(8.7–16.5)		70,181	(46,228–94,134)
OH	15-17	478	16.2	2.52	(11.8–21.7)		67,041	(44,702–89,380)
OR	0-4	251	4.2	2.09	(1.6–10.8)		6,880	(0–13,777)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L3
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Age and State or Territory: BRFSS 2019

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
OR	5-9	244	11.9	4.20	(5.8–22.9)		27,321	(6,315–48,326)
OR	10-14	304	17.1	4.20	(10.4–26.9)		29,947	(13,432–46,461)
OR	15-17	251	12.8	3.06	(7.9–20.1)		16,614	(8,338–24,889)
PA	0-4	286	4.3	1.27	(2.4–7.6)		26,091	(11,068–41,113)
PA	5-9	305	11.9	2.29	(8.1–17.2)		79,181	(48,097–110,265)
PA	10-14	344	14.7	2.16	(11.0–19.5)		88,473	(61,807–115,140)
PA	15-17	295	16.8	2.49	(12.5–22.2)		66,380	(46,235–86,526)
RI	0-4	164	9.5	3.23	(4.8–17.9)		5,120	(1,524–8,716)
RI	5-9	178	12.7	3.26	(7.6–20.6)		6,800	(3,201–10,399)
RI	10-14	235	14.9	3.14	(9.7–22.1)		5,414	(3,000–7,829)
RI	15-17	204	20.0	3.77	(13.6–28.4)		6,342	(3,791–8,893)
TX	0-4	483	2.4	0.73	(1.3–4.3)		38,830	(15,786–61,873)
TX	5-9	481	11.0	2.62	(6.8–17.3)		201,563	(101,765–301,361)
TX	10-14	589	13.8	2.78	(9.2–20.2)		231,318	(133,156–329,480)
TX	15-17	491	14.0	2.52	(9.7–19.7)		158,580	(100,259–216,901)
UT	0-4	783	3.2	0.75	(2.0–5.0)		7,454	(3,977–10,931)
UT	5-9	698	8.1	1.15	(6.1–10.6)		20,733	(14,776–26,690)
UT	10-14	974	10.8	1.11	(8.8–13.2)		18,548	(14,688–22,409)
UT	15-17	775	14.7	1.56	(11.9–18.0)		22,234	(17,307–27,160)
VT	0-4	203	5.9	2.14	(2.9–11.8)		1,768	(488–3,049)
VT	5-9	242	15.3	3.10	(10.1–22.4)		3,791	(2,192–5,391)
VT	10-14	309	17.1	2.85	(12.3–23.5)		4,592	(2,996–6,187)
VT	15-17	220	18.8	4.19	(11.9–28.4)		4,046	(2,052–6,040)
WI	0-4	139	4.2	1.75	(1.8–9.3)		13,962	(2,472–25,453)
WI	5-9	162	9.9	2.84	(5.6–17.0)		32,840	(13,774–51,905)
WI	10-14	217	13.8	3.10	(8.8–21.1)		39,518	(21,093–57,942)
WI	15-17	193	7.7	2.21	(4.3–13.3)		13,149	(5,591–20,708)
Territory								
PR	0-4	295	14.7	2.28	(10.8–19.7)		25,153	(16,959–33,347)
PR	5-9	334	29.4	2.76	(24.3–35.1)		55,901	(44,006–67,797)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L3
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Age and State or Territory: BRFSS 2019

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
PR	10-14	367	26.0	2.50	(21.4–31.2)		36,545	(28,881–44,209)
PR	15-17	293	25.5	2.79	(20.4–31.3)		35,986	(27,286–44,686)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**