

Table C5
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
Total ^f	White NH ***	30,551	6.2	0.32	(5.6–6.8)		1,311,436	(1,175,464–1,447,408)
Total ^f	Black NH	3,869	13.1	1.08	(11.1–15.4)		828,598	(687,522–969,674)
Total ^f	Other NH	5,228	6.5	1.05	(4.7–8.9)		388,051	(260,024–516,077)
Total ^f	Hispanic	7,558	7.2	0.68	(6.0–8.7)		1,047,759	(850,584–1,244,933)
CA	White NH	229	6.0	2.16	(2.9–11.9)		117,593	(33,196–201,990)
CA	Black NH	43	15.6	5.81	(7.2–30.5)		54,699	(13,071–96,328)
CA	Other NH	158	5.8	3.01	(2.0–15.3)		99,832	(0–206,141)
CA	Hispanic	477	6.9	1.46	(4.5–10.4)		326,237	(188,057–464,417)
CT	White NH	1,064	10.7	1.68	(7.8–14.4)		36,756	(25,028–48,483)
CT	Black NH	185	11.7	3.32	(6.6–19.9)		9,678	(4,175–15,181)
CT	Other NH	185	12.3	4.31	(6.0–23.5)		9,067	(2,419–15,715)
CT	Hispanic	417	13.7	3.09	(8.7–20.9)		25,145	(13,045–37,246)
DC	White NH	209	3.3	1.32	(1.5–7.1)		929	(181–1,676)
DC	Black NH	217	15.4	2.83	(10.7–21.8)		10,796	(6,689–14,903)
DC	Other NH	57			(–)		362	(–)
DC	Hispanic	60			(–)		275	(–)
FL	White NH	968	5.8	1.38	(3.6–9.1)		86,716	(45,092–128,339)
FL	Black NH	173	9.9	3.52	(4.8–19.2)		85,947	(23,358–148,537)
FL	Other NH	140			(–)		6,098	(–)
FL	Hispanic	440	4.4	1.39	(2.4–8.1)		61,039	(23,347–98,731)
GA	White NH	883	7.6	1.38	(5.3–10.8)		70,603	(44,597–96,608)
GA	Black NH	484	14.5	2.83	(9.8–20.9)		121,825	(71,190–172,461)
GA	Other NH	141	5.2	3.16	(1.6–16.1)		12,225	(0–27,042)
GA	Hispanic	213	7.4	2.65	(3.6–14.6)		26,792	(7,567–46,017)
HI	White NH	243			(–)		515	(–)
HI	Black NH	13			(–)		170	(–)
HI	Other NH	1,082	7.2	1.04	(5.4–9.5)		13,856	(9,874–17,837)
HI	Hispanic	229	13.5	2.96	(8.6–20.4)		7,820	(4,224–11,417)
IN	White NH	1,273	5.0	0.67	(3.8–6.5)		48,999	(36,121–61,876)
IN	Black NH	165	8.4	2.26	(4.9–14.0)		14,991	(6,975–23,006)
IN	Other NH	111	5.1	1.87	(2.4–10.3)		6,047	(1,720–10,374)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘–’/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table C5
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
IN	Hispanic	163	7.7	2.80	(3.7–15.3)		14,506	(3,667–25,344)
KS	White NH	1,752	6.9	0.76	(5.5–8.5)		28,336	(22,111–34,561)
KS	Black NH	86	9.6	3.25	(4.9–18.1)		3,963	(1,281–6,645)
KS	Other NH	188	9.2	2.64	(5.2–15.8)		6,984	(2,908–11,060)
KS	Hispanic	304	7.6	1.74	(4.8–11.8)		10,434	(5,566–15,302)
KY	White NH	681	6.3	1.16	(4.4–9.0)		45,076	(28,746–61,407)
KY	Black NH	36			(.–.)		2,924	(.–.)
KY	Other NH	45	11.3	5.97	(3.8–29.1)		9,072	(0–19,054)
KY	Hispanic	25			(.–.)		7,263	(.–.)
ME	White NH	1,381	8.2	1.06	(6.3–10.5)		15,478	(11,548–19,408)
ME	Black NH	23			(.–.)		50	(.–.)
ME	Other NH	58			(.–.)		910	(.–.)
ME	Hispanic	52			(.–.)		1,388	(.–.)
MA	White NH	383	5.9	1.61	(3.5–10.0)		37,602	(17,409–57,796)
MA	Black NH	41			(.–.)		6,025	(.–.)
MA	Other NH	75	8.8	5.02	(2.8–24.7)		18,258	(0–39,900)
MA	Hispanic	92	12.2	3.86	(6.4–22.0)		30,073	(10,521–49,625)
MI	White NH	1,024	7.2	0.93	(5.5–9.2)		89,749	(66,724–112,774)
MI	Black NH	174	13.3	3.12	(8.2–20.6)		44,113	(22,714–65,511)
MI	Other NH	148	8.1	2.29	(4.6–13.9)		15,870	(7,125–24,615)
MI	Hispanic	101	8.7	2.65	(4.7–15.5)		19,259	(7,756–30,761)
MN	White NH	2,674	4.5	0.56	(3.5–5.7)		36,244	(27,407–45,081)
MN	Black NH	206	4.3	1.50	(2.2–8.4)		5,716	(1,811–9,621)
MN	Other NH	380	4.2	1.18	(2.4–7.2)		7,787	(3,427–12,147)
MN	Hispanic	403	2.7	0.83	(1.5–4.9)		3,568	(1,429–5,707)
MS	White NH	661	7.8	2.03	(4.6–12.8)		23,642	(10,788–36,495)
MS	Black NH	619	12.2	1.77	(9.1–16.1)		37,947	(26,664–49,229)
MS	Other NH	51			(.–.)		1,113	(.–.)
MS	Hispanic	22			(.–.)		0	(.–.)
MO	White NH	1,416	6.2	0.79	(4.8–7.9)		54,645	(40,843–68,448)
MO	Black NH	216	18.2	3.30	(12.6–25.6)		34,723	(21,258–48,189)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table C5
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
MO	Other NH	119	12.5	4.28	(6.2–23.5)		15,417	(4,313–26,522)
MO	Hispanic	78	11.1	5.04	(4.4–25.4)		10,105	(567–19,644)
MT	White NH	1,059	4.9	0.68	(3.8–6.5)		8,195	(5,991–10,398)
MT	Black NH	4			(.–.)		128	(.–.)
MT	Other NH	253	10.1	3.58	(4.9–19.6)		3,866	(960–6,772)
MT	Hispanic	64			(.–.)		673	(.–.)
NE	White NH	2,505	4.0	0.52	(3.1–5.1)		12,091	(9,017–15,165)
NE	Black NH	106	6.8	3.24	(2.6–16.6)		2,241	(211–4,271)
NE	Other NH	218	6.2	1.88	(3.4–11.1)		2,424	(994–3,854)
NE	Hispanic	542	5.6	1.83	(2.9–10.4)		5,141	(1,730–8,553)
NV	White NH	200	5.9	2.19	(2.8–12.0)		11,853	(3,128–20,579)
NV	Black NH	20			(.–.)		9,377	(.–.)
NV	Other NH	51			(.–.)		3,510	(.–.)
NV	Hispanic	176	7.8	2.62	(4.0–14.7)		22,081	(7,403–36,759)
NH	White NH	827	7.0	0.91	(5.4–9.0)		13,571	(10,127–17,015)
NH	Black NH	9			(.–.)		0	(.–.)
NH	Other NH	54			(.–.)		1,229	(.–.)
NH	Hispanic	44	12.2	7.30	(3.5–34.6)		2,532	(0–5,756)
NJ	White NH	1,104	7.4	0.91	(5.8–9.4)		54,923	(41,564–68,283)
NJ	Black NH	254	16.7	3.13	(11.4–23.7)		41,898	(25,301–58,494)
NJ	Other NH	295	4.0	1.13	(2.3–6.9)		10,274	(4,566–15,982)
NJ	Hispanic	541	5.8	1.05	(4.1–8.2)		29,681	(19,140–40,221)
NM	White NH	414	9.4	2.75	(5.2–16.3)		8,924	(3,507–14,341)
NM	Black NH	9			(.–.)		613	(.–.)
NM	Other NH	306	5.1	1.78	(2.5–9.9)		3,321	(1,008–5,634)
NM	Hispanic	739	6.9	1.45	(4.6–10.4)		19,469	(11,342–27,596)
NY	White NH	536	6.7	1.33	(4.6–9.9)		114,866	(70,215–159,516)
NY	Black NH	98	13.9	3.95	(7.8–23.5)		80,958	(34,432–127,484)
NY	Other NH	143	5.7	1.93	(2.9–10.9)		31,788	(10,496–53,080)
NY	Hispanic	199	8.9	2.62	(4.9–15.6)		83,386	(33,363–133,408)
OH	White NH	2,269	5.9	0.81	(4.5–7.7)		94,597	(68,836–120,358)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table C5
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
OH	Black NH	221	12.5	2.79	(8.0–19.1)		49,049	(26,557–71,541)
OH	Other NH	202	10.2	3.48	(5.1–19.3)		23,344	(6,823–39,865)
OH	Hispanic	162			(.–)		5,148	(.–)
PA	White NH	818	6.7	1.22	(4.7–9.5)		104,441	(66,779–142,104)
PA	Black NH	124	33.4	7.07	(21.2–48.3)		112,524	(48,415–176,633)
PA	Other NH	91	5.9	2.78	(2.3–14.3)		16,493	(1,046–31,940)
PA	Hispanic	88	16.7	4.94	(9.1–28.7)		49,921	(18,734–81,109)
RI	White NH	626	5.7	1.08	(3.9–8.2)		5,658	(3,562–7,754)
RI	Black NH	66	7.7	3.79	(2.9–19.2)		1,115	(43–2,187)
RI	Other NH	106	15.3	4.99	(7.8–27.7)		3,516	(1,047–5,984)
RI	Hispanic	199	14.2	3.05	(9.2–21.3)		8,107	(4,621–11,594)
TX	White NH	911	4.5	1.13	(2.8–7.3)		91,761	(46,862–136,661)
TX	Black NH	171	9.5	3.16	(4.8–17.7)		85,551	(28,348–142,755)
TX	Other NH	186	10.0	4.64	(3.9–23.4)		55,608	(1,912–109,305)
TX	Hispanic	1,218	7.1	1.53	(4.6–10.8)		259,532	(145,451–373,612)
UT	White NH	2,671	5.8	0.54	(4.8–6.9)		37,605	(30,608–44,602)
UT	Black NH	41			(.–)		414	(.–)
UT	Other NH	192	5.1	2.18	(2.1–11.5)		3,839	(491–7,187)
UT	Hispanic	382	8.5	1.63	(5.8–12.3)		14,958	(9,139–20,777)
VT	White NH	1,071	7.4	1.06	(5.5–9.7)		6,835	(4,895–8,774)
VT	Black NH	17			(.–)		143	(.–)
VT	Other NH	86			(.–)		278	(.–)
VT	Hispanic	45	13.6	6.61	(5.0–32.2)		590	(0–1,186)
WI	White NH	699	6.5	1.38	(4.3–9.8)		53,235	(30,726–75,744)
WI	Black NH	48			(.–)		11,019	(.–)
WI	Other NH	107			(.–)		5,664	(.–)
WI	Hispanic	83			(.–)		2,635	(.–)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechninfo.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%