

**Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race and State or Territory: BRFSS 2020**

State	Race ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
Total ^f	White	35,306	9.9	0.41	(9.2–10.8)		3,018,035	(2,770,435–3,265,635)
Total ^f	Black	4,261	18.5	1.25	(16.2–21.1)		1,338,578	(1,147,589–1,529,567)
Total ^f	Other	7,789	10.1	0.91	(8.5–12.1)		1,064,339	(867,978–1,260,700)
CA	White	586	9.6	1.52	(7.0–13.0)		514,728	(351,052–678,404)
CA	Black	63	15.6	4.89	(8.2–27.7)		88,324	(31,915–144,733)
CA	Other	260	9.5	2.46	(5.6–15.5)		272,276	(128,454–416,097)
CT	White	1,282	17.7	2.07	(14.0–22.1)		79,281	(59,593–98,970)
CT	Black	230	16.8	3.92	(10.5–26.0)		17,610	(9,080–26,139)
CT	Other	343	20.0	4.11	(13.2–29.3)		27,525	(15,016–40,034)
DC	White	240	5.5	1.46	(3.3–9.2)		2,069	(995–3,143)
DC	Black	230	18.9	2.94	(13.8–25.4)		13,890	(9,388–18,391)
DC	Other	75			(.–)		938	(.–)
FL	White	1,241	8.4	1.34	(6.1–11.4)		197,321	(135,504–259,137)
FL	Black	209	15.6	3.86	(9.4–24.7)		160,454	(78,729–242,179)
FL	Other	276	7.6	2.65	(3.8–14.7)		51,222	(15,634–86,809)
GA	White	1,013	13.7	1.86	(10.4–17.7)		156,651	(112,880–200,422)
GA	Black	503	23.3	3.37	(17.4–30.6)		203,112	(136,458–269,766)
GA	Other	213	9.6	2.91	(5.2–17.0)		34,496	(13,547–55,445)
HI	White	278	7.2	2.19	(3.9–12.9)		3,065	(1,169–4,961)
HI	Black	13			(.–)		170	(.–)
HI	Other	1,281	14.8	1.36	(12.3–17.7)		36,189	(29,455–42,924)
IN	White	1,377	8.2	0.87	(6.7–10.1)		90,807	(71,743–109,871)
IN	Black	171	10.9	2.60	(6.7–17.1)		20,329	(10,595–30,064)
IN	Other	170	8.7	2.28	(5.1–14.3)		15,944	(7,610–24,278)
KS	White	1,973	9.9	0.84	(8.4–11.7)		50,505	(41,977–59,033)
KS	Black	98	12.3	3.52	(6.9–21.0)		5,596	(2,334–8,858)
KS	Other	271	13.3	2.36	(9.3–18.7)		15,229	(9,679–20,778)
KY	White	703	10.2	1.46	(7.7–13.4)		75,897	(54,263–97,530)
KY	Black	37			(.–)		8,580	(.–)
KY	Other	50			(.–)		9,072	(.–)
ME	White	1,421	12.6	1.31	(10.3–15.5)		25,320	(20,050–30,590)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechninfo.html>

^aAged 0-17

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race and State or Territory: BRFSS 2020**

State	Race ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
ME	Black	25			(.-.)		163	(.-.)
ME	Other	74	11.2	4.55	(4.9–23.6)		1,900	(328–3,473)
MA	White	420	12.5	2.28	(8.7–17.7)		91,794	(57,255–126,332)
MA	Black	49	24.7	8.47	(11.8–44.5)		26,563	(5,335–47,791)
MA	Other	126	10.2	3.56	(5.0–19.5)		34,519	(9,453–59,585)
MI	White	1,095	11.1	1.10	(9.1–13.4)		155,362	(124,912–185,813)
MI	Black	187	18.1	3.67	(12.0–26.5)		66,854	(37,800–95,908)
MI	Other	175	11.5	2.84	(7.0–18.3)		29,163	(14,522–43,804)
MN	White	2,873	6.2	0.58	(5.2–7.5)		54,448	(44,384–64,513)
MN	Black	223	7.9	2.05	(4.7–13.0)		10,904	(5,236–16,571)
MN	Other	572	7.4	1.39	(5.1–10.7)		18,047	(11,236–24,858)
MS	White	672	12.0	2.09	(8.4–16.7)		37,174	(23,308–51,040)
MS	Black	623	16.1	1.93	(12.7–20.3)		50,370	(37,912–62,828)
MS	Other	62	12.1	4.19	(6.0–23.0)		4,220	(1,326–7,114)
MO	White	1,465	9.8	1.01	(8.0–12.0)		91,564	(72,628–110,501)
MO	Black	222	24.5	3.66	(18.0–32.3)		49,071	(32,914–65,228)
MO	Other	146	11.2	3.54	(5.9–20.3)		17,178	(5,936–28,419)
MT	White	1,106	8.1	0.84	(6.6–9.9)		14,258	(11,386–17,129)
MT	Black	4			(.-.)		128	(.-.)
MT	Other	278	14.3	3.47	(8.8–22.5)		6,309	(3,040–9,577)
NE	White	2,868	7.0	0.70	(5.7–8.5)		25,481	(20,384–30,578)
NE	Black	116	8.7	3.32	(4.0–17.8)		2,958	(827–5,090)
NE	Other	393	8.7	2.13	(5.3–13.8)		5,807	(2,906–8,707)
NV	White	284	9.5	2.50	(5.6–15.7)		30,570	(14,309–46,830)
NV	Black	24			(.-.)		10,563	(.-.)
NV	Other	140	5.6	1.76	(3.0–10.2)		14,940	(6,175–23,705)
NH	White	860	12.9	1.47	(10.3–16.0)		26,948	(20,749–33,146)
NH	Black	11			(.-.)		0	(.-.)
NH	Other	67	9.8	3.33	(4.9–18.5)		2,457	(864–4,051)
NJ	White	1,353	10.7	1.03	(8.9–12.9)		105,603	(85,549–125,657)
NJ	Black	309	21.3	3.52	(15.2–29.0)		66,552	(41,739–91,365)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.-./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race and State or Territory: BRFSS 2020**

State	Race ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
NJ	Other	541	8.5	1.37	(6.2–11.6)		40,647	(27,604–53,690)
NM	White	1,019	11.4	1.63	(8.6–15.0)		37,249	(26,494–48,004)
NM	Black	24			(.–)		1,764	(.–)
NM	Other	432	8.3	2.15	(5.0–13.6)		9,376	(4,500–14,252)
NY	White	618	10.5	1.58	(7.8–14.0)		216,073	(151,102–281,044)
NY	Black	115	19.3	4.44	(12.0–29.4)		131,543	(70,571–192,516)
NY	Other	245	11.6	2.45	(7.6–17.3)		121,484	(68,881–174,086)
OH	White	2,355	8.3	0.87	(6.8–10.2)		140,427	(111,159–169,695)
OH	Black	237	15.6	2.89	(10.7–22.1)		62,995	(38,849–87,141)
OH	Other	272	13.1	3.24	(8.0–20.9)		39,841	(19,269–60,414)
PA	White	857	10.0	1.38	(7.6–13.0)		168,037	(121,885–214,188)
PA	Black	131	36.7	6.66	(24.9–50.4)		130,856	(65,002–196,711)
PA	Other	137	12.0	3.58	(6.6–20.9)		51,991	(19,814–84,167)
RI	White	737	13.8	1.87	(10.5–17.9)		17,496	(12,659–22,332)
RI	Black	84	11.6	4.03	(5.8–22.1)		2,087	(673–3,500)
RI	Other	183	19.4	3.92	(12.8–28.2)		9,650	(5,473–13,828)
TX	White	1,810	9.9	1.38	(7.5–12.9)		440,804	(316,193–565,416)
TX	Black	208	18.1	4.51	(10.9–28.6)		193,572	(91,046–296,099)
TX	Other	471	10.0	2.97	(5.5–17.5)		161,748	(62,283–261,214)
UT	White	2,944	8.8	0.65	(7.6–10.2)		68,481	(58,503–78,459)
UT	Black	44			(.–)		1,320	(.–)
UT	Other	304	8.2	1.98	(5.1–13.0)		10,761	(5,483–16,038)
VT	White	1,107	12.1	1.27	(9.9–14.9)		11,709	(9,293–14,125)
VT	Black	18			(.–)		178	(.–)
VT	Other	97			(.–)		379	(.–)
WI	White	749	9.8	1.70	(7.0–13.7)		88,915	(57,490–120,339)
WI	Black	53			(.–)		12,072	(.–)
WI	Other	135	11.9	4.61	(5.4–24.2)		21,032	(4,213–37,851)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechninfo.html>

^aAged 0-17

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%