

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
U.S. Total <sup>f</sup>	18–24	24,762	10.4	0.39	(9.7–11.2)		3,195,305	(2,950,123–3,440,487)
U.S. Total <sup>f</sup>	25–34	42,847	8.8	0.26	(8.3–9.3)		3,883,307	(3,648,778–4,117,837)
U.S. Total <sup>f</sup>	35–44	49,746	8.8	0.25	(8.3–9.3)		3,615,259	(3,405,851–3,824,667)
U.S. Total <sup>f</sup>	45–54	55,941	9.8	0.27	(9.3–10.3)		3,713,547	(3,506,803–3,920,291)
U.S. Total <sup>f</sup>	55–64	75,535	9.9	0.28	(9.4–10.5)		4,139,448	(3,902,881–4,376,015)
U.S. Total <sup>f</sup>	65+	135,116	8.3	0.20	(7.9–8.7)		4,608,140	(4,382,476–4,833,803)
AL	18–24	313	10.3	2.02	(6.3–14.3)		46,783	(27,715–65,851)
AL	25–34	570	9.1	1.35	(6.4–11.7)		57,201	(39,888–74,514)
AL	35–44	660	8.7	1.38	(5.9–11.4)		51,331	(34,491–68,170)
AL	45–54	797	7.3	0.97	(5.4–9.2)		41,547	(30,546–52,548)
AL	55–64	1,013	11.3	1.39	(8.5–14.0)		71,823	(53,212–90,433)
AL	65+	1,882	8.1	0.81	(6.5–9.7)		70,511	(56,395–84,628)
AK	18–24	208			(–)		2,194	(–)
AK	25–34	422	12.4	2.49	(7.5–17.3)		13,813	(7,953–19,672)
AK	35–44	527	10.1	1.94	(6.3–13.9)		9,547	(5,763–13,331)
AK	45–54	508	7.1	1.36	(4.5–9.8)		5,450	(3,383–7,516)
AK	55–64	765	7.8	1.35	(5.1–10.4)		6,710	(4,354–9,065)
AK	65+	1,124	10.5	1.88	(6.9–14.2)		9,988	(6,229–13,747)
AZ	18–24	627	11.3	1.53	(8.3–14.3)		79,883	(57,503–102,264)
AZ	25–34	1,082	8.5	0.95	(6.6–10.4)		85,396	(66,083–104,709)
AZ	35–44	1,205	9.9	1.14	(7.6–12.1)		88,432	(67,502–109,362)
AZ	45–54	1,444	9.1	0.96	(7.2–11.0)		72,958	(57,274–88,642)
AZ	55–64	1,877	10.9	0.98	(9.0–12.8)		93,323	(76,153–110,493)
AZ	65+	3,749	9.3	0.73	(7.8–10.7)		124,496	(104,537–144,454)
AR	18–24	200	9.2	2.64	(4.0–14.4)		26,726	(10,781–42,672)
AR	25–34	375	8.5	1.54	(5.5–11.6)		32,747	(20,760–44,734)
AR	35–44	490	7.4	1.29	(4.9–10.0)		27,594	(17,928–37,260)
AR	45–54	592	11.4	1.50	(8.5–14.4)		37,560	(27,407–47,714)
AR	55–64	930	8.5	1.10	(6.3–10.7)		31,643	(23,273–40,012)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechno.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

'–/blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
AR	65+	2,518	9.7	0.82	(8.1–11.3)		51,335	(42,466–60,203)
CA	18–24	448	11.5	2.08	(7.4–15.6)		420,297	(260,358–580,235)
CA	25–34	904	8.0	1.24	(5.5–10.4)		463,228	(316,115–610,342)
CA	35–44	723	8.9	1.25	(6.4–11.3)		457,282	(327,696–586,868)
CA	45–54	659	7.9	1.29	(5.3–10.4)		375,749	(251,196–500,303)
CA	55–64	762	11.9	1.82	(8.3–15.4)		561,368	(379,742–742,994)
CA	65+	1,202	9.2	1.34	(6.6–11.9)		555,029	(389,852–720,207)
CO	18–24	711	13.0	1.41	(10.2–15.8)		70,161	(54,242–86,079)
CO	25–34	1,314	9.5	0.89	(7.7–11.2)		82,278	(66,511–98,045)
CO	35–44	1,433	8.9	0.82	(7.3–10.5)		70,731	(57,606–83,855)
CO	45–54	1,548	9.9	0.84	(8.3–11.6)		66,491	(54,916–78,066)
CO	55–64	1,866	9.2	0.74	(7.8–10.6)		65,639	(54,950–76,327)
CO	65+	2,990	8.2	0.61	(7.0–9.4)		71,443	(60,667–82,219)
CT	18–24	496	10.8	1.98	(6.9–14.7)		37,065	(23,039–51,091)
CT	25–34	894	10.0	1.37	(7.3–12.7)		43,088	(31,031–55,145)
CT	35–44	1,096	13.8	1.61	(10.7–17.0)		57,086	(42,994–71,178)
CT	45–54	1,463	10.2	1.06	(8.1–12.3)		43,562	(34,438–52,685)
CT	55–64	1,966	11.4	1.13	(9.2–13.6)		57,679	(45,784–69,575)
CT	65+	2,745	8.9	0.83	(7.3–10.6)		56,292	(45,714–66,870)
DE	18–24	276	14.0	3.29	(7.5–20.5)		12,119	(5,965–18,273)
DE	25–34	463	11.6	2.31	(7.0–16.1)		14,397	(8,308–20,486)
DE	35–44	540	9.3	1.62	(6.1–12.4)		10,603	(6,817–14,389)
DE	45–54	590	14.6	2.00	(10.7–18.6)		15,561	(11,026–20,096)
DE	55–64	795	8.5	1.24	(6.1–11.0)		11,362	(8,004–14,721)
DE	65+	1,276	9.7	1.25	(7.2–12.1)		18,949	(13,892–24,006)
DC	18–24	114	11.6	3.10	(5.5–17.7)		7,407	(3,265–11,549)
DC	25–34	434	8.0	1.46	(5.1–10.9)		12,767	(8,003–17,531)
DC	35–44	570	10.9	1.46	(8.0–13.8)		11,909	(8,624–15,194)
DC	45–54	510	12.3	1.87	(8.6–16.0)		8,796	(5,971–11,622)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-,./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
DC	55–64	567	13.6	1.86	(9.9–17.2)		9,581	(6,806–12,357)
DC	65+	1,120	8.7	1.02	(6.8–10.7)		7,869	(6,030–9,707)
FL	18–24	585	7.0	1.34	(4.3–9.6)		124,130	(77,320–170,940)
FL	25–34	1,064	8.0	1.32	(5.4–10.6)		219,513	(146,848–292,177)
FL	35–44	1,227	6.4	1.26	(4.0–8.9)		168,895	(102,660–235,130)
FL	45–54	1,471	8.6	1.35	(6.0–11.3)		220,380	(150,779–289,981)
FL	55–64	2,129	7.4	0.99	(5.4–9.3)		208,791	(153,178–264,404)
FL	65+	5,075	6.9	0.73	(5.4–8.3)		319,300	(250,816–387,784)
GA	18–24	526	10.5	2.11	(6.3–14.6)		110,390	(64,058–156,721)
GA	25–34	968	7.8	1.25	(5.3–10.2)		113,076	(75,898–150,254)
GA	35–44	1,124	7.9	1.03	(5.9–9.9)		107,421	(79,443–135,400)
GA	45–54	1,329	9.1	1.20	(6.8–11.5)		118,721	(86,820–150,622)
GA	55–64	1,597	8.9	0.98	(6.9–10.8)		116,801	(90,740–142,862)
GA	65+	3,248	9.9	1.00	(8.0–11.9)		153,262	(121,058–185,467)
HI	18–24	554	7.1	1.29	(4.5–9.6)		8,349	(5,282–11,416)
HI	25–34	963	9.2	1.16	(7.0–11.5)		17,601	(13,107–22,096)
HI	35–44	1,084	6.8	0.91	(5.0–8.5)		12,367	(9,023–15,710)
HI	45–54	1,100	9.8	1.19	(7.5–12.1)		15,635	(11,724–19,545)
HI	55–64	1,398	10.7	1.15	(8.5–13.0)		18,686	(14,541–22,831)
HI	65+	2,553	8.7	0.87	(7.0–10.4)		23,692	(18,866–28,517)
ID	18–24	500	9.2	1.72	(5.8–12.5)		16,058	(9,865–22,252)
ID	25–34	746	9.4	1.45	(6.5–12.2)		21,643	(14,757–28,528)
ID	35–44	824	8.7	1.47	(5.8–11.6)		19,887	(12,967–26,807)
ID	45–54	838	10.0	1.49	(7.1–12.9)		17,914	(12,430–23,397)
ID	55–64	964	10.0	1.37	(7.3–12.7)		21,344	(15,323–27,364)
ID	65+	1,912	9.7	1.04	(7.6–11.7)		29,161	(22,724–35,598)
IL	18–24	286	10.3	2.52	(5.4–15.3)		121,029	(58,529–183,529)
IL	25–34	511	7.0	1.16	(4.7–9.3)		117,801	(79,249–156,353)
IL	35–44	496	10.8	1.72	(7.4–14.1)		164,945	(110,365–219,525)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechno.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-,./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
IL	45–54	480	8.2	1.41	(5.4–11.0)		124,342	(81,500–167,184)
IL	55–64	668	8.7	1.30	(6.2–11.3)		138,082	(96,731–179,433)
IL	65+	1,160	7.5	0.99	(5.5–9.4)		154,718	(113,575–195,861)
IN	18–24	491	9.8	1.49	(6.9–12.7)		66,121	(45,410–86,832)
IN	25–34	827	9.3	1.02	(7.3–11.3)		80,709	(62,815–98,604)
IN	35–44	1,020	10.0	1.04	(7.9–12.0)		81,616	(64,024–99,209)
IN	45–54	1,240	10.8	1.00	(8.9–12.8)		79,388	(64,285–94,491)
IN	55–64	1,703	11.4	0.91	(9.6–13.2)		98,151	(81,998–114,304)
IN	65+	2,918	7.6	0.57	(6.5–8.8)		84,642	(71,811–97,474)
IA	18–24	736	10.6	1.38	(7.9–13.3)		34,038	(24,787–43,290)
IA	25–34	1,015	10.6	1.06	(8.5–12.7)		40,893	(32,422–49,364)
IA	35–44	1,344	9.4	0.90	(7.7–11.2)		35,906	(28,868–42,944)
IA	45–54	1,401	8.4	0.80	(6.9–10.0)		28,158	(22,757–33,560)
IA	55–64	1,747	9.2	0.80	(7.7–10.8)		37,199	(30,577–43,821)
IA	65+	3,173	7.3	0.55	(6.2–8.4)		41,038	(34,838–47,238)
KS	18–24	711	13.6	1.60	(10.4–16.7)		40,958	(30,721–51,194)
KS	25–34	1,125	10.5	1.05	(8.4–12.5)		38,603	(30,657–46,550)
KS	35–44	1,345	8.9	0.86	(7.2–10.6)		31,925	(25,700–38,150)
KS	45–54	1,334	8.9	1.01	(6.9–10.9)		27,151	(20,785–33,516)
KS	55–64	2,041	10.6	0.88	(8.8–12.3)		37,762	(31,203–44,321)
KS	65+	3,706	7.8	0.53	(6.8–8.9)		37,419	(32,271–42,568)
KY	18–24	253	13.4	2.36	(8.8–18.1)		56,079	(35,467–76,691)
KY	25–34	463	8.9	1.62	(5.7–12.1)		50,657	(31,700–69,614)
KY	35–44	489	9.2	1.44	(6.4–12.1)		50,130	(34,263–65,998)
KY	45–54	583	14.7	2.00	(10.8–18.6)		75,709	(53,651–97,768)
KY	55–64	760	14.1	1.55	(11.0–17.1)		81,856	(62,906–100,806)
KY	65+	1,293	10.0	1.07	(7.9–12.1)		76,636	(59,831–93,442)
LA	18–24	290	8.3	1.86	(4.6–12.0)		35,461	(19,315–51,606)
LA	25–34	531	6.6	1.33	(4.0–9.2)		41,544	(24,598–58,489)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstehinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
LA	35–44	651	7.9	1.51	(4.9–10.9)		46,387	(28,038–64,736)
LA	45–54	692	12.1	1.54	(9.1–15.2)		61,677	(45,358–77,996)
LA	55–64	941	6.7	0.99	(4.8–8.7)		38,904	(27,359–50,448)
LA	65+	1,537	6.7	0.79	(5.1–8.2)		49,971	(38,110–61,832)
ME	18–24	403	12.9	2.19	(8.6–17.2)		14,432	(9,358–19,505)
ME	25–34	785	9.1	1.26	(6.7–11.6)		13,892	(10,023–17,762)
ME	35–44	995	11.8	1.47	(8.9–14.7)		18,021	(13,335–22,707)
ME	45–54	1,345	12.2	1.36	(9.6–14.9)		19,281	(14,786–23,775)
ME	55–64	2,220	11.2	1.02	(9.2–13.2)		23,758	(19,270–28,245)
ME	65+	4,952	8.3	0.54	(7.3–9.3)		23,634	(20,584–26,683)
MD	18–24	727	10.7	1.47	(7.8–13.6)		57,680	(41,174–74,186)
MD	25–34	1,436	9.9	1.03	(7.9–11.9)		78,923	(61,978–95,867)
MD	35–44	1,715	8.7	0.85	(7.1–10.4)		66,921	(53,733–80,109)
MD	45–54	2,125	8.6	0.75	(7.1–10.1)		60,109	(49,438–70,779)
MD	55–64	3,045	8.4	0.61	(7.2–9.6)		66,984	(57,141–76,827)
MD	65+	4,704	8.1	0.56	(7.0–9.2)		78,814	(67,799–89,828)
MA	18–24	516	11.7	1.89	(7.9–15.4)		81,001	(53,361–108,642)
MA	25–34	911	8.6	1.08	(6.5–10.7)		77,909	(58,067–97,751)
MA	35–44	841	10.2	1.27	(7.7–12.7)		86,046	(64,197–107,896)
MA	45–54	1,048	11.9	1.32	(9.3–14.5)		95,093	(73,088–117,098)
MA	55–64	1,422	10.5	1.09	(8.4–12.7)		97,766	(76,962–118,571)
MA	65+	2,117	11.5	1.05	(9.5–13.6)		134,775	(109,385–160,165)
MI	18–24	515	10.8	1.46	(7.9–13.6)		101,776	(73,808–129,744)
MI	25–34	770	12.3	1.68	(9.0–15.7)		158,153	(112,112–204,193)
MI	35–44	794	9.6	1.21	(7.2–11.9)		110,139	(81,656–138,622)
MI	45–54	986	12.9	1.35	(10.2–15.5)		148,379	(115,974–180,784)
MI	55–64	1,366	11.5	1.02	(9.5–13.5)		157,213	(128,423–186,003)
MI	65+	2,674	9.7	0.75	(8.2–11.2)		174,389	(146,761–202,017)
MN	18–24	1,171	9.7	1.07	(7.6–11.8)		49,914	(38,577–61,251)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>././blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
MN	25–34	1,902	10.0	0.82	(8.4–11.6)		73,755	(61,258–86,252)
MN	35–44	2,407	7.6	0.59	(6.4–8.7)		54,587	(45,945–63,228)
MN	45–54	2,479	9.1	0.64	(7.9–10.4)		57,611	(49,339–65,883)
MN	55–64	3,092	8.6	0.64	(7.4–9.9)		64,510	(54,706–74,314)
MN	65+	4,467	6.9	0.48	(5.9–7.8)		65,084	(55,870–74,299)
MS	18–24	325	7.9	1.83	(4.3–11.5)		19,790	(10,391–29,190)
MS	25–34	604	9.9	1.34	(7.3–12.5)		42,141	(30,501–53,781)
MS	35–44	781	7.3	1.08	(5.1–9.4)		26,075	(18,232–33,918)
MS	45–54	844	9.2	1.22	(6.8–11.6)		31,185	(22,732–39,637)
MS	55–64	1,221	10.5	1.05	(8.5–12.6)		38,749	(30,820–46,678)
MS	65+	2,582	8.3	0.71	(6.9–9.7)		41,072	(33,928–48,216)
MO	18–24	623	12.0	1.53	(9.0–15.0)		68,824	(50,662–86,987)
MO	25–34	1,024	9.3	1.29	(6.7–11.8)		73,339	(52,059–94,619)
MO	35–44	1,120	9.8	1.09	(7.6–11.9)		73,372	(56,581–90,162)
MO	45–54	1,240	9.6	1.03	(7.6–11.6)		65,575	(51,211–79,939)
MO	55–64	1,679	9.6	0.97	(7.7–11.5)		77,309	(61,237–93,382)
MO	65+	3,296	7.4	0.63	(6.1–8.6)		79,682	(65,987–93,377)
MT	18–24	423	14.0	1.92	(10.2–17.7)		13,826	(9,791–17,862)
MT	25–34	671	9.0	1.27	(6.5–11.5)		12,151	(8,630–15,671)
MT	35–44	776	10.8	1.34	(8.2–13.4)		14,094	(10,473–17,715)
MT	45–54	814	12.3	1.35	(9.7–15.0)		13,576	(10,468–16,684)
MT	55–64	1,257	11.6	1.11	(9.4–13.8)		17,027	(13,657–20,398)
MT	65+	2,240	8.5	0.72	(7.0–9.9)		17,907	(14,808–21,007)
NE	18–24	1,114	10.5	1.33	(7.9–13.1)		20,387	(14,989–25,784)
NE	25–34	1,590	8.9	1.03	(6.8–10.9)		21,982	(16,746–27,218)
NE	35–44	1,829	6.0	0.72	(4.6–7.4)		14,518	(11,035–18,001)
NE	45–54	1,918	7.4	0.85	(5.7–9.0)		15,499	(11,869–19,129)
NE	55–64	2,772	8.6	0.78	(7.1–10.2)		20,334	(16,610–24,057)
NE	65+	5,389	6.5	0.45	(5.6–7.4)		20,772	(17,893–23,650)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-,./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
NV	18–24	185	11.1	2.84	(5.5–16.7)		29,281	(13,790–44,773)
NV	25–34	304	7.1	1.81	(3.5–10.6)		30,498	(14,650–46,346)
NV	35–44	341	5.3	1.28	(2.8–7.8)		22,188	(11,704–32,672)
NV	45–54	352	11.7	2.23	(7.3–16.1)		43,232	(26,185–60,279)
NV	55–64	435	11.2	2.04	(7.2–15.3)		43,532	(27,315–59,748)
NV	65+	803	11.0	1.69	(7.7–14.4)		56,782	(39,058–74,507)
NH	18–24	244	14.5	2.66	(9.2–19.7)		18,468	(11,236–25,700)
NH	25–34	429	12.5	1.66	(9.3–15.8)		20,838	(15,215–26,461)
NH	35–44	562	13.1	1.65	(9.9–16.4)		20,677	(15,342–26,011)
NH	45–54	862	12.9	1.38	(10.2–15.6)		20,915	(16,275–25,555)
NH	55–64	1,474	11.2	0.98	(9.2–13.1)		23,951	(19,615–28,286)
NH	65+	2,677	8.3	0.68	(7.0–9.7)		21,444	(17,887–25,000)
NJ	18–24	798	8.5	1.19	(6.2–10.9)		66,295	(47,479–85,111)
NJ	25–34	1,340	9.1	0.95	(7.2–10.9)		100,183	(78,656–121,709)
NJ	35–44	1,512	8.1	0.89	(6.3–9.8)		83,898	(64,926–102,871)
NJ	45–54	1,874	8.3	0.80	(6.8–9.9)		87,745	(70,731–104,758)
NJ	55–64	2,239	8.7	0.77	(7.2–10.2)		104,361	(85,315–123,406)
NJ	65+	3,108	9.5	0.75	(8.0–11.0)		139,979	(117,349–162,609)
NM	18–24	381	8.6	1.83	(5.0–12.2)		17,226	(9,757–24,694)
NM	25–34	708	9.9	1.54	(6.9–12.9)		27,404	(18,748–36,061)
NM	35–44	798	10.2	1.66	(7.0–13.5)		26,044	(17,307–34,780)
NM	45–54	841	12.0	1.56	(8.9–15.0)		27,544	(20,144–34,945)
NM	55–64	1,334	11.5	1.45	(8.7–14.4)		30,218	(22,274–38,161)
NM	65+	2,838	8.7	0.85	(7.0–10.4)		33,434	(26,875–39,993)
NY	18–24	909	10.0	1.19	(7.7–12.3)		172,475	(130,675–214,276)
NY	25–34	1,727	10.6	0.96	(8.7–12.4)		291,622	(236,894–346,349)
NY	35–44	1,915	9.4	0.84	(7.8–11.1)		217,115	(177,707–256,524)
NY	45–54	2,215	9.5	0.84	(7.9–11.1)		214,307	(175,671–252,943)
NY	55–64	2,926	10.2	0.78	(8.7–11.7)		250,611	(211,504–289,717)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstehinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-,./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
NY	65+	4,432	8.3	0.66	(7.0–9.6)		276,168	(231,278–321,057)
NC	18–24	409	7.3	1.48	(4.4–10.2)		74,973	(43,890–106,057)
NC	25–34	775	8.1	1.15	(5.9–10.4)		112,407	(80,042–144,771)
NC	35–44	799	8.6	1.10	(6.4–10.7)		112,278	(83,176–141,380)
NC	45–54	924	8.9	1.10	(6.7–11.1)		110,990	(82,914–139,065)
NC	55–64	1,041	7.1	0.89	(5.3–8.8)		96,813	(72,477–121,148)
NC	65+	1,742	7.0	0.74	(5.6–8.5)		127,288	(100,488–154,088)
ND	18–24	222	8.5	1.99	(4.6–12.5)		6,923	(3,637–10,210)
ND	25–34	399	8.1	1.69	(4.8–11.4)		9,087	(5,188–12,985)
ND	35–44	477	12.4	2.01	(8.4–16.3)		11,639	(7,663–15,614)
ND	45–54	481	8.1	1.44	(5.3–10.9)		5,945	(3,800–8,091)
ND	55–64	924	7.5	1.03	(5.5–9.5)		6,849	(4,943–8,754)
ND	65+	1,866	7.7	0.75	(6.2–9.1)		9,293	(7,471–11,114)
OH	18–24	858	11.6	1.49	(8.7–14.5)		125,002	(91,451–158,554)
OH	25–34	1,526	8.7	0.91	(7.0–10.5)		130,459	(103,058–157,860)
OH	35–44	1,806	11.1	1.02	(9.1–13.1)		153,853	(124,562–183,144)
OH	45–54	2,200	11.1	0.90	(9.3–12.8)		137,580	(114,701–160,459)
OH	55–64	2,933	10.8	0.82	(9.2–12.4)		169,266	(142,869–195,663)
OH	65+	4,827	8.2	0.56	(7.1–9.3)		169,827	(146,449–193,205)
OK	18–24	326	11.6	1.97	(7.8–15.5)		44,891	(29,152–60,629)
OK	25–34	577	10.9	1.47	(8.0–13.8)		57,368	(41,411–73,326)
OK	35–44	634	11.7	1.52	(8.7–14.7)		57,354	(41,859–72,849)
OK	45–54	713	11.4	1.30	(8.9–14.0)		48,733	(37,362–60,105)
OK	55–64	874	12.7	1.31	(10.1–15.2)		60,321	(47,439–73,203)
OK	65+	1,815	8.3	0.74	(6.8–9.7)		53,720	(44,071–63,368)
OR	18–24	413	11.6	1.70	(8.2–14.9)		42,521	(29,557–55,484)
OR	25–34	699	10.9	1.29	(8.3–13.4)		63,331	(47,797–78,865)
OR	35–44	792	10.9	1.17	(8.6–13.2)		61,139	(47,709–74,569)
OR	45–54	813	11.5	1.25	(9.1–14.0)		55,337	(42,938–67,736)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-,./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%



**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
OR	55–64	893	11.8	1.21	(9.4–14.2)		63,212	(49,801–76,622)
OR	65+	1,672	8.6	0.85	(7.0–10.3)		67,468	(54,070–80,865)
PA	18–24	439	13.5	2.21	(9.2–17.8)		158,456	(103,955–212,956)
PA	25–34	737	11.3	1.68	(8.0–14.6)		182,298	(125,656–238,940)
PA	35–44	768	9.9	1.31	(7.4–12.5)		147,475	(107,941–187,009)
PA	45–54	882	12.4	1.47	(9.5–15.3)		178,291	(133,930–222,653)
PA	55–64	1,087	9.4	1.21	(7.0–11.8)		166,742	(122,666–210,817)
PA	65+	1,477	7.2	0.87	(5.5–8.9)		176,704	(133,993–219,414)
RI	18–24	250	13.3	2.95	(7.5–19.1)		14,330	(7,587–21,073)
RI	25–34	499	9.9	1.69	(6.6–13.3)		14,180	(9,249–19,111)
RI	35–44	622	13.2	1.81	(9.6–16.7)		16,930	(12,067–21,793)
RI	45–54	806	13.2	1.71	(9.9–16.6)		16,103	(11,708–20,498)
RI	55–64	1,222	12.8	1.34	(10.1–15.4)		18,641	(14,526–22,755)
RI	65+	1,802	11.2	0.99	(9.2–13.1)		21,135	(17,274–24,996)
SC	18–24	288	8.9	1.90	(5.2–12.7)		42,867	(24,185–61,549)
SC	25–34	406	8.8	1.61	(5.6–12.0)		59,125	(37,167–81,083)
SC	35–44	417	8.2	1.69	(4.9–11.6)		51,778	(29,913–73,643)
SC	45–54	574	10.7	1.56	(7.7–13.8)		65,298	(45,796–84,801)
SC	55–64	755	12.0	1.50	(9.1–14.9)		81,622	(60,320–102,925)
SC	65+	1,492	8.3	0.88	(6.6–10.1)		80,783	(63,451–98,115)
SD	18–24	336	10.0	2.47	(5.1–14.8)		8,579	(4,227–12,932)
SD	25–34	596	10.3	2.31	(5.7–14.8)		11,454	(6,198–16,709)
SD	35–44	847	5.7	1.41	(2.9–8.4)		6,007	(3,036–8,978)
SD	45–54	925	8.0	1.61	(4.8–11.1)		6,791	(4,055–9,527)
SD	55–64	1,369	8.7	1.58	(5.6–11.8)		9,844	(6,199–13,489)
SD	65+	2,681	7.2	0.92	(5.4–9.0)		11,155	(8,315–13,995)
TN	18–24	337	12.0	2.54	(7.0–17.0)		75,100	(41,696–108,503)
TN	25–34	577	7.6	1.19	(5.3–10.0)		70,746	(48,894–92,598)
TN	35–44	641	9.7	1.66	(6.4–12.9)		81,388	(52,415–110,360)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstehinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-,./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
TN	45–54	716	14.8	1.96	(11.0–18.7)		117,305	(84,050–150,560)
TN	55–64	860	9.9	1.23	(7.5–12.3)		87,614	(65,529–109,700)
TN	65+	1,393	9.8	1.11	(7.6–12.0)		115,647	(88,990–142,303)
TX	18–24	822	9.3	1.69	(6.0–12.6)		266,059	(167,292–364,826)
TX	25–34	1,548	6.4	1.04	(4.4–8.5)		263,135	(178,100–348,171)
TX	35–44	1,673	6.5	1.03	(4.4–8.5)		249,677	(169,653–329,701)
TX	45–54	1,758	8.4	1.24	(5.9–10.8)		283,767	(198,467–369,068)
TX	55–64	1,882	8.1	1.16	(5.8–10.3)		263,378	(187,010–339,745)
TX	65+	3,048	6.9	0.86	(5.2–8.5)		268,299	(201,789–334,808)
UT	18–24	1,021	12.7	1.22	(10.3–15.1)		47,057	(37,553–56,561)
UT	25–34	1,447	10.2	0.92	(8.4–12.0)		47,504	(38,805–56,203)
UT	35–44	1,841	10.7	0.90	(9.0–12.5)		46,425	(38,438–54,411)
UT	45–54	1,489	10.6	0.92	(8.8–12.4)		34,204	(28,136–40,271)
UT	55–64	1,648	11.9	0.97	(10.0–13.8)		35,657	(29,687–41,627)
UT	65+	3,176	9.2	0.65	(7.9–10.4)		34,557	(29,553–39,562)
VT	18–24	247	13.5	2.76	(8.0–18.9)		8,923	(5,097–12,749)
VT	25–34	474	11.8	1.75	(8.4–15.3)		8,538	(5,956–11,120)
VT	35–44	721	15.7	1.79	(12.2–19.2)		11,037	(8,354–13,720)
VT	45–54	941	9.1	1.07	(7.0–11.2)		6,429	(4,910–7,948)
VT	55–64	1,499	9.8	1.05	(7.7–11.8)		9,047	(7,044–11,049)
VT	65+	2,479	8.2	0.78	(6.7–9.7)		10,331	(8,340–12,321)
VA	18–24	584	9.7	1.67	(6.5–13.0)		80,393	(51,689–109,097)
VA	25–34	987	6.1	0.85	(4.4–7.8)		68,149	(49,208–87,090)
VA	35–44	1,127	7.5	0.90	(5.7–9.2)		79,768	(60,552–98,984)
VA	45–54	1,357	10.5	1.04	(8.5–12.6)		108,335	(86,527–130,143)
VA	55–64	1,865	10.1	0.92	(8.3–11.9)		112,231	(91,521–132,940)
VA	65+	3,374	8.2	0.65	(6.9–9.5)		112,965	(94,852–131,079)
WA	18–24	824	9.8	1.21	(7.5–12.2)		65,385	(48,843–81,927)
WA	25–34	1,427	9.6	0.88	(7.9–11.4)		108,081	(87,932–128,230)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstehinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>-,./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
WA	35–44	1,626	8.6	0.82	(7.0–10.2)		87,553	(70,458–104,648)
WA	45–54	1,775	9.8	0.84	(8.2–11.5)		85,315	(70,425–100,206)
WA	55–64	2,424	10.2	0.77	(8.7–11.7)		97,913	(82,906–112,920)
WA	65+	4,467	10.0	0.62	(8.8–11.2)		125,708	(110,025–141,392)
WV	18–24	258	14.0	2.46	(9.1–18.8)		21,661	(13,538–29,784)
WV	25–34	506	11.8	1.59	(8.7–15.0)		24,126	(17,402–30,849)
WV	35–44	625	11.5	1.38	(8.8–14.2)		23,781	(17,872–29,690)
WV	45–54	851	14.4	1.37	(11.7–17.0)		30,376	(24,264–36,489)
WV	55–64	1,268	14.3	1.18	(12.0–16.6)		35,256	(29,179–41,333)
WV	65+	2,261	10.4	0.81	(8.8–12.0)		38,564	(32,397–44,731)
WI	18–24	305	11.1	2.29	(6.6–15.6)		61,185	(35,126–87,245)
WI	25–34	492	10.5	1.90	(6.7–14.2)		75,051	(46,673–103,429)
WI	35–44	611	9.9	1.50	(7.0–12.9)		70,022	(48,230–91,813)
WI	45–54	702	12.2	1.64	(9.0–15.4)		80,616	(57,990–103,243)
WI	55–64	1,103	11.6	1.41	(8.9–14.4)		94,462	(70,490–118,434)
WI	65+	1,778	7.4	0.93	(5.5–9.2)		76,760	(57,004–96,515)
WY	18–24	164			(–)		4,374	(–)
WY	25–34	303	11.8	2.00	(7.9–15.7)		8,523	(5,540–11,506)
WY	35–44	485	12.9	1.79	(9.4–16.4)		9,466	(6,716–12,216)
WY	45–54	512	8.9	1.43	(6.1–11.7)		5,331	(3,593–7,068)
WY	55–64	917	10.1	1.37	(7.4–12.8)		7,556	(5,438–9,674)
WY	65+	2,306	8.2	0.81	(6.6–9.8)		8,250	(6,608–9,892)
Territories								
GU	18–24	198			(–)		534	(–)
GU	25–34	347			(–)		444	(–)
GU	35–44	362			(–)		1,571	(–)
GU	45–54	347			(–)		1,238	(–)
GU	55–64	429	6.4	1.68	(3.1–9.7)		889	(430–1,347)
GU	65+	472			(–)		403	(–)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

**Table C3**  
**Adult<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Number by Age and State or Territory, BRFSS 2020**

State	Age Group	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
PR	18–24	390	10.4	1.72	(7.0–13.8)		35,988	(23,737–48,240)
PR	25–34	747	8.9	1.34	(6.3–11.6)		38,803	(26,878–50,727)
PR	35–44	783	10.5	2.66	(5.2–15.7)		45,632	(20,516–70,747)
PR	45–54	924	8.9	1.18	(6.5–11.2)		39,338	(28,631–50,045)
PR	55–64	954	11.9	1.38	(9.2–14.6)		51,501	(39,408–63,593)
PR	65+	1,109	11.4	2.07	(7.4–15.5)		71,705	(44,729–98,680)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Current asthma question: Do you still have asthma?

<sup>c</sup>Unweighted number of respondents who answered the current asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of the respondents who answered the current asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>.–/blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%