



### What is mPINC<sup>TM</sup>?

mPINC is CDC's national survey of Maternity Practices in Infant Nutrition and Care.

### What does mPINC measure?

The survey measures care practices and policies that impact newborn feeding, feeding education, staff skills, and discharge support.

### Who is included in mPINC surveys?

CDC invites all hospitals with maternity services in the U.S. and territories to participate. In 2022, 24 of 30 eligible hospitals in Idaho participated (80%).

Implementing best practices and policies in maternity care help to improve breastfeeding outcomes. Use your state's mPINC data to bring together partners, identify gaps, celebrate achievements, and prioritize next steps.

Immediate Postpartum Care	National Subscore	84	Idaho Subscore	84	Idaho Hospitals with Ideal Response
Newborns remain in uninterrupted skin-to-skin contact for at least 1 hour or until breastfed (vaginal delivery)					63%
Newborns remain in uninterrupted skin-to-skin contact for at least 1 hour or until breastfed (cesarean delivery)					38%
Mother-infant dyads are NOT separated before rooming-in (vaginal delivery)					96%
Newborns are monitored continuously for the first 2 hours after birth					71%
Rooming-In	National Subscore	76	Idaho Subscore	68	Idaho Hospitals with Ideal Response
Mother-infant dyads are rooming-in 24 hours/day					83%
Routine newborn exams, procedures, and care occur in the mother's room					33%
Hospital has a protocol requiring frequent observations of high-risk mother-infant dyads					54%
Feeding Practices	National Subscore	81	Idaho Subscore	82	Idaho Hospitals with Ideal Response
Few breastfeeding newborns receive infant formula					42%
Hospital does NOT perform routine blood glucose monitoring on newborns not at risk for hypoglycemia					92%
When breastfeeding mothers request infant formula, staff counsel them about possible consequences					33%

<b>Feeding Education &amp; Support</b>	<b>National Subscore</b>	<b>94</b>	<b>Idaho Subscore</b>	<b>91</b>	<b>Idaho Hospitals with Ideal Response</b>
Mothers whose newborns are fed formula are taught feeding techniques and how to safely prepare/feed formula					71%
Breastfeeding mothers are taught/shown how to recognize/respond to feeding cues, to breastfeed on-demand, and to understand the risks of artificial nipples/pacifiers					67%
Breastfeeding mothers are taught/shown how to position and latch their newborn, assess effective breastfeeding, and hand express milk					50%
<b>Discharge Support</b>	<b>National Subscore</b>	<b>78</b>	<b>Idaho Subscore</b>	<b>75</b>	<b>Idaho Hospitals with Ideal Response</b>
Discharge criteria for breastfeeding newborns requires direct observation of at least 1 effective feeding at the breast within 8 hours of discharge					75%
Discharge criteria for breastfeeding newborns requires scheduling of the first follow-up with a health care provider					79%
Hospital's discharge support to breastfeeding mothers includes in-person follow-up visits/appointments, personalized phone calls, or formalized, coordinated referrals to lactation providers					92%
Hospital does NOT give mothers any of these items as gifts or free samples: infant formula; feeding bottles/nipples, nipple shields, or pacifiers; coupons, discounts, or educational materials from companies that make/sell infant formula/feeding products					54%
<b>Institutional Management</b>	<b>National Subscore</b>	<b>76</b>	<b>Idaho Subscore</b>	<b>60</b>	<b>Idaho Hospitals with Ideal Response</b>
Nurses are required to demonstrate competency in assessing breastfeeding (milk transfer & maternal pain), assisting with breastfeeding (positioning & latch), teaching hand expression & safe formula preparation/feeding, and demonstrating safe skin-to-skin practices					54%
Hospital requires nurses to be formally assessed for clinical competency in breastfeeding support/lactation management					42%
Hospital records/tracks exclusive breastfeeding throughout the entire hospitalization					75%
Hospital pays a fair market price for infant formula					46%
Hospital has 100% of written policy elements <sup>§</sup>					13%

\*Scores range from 0 to 100, with 100 being the best possible score. The "Total Score" is an average of the subscores for the 6 subdomains.

<sup>§</sup>See the scoring algorithm for specific items at [www.cdc.gov/breastfeeding/data/mpinc/scoring.htm](http://www.cdc.gov/breastfeeding/data/mpinc/scoring.htm)

**NOTE: The mPINC survey was redesigned in 2018. Results from the 2022 mPINC survey cannot be compared with results from 2007-2015 mPINC surveys.**

About the Maternity Practices in Infant Nutrition and Care (mPINC)<sup>™</sup> trademark: The mPINC trademark (word and logo) are owned by the U.S. Department of Health and Human Services in the United States. An organization's participation in CDC's mPINC survey does not imply endorsement by the U.S. Department of Health and Human Services or the Centers for Disease Control and Prevention.



**U.S. Department of Health and Human Services**  
Centers for Disease Control and Prevention

**Questions about the mPINC survey?**  
Visit [www.cdc.gov/breastfeeding/data/mpinc](http://www.cdc.gov/breastfeeding/data/mpinc) to learn more.

Suggested Citation: Centers for Disease Control and Prevention. Idaho 2022 Report, CDC Survey of Maternity Practices in Infant Nutrition and Care. Atlanta, GA. 2023